Company Bankrutcy Prediciton

Data Science Final Presentation Group 4

2022-01-13

Group Members

Group4:

108703014 鄭宇傑

108703019 賴冠瑜

108703029 江宗樺


108703030 田詠恩

108304003 張瀚文

資料介紹

資料介紹

1999 年至 2009 年數據來自自台灣經濟日報的統計。公司破產之定義為台灣證券交易所的業務規則而定。



屬性資訊

- X2 ROA(A) before interest and % after tax: Return On Total Assets(A)
- X11 Operating Expense Rate: Operating Expenses/Net Sales
- X13 Cash flow rate: Cash Flow from Operating/Current Liabilities
- X33 Current Ratio
- X92 Degree of Financial Leverage (DFL)
- X85 Liability-Assets Flag: 1 if Total Liability exceeds Total Assets, 0 otherwise
- X94 Net Income Flag: 1 if Net Income is Negative for the last two years, 0 otherwise


資料分析

Shiny App




相關係數

該圖顯示了每個特徵對於對方的相關性。圖中 x 及 y 軸為資料的屬性,格子中的顏色越深,代表著兩屬性之間的相關性越高。




相關係數

該圖顯示了每個特徵對於對方的相關性。圖中 x 及 y 軸為資料的屬性,格子中的顏色越深,代表著兩屬性之間的相關性越高。




主成份分析

從第一主成份(PC1)到第二主成份 (PC2)可以發現沒有明顯可以分辨破產 與否的成分。




資料解釋度

我們可以看到大約 40 個主成份就解釋了超過 90%的差異。



公司破產分佈




模型評估標準

- 95%以上的資料中的公司都沒有破產(Bankruptcy == 0) 所以全部猜 1 就可以有超級高的 Accuracy (NULL model)
- 我們將目標設定成要盡可能增加 recall。
 嘗試預測出更多可能會倒的公司去對他們做關切或提早做應對措施,並去檢視可能面臨的問題,是這次專題的主要目標。


Models

pca 分析 -> 取前 40 個

```
#--- watch pc
std_dev <- pca$sdev
pr_var <- std_dev^2
prop_varex <- pr_var/sum(pr_var)
plot(prop_varex, type = 'lines')</pre>
```



model #1: rpart decision tree



model #1: rpart decision tree

```
decision tree
                                     decision tree with pca
                                  print( accuracy )
> print( accuracy )
                                [1] 0.9655425
[1] 0.9604106
                                > print( recall )
> print( recall )
[1] 0.1521739
                                [1] 0.255814
> print( precision )
                                > print( precision )
[1] 0.3181818
                                [1] 0.4230769
> print( NegativePrecision )
                                > print( NegativePrecision )
[1] 0.9709389
                                [1] 0.9760837
```

model #2: random forest



model #2: random forest

random forest decision tree with pca > print(accuracy) > print(accuracy) [1] 0.9560117 [1] 0.9662757 > print(recall) > print(recall) [1] 0.1489362 [1] 0.3617021 > print(precision) > print(precision) [1] 0.2592593 [1] 0.5151515 > print(NegativePrecision) > print(NegativePrecision) [1] 0.9700823 [1] 0.9774606

model #3: logistic regression




model #3: logistic regression

logistic regression logistic regression with pca print(accuracy) > print(accuracy) [1] 0.9259531 [1] 0.9670088 print(recall) > print(recall) [1] 0.6341463 [1] 0.3170732 print(precision) > print(precision) [1] 0.2321429 0.4333333 > print(NegativePrecision) > print(NegativePrecision) [1] 0.9880192 0.9790105

SMOTE 生成資料

Pytorch

epoch 次數比較



總結

recall	原始資料	透過 PCA 降維處理
Decision Tree		
Random Forest		
Logistic Regression		
Convolution Neural Network		

問題與討論

- 資料面?
 - 。 資料的收集
 - 。 資料的真實性
- 模型面?
 - 。 資料數量
 - 。 對未來預測的時效性

Reference

https://www.kaggle.com/jerryfang5/bankrutcy-prediciton-by-r/notebook https://www.kaggle.com/seongwonr/bankruptcy-prediction-with-smote https://colab.research.google.com/drive/12wXAyrbX8Ji5J6CNAEIQwtDOaxy8BCIO?usp=sharing