



DEPLYOING WORDPRESS

DevOps Certification Training

support@intellipaat.com

+91-7022374614

US: 1-800-216-8930(Toll Free)

DEPLYOING WORDPRESS

Step 1: Create a folder called “docker-wordpress”

```
$ mkdir docker-wordpress  
$cd docker-wordpress
```

 ubuntu@ip-172-31-44-168: ~/docker-wordpress

```
ubuntu@ip-172-31-44-168:~$ mkdir docker-wordpress  
ubuntu@ip-172-31-44-168:~$ cd docker-wordpress  
ubuntu@ip-172-31-44-168:~/docker-wordpress$ █
```

Step 2: Write the sample YAML file in “docker-compose.yml” file

```
version: '3.3'

services:
  db:
    image: mysql:5.7
    volumes:
      - db_data:/var/lib/mysql
    restart: always
    environment:
      MYSQL_ROOT_PASSWORD: somewordpress
      MYSQL_DATABASE: wordpress
      MYSQL_USER: wordpress
      MYSQL_PASSWORD: wordpress
  wordpress:
    depends_on:
      - db
    image: wordpress:latest
    ports:
      - "8000:80"
    restart: always
    environment:
      WORDPRESS_DB_HOST: db:3306
      WORDPRESS_DB_USER: wordpress
      WORDPRESS_DB_PASSWORD: wordpress
  volumes:
    db_data:
```

ubuntu@ip-172-31-44-168: ~/docker-wordpress

```
ubuntu@ip-172-31-44-168:~/docker-wordpress$ sudo nano docker-compose.yml
ubuntu@ip-172-31-44-168:~/docker-wordpress$
```

ubuntu@ip-172-31-44-168: ~/docker-wordpress

```
GNU nano 2.9.3 docker-compose.yml

version: '3.3'
services:
  db:
    image: mysql:5.7
    volumes:
      - db_data:/var/lib/mysql
    restart: always
    environment:
      MYSQL_ROOT_PASSWORD: somewordpress
      MYSQL_DATABASE: wordpress
      MYSQL_USER: wordpress
      MYSQL_PASSWORD: wordpress
  wordpress:
    depends_on:
      - db
    image: wordpress:latest
    ports:
      - "8000:80"
    restart: always
    environment:
      WORDPRESS_DB_HOST: db:3306
      WORDPRESS_DB_USER: wordpress
      WORDPRESS_DB_PASSWORD: wordpress
volumes:
  db_data:

```

Step 3: To build this docker-compose file the syntax is the following

```
$ sudo docker-compose up -d
```

ubuntu@ip-172-31-44-168: ~/docker-wordpress

```
ubuntu@ip-172-31-44-168:~/docker-wordpress$ sudo docker-compose up -d
Creating network "docker-wordpress_default" with the default driver
Creating volume "docker-wordpress_db_data" with default driver
Pulling db (mysql:5.7)...
5.7: Pulling from library/mysql
```

Step 4: Ensure all your containers are running.

```
$ sudo docker ps
```

 ubuntu@ip-172-31-44-168: ~/docker-wordpress

```
ubuntu@ip-172-31-44-168:~/docker-wordpress$ sudo docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
4613f09141be	wordpress:latest	"docker-entrypoint.s..."	About a minute ago	Up About a minute
/tcp	docker-wordpress_wordpress_1_73bffdca087			
85df68a0996b	mysql:5.7	"docker-entrypoint.s..."	About a minute ago	Up About a minute
tcp	docker-wordpress_db_1_f8a991f50456			