# **JUnit 5 Release Notes**

# **Table of Contents**

5.6.0-M2	1
JUnit Platform	1
JUnit Jupiter	2
JUnit Vintage	2
5.6.0-M1	2
Overall Improvements	3
JUnit Platform	3
JUnit Jupiter	4
JUnit Vintage	5
5.5.2	5
Overall Improvements	5
JUnit Platform	5
JUnit Jupiter	5
JUnit Vintage	6
5.5.1	6
JUnit Platform	6
JUnit Jupiter	6
JUnit Vintage	6
5.5.0	6

This document contains the *change log* for all JUnit 5 releases since 5.5 GA.

Please refer to the User Guide for comprehensive reference documentation for programmers writing tests, extension authors, and engine authors as well as build tool and IDE vendors.

# 5.6.0-M2

#### Date of Release:

#### Scope:

For a complete list of all closed issues and pull requests for this release, consult the 5.6 M2 milestone page in the JUnit repository on GitHub.

### **JUnit Platform**

### **Bug Fixes**

• The EventConditions.nestedContainer() method in the Engine Test Kit now correctly handles events from multiple levels of nested classes.

#### **Deprecations and Breaking Changes**

•

#### **New Features and Improvements**

• TestExecutionSummary.Failure is now serializable.

# **JUnit Jupiter**

#### **Bug Fixes**

•

#### **Deprecations and Breaking Changes**

•

### **New Features and Improvements**

•

### **JUnit Vintage**

#### **Bug Fixes**

•

#### **Deprecations and Breaking Changes**

•

#### **New Features and Improvements**

•

### 5.6.0-M1

Date of Release: October 21, 2019

#### Scope:

• New @EnabledForJreRange and @DisabledForJreRange execution conditions

- Order allows to specify relative order
- Improvements to @CsvSource and @CsvFileSource
- Improved error reporting for failures during test discovery and execution
- Performance improvements and bug fixes for the Vintage engine
- org.junit.platform.console now provides a java.util.spi.ToolProvider
- DiscoverySelectors for tests in inherited nested classes

For a complete list of all *closed* issues and pull requests for this release, consult the 5.6 M1 milestone page in the JUnit repository on GitHub.

### **Overall Improvements**

• Gradle Module Metadata is now published for all artifacts.

### **JUnit Platform**

#### **Bug Fixes**

• Module org.junit.platform.launcher now reads java.logging due to usage of types in package java.util.logging.

#### **Deprecations and Breaking Changes**

- The Launcher now propagates errors during test discovery by default instead of only logging and thereby potentially hiding them. In order to restore the old, lenient behavior, you can set the junit.platform.discovery.listener.default configuration parameter to logging.
- To support the above feature consistently, a new <a href="EngineDiscoveryListener">EngineDiscoveryListener</a> introduced. TestEngine implementations should now notify the listener that can be accessed via the <a href="EngineDiscoveryRequest.getDiscoveryListener">EngineDiscoveryRequest.getDiscoveryListener</a>() method about each processed <a href="DiscoverySelector">DiscoverySelector</a>. Test engines that use <a href="EngineDiscoveryRequestResolver">EngineDiscoveryRequestResolver</a> do not have to make any changes.
- In the EngineTestKit API, the all(), containers(), and tests() methods in EngineExecutionResults have been deprecated in favor of the new allEvents(), containerEvents(), and testEvents() methods, respectively. The deprecated methods will be removed in JUnit Platform 1.7.0.

#### New Features and Improvements

- New printFailuresTo(PrintWriter, int) method in TestExecutionSummary that allows one to specify the maximum number of lines to print for exception stack traces.
- The junit-platform-commons module no longer has a dependency on the java.compiler module (in terms of the Java Module System). Specifically, a new internal utility has been introduced in PackageUtils that implements functionality equivalent to javax.lang.model.SourceVersion.isName(CharSequence) from the java.compiler module.
- Exceptions thrown by test engines during discovery and execution are now reported to

#### TestExecutionListeners.

- Module org.junit.platform.console now provides a java.util.spi.ToolProvider implementation that can be acquired by ToolProvider.findFirst("junit") when running on Java 9 or above.
- New methods in DiscoverySelectors to select and execute individual tests in inherited nested classes, via specific selectors (NestedClassSelector and NestedMethodSelector).

### **JUnit Jupiter**

#### **Bug Fixes**

•

#### **Deprecations and Breaking Changes**

- @EnabledIf and @DisabledIf have been removed from Jupiter's API. Script-based condition APIs and their supporting implementations were deprecated in JUnit Jupiter 5.5 with the intent to remove them in JUnit Jupiter 5.6. Users must now rely on a combination of other built-in conditions or create and use a custom implementation of ExecutionCondition to evaluate the same conditions.
- The default @Order value for non-annotated @RegisterExtension fields and test methods is now Integer.MAX\_VALUE / 2 instead of Integer.MAX\_VALUE. If you had previously assigned extension fields or test methods an explicit order greater than Integer.MAX\_VALUE / 2, this may be a breaking change for you.

#### **New Features and Improvements**

- Support for multi-character delimiters in <code>@CsvSource</code> and <code>@CsvFileSource</code>.
- Support for custom null values in @CsvSource and @CsvFileSource.
- Documented support for comments in CSV files loaded via @CsvFileSource.
- Auto-detection of enum type from method signature for @EnumSource.
- New <code>@EnabledForJreRange</code> and <code>@DisabledForJreRange</code> annotations for enabling or disabling test execution over a range of <code>JRE</code> versions.
- The @TempDir extension now makes an attempt to delete non-writable files by making them writable first.
- The default <code>@Order</code> value for non-annotated <code>@RegisterExtension</code> fields and test methods is now <code>Integer.MAX\_VALUE</code> / 2 instead of <code>Integer.MAX\_VALUE</code>. This allows <code>@Order</code> annotated fields and methods to be explicitly ordered after non-annotated fields and methods. For example, this allows <code>before</code> callback extensions to be registered last and <code>after</code> callback extensions to be registered first, relative to other programmatically registered extensions.
- New junit.jupiter.execution.timeout.mode configuration parameter to control whether timeouts are applied to tests. Supported values include enabled, disabled, and disabled\_on\_debug.
- New TypeBasedParameterResolver<T> abstract base class that serves as a generic adapter for the ParameterResolver API and simplifies the implementation of a custom resolver that supports

parameters of a specific type.

### **JUnit Vintage**

#### **Bug Fixes**

• JUnit 3 suites with duplicate test names are now reported correctly.

#### **Deprecations and Breaking Changes**

•

#### **New Features and Improvements**

- Performance improvements for projects with a large number of tests.
- Performance improvements for test classes with a large number of methods.

### 5.5.2

Date of Release: September 8, 2019

**Scope:** Bug fixes since 5.5.1

For a complete list of all *closed* issues and pull requests for this release, consult the 5.5.2 milestone page in the JUnit repository on GitHub.

### **Overall Improvements**

- Published artifacts have been fixed regarding module descriptors.
  - Binary JAR files contain module-info.class.
  - Source JAR files contain module-info.java.
  - Javadoc JAR files contain neither module-info.class nor module-info.java.

# **JUnit Platform**

No changes.

# **JUnit Jupiter**

#### **Bug Fixes**

• The JupiterTestEngine no longer crashes without executing any tests if JUnit 4 is on the Hamcrest Specifically, initialization of the but not. OpenTest4JAndJUnit4AwareThrowableCollector fails if class no longer the org.junit.internal.AssumptionViolatedException class cannot be loaded from the classpath due

to a missing Hamcrest dependency.

# **JUnit Vintage**

No changes.

### 5.5.1

Date of Release: July 20, 2019

Scope: Bug fixes since 5.5.0

For a complete list of all *closed* issues and pull requests for this release, consult the 5.5.1 milestone page in the JUnit repository on GitHub.

# **JUnit Platform**

No changes.

### **JUnit Jupiter**

#### **Bug Fixes**

• Fix test discovery and execution of inherited @Nested classes.

### **JUnit Vintage**

No changes.

### 5.5.0

Date of Release: June 30, 2019

#### Scope:

- Declarative @Timeout support
- New InvocationInterceptor extension API
- New LifecycleMethodExecutionExceptionHandler extension API
- Deprecation of script-based conditions (@EnabledIf and @DisabledIf)
- Configurable test discovery implementation for TestEngine authors
- Explicit Java module descriptors
- · Various minor improvements and bug fixes

For complete details consult the 5.5.0 Release Notes online.