JUnit 5 Release Notes
Stefan Bechtold, Sam Brannen, Johannes Link, Matthias Merdes, Marc Philipp, Christian Stein
Version 5.5.0-SNAPSHOT

# **Table of Contents**

.5.0-M2	1
JUnit Platform	1
JUnit Jupiter	1
JUnit Vintage	2
.5.0-M1	2
JUnit Platform	3
JUnit Jupiter	3
JUnit Vintage	3
.4.2	3
JUnit Platform	3
JUnit Jupiter	3
JUnit Vintage	4
.4.1	4
Overall Improvements	4
JUnit Platform	4
JUnit Jupiter	4
JUnit Vintage	4
40	4

This document contains the *change log* for all JUnit 5 releases since 5.4 GA.

Please refer to the User Guide for comprehensive reference documentation for programmers writing tests, extension authors, and engine authors as well as build tool and IDE vendors.

## 5.5.0-M2

#### Date of Release:

#### Scope:

For a complete list of all *closed* issues and pull requests for this release, consult the 5.5 M2 milestone page in the JUnit repository on GitHub.

## **JUnit Platform**

### **Bug Fixes**

•

### **Deprecations and Breaking Changes**

 Class PreconditionViolationException in concealed package org.junit.platform.commons.util is now deprecated and substituted by an exception class with the same name in exported package org.junit.platform.commons.

### **New Features and Improvements**

- AnnotationSupport.findRepeatableAnnotations() now finds repeatable annotations used as metaannotations on other repeatable annotations.
- New AnnotationSupport.findRepeatableAnnotations() variant that accepts a java.util.Optional<? extends AnnotatedElement> argument.
- Exceptions thrown by TestExecutionListeners no longer cause test execution to abort. Instead, they will be logged as warnings now.

# **JUnit Jupiter**

### **Bug Fixes**

• Execution of dynamic tests registered via a @TestFactory method no longer results in an OutOfMemoryError if the executables in the dynamic tests retain references to objects consuming large amounts of memory. Technically speaking, JUnit Jupiter no longer retains references to instances of DynamicTest after they have been executed.

#### **Deprecations and Breaking Changes**

•

#### **New Features and Improvements**

- New overloaded variants of Assertions.assertLinesMatch(···) that accept a String or a Supplier<String> for a custom failure message.
- Failure messages for Assertions.assertLinesMatch(…) now emit each expected and actual line in a dedicated line.
- New Kotlin friendly assertDoesNotThrow assertions have been added as top-level functions in the org.junit.jupiter.api package.
- Display names for test methods generated by the ReplaceUnderscores DisplayNameGenerator no longer include empty parentheses for test methods that do not declare any parameters.
- MethodOrderer.Random now generates a default random seed only once and prints it to the log in order to allow reproducible builds.
- Methods ordered with MethodOrderer.Random now execute using the SAME\_THREAD concurrency mode instead of the CONCURRENT mode when no custom seed is provided.
- New emptyValue attribute in @CsvFileSource and @CsvSource.
- All methods in the TestWatcher API are now interface default methods with empty implementations.
- New InvocationInterceptor extension API (see User Guide for details).
- New junit.jupiter.displayname.generator.default configuration parameter to set the default DisplayNameGenerator that will be used unless @DisplayName or @DisplayNameGeneration are present.

### **JUnit Vintage**

**Bug Fixes** 

•

### **Deprecations and Breaking Changes**

•

### **New Features and Improvements**

•

## 5.5.0-M1

Date of Release: March 19, 2019

**Scope:** Configurable test discovery implementation

For a complete list of all *closed* issues and pull requests for this release, consult the 5.5 M1 milestone page in the JUnit repository on GitHub.

## **JUnit Platform**

#### **New Features and Improvements**

- Configurable test discovery implementation that can be reused by different test engines (see Javadoc of the org.junit.platform.engine.support.discovery package).
- New isFinal() and isNotFinal() methods in ModifierSupport.

## **JUnit Jupiter**

#### **New Features and Improvements**

- Expected and actual values are now supplied for failed boolean assertions for enhanced IDE and reporting support for example, when assertTrue() or assertFalse() fails.
- @ValueSource now additionally supports literal values of type boolean for parameterized tests.

## **JUnit Vintage**

No changes.

### 5.4.2

Date of Release: April 7, 2019

**Scope:** Bug fixes since 5.4.1

For a complete list of all *closed* issues and pull requests for this release, consult the 5.4.2 milestone page in the JUnit repository on GitHub.

## **JUnit Platform**

No changes.

# **JUnit Jupiter**

### **Bug Fixes**

• Parameterized tests no longer throw an ArrayStoreException when creating human-readable test names.

## **JUnit Vintage**

### **Bug Fixes**

• Safeguard against Runners that only report tests as failed but not as started or finished such as Spock in case of failures during data-provider preparation.

### 5.4.1

Date of Release: March 17, 2019

**Scope:** Bug fixes since 5.4.0

For a complete list of all *closed* issues and pull requests for this release, consult the 5.4.1 milestone page in the JUnit repository on GitHub.

## **Overall Improvements**

• Fix Specification-Version entry in JAR manifests

## **JUnit Platform**

#### **Bug Fixes**

• Restore compatibility with Android: Unsupported Pattern flags, like UNICODE\_CHARACTER\_CLASS, no longer cause class StringUtils to fail during initialization.

## **JUnit Jupiter**

### **Bug Fixes**

• Deletion of a temporary directory within a test no longer results in a test failure for a temporary directory supplied via <code>@TempDir</code>.

## **JUnit Vintage**

### **Bug Fixes**

• Fix reporting of finish events of intermediate containers with static and dynamic children, e.g. Spock test classes with regular and <code>@Unroll</code> feature methods in a test suite.

### 5.4.0

Date of Release: February 7, 2019

#### Scope:

- New junit-jupiter dependency-aggregating artifact for simplified dependency management in build tools
- XML report generating listener
- Test Kit for testing engines and extensions
- null and *empty* argument sources for <code>@ParameterizedTest</code> methods
- @TempDir support for temporary directories
- Custom display name generator API
- Support for ordering test methods
- Support for ordering extensions registered via @RegisterExtension
- TestWatcher extension API
- API for accessing outer test instances in ExtensionContext
- JUnit 4 @Ignore migration support
- · Improved diagnostics and error reporting
- Improved documentation and user experience in the User Guide
- Discontinuation of the junit-platform-surefire-provider
- Various minor improvements and bug fixes

For complete details consult the 5.4.0 Release Notes online.