

EBU6304 – Software Engineering

Software Processes and Agile

- Topics
 1. What is software process?
 2. Traditional models
 - Waterfall
 - Evolutionary development (Incremental)
 - The Rational Unified Process (RUP)
 3. Modern models
 - Agile software development

Software process

- A software process is a set of **structured activities** that leads to the production of the software.
- Many different software processes but all involve:
 - Requirement specification
 - Development
 - Analysis
 - Design
 - Implementation
 - Validation (Testing/Deployment)
 - Evolution (Maintenance)

Requirement specification

- Defining **what** the system should do;
- Aim: a complete description of the problem and of the constraints imposed by/on the environment
- Description may contain:
 - Functions of the system
 - Future extensions
 - Amount of documentation required
 - Response time and performance
 - Acceptance criteria
- Result: **Requirements specification**

Analysis

- Aim: analyse requirements to create a **conceptual model** of the software system.
 - Data modelling
 - Functional modelling and information/control flow
 - Behavioural modelling and state
 - User interface modelling
- Result: **a set of Analysis Models**

Design

- Aim: an **implementable model** of the software system.
 - Sufficient information to allow system to be built.
- Architecture is defined.
- System is decomposed to components within the architecture.
- Design decisions dramatically impact system quality.
- Result: **Detailed Design Documentation**

Implementation

- Aim: implementation of all design elements.
- Starts from the component specifications developed during design.
 - Interfaces defined in the design should be respected by the implementation of the component.
- Code should be well documented and easy to read, flexible, correct, reliable AND fully tested.
- Result: **working software**.

Testing

- Checking that it does what the customer wants;
 - Unit testing
 - Functional testing
 - Integration testing
 - System testing
 - Acceptance testing
 - Testing and implementation should run in parallel.
- Result: **Fully tested software**

Deployment

- Implement a strategy to avoid outages
- Package software ready to install on a computer system/device or deploy to servers
- Actually installing/ deploying the software.
- Live testing in real environment.
- Documentation and manuals.
- Training.
- Result: **Working software in real environment**

Evolution

- Aim: keeping the system operational after delivery to the customer; changing the system in response to changing customer needs.
 - **Corrective**: identification and removal of faults.
 - **Adaptive**: modifications needed to achieve interoperability with other systems and platforms.
 - **Perfective**: incorporation of new features, improved performance and other modifications.
 - **Preventive**: modifications to mitigate possible degradation of usability, maintainability, etc.

Software process models

- Depends on the system; the **activities** can be:
 - organised in **sequence**
 - organised as **interleaved**
 - organised **concurrently**
- Must be **modelled** in order to be managed.
- Software Process model
 - A simplified representation of a software process – **an abstract representation**.

Generic models (classic)

1. The waterfall model
 - Separate and distinct phases.
2. Evolutionary development
 - Activities are interleaved.
3. RUP (The Rational Unified Process)
 - Four phases

There are many other software process models, e.g. Spiral Model, V Model, Prototyping Model, Formal Model...

Waterfall model and its phases

Cascade from one phase to another:
Sequential approach.

Requirements
definition

System and
software design

Implementation
and unit testing

Delivered

Integration and
system testing

Live

Operation and
maintenance

In principle, one phase
has to be complete
before moving onto the
next phase.

Waterfall model benefits

- Easy to monitor the progress
 - After a small number of iterations, freeze parts of the development and continue with later phases.
- Documentation is well produced at each stage.
- Structured approach.
- Specialised teams can be used at each stage of the lifecycle.

Waterfall model problems

- Inflexible
 - Difficulty of accommodating change after the process is underway.
- Time consuming
 - Real projects rarely follow the sequential flow.
 - A working version of the system will not be available until late in the project time-span.
- Minimises impact of global understanding over the lifecycle of a project.
- Not realistic.


Waterfall model – suitable projects

- This model is **only appropriate** when the **requirements are well-understood** and **changes will be fairly limited** during the design process.
 - Few business systems have stable requirements!
- Adaptation or enhancement of existing system.
- In **high risk, safety critical systems** e.g. air traffic control, quality is key.

Examples:

aircraft systems, space systems, nuclear power systems, and business critical systems, e.g. power and telecommunications

Evolutionary development



Evolutionary development

- Activities are interleaved
- Rapid feedback
- Refining through many versions, evolves over time
 - Completion of a comprehensive product is impossible.
 - Deliver core functions to meet competitive or business pressure.
 - Core requirements are well understood but not the detailed extension.

Evolutionary development benefits

- Effective
 - Concurrency, several members of the team may be working on different increments or releases
- Can meet the immediate needs
 - Requirements ... no longer fixed
 - Refining versions
- Specification can be developed incrementally
 - Users feedback
 - Planned feature, new feature?

Evolutionary development problems

- Lack of process visibility
 - Not cost-effective to produce documents that reflect every version.
 - Lack of deliverable documents to measure progress.
- Systems are often poorly structured
 - Continual change
 - Rush work
- Special skills may be required
 - E.g. in languages for rapid prototyping.
 - What is the burden on the end user/client?

Evolutionary development – suitable projects

- Suitable for:
 - small or medium-size **interactive** systems
 - parts of large systems, e.g. the user interface
- For **short-lifetime** systems.
- Project with **multiple** features and therefore releases.

Examples:

Social networking, communication, phone apps

The Rational Unified Process

Core Workflows

Business Modeling

Requirements


Analysis

Design

Implementation

Test

Deployment



[11] "The Unified Software Development Process" by Ivar Jacobson *et al*, 1999, Addison-Wesley, pg. 11

The Rational Unified Process (RUP)

- **Inception** – ends with commitment to go ahead, business case for the project and its feasibility and feature scope identified.
- **Elaboration** ends with
 - Basic architecture of the system in place.
 - A plan for construction agreed.
 - All significant risks identified.
 - Major risks understood enough not to be too worried.
- **Construction** (iterative) – ends with beta-release of the system.
- **Transition** – the process of introducing the system to its users.

RUP benefits and problems

- Benefits:
 - **Generic** process
 - Separation of phases and workflows
 - Dynamic
 - With goals
- Problems
 - Overhead
 - Documents
 - Diagrams

Modern software process

- Scrum (1995)
- Crystal Clear, Extreme Programming (1996)
- Adaptive Software Development, Feature Driven Development (1997)
- Dynamic Systems Development Method (DSDM)

These are now collectively referred to as


Agile Software Development

Agile Software Development Overview

Agile will be used throughout this module

Problems of Traditional Development

- Problems:
 - Poor quality
 - This feature can not be tested
 - Usability and User experience is bad
 - Can not meet the schedule
 - Cost too high
 - The team does not communicate and cooperate
 - Too many newcomers and lack of skills
 - Too many documents
 - Is not well maintained



- How to:
 - Do the right things?
 - Do the right things right?
 - Know when you are done?

Rapid software development

- The needs of Rapid Software Development:
 - Rapidly changing business environments.
 - No stable, consistent set of system requirements.
 - It is essential that software is developed quickly to take advantage.
 - Rapid development *and* delivery is Critical.
- Rapid development and delivery is now often the most important requirement for software systems
 - Businesses may be willing to accept lower quality software if rapid delivery of essential functionality is possible.

The Agile Process

- The processes of specification, design, implementation and testing are **concurrent**, referred to as an **iteration**:
 - no detailed specification;
 - design documentation is minimised.
- The system is developed in a series of **increments**
 - End users evaluate each increment and make proposals for later increments.
- **End users** are involved
 - System user interfaces are usually developed using an interactive development system.

What is Agile?

- To address the dissatisfaction with the overheads involved.
- Agile is **a set of best practices** in software development based on *Scrum*, *Extreme Programming*, *Crystal Clear*, *DSDM*, *Lean* and others.
- The set includes:
 - Iteration, TDD, continuous integration, refactoring, pair programming, story card/wall, automation test, feedback, stand up, retrospective and showcase.

Focus of Agile

- The focus of Agile:
 - Focus on the **code** rather than the analysis/design.
 - Are based on an iterative approach to software development.
 - Are intended to **deliver working software quickly** and evolve this quickly to meet changing requirements.


Lightweight, highly iterative, short iterations, test-driven, focus on value to customer, frequent releases, ability to cope with change

No model



Muddle through and hope for the best...

Which do you trust?



The Agile Manifesto

Individuals and interactions over processes and tools

Working software over comprehensive documentation

Customer collaboration over contract negotiation

Responding to change over following a plan


Agile team

- Agile focuses on developers (programmers) **but need other roles...**
 - business analyst, project manager, tester, ...



	Iteration 6	Iteration 7	Iteration 8
Analysts	7	8	
Developers		7	
Testers		6	7

Agile team



- Small, co-located, multi-disciplinary team, members are usually working around a table
 - Easy communication
- Collective code ownership
- Common vision of system ('metaphor')
- Sustainable pace and common coding standard

Dos and Do NOTs

- Agile needs necessary documentation
 - **BUT** need to ensure that every document has an audience.
- Agile encourages good practices
 - **BUT** need to ensure that every practice solves a problem.
- Drop anything without value.
- Don't over design the system.


Principles of Agile (Brief)

- Customer involvement
 - Closely involved throughout the development
- Incremental delivery
 - Customer specifies each increment
- People, not process
 - Skills, the own way
- Embrace change
 - Expect change
- Maintain simplicity
 - Both the system and the process

Principles of Agile (*more detail*)

1. Our highest priority is to satisfy the customer through early and continuous delivery of valuable software.
2. Welcome changing requirements, even late in development. Agile processes harness change for the customer's competitive advantage.
3. Deliver working software frequently, from a couple of weeks to a couple of months, with a preference to the shorter timescale.
4. Business people and developers must work together daily throughout the project.
5. Build projects around motivated individuals. Give them the environment and support they need, and trust them to get the job done.
6. The most efficient and effective method of conveying information to and within a development team is face-to-face conversation.
7. Working software is the primary measure of progress.
8. Agile processes promote sustainable development. The sponsors, developers, and users should be able to maintain a constant pace indefinitely.
9. Continuous attention to technical excellence and good design enhances agility.
10. Simplicity – the art of maximizing the amount of work not done – is essential.
11. The best architectures, requirements, and designs emerge from self-organizing teams.
12. At regular intervals, the team reflects on how to become more effective, then tunes and adjusts its behaviour accordingly.

Agile overview



Planning

- Emphasis on **steer**, rather than precise prediction.
- **Release planning**
 - “Customer priorities” and “programmer estimates of feature difficulty” together determine release content.
- **Iteration planning**
 - Two week delivery cycles
- **Goal**: visible progress.

Requirements (user stories)

- In XP, user requirements are expressed as **user stories**.
- These are written on cards and the development team break them down into implementation tasks.
 - These tasks are the basis of schedule and cost estimates.
- The customer chooses the stories for inclusion in the next release, based on their priorities and the schedule estimates.

As a <user role>
I want <goal>
so that <benefit>.

Requirements (story wall)



Design Improvement

- Emphasis on simple design and *refactoring*, i.e. improving existing code.
- Removing duplication:
 - this will inevitably creep in with incremental development.
- Increasing cohesion.
- Reducing coupling.

Extreme programming

- Perhaps the best-known and most widely used **agile method**.
- Extreme Programming (XP) takes an '**extreme**' approach to iterative development:
 - New versions may be built several times per day.
 - Increments are delivered to customers every 2 weeks.
 - All requirements are expressed as user stories.
 - Programmers work in pairs.
 - Develop tests before writing code.
 - All tests must be run for every build and the build is only accepted if tests run successfully.

Pair programming

- Programmers work in pairs, sitting together to develop code:
 - This helps develop common ownership of code and spreads knowledge across the team.
 - It serves as an informal review process, as each line of code is looked at by more than 1 person.
 - It encourages refactoring, as the whole team can benefit from this.
 - Measurements suggest that development productivity with pair programming is similar to (or more efficient than) that of two people working independently.





Test Driven Development (TDD)

- Define both an **interface** and a **specification**.
- Writing tests **before** code clarifies the requirements to be implemented.
- **Incremental** test development from scenarios
 - short cycles of adding tests then making them work.
- **Automated** test harnesses are used to run all component tests each time that a new release is built
- **User involvement** in test development and validation
 - both programmer (**unit**) tests and customer (**acceptance**) tests.

Integration and release

- **Frequent integration:**
 - multiple builds per day;
 - everyone involved;
 - automated tool support.
- **Small & Frequent Releases:**
 - Team releases running, tested software delivering business value, as determined by the customer, at every iteration.

The Release Cycle



Agile Problems (1/2)

- Problems
 - It can be difficult to keep the interest of customers who are involved in the process.
 - Team members may be unsuited to the intense involvement that characterises agile methods.



Copyright © 2003 United Feature Syndicate, Inc.

Agile Problems (2/2)

- **Problems**
 - Prioritising changes can be difficult where there are multiple stakeholders.
 - Maintaining simplicity requires extra work.
 - Contracts may be a problem as with other approaches to iterative development.

Agile requires...

- Experience
 - Has experienced leadership
 - Hire an experienced team
- Working environment
 - Motivated stable teams
 - Supportive management
 - Team dynamics is critical
- Value thinking
- Effective and Efficient communication
- Information sharing
- Tools and Automation

Agile – suitable projects

- Small or medium-sized product.
- Requirement is not clear and/or keep changing.
- Rapid delivery.
- A clear commitment from the customer to become involved in the development process
- Not a lot of external rules and regulations that affect the software

Summary

- Classic Software Processes Models
 - Waterfall
 - Evolutionary development (Incremental)
 - The Rational Unified Process
- Modern Software Processes
 - Agile

References

- **Chapter 3** – “Software Engineering” textbook by Ian Sommerville
- Introduction to Agile by Sondra Ashmore
- http://en.wikipedia.org/wiki/Agile_software_development
- **Chapter 2** – “Software Engineering” textbook by Ian Sommerville
- **Chapter 12** – “Head First Software Development textbook by Dan Pilone *et al*

