




PASS

SUBMITTER

Huizhou Shi Xiang Yu Sponge Products Co Ltd
Moling Aoding Area, Baihua Town, Huidong County, Huizhou, Guangdong, China



STYLE
NUMBER

/

PRODUCT
DESCRIPTION

WHITE, BLUE, YELLOW, GREY FOAM

EXECUTIVE
SUMMARY

The submitted sample(s) MEET all the tested requirement(s).

REMARKS

1. The tests covered in this report were conducted per client's request.

GENERAL
INFORMATION

Rebecca Huang/ Catelyn Lai
(+86)755-32980232 / 32980216
E-mail:
Rebecca.huang@bureauveritas.com
Catelyn.lai@bureauveritas.com

SIGNATURES

BUREAU VERITAS SHENZHEN CO., LTD



Sure Fu
SENIOR TECHNICAL MANAGER
HARDLINES DIVISION



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

RETEST SAMPLE NUMBER	/
VENDOR NAME	/
VENDOR ID/ NUMBER	/
AGENT NAME	/
AGENT ID/ NUMBER	/
FACTORY NAME	/
FACTORY ID/ NUMBER	/
NUMBER OF CARTONS/SAMPLES	0
UPC CODE	/
COLOR	/
ITEM NUMBER	/
MODEL NUMBER	/
PURCHASE ORDER NUMBER	/
CLIENT REFERENCE NUMBER	/
LOT NUMBER	/
COUNTRY OF ORIGIN	CHINA
COUNTRY OF DESTINATION	/
RETURN POLICY	NO RETURNS
ONLINE TRF #	/
SUBMITTER CONTACT	DAI KAIZHAN
PROTOCOL STAR LEVEL	/
PROTOCOL NUMBER	XXXX-HL-PTCL-03001-CAN-USA-FLAMMABILITY FOR UPHOLSTERED FURNITURE-HMZ-V4, XXXX-HL-PTCL-03016-CAN-USA-BED FRAME HEADBOARD FOOTBOARD-HMZ-V14, XXXX-HL-PTCL-03055-CAN-USA-STOOL HMZ-V42, XXXX-HL-PTCL-03057-CAN-USA-SINGLE SEATING FURNITURE-HMZ-V20, XXXX-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V139, XXXX-HL-PTCL-06572-USA-CA PROP 65 SUPPLEMENTAL-HMZ-V7
SKU/SKN NUMBER	/
REPORT EXPIRATION DATE	/
REVISION	/
REVISION DATE	/



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

TEST RESULTS SUMMARY TABLE FOR WHITE, BLUE, YELLOW, GREY FOAM

TEST PROTOCOLS	XXXX-HL-PTCL-03001-CAN-USA-FLAMMABILITY FOR UPHOLSTERED FURNITURE-HMZ-V4, XXXX-HL-PTCL-03016-CAN-USA-BED FRAME HEADBOARD FOOTBOARD-HMZ-V14, XXXX-HL-PTCL-03055-CAN-USA-STOOL HMZ-V42, XXXX-HL-PTCL-03057-CAN-USA-SINGLE SEATING FURNITURE-HMZ-V20, XXXX-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V139, XXXX-HL-PTCL-06572-USA-CA PROP 65 SUPPLEMENTAL-HMZ-V7
----------------	---

TEST NAME	OVERALL RATINGS
Flame retardant in upholstered furniture & children products (US State Laws) XXXX-HL-03055-CAN-USA, XXXX-HL-03016-CAN-USA-HMZ, XXXX-HL-03057-CAN-USA-HMZ	PASS
Flame retardants in residential upholstered furniture, mattresses and certain juvenile products (US State Laws) XXXX-HL-03055-CAN-USA, XXXX-HL-03016-CAN-USA-HMZ, XXXX-HL-03057-CAN-USA-HMZ	PASS
Flame retardant (US State Laws) XXXX-HL-03055-CAN-USA	PASS
Flame retardant (US State Laws) XXXX-HL-03055-CAN-USA	PASS
Flame retardant-PBDEs (RCW Sec.70.76.020-030)	PASS
Flame retardants in upholstered furniture (MRSA Title 38 Ch.16 Sec.1609-A)	PASS
Flame retardants (RI General Law Ch.23-26)	PASS
Upholstered furniture flammability (16 CFR 1640)	PASS
Flammability of resilient filling materials (CA TB 117 Section 3)	PASS
Flame retardant in upholstered furniture (CA Prop 65)	PASS



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Flame retardant (US State Laws)			
	CR&B-HL-03055-CAN-USA Per client, selected materials of certain products and their flame-retardant parts shall not exceed 1 000 mg/kg each of PentaBDE and OctaBDE.	Meet See result table	PASS
Flame retardant (US State Laws)			
	CR&B-HL-03055-CAN-USA Per client, selected material(s) of certain product(s) to MD, OR and/or VT State(s) shall have ≤ 1000 mg/kg of DecaBDE.	Meet See result table	PASS
Flame retardant-PBDEs (RCW Sec.70.76.020-030)			
	CR&B-HL-03055-CAN-USA Per client, products shall not contain any detectable level of PBDEs or detectable level of PBDEs & DecaBDE [BVCPS defined limit is < 5 mg/kg] based on product type.	Meet See result table	PASS
Flame retardants in upholstered furniture (MRSA Title 38 Ch.16 Sec.1609-A)			
	CR&B-HL-03055-CAN-USA Per client, textile, plastic & certain foam materials of certain indoor upholstered furniture shall not exceed 1 000 mg/kg each of TCEP, TDCPP, DeceBDE, HBCDDs & TBBPA.	Meet See result table	PASS
Flame retardants (RI General Law Ch.23-26)			
	CR&B-HL-03055-CAN-USA Per client, textile, plastic & certain foam materials of residential upholstered bedding/furniture shall have < 1 000 mg/kg each of TCEP, TDCPP, DeceBDE, HBCDDs & TBBPA.	Meet See result table	PASS
Flame retardant in upholstered furniture & children products (US State Laws)			
	CR&B-HL-03016-CAN-USA-HMZ, CR&B-HL-03055-CAN-USA, CR&B-HL-03057-CAN-USA-HMZ Per client, certain mat'ls of certain products for age < 12 years & residential upholstered furniture shall not exceed 1 000 mg/kg each of 9 flame retardants in test list.	Meet See result table	PASS



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024

Report Date: October 16, 2024

TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Flame retardants in residential upholstered furniture, mattresses and certain juvenile products (US State Laws)			
	CR&B-HL-03016-CAN-USA-HMZ, CR&B-HL-03055-CAN-USA, CR&B-HL-03057-CAN-USA-HMZ Per client, certain materials of residential upholstered furniture, mattresses & certain juvenile products shall \leq 1000 mg/kg each of TCEP, TDCPP, DecaBDE, HBCDDs & TBBPA.	Meet See result table	PASS
Flame retardant in upholstered furniture (CA Prop 65)			
	CPSD-AN-06572-USA Alameda Superior Court RG13667688, RG13683725 & RG13673697 PU foams of cushioned upholstered or padded furniture shall not have any detectable TCEP, TDBPP & TDCPP [BVCPS defined limit is < 5 mg/kg each]. No labeling is allowed.	Meet See result table	PASS
Upholstered furniture flammability (16 CFR 1640)			
	CR&B-HL-03001-CAN-USA-HMZ Upholstered furniture must comply with the flammability requirements of California Technical Bulletin 117-2013. For submission received before June 25, 2021 non-compliance with this requirement will be rated as DATA. For submission received on or after June 25, 2021, non-compliance will be rated as FAIL.	Meet for filling material	PASS
Flammability of resilient filing materials (CA TB 117 Section 3)			
Char Length	CR&B-HL-03001-CAN-USA-HMZ Shall be less than or equal to 1.5in.	Meet see result table	PASS
Open flaming	Shall not transition to open flaming	Meet see result table	
Smoldering after 45 mins	Shall not smolder after 45 mins.	Meet see result table	



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

FLAME RETARDANTS CONTENT- Maine Revised Statutes Annotated (MRSA) Title 38 Chapter 16 Section 1609-A -As Client's Requirement

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants – 1000 ppm
----------------	---

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	ppm	PASS
2	ND	ND	ppm	PASS
3	ND	ND	ppm	PASS
4	ND	ND	ppm	PASS

Note / Key :

ND = Not detected

“>” = Greater than

Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10 000 mg/kg = 1 %

% = percent

Detection Limit (mg/kg) : Each : 5

Remark :

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants:			
No.	Name of Analytes	No.	Name of Analytes
1	Tris(2-chloroethyl) phosphate (TCEP)	2	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)
3	Decabromodiphenyl ether (DecaBDE)	4	Hexabromocyclododecane (HBCDD)
5	Tetrabromobisphenol A (TBBPA)	-	-



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

FLAME RETARDANTS CONTENT- Rhode Island General Law Chapter 23-26-As Client's Requirement

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants – 1000 ppm
----------------	--

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	ppm	PASS
2	ND	ND	ppm	PASS
3	ND	ND	ppm	PASS
4	ND	ND	ppm	PASS

Note / Key :

ND = Not detected

“>” = Greater than

Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10 000 mg/kg = 1 %

% = percent

Detection Limit (mg/kg) : Each : 5

Remark :

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants:			
No.	Name of Analytes	No.	Name of Analytes
1	Tris(2-chloroethyl) phosphate (TCEP)	2	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)
3	Decabromodiphenyl ether (DecaBDE)	4	Hexabromocyclododecane (HBCDD)
5	Tetrabromobisphenol A (TBBPA)	-	-



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

FLAME RETARDANTS CONTENT- California Proposition 65

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants - Not detectable (Less than 5 mg/kg)
----------------	---

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	mg/kg	PASS
2	ND	ND	mg/kg	PASS
3	ND	ND	mg/kg	PASS
4	ND	ND	mg/kg	PASS

Note / Key :

ND = Not detected
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
% = percent
Detection Limit (mg/kg) : Each : 5

“>” = Greater than

Conc. = Concentration
10 000 mg/kg = 1 %

Remark :

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants [California Proposition 65] :			
No.	Name of Analytes	No.	Name of Analytes
1	Tris(2-chloroethyl) phosphate (TCEP)	3	Tris(2,3-dibromopropyl) phosphate (TDBPP)
2	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	-	-



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

Flame Retardants Content - Revised Code of Washington (RCW), Chapter 70.76.020 & 70.76.030 PBDEs

1) All Products (Non-comestible)

Limit :	PBDEs except DBDE– Not Detected
----------------	--

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Test Item(s)	Result		Conclusion
	Detected Analyte(s)	Unit	
1	ND	mg/kg	PASS
2	ND	mg/kg	PASS
3	ND	mg/kg	PASS
4	ND	mg/kg	PASS

Note / Key :

ND = Not detected

“>” = Greater than

Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) : Each : 5

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants PBDEs :			
No.	Name of Analytes	No.	Name of Analytes
1	Bromodiphenyl ether (MonoBDE)	6	Hexabromodiphenyl ether (HexaBDE)
2	Dibromodiphenyl ether (DiBDE)	7	Heptabromodiphenyl ether (HeptaBDE)
3	Tribromodiphenyl ether (TriBDE)	8	Octabromodiphenyl ether (OctaBDE)
4	Tetrabromodiphenyl ether (TetraBDE)	9	Nonabromodiphenyl ether (NonaBDE)
5	Pentabromodiphenyl ether (PentaBDE)	10	Decabromodiphenyl ether (DecaBDE)



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

FLAME RETARDANTS CONTENT- (Various US States Laws (e.g. NY, MD, etc)

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants – 1000ppm
----------------	---

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	ppm	PASS
2	ND	ND	ppm	PASS
3	ND	ND	ppm	PASS
4	ND	ND	ppm	PASS

Note / Key :

ND = Not detected

“>” = Greater than

Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10 000 mg/kg = 1 %

% = percent

Detection Limit (mg/kg) : Each : 5

Remark :

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants:			
No.	Name of Analytes	No.	Name of Analytes
1	Hexabromocyclododecane (HBCDD)	4	Decabromodiphenyl ether (DecaBDE)
2	Tetrabromobisphenol A (TBBPA)	5	Tris(2-chloroethyl) phosphate (TCEP)
3	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	-	-



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

FLAME RETARDANTS CONTENT-AS CLIENT'S REQUIREMENT

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants – 1000 ppm
----------------	---

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	ppm	PASS
2	SCCPs	458	ppm	PASS
3	ND	ND	ppm	PASS
4	ND	ND	ppm	PASS

Note / Key :

ND = Not detected
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
% = percent
Detection Limit (mg/kg) : Each : 5

“>” = Greater than

Conc. = Concentration
10 000 mg/kg = 1 %

Remark :

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants:			
No.	Name of Analytes	No.	Name of Analytes
1	Decabromodiphenyl ether (DecaBDE)	6	Tetrabromobisphenol A (TBBPA)
2	Short chain chlorinated paraffins (SCCPs)	7	Hexabromocyclododecane (HBCD)
3	- Tris (1-chloro-2-propyl)phosphate (TCPP)	8	Bis(2-Ethylhexyl)-3,4,5,6-tetrabromophthalate (TBPH)
4	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	9	2-Ethylhexyl-2,3,4,5-tetrabromobenzoate (TBB)
5	Tris(2-chloroethyl) phosphate (TCEP)		



**BUREAU
VERITAS**

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

Flame Retardant(s) Content- Various US State Laws

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	yellow foam	foam	A1,A2
2	blue foam	foam	A3,A4
3	white foam	foam	A5,A6
4	grey foam	foam	A7,A8

Limit :	Each of all listed flame retardants – 1000 PPM
----------------	---

Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
1	ND	ND	ppm	PASS
2	ND	ND	ppm	PASS
3	ND	ND	ppm	PASS
4	ND	ND	ppm	PASS

Note / Key :

ND = Not detected

“>” = Greater than

Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) : Each : 5

Remark :

-Testing is to be applied to all products, except for glass, ceramic, cast iron materials/components as they would not contain flame retardants.

- The list of flame retardants is summarized in table of Appendix.

APPENDIX

List of Flame Retardants :			
No.	Name of Analytes	No.	Name of Analytes
1	Octabromodiphenyl phosphate ((octa-BDE))	-	
2	Pentabromodiphenyl phosphate (penta-BDE)	-	-



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

Comment(s):

1. The submitted sample(s) shown the fiber analysis test result as follow: **(DATA)**

FIBER ANALYSIS: QUANTITATIVE (AATCC 20A-21E)

Grey foam

SUBMITTED /

LAB ANALYSIS POLYURETHANE NO TOLERANCE

REMARKS: THE LABELED FIBER CONTENT FOR THE SUBMITTED SAMPLE IS RECOMMENDED AS POLYURETHANE

Yellow foam

SUBMITTED /

LAB ANALYSIS POLYURETHANE NO TOLERANCE

REMARKS: THE LABELED FIBER CONTENT FOR THE SUBMITTED SAMPLE IS RECOMMENDED AS POLYURETHANE

White foam

SUBMITTED /

LAB ANALYSIS POLYURETHANE NO TOLERANCE

REMARKS: THE LABELED FIBER CONTENT FOR THE SUBMITTED SAMPLE IS RECOMMENDED AS POLYURETHANE

Blue foam

SUBMITTED /

LAB ANALYSIS POLYURETHANE NO TOLERANCE

REMARKS: THE LABELED FIBER CONTENT FOR THE SUBMITTED SAMPLE IS RECOMMENDED AS POLYURETHANE



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TEST RESULT

Flammability of resilient filling material test

Test Method : California Technical Bulletin CA TB 117-2013 section III

Tested Item(s) : YELLOW FOAM

RESULT FOR INITIAL TEST:

SPECIMEN	TRANSITION TO OPEN FLAMING	SMOLDERING	CHAR LENGTH (IN)
1	N	N	0.7
2	N	N	0.7
3	N	N	0.6

OVERALL RATING:

PASS

Note / Key:

Y=Yes
DATA = Record data
only

N=No
NA = Not Applicable

P=Pass
NR= Not requested

F=Fail
NT=Not Tested



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TEST RESULT

Flammability of resilient filling material test

Test Method : California Technical Bulletin CA TB 117-2013 section III

Tested Item(s) : BLUE FOAM

RESULT FOR INITIAL TEST:

SPECIMEN	TRANSITION OPEN FLAMING	TO SMOLDERING	CHAR LENGTH (IN)
1	N	N	0.8
2	N	N	0.8
3	N	N	0.9

OVERALL RATING: PASS

Note / Key:

Y=Yes

DATA = Record data
only

N=No

NA = Not Applicable

P=Pass

NR= Not requested

F=Fail

NT=Not Tested



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TEST RESULT

Flammability of resilient filling material test

Test Method : California Technical Bulletin CA TB 117-2013 section III

Tested Item(s) : GREY FOAM

RESULT FOR INITIAL TEST:

SPECIMEN	TRANSITION OPEN FLAMING	TO SMOLDERING	CHAR LENGTH (IN)
1	N	N	0.8
2	N	N	0.8
3	N	N	0.8

OVERALL RATING: PASS

Note / Key:

Y=Yes

DATA = Record data
only

N=No

NA = Not Applicable

P=Pass

NR= Not requested

F=Fail

NT=Not Tested



BUREAU
VERITAS

Test Report: (8524)284-0564 HUIZHOU SHI XIANG YU SPONGE PRODUCTS CO LTD

Received Date: October 10, 2024
Report Date: October 16, 2024

ADDITIONAL TEST RESULTS FOR WHITE, BLUE, YELLOW, GREY FOAM

TEST RESULT

Flammability of resilient filling material test

Test Method : California Technical Bulletin CA TB 117-2013 section III

Tested Item(s) : WHITE FOAM

RESULT FOR INITIAL TEST:

SPECIMEN	TRANSITION OPEN FLAMING	TO SMOLDERING	CHAR LENGTH (IN)
1	N	N	0.8
2	N	N	0.7
3	N	N	0.7

OVERALL RATING: PASS

Note / Key:

Y=Yes

DATA = Record data
only

N=No

NA = Not Applicable

P=Pass

NR= Not requested

F=Fail

NT=Not Tested

END OF REPORT