

**LAB LOCATION:**  
**REPORT NUMBER:**
**VIET NAM**  
**EFFN25010279-CG-01**
**ISSUE DATE:** Jan. 15, 2025  
**PAGE:** 1 of 9

<b>Applicant:</b>	Noble House Home Furnishings Canada Inc		
<b>Address:</b>	8030 Esquesing Line, Milton, ON, Canada		
<b>Contact:</b>	Xavier Boucher		
<b>TEL:</b>	519-897-3769	<b>FAX:</b>	-
<b>E-mail:</b>	<a href="mailto:minhhanh.wood@yahoo.com.vn">minhhanh.wood@yahoo.com.vn</a> , <a href="mailto:nhaphuong@gigacloudtech.com">nhaphuong@gigacloudtech.com</a> , <a href="mailto:mh-purchase1@minhhanhvn.com">mh-purchase1@minhhanhvn.com</a> , <a href="mailto:ls@gigacloudtech.com">ls@gigacloudtech.com</a>		
<b>Copy To:</b>	-		

**OVERALL RATING**

<b>PASS</b>	<b>X</b>
<b>FAIL</b>	-
<b>DATA</b>	-

**Sample Information**

<b>Sample Description</b>	FULL MURPHY BED		
<b>Style Number</b>	-		
<b>SKU</b>	N708P270134/ N708P270135		
<b>Vendor Name</b>	Noble House Home Furnishings Canada Inc		
<b>Vendor style number</b>	YMX		
<b>Quantity</b>	-	<b>PO Number</b>	-
<b>Buyer's Name</b>	Noble House Home Furnishings Canada Inc	<b>Manufacturer</b>	Noble House Home Furnishings Canada Inc
<b>Country of Origin</b>	VIETNAM	<b>Country of Destination</b>	USA
<b>Code Number</b>	-	<b>Date of production</b>	-
<b>Reference item/ style number</b>	-	<b>Color</b>	WHITE/ GRAY
<b>Date of Submission</b>	Jan. 13, 2025	<b>Test Performance Dates</b>	Jan. 13, 2025
<b>Testing Status</b>			
<b>Pre-Shipment Lead Test</b>	<input type="checkbox"/>	<b>Test for Protocol</b>	-
<b>Retest</b>	<input type="checkbox"/>	<b>Previous Report No.:</b>	-

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01


ISSUE DATE: Jan. 15, 2025  
PAGE: 2 of 9

Sample Photos



**EFFN25010279-CG-01**

For and on behalf of  
Eurofins MTS Consumer Product Testing Vietnam Ltd.



HARRY VU  
HARDLINES LAB. ASSISTANT MANAGER

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01

ISSUE DATE: Jan. 15, 2025  
PAGE: 3 of 9

### EXECUTIVE SUMMARY:

#### TESTING RESULT SUMMARY

Test Property	PASS	FAIL	DATA	COMMENTS
Total Lead Content in Paint or Similar Surface Coating	X	-	-	-
ASTM F3096-23 Standard Performance Specification for Tip-over Restraint	X	-	-	-
Distributed load capacity test	X	-	-	-


### COMPONENT BREAKDOWN LIST:

Test Item	Component Description
01	Grey coating on wood (Color panel)
02	Black coating on metal
03	Black coating on metal
04	White coating on wood (Color panel)

### Remarks:

(1) Test result was transferred from report# 76124-011123 Revised 1.

### EXHIBIT BREAKDOWN:



LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01

ISSUE DATE: Jan. 15, 2025  
PAGE: 4 of 9

### TEST RESULT(S):

#### 1. Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

Test Item	Total Lead (Pb) (ppm)		Conclusion
	Result	Limit	
01 <sup>(1)</sup>	ND	90	PASS
02 <sup>(1)</sup>	ND	90	PASS
03 <sup>(1)</sup>	ND	90	PASS
04 <sup>(1)</sup>	ND	90	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)  
ppm = part per million = mg/kg = milligram per kilogram

#### 2. ASTM F3096-23 Standard Performance Specification for Tip-over Restraint

TEST ITEM	TEST METHOD	TEST REQUIREMENT	RESULT
Tip-over restraints instruction	ASTM F3096-23 Sec. 5	Installation instructions shall be included with the tip-over restraints and include at a minimum the following: Illustration showing installation method. Detailed written instructions with step by step instructions on how to properly attach the tip-over restraint. Parts list including illustrations. Clear and complete installation instructions for the tip-over restraint shall be included	Pass (See exhibit photos) (Refer from report #76124-110619 Revised 1)
Tip-over restraints labeling	ASTM F3096-23 Sec. 6	The following information shall be provided with each tip-over restraint: Manufacturer's name and address. Date of manufacture (capable of identifying at a minimum the month and year of manufacture).	Pass (See exhibit photos) (Refer from report #76124-110619 Revised 1)
Tip-over restraints test	ASTM F3096-23 Sec. 4	The tip-over restraint provided shall withstand a 60 lb static load when tested in accordance with F3096-23 Section 4.	Pass Test load: 60lbs (See exhibit photos) (Refer from report #76124-110619 Revised 1)

**LAB LOCATION:**  
**REPORT NUMBER:****VIET NAM**  
**EFFN25010279-CG-01****ISSUE DATE:** Jan. 15, 2025  
**PAGE:** 5 of 9**3. Distributed load capacity test**

TEST CODE	TESTED PROPERTY	TEST REQUIREMENT	RESULT
H-41030	Distributed load capacity test	No structural failure or greater than 1/4-inch permanent deformation after loading for 60 minutes  Single - 500 lbs Full/Queen/King - 800 lbs Modification = Expanded scope to other products	Pass Full bed Test load: 800 lbs (Refer from report #76124-110619 Revised 1)

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01

ISSUE DATE: Jan. 15, 2025  
PAGE: 6 of 9

**EXHIBIT(S):**

<p><b>Exhibit. 1</b></p> 	<p><b>Exhibit. 2</b></p> 
<p><b>Exhibit. 3</b></p> 	<p><b>Exhibit. 4</b></p> 
<p><b>Exhibit. 5</b></p> 	<p>/</p>



LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01

ISSUE DATE: Jan. 15, 2025  
PAGE: 7 of 9

## ANTI-TIP-KIT

Exhibit. 6

- 1- Determine the position of the bed in the room.  
1- Déterminez la position du lit dans la pièce




Exhibit. 7

- 2- Put the bed back in its place. Please keep it vertical and horizontal.  
2- Remettez le lit à sa place. Veuillez le garder vertical et horizontal.




Exhibit. 8

- 3- Mark the points drill holes according to actual products  
3- Marquez les points de perçage en fonction des produits réels.




Exhibit. 9

- 4- Drill the positions marked in STEP 3 and secure the plug.  
4- Percez les positions marquées à l'ÉTAPE 3 et fixez la cheville.




Exhibit. 10


Wall attached item only:

### A guide to wall mounting and fixings

**Warning**  
Wall fixing screws are not included, since different wall materials require different types of screws / fixings. Please ensure you use the correct screws / fixings for your type of walls and seek professional advice if you are not sure.

Failure of the product due to incorrect fixings is the responsibility of the installer.

**Important:** When drilling into the walls always check that there are no hidden wires or pipes etc.



**Types of walls**  
You can use one of the following types of wall plug if your walls are made of brick, hollowblock, concrete, stone or wood.

- General Purpose wall plug**  
Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.
- Plasterboard wall plug**  
For use when attaching light loads on to plasterboard partitions.
- Cavity Fitting wall plug**  
For use with plasterboard partitions or hollow wooden doors.
- Cavity Fitting - Heavy Duty wall plug**  
For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.
- Hammer Fitting wall plug**  
For use with walls stuck with plasterboard. The hammer fitting allows it to be fixed to the wall rather than the plasterboard. Always check the fitting is secure to the retaining wall.
- Shield Anchor wall plug - Heavy loads**  
For use with heavier load such as TV and Hi-Fi speakers and satellite dishes etc.

**Care and maintenance**  
**Safety:** Periodically check all fittings and wall fixings to ensure they have not come loose and retighten as necessary.

MINH HANH CO., LTD  
LOT B2 - 36, ROAD NO. 2, TAN DONG HIEP B INDUSTRIAL ZONE,  
DI AN CITY, BINH DUONG PROVINCE, VIETNAM  
Tel: (+84) 0274.3741.226 Fax: (+84) 0274.3741.227  
Date of manufacture/ Date de Fabrication: 09/2024  
Meets ASTM F3096-23

Exhibit. 11


Article à fixer au mur uniquement :

### Guide de montage mural et de fixation

**Attention**  
Les vis de fixation murale ne sont pas incluses, car différents matériaux de mur nécessitent différents types de vis / fixations. Veuillez vous assurer d'utiliser les vis / fixations appropriées pour votre type de murs et demander conseil à un professionnel si vous n'êtes pas sûr.

L'échec du produit en raison de fixations incorrectes est de la responsabilité de l'installateur.

**Important :** Lorsque vous percez dans les murs, vérifiez toujours s'il n'y a pas de fils électriques ou de tuyaux cachés, etc.



**Types de murs**  
Vous pouvez utiliser l'un des types de chevilles murales suivants si vos murs sont en brique, parpaing, béton, pierre ou bois.

- Cheville murale polyvalente**  
En général, les blocs aérés ne devraient pas être utilisés pour supporter des charges lourdes. Dans ce cas, utilisez un dispositif de fixation spécialisé. Pour les charges légères, des chevilles murales polyvalentes peuvent être utilisées.
- Cheville pour plaque de plâtre**  
Pour une utilisation lors de la fixation de charges légères sur des cloisons en plâtre.
- Cheville de fixation pour cavité**  
À utiliser avec des cloisons en plâtre ou des portes en bois creuses.
- Cheville de fixation pour cavité - à usage intensif**  
À utiliser lors de l'installation ou du support de charges lourdes telles que des étagères, des armoires murales et des portes-manteaux.
- Cheville de fixation à marteau**  
À utiliser avec des murs recouverts de plâtre. La fixation à marteau permet de la fixer au mur plutôt qu'au plâtre. Vérifiez toujours que la fixation est bien ancrée au mur porteur.
- Cheville à ancre de protection - Charges lourdes**  
À utiliser avec des charges plus lourdes telles que des téléviseurs, des enceintes hi-fi et des antennes satellites, etc.

**Entretien et maintenance**  
**Sécurité:** Périodiquement, vérifiez tous les raccords et fixations murales pour vous assurer qu'ils ne se sont pas desserrés et resserrés si nécessaire.

MINH HANH CO., LTD  
LOT B2 - 36, ROAD NO. 2, TAN DONG HIEP B INDUSTRIAL ZONE,  
DI AN CITY, BINH DUONG PROVINCE, VIETNAM  
Tel: (+84) 0274.3741.226 Fax: (+84) 0274.3741.227  
Date of manufacture/ Date de Fabrication: 09/2024  
Meets ASTM F3096-23

**Eurofins MTS Consumer Product Testing Vietnam Ltd.**

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam

Tel: (+84) 862896363 Fax: (+84) 862896262 Email: [vnscs@cpt.eurofinsasia.com](mailto:vnscs@cpt.eurofinsasia.com) Website: [www.mts-global.com](http://www.mts-global.com)

GR-HL-V1/15.12.2024

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
EFFN25010279-CG-01

ISSUE DATE: Jan. 15, 2025  
PAGE: 8 of 9

Exhibit. 12




Exhibit. 13




Exhibit. 14



Exhibit. 15





LAB LOCATION:  
REPORT NUMBER:VIET NAM  
EFFN25010279-CG-01ISSUE DATE: Jan. 15, 2025  
PAGE: 9 of 9**NOTE:**

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

**Technical questions:**Primary Contact: Allen Hsu  
Back-up Contact: Harry VuTel: +84-28-6289-6363 Ext: 127  
Tel: +84-28-6289-6363 Ext: 175Email: Allen.Hsu@cpt.eurofinsasia.com  
Email: Harry.Vu@cpt.eurofinsasia.com**Concerns About Billing and General Inquiries:**Primary Contact: Vincent Pham  
Back-up Contact: Wendy DoTel: +84-28-6289-6363 Ext: 114  
Tel: +84-28-6289-6363 Ext: 123Email: Vincent.Pham@cpt.eurofinsasia.com  
Email: Wendy.Do@cpt.eurofinsasia.com

*This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF's control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.*