

 Technical Report:
 96250090649
 JANUARY 13, 2025

 Date Received:
 JANUARY 10, 2025
 Page 1 of 14

GIGACLOUD TECHNOLOGY(USA) INC. 4388 SHIRLEY AVENUE EL MONTE, CA 91731

Sample Description: HOUSE BUNK BED

Vendor: GIGACLOUD Sample Si

TECHNOLOGY(USA) INC.

Sample Size: /

Manufacturer: GIGACLOUD TECHNOLOGY

VPN: /

(USA) INC Buyer: GIGACLO

GIGACLOUD TECHNOLOGY SKN/SKU No.:

(USA) INC

Agent:

PO No.: ALL PO

Labeled Age Grade: /
Appropriate Age Grade: /
Client Specified Age Grade: /

Ref #: /
Country of Origin: VIETNAM

Tested Age Grade:
UPC Code:

Assortment No.: Department No.:

Item#:

Phase of Production: PRODUCTION

WF311145/ WF311146

**USA** 

Color: /
Program: /

Date of Production: Model/Style#:

Program: / Model/Style#:
Previous No: 96243550652 Country of Destination:

**TEST PROPERTY** FAIL DATA PASS N/A Remark CPSIA Total lead content in Surface Coating X CPSIA Total Lead Content In Substrate Materials X 15 U.S.C 1278a-Children Product Containing Lead X ASTM F1427-21e1 Bunk Beds X 16 CFR 1213 Bunk Beds X 16 CFR 1513 Requirements for Bunk Beds X 16 CFR 1500.48 & 16 CFR 1500.49, Sharp points and Sharp X edaes 15 U.S.C. § 2063(a)(5), Tracking label for children's products X

#### Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 2 of 14

If there is any question regarding this report, please contact the following lab personnel:

## Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

#### Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN

LAB MANAGER - HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: 96250090649 JANUARY 13, 2025 Page 3 of 14

#### SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
1001	White Coating/ Sample	Coating	-
1002	Grey Coating/ Sample	Coating	-
1003	Black/ Yellow Overlapping Coating/ Warning Label	Coating	-
1004	Red/ Yellow Overlapping Coating/ Safety Label	Coating	-
1005	MDF	Wood	-
1006	Plywood	Wood	-
1007	Metal Bolt	Metal	-
1008	Metal Barrel Nut	Metal	-
1009	Metal Screw	Metal	-
1010	Metal Cap Nut	Metal	-
I011	Metal Hook	Metal	-

#### **TEST RESULT**

# Total Lead Content in Substrate: - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

**Test Method** 

: U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
Maximum Allowable Limit .	100 mg/kg

- Unit		Result						
Test Item(s)	-	1005+1006	1007	1008	1009	1010	I011	
Parameter	-	-	-	-	-	-	-	
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	

#### Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent

Reporting Limit (mg/kg): 10

#### Remark:

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption
  was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead
  weight.



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: 96250090649 JANUARY 13, 2025 Page 4 of 14

## **TEST RESULT**

#### **Total Lead Content in Surface Coating**

- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

**Test Method** : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	90 mg/kg

-	Unit	Res	sult
Test Item(s)	-	I001+I002	1003+1004
Parameter	-	-	-
Total Lead (Pb)	mg/kg	17	ND
Conclusion	-	PASS	PASS

#### Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Reporting Limit (mg/kg): 10

#### Remark:

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 5 of 14

## **TEST RESULT**

#### **Total Lead Content:** 15 U.S.C 1278a-Children Product Containing Lead

-	Unit	Result					
Test Item(s)	ı	1005+1006	1007	1008	1009	I010	I011

100 mg/kg

-	Unit			Res	sult		
Test Item(s)	-	1005+1006	1007	1008	1009	I010	I011
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Res	sult
Test Item(s)	-	1001+1002	I003+I004
Parameter	-	-	-
Total Lead (Pb)	mg/kg	17	ND
Conclusion	-	PASS	PASS

Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million Detection Limit (mg/kg) : 10 10000 mg/kg = 1 %% = percent

Maximum Allowable Limit:

## Remark:

- Tested per client's request



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 6 of 14

## RESULT(S):

## REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	М
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	М
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	М
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	М
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	М
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	М
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	М
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	М
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	М
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	М
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 7 of 14

## REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	М
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	М
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	М
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	М
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	М

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 8 of 14

## RESULT(S):

## STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	М
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	М
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	М
4.5.2	Utilized event cross-members	М
4.5.3	Release of positive fastening devices or use of hand tools	М
4.5.4	Static load for the foundation support system	М
4.6	Side Rails	=
4.6.1	Bolt-On Side Rails	М
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	М
4.7	Guardrails	-
4.7.1	Presence of guardrails	М
4.7.2	Requirement of attachment	М
4.7.3	Requirement of height of the upper edge above the sleeping surface	М
4.7.4	Opening of the guardrail	М
4.7.5	Opening between the either end of the guardrail and the bed end structure	М
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	М
4.8.2	Openings in the rigid end structures of the upper bunk	М
4.8.3	Openings in the end structures of the lower bunk	М
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	М
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	М
4.9.3	Openings between ladder step and upper bunk boundary	М
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	М
7	Instructional Literature	М



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 9 of 14

## RESULT(S):

Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp points and sharp edges	16 CFR 1500.48 16 CFR 1500.49	Items intended for children under 8 years of age shall not have accessible, potentially hazardous sharp points, sharp edge before or after use and abuse testing	М	PASS
Tracking Label For Children's Product	15 U.S.C. § 2063(a)(5)	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the presence only. The accuracy of tracking label will not be verified.  Note: Manufacturer or Private Labeler name can not be coded.	М	PASS

## Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
С	Claimed	R	Recorded



GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 10 of 14

## **RETEST SAMPLE**





GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 11 of 14


## **ORIGINAL SAMPLE**






GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 12 of 14

## **CARTON LAYOUT**





GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 13 of 14





GIGACLOUD TECHNOLOGY(USA) INC. Technical Report: **96250090649** JANUARY 13, 2025 Page 14 of 14

#### **LABEL PHOTO**

