

 Technical Report:
 96250590478
 MARCH 13, 2025

 Date Received:
 FEBRUARY 28, 2025
 Page 1 of 15

ZHIAO VIETNAM COMPANY LIMITED

PLOT NO. 713, MAP SHEET NO.45, GROUP 5, KHANH TAN QUARTER, KHANH BINH WARD, TAN UYEN CITY, BINH DUONG PROVINCE, VIETNAM (POST CODE: 75412)

Sample Description: HOUSE BED

Vendor: ZHIAO VIETNAM COMPANY Sample Size:

LIMITED

Manufacturer: ZHIAO VPN:

Buyer: GIGACLOUD TECHNOLOGY SKN/SKU No.: MF307107AAB/MF307107

(USA) INC AAK/MF307107AAH

Appropriate Age Grade: / Ref #: /

Client Specified Age Grade: / Country of Origin: VIET NAM

Tested Åge Grade: / Assortment No.: /
UPC Code: / Department No.: /
Phase of Production: PRODUCTION Item#: /
Color: BLACK/WHITE/PINK Date of Production: /

Program: / Model/Style#: YZO-2301-US-LE-045-

FULL

Previous No: N/A Country of Destination: USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	Х				
CPSIA Total Lead Content In Substrate Materials	Х				
15 U.S.C 1278a-Children Product Containing Lead	Х				
ASTM F1169- 19 Section 6.7 (Modify), Spindle/Slat Strength	Х				
Testing					

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.
- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
1	White Coating/Metal Frame	Lead	96250620443	MARCH 10, 2025
2	Pink Coating/Metal Frame		96250520506	MARCH 10, 2025
3	Coating/ Sliding Bolt On Latch			
4	Coating/ Metal On Latch			
5	Coating/ Spring On Latch			
6	Coating/Hinge			
7	Silver Hinge		Actual Test	/
8	Silver Rivet	Lead		
9	Sliding Bolt On Latch			
10	Metal On Latch			
11	Spring On Latch			
12	Black Coating/ Tracking Label			
13	Red Coating/ Country Origin Label		96242200634	AUGUST 26, 2024
14	Black/ Red/ Yellow Overlapping			

Bureau Veritas

Consumer Products Services (VN) Ltd.

Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone, Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam Tel: 84-028-37421604~6 Fax: 84-028-37421603 website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth for use friends solely with respect to the test samples intellified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 2 of 15

	Coating/ Ca Prop 65 Label		
15	Black Coating/Metal Frame	96242200634	AUGUST 26, 2024
16	Coating/Hardware		
17	Frame	96242200634	AUGUST 26, 2024
18	Black Bolt		



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 3 of 15

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN

LAB MANAGER - HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 4 of 15

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
1001	No Coating/ Sliding Bolt On Latch	-	-
1002	Black Coating/ Metal On Latch	Coating	-
1003	No Coating/ Spring On Latch	-	-
1004	Black Coating/ Hinge	Coating	-
1005	Black Hinge	Metal	-
1006	Silver Rivet	Metal	-
1007	Sliding Bolt On Latch	Metal	-
1008	Metal On Latch	Metal	-
1009	Spring On Latch	Metal	-

TEST RESULT

Total Lead Content in Surface Coating

- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowabl	e Limit :		90 mg/kg			
-	Unit		Result			
Test Item(s)	-	1001 1003 1002+1004				
Parameter	-	=	=	-		
Total Lead (Pb)	mg/kg	ND				
Conclusion	-	NA	NA	PASS		

Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Reporting Limit (mg/kg): 10

Remark:

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 5 of 15

TEST RESULT

Total Lead Content in Substrate: - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method

: U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
---------------------------	-----------

-	Unit			Result		
Test Item(s)	-	1005	1006	1007	1008	1009
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent

Reporting Limit (mg/kg): 10

Remark:

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption
 was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead
 weight.



ZHIAO VIETNAM COMPANY LIMITED Technical Report: 96250590478 MARCH 13, 2025 Page 6 of 15

TEST RESULT

Total Lead Content: 15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable	E Limit :		100 mg/kg					
-	Unit	Result						
Test Item(s)	-	1001	1001 1003 1002+1004					
Parameter	_	_						

Test Item(s)	-	1001	1003	1002+1004
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	-	-	ND
Conclusion	-	NA	NA	PASS

-	Unit			Result		
Test Item(s)	-	1005	1006	1007	1008	1009
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key:

ND = Not detected NA = Not applicable ">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million Detection Limit (mg/kg) : 10 10000 mg/kg = 1 %% = percent

Remark:



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 7 of 15

RESULT(S):

Evaluation	Citation / Method	Criteria	Results	Rating
Spindle/Slat Strength Testing	ASTM F1169- 19 Section 6.7 (Modify)	Gradually, over a period of not less than 2s nor greater than 5s, apply an 80 lbf force perpendicular to the plane of the side at the midpoint, between the top and bottom of the spindle/slat being tested. This force shall be applied through a force measuring device and contact area 1±1/16 in wide by a length at least equal to the width of spindle/slat being tested at the point of application, this force shall be maintained for 10s. After testing, there shall be no complete breakage of any spindle/slat or complete separation of either end of a spindle/slat from the assembly's horizontal members Modify: Expand scope to bed	М	PASS

M = Meet NM = Not Meet NA = Not Applicable NT = Not Tested R = Refer to Comment Section



ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 8 of 15







ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 9 of 15

PINK COLOR





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 10 of 15

WHITE COLOR





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 11 of 15


CARTON PHOTO





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 12 of 15


CARTON BLACK





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 13 of 15


CARTON PINK





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 14 of 15

CARTON WHITE





ZHIAO VIETNAM COMPANY LIMITED Technical Report: **96250590478** MARCH 13, 2025 Page 15 of 15

LABEL ON PRODUCT

