



Scan QR code verification of authenticity

Test Report Report No: TST20240902340EN Date: Sept.19,2024 Page 1 of 23

Applicant : Dongguan Youxiang Homefurnishing CO.,Ltd

Address Room 202, 382 Houjie West Ring Road, Houjie Town, Dongguan City, Guangdong Province,

China 523960

Manufacturer : Dongguan Youxiang Homefurnishing CO.,Ltd

Address Room 202, 382 Houjie West Ring Road, Houjie Town, Dongguan City, Guangdong Province,

China 523960

The following sample(s) was /were submitted and identified on behalf of the clients as :

Sample Name : Modern Fabric Sofa Couch & Sofa Bed Sleeper

Sample Description : Modern Fabric Sofa Couch & Sofa Bed Sleeper

W2664P179330;W2664P179331;W2664P179332;W2664P179333;W2664P179334;

Model No. : W2664P179335;W2664P179336;W2664P179337;W2664P179338;W2664S0003;

W2664S0004;W2664P232999;W2664P2323000

Labeled Age Grading : Over 3 years old

Test Age Grading : Over 3 years old

Manufacture Date : Aug.10,2024

Sample Received Date : Sept.14,2024

Testing Period : Sept.14,2024 To Sept.19,2024

Test Requested : Test samples according to customer requirements

Test Method : Please refer to next page(s).

Test Result : Please refer to next page(s).

CPSC Lab ID : 1755

Signed for and on behalf of







Scan QR code verification of authenticity : Sept.19,2024 Page 2 of 23

Result Summary:

	Test Requested	Conclusion
1	CPSC 16 CFR 1640 Standard For The Flammability Of Upholstered Furniture	PASS
2	The Flame Resistance Test	PASS
3	Total Lead(Pb)-US California Proposition 65	PASS
4	Total Cadmium(Cd)-US California Proposition 65	PASS
5	Phthalates(8P) -US California Proposition 65	PASS





Scan QR code verification of authenticity
Test Report No : TST20240902340EN Date: Sept.19,2024 Page 3 of 23

Sample Description:

No.	Description
1.	Modern Fabric Sofa Couch & Sofa Bed Sleeper(Finished product)
2.	Green fabric
3.	Off white fabric
4.	Linen colored fabric
5.	Light grey fabric
6.	Dark gray fabric
7.	Khaki fabric
8.	Grey fabric





Scan QR code verification of authenticity Sept.19,2024 Page 4 of 23 Date: Sept.19,2024

Test Report Report No: TST20240902340EN

1.CPSC 16 CFR 1640 Standard For The Flammability Of Upholstered Furniture

Test Item(s)	Requirements of Standard	Assessment
16 CFR 1640.5	Requirements	
	(a) Testing and certification. A fabric, related material, or product	
	to which the California standard applies shall not be subject to	
	section 14(a) of the Consumer Product Safety Act (15 U.S.C.	
	2063(a)) with respect to that standard.	
	(b) Certification label. Each manufacturer of a product that is	PASS
	subject to the California standard shall include the statement	(see the test result)
	"Complies with U.S. CPSC requirements for upholstered furniture	
	flammability" on a permanent label located on the product, which	
	shall be considered to be a certification that the product complies	
	with that standard.	
16 CFR 1640.4	Requirements of Standard	
	(a) Testing and certification. A fabric, related material, or	
	product to which the California standard applies shall not be	
	subject to section 14(a) of the Consumer Product Safety Act	
	(15 U.S.C. 2063(a)) with respect to that standard.	
	(b) Certification label. Each manufacturer of a product that is	PASS
	subject to the California standard shall include the statement	(see the test result
	"Complies with U.S. CPSC requirements for upholstered	
	furniture flammability" on a permanent label located on the	
	product, which shall be considered to be a certification that	
	the product complies with that standard.	

NOTE:NA. = Not Applicable





Scan QR code verification of authenticity
Date: Sept.19,2024 Page 5 of 23

Test Report Report No : TST20240902340EN

2.The Flame Resistance Test

Refer to: TECHNICAL BULLETIN 117-2013. Requirements, Test Procedure and Apparatus for Testing the

Smolder Resistance of Materials Used in Upholstered Furniture

Sample [Description		1						
Test en	vironment	Tempera	Temperature:24.5℃ Relative humidity :56%						
Pur	pose		Cover fabric test						
Test r	nethod		Section 1. Cover fabric tes	st					
Comple	Duration of smouldering	Vertical Char length	Open Flaming						
	Sample	(45min:sec)	(inches)	(Yes/No)					
Test	No.1	No smoke	1.4	No					
result	No.2	No smoke	1.3	No					
	No.3	No smoke	1.4	No					
	ndard irement	No smoke	≤1.8	No					
Conclusion			Pass						

Remark:

A material is considered to pass or fail based on the following criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - a) The mock-up test specimen continues to smolder after the 45 minute test duration;
 - b) A char develops more than 1.8 inches (45 mm) in any direction from the cigarette on the cover fabric measured from its nearest point.
 - c) The mock-up test specimen transitions to open flaming.
- 2. The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their full length and the mock-ups are no longer smoldering.
- 3. If more than one initial specimen fails, the cover fabric fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
- 5. If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.





Scan QR code verification of authenticity
Date: Sept.19,2024 Page 6 of 23

Test Report Report No : TST20240902340EN

3. Total Lead(Pb)-US California Proposition 65.

Test Method: With reference to CPSC-CH-E1001-08.3 (metal), CPSC-CH-E1002-08.3 (nonmetal),

CPSC-CH-E1003-09.1(coating) analysis was performed by ICP-OES

Took How	I I m i 4	Result Result		Result	MDI	Limit	
Test Item	Unit	2	3	4	MDL	Limit	
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100(Substrate) 90(Coating)	
Conclusion		PASS	PASS	PASS	-		

Test Item	Unit	Result	Result	Result	MDL	Limit
	Offic	5	6	7	IVIDL	Lillit
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100(Substrate) 90(Coating)
Conclusion		PASS	PASS	PASS		

Test Item	Unit	Result	-	-	MDL	Limit	
rest item	Onit	8			MIDL	Lillit	
Lead (Pb)	mg/kg	N.D.			10	100(Substrate) 90(Coating)	
Conclusion	-	PASS					

Note:

- 1. mg/kg=milligrams per kilogram;
- 2. N.D.=No Detection(<MDL);
- 3. MDL =Method Detection Limit.





Scan QR code verification of authenticity Date: Sept.19,2024 Page 7 of 23

Report No: TST20240902340EN

4. Total Cadmium(Cd)-US California Proposition 65.

Test Method: With reference to EPA 3050B:1996(metal), EPA 3052:1996 (nonmetal), analysis was performed by

ICP-OES

Took Itom	Unit	Result Result		Result	MDL	Limit	
Test Item	Onit	2	3	4	MIDL	Limit	
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	100	
Conclusion		PASS	PASS	PASS			

Test Item	Unit	Result	Result Result		MDL	Limit
	Unit	5	6	7	IVIDE	Limit
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion		PASS	PASS	PASS		

Took Marin	III-i4	Result					MDI	Limit
Test Item	Unit	8			MDL	Limit		
Total cadmium (Cd)	mg/kg	N.D.			10	100		
Conclusion		PASS						

Note:

- 1. mg/kg=milligrams per kilogram;
- 2. N.D.=No Detection(<MDL);
- 3. MDL =Method Detection Limit.





Scan QR code verification of authenticity
Date: Sept.19,2024 Page 8 of 23

est Report Report No : TST20240902340EN

5.Phthalates(8P) -US California Proposition 65.

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS

To ad Marria	l limit	Result	Result	Result	MDI	Limit
Test Item(s)	Unit	2	3	4	MDL	Limit
Dibutyl Phthalate(DBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	N.D.	N.D.	0.005	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	N.D.	N.D.	0.005	0.1
Diisononyl phthalate(DINP)	%	N.D.	N.D.	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	N.D.	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	N.D.	N.D.	0.005	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Conclusion		PASS	PASS	PASS	-	

		Result	Result	Result	MDI	
Test Item(s)	Unit	5	6	7	MDL	Limit
Dibutyl Phthalate(DBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	N.D.	N.D.	0.005	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	N.D.	N.D.	0.005	0.1
Diisononyl phthalate(DINP)	%	N.D.	N.D.	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	N.D.	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	N.D.	N.D.	0.005	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	N.D.	N.D.	0.005	0.1
Conclusion		PASS	PASS	PASS		





Scan QR code verification of authenticity
Date: Sept.19,2024 Page 9 of 23

Report No : TST20240902340EN	
------------------------------	--

T4 (44-)		Result		MDL		
Test Item(s)	Unit	8			Limit	
Dibutyl Phthalate(DBP)	%	N.D.			0.005	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.			0.005	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.		-	0.005	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.		-	0.005	0.1
Diisononyl phthalate(DINP)	%	N.D.		-	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.		1	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.			0.005	0.1
Diisobutyl phthalate(DIBP)	%	N.D.			0.005	0.1
Conclusion		PASS				

Note:

- 1. % = percentage by weight, 0.0001% = 1 mg/kg, mg/kg=milligram per kilogram= ppm
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.
- 3. NA = Not Applicable





Scan QR code verification of authenticity Date: Sept.19,2024 Page 10 of 23

Test Report Report No: TST20240902340EN

Sample and packaging pictures:

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 11 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











Scan QR code verification of authenticity Sept.19,2024 Page 12 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 13 of 23 Date: Sept.19,2024

Test sample picture



Report No: TST20240902340EN









Scan QR code verification of authenticity Sept.19,2024 Page 14 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 15 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











Scan QR code verification of authenticity Sept.19,2024 Page 16 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 17 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture












Scan QR code verification of authenticity Sept.19,2024 Page 18 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity
Date: Sept.19,2024 Page 19 of 23

Report No: TST20240902340EN

Test sample picture











Scan QR code verification of authenticity Sept.19,2024 Page 20 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 21 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture





Http:www.tst-test.com





Report No: TST20240902340EN



Scan QR code verification of authenticity Sept.19,2024 Page 22 of 23

Date: Sept.19,2024

Test sample picture











This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com





Scan QR code verification of authenticity Sept.19,2024 Page 23 of 23 Date: Sept.19,2024

Report No: TST20240902340EN

Test sample picture







	Product Label				
Product Name	Modern Fabric Sofa Couch & Sofa Bed Sleeper				
Age grade	Over 3 years old				
Product Model	W2664P179330;W2664P179331;W2664P179332; W2664P179333;W2664P179334;W2664P179335; W2664P179336;W2664P179337;W2664P179336; W2664S0003;W2664S0004;W2664P232999;W2664P2323000				
Manufacturer	Dongguan Youxiang Homefumishing CO.,Ltd				
Manufacture Address	Room 202, 382 Houjie West Ring Road, Houjie Town, Donggu City, Guangdong Province, China 523960				
Manufacture Date	Aug. 10,2024				

COMPLIES WITH U.S. CPSC REQUIREMENTS FOR UPHOLSTERED FURNITURE

FLAMMABILITY

*** End of Report ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd. Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050 Fax:+86-0769-81221086 E-mail: :tst@tst-test.com