

Chicken soap

HUST Bioinformatics course series for undergraduates

Wei-Hua Chen (CC BY-NC 4.0)

30 August, 2022

Section 1 : outline


Outline

- the two most important figures in science
- think in English
- think creative
- find your own truth

section 2 : contents

how people in science see each other

How people in science see each other



the most important Scientific virtue



Figure 2: most important core values selected by elite scientists

think in English

怎么练习口语和语感？

- 1 Find a short article that you know every word
- 2 Read it aloud at a quiet place so that you can hear it
- 3 Do this everyday for **three years**

think creative

How?

- 1 Read a research paper
- 2 Find three limitations of the research
- 3 Address these issues with your own ideas
- 4 Do this once a week for **three years**

try find your own truth

未经调研，不要轻易相信别人结论，特别是科普文章。

There is a reproducibility crisis in scientific community:

- 70% of researchers failed to reproduce others' experiments
- 50% failed to reproduce their own





Figure 3: reproducibility crisis (Nature 2015 survey)

Religious and happiness

Are religious people happier? (Pew research 2019)

Religion, GDP and happiness.



The data

```
data/talk00/data.xlsx
```

```
head(rhp);
```

##	happiness	rel	ppp
## Switzerland	273.33	50	58551
## Austria	260.00	42	47250
## Iceland	260.00	57	46097
## Finland	256.67	53	41120
## Sweden	256.67	29	47922
## Canada	253.33	46	45553

Single factor analysis


Happiness vs. Religion

```
c = cor.test( rhp$happiness, rhp$rel);
eq <- substitute(
  italic(r)~"="~r2*","~italic(p)~=pvalue,
  list(
    r2 = as.vector( format( c$estimate , digits = 2) ),
    pvalue = as.vector( format( c$p.value , digits = 2) )
  ));
eq <- as.character(as.expression(eq));

m<-ggplot(rhp, aes(x=happiness, y=rel)) +
  geom_point() +
  labs(y="RELIGION", x = "HAPINESS")+
  theme_classic() +
  geom_smooth(method=lm) +
  geom_text( data = NULL,
    aes( x = 120, y = 25, label= eq, hjust = 0, vjust = 1),
    size = 4, parse = TRUE, inherit.aes=FALSE);
```

Plot

m




Happiness vs. ppp

```
c = cor.test( rhp$happiness, rhp$ppp);
eq <- substitute(
  italic(r)~"="~r2*","~italic(p)==pvalue,
  list(
    r2 = as.vector( format( c$estimate , digits = 2) ),
    pvalue = as.vector( format( c$p.value , digits = 2) )
  ));
eq <- as.character(as.expression(eq));

m2<-ggplot(rhp, aes(x=happiness, y=ppp)) +
  geom_point() +
  labs(y="PPP", x = "HAPINESS")+
  theme_classic() +
  geom_smooth(method=lm) +
  geom_text( data = NULL,
    aes( x = 120, y = 50000, label= eq, hjust = 0, vjust = 1),
    size = 4, parse = TRUE, inherit.aes=FALSE);
```

Plot

m2




Religion vs. ppp

```
c = cor.test( rhp$rel, rhp$ppp);
eq <- substitute(
  italic(r)~"="~r2*","~italic(p)==pvalue,
  list(
    r2 = as.vector( format( c$estimate , digits = 2) ),
    pvalue = as.vector( format( c$p.value , digits = 2) )
  ));
eq <- as.character(as.expression(eq));

m3<-ggplot(rhp, aes(x=rel, y=ppp)) +
  geom_point() +
  labs(y="PPP", x = "RELIGION")+
  theme_classic() +
  geom_smooth(method=lm) +
  geom_text( data = NULL,
    aes( x = 25, y = 20000, label= eq, hjust = 0, vjust = 1),
    size = 4, parse = TRUE, inherit.aes=FALSE);
```


Plot

m3



Happiness vs. PPP vs. Religion

```
summary( glm( happiness ~ ppp + rel, data = rhp ) );
```


```
##
## Call:
## glm(formula = happiness ~ ppp + rel, data = rhp)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -60.080  -15.469   5.794   19.668   54.697
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) 1.544e+02  1.979e+01  7.801 5.83e-10 ***
## ppp         1.757e-03  2.853e-04  6.159 1.67e-07 ***
## rel         7.911e-02  2.286e-01  0.346  0.731
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for gaussian family taken to be 888.8269)
##
##      Null deviance: 85866  on 48  degrees of freedom
## Residual deviance: 40886  on 46  degrees of freedom
## AIC: 476.67
##
## Number of Fisher Scoring iterations: 2
```

How happy are you???

How Happy Are You?

In a study by Betsey Stevenson and Justin Wolfers at the University of Michigan, the relationship between happiness and income in the U.S. was analyzed.

Happiness ■ Very happy ■ Fairly happy ■ Not too happy



Source: "Subjective Well-Being and Income: Is There Any Evidence of Satiation?" paper by Betsey Stevenson and Justin Wolfers, University of Michigan

Note: Some categories may not equal 100% due to rounding

The Wall Street Journal



Concluding remarks

- 不轻信、重事实
- 有创新性
- 有用