

## LinksPlatform's Platform.Data.Doublets Class Library

./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```
1 namespace Platform.Data.Doublets.Decorators
2 {
3     public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
4     {
5         public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }
6
7         protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
8             ↪ newLinkAddress)
9         {
10             Links.MergeUsages(oldLinkAddress, newLinkAddress);
11             return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
12         }
13     }
```

./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```
1 namespace Platform.Data.Doublets.Decorators
2 {
3     /// <remarks>
4     /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
5     /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
6     /// </remarks>
7     public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
8     {
9         public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }
10
11         public override void Delete(TLink linkIndex)
12         {
13             this.DeleteAllUsages(linkIndex);
14             Links.Delete(linkIndex);
15         }
16     }
17 }
```

./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Data.Constants;
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
8     {
9         public LinksCombinedConstants<TLink, TLink, int> Constants { get; }
10         protected LinksDecoratorBase(ILinks<TLink> links) : base(links) => Constants =
11             ↪ links.Constants;
12         public virtual TLink Count(IList<TLink> restriction) => Links.Count(restriction);
13         public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
14             ↪ => Links.Each(handler, restrictions);
15         public virtual TLink Create() => Links.Create();
16         public virtual TLink Update(IList<TLink> restrictions) => Links.Update(restrictions);
17         public virtual void Delete(TLink link) => Links.Delete(link);
18     }
19 }
```

./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Disposables;
4 using Platform.Data.Constants;
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     public abstract class LinksDisposableDecoratorBase<TLink> : DisposableBase, ILinks<TLink>
9     {
10         public LinksCombinedConstants<TLink, TLink, int> Constants { get; }
11
12         public ILinks<TLink> Links { get; }
13
14         protected LinksDisposableDecoratorBase(ILinks<TLink> links)
15         {
16             Links = links;
17             Constants = links.Constants;
18         }
19
20         public virtual TLink Count(IList<TLink> restriction) => Links.Count(restriction);
21     }
```

```

22     public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
23         => Links.Each(handler, restrictions);
24
25     public virtual TLink Create() => Links.Create();
26
27     public virtual TLink Update(IList<TLink> restrictions) => Links.Update(restrictions);
28
29     public virtual void Delete(TLink link) => Links.Delete(link);
30
31     protected override bool AllowMultipleDisposeCalls => true;
32
33     protected override void Dispose(bool manual, bool wasDisposed)
34     {
35         if (!wasDisposed)
36         {
37             Links.DisposeIfPossible();
38         }
39     }
40 }

```

./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets.Decorators
5  {
6      // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
7      // be external (hybrid link's raw number).
8      public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
9      {
10         public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }
11
12         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
13         {
14             Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
15             return Links.Each(handler, restrictions);
16         }
17
18         public override TLink Update(IList<TLink> restrictions)
19         {
20             // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
21             Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
22             return Links.Update(restrictions);
23         }
24
25         public override void Delete(TLink link)
26         {
27             Links.EnsureLinkExists(link, nameof(link));
28             Links.Delete(link);
29         }
30     }
31 }

```

./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets.Decorators
5  {
6      public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
7      {
8         private static readonly EqualityComparer<TLink> _equalityComparer =
9             EqualityComparer<TLink>.Default;
10
11         public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
12
13         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
14         {
15             var constants = Constants;
16             var itselfConstant = constants.Itself;
17             var indexPartConstant = constants.IndexPart;
18             var sourcePartConstant = constants.SourcePart;
19             var targetPartConstant = constants.TargetPart;
20             var restrictionsCount = restrictions.Count;
21             if (!_equalityComparer.Equals(constants.Any, itselfConstant)
22                 && ((restrictionsCount > indexPartConstant) &&
23                     => _equalityComparer.Equals(restrictions[indexPartConstant], itselfConstant))
24                 || ((restrictionsCount > sourcePartConstant) &&
25                     => _equalityComparer.Equals(restrictions[sourcePartConstant], itselfConstant))

```

```

23         || ((restrictionsCount > targetPartConstant) &&
24         ↪ _equalityComparer.Equals(restrictions[targetPartConstant], itselfConstant))))
25     {
26         // Itself constant is not supported for Each method right now, skipping execution
27         return constants.Continue;
28     }
29     return Links.Each(handler, restrictions);
30 }
31 public override TLink Update(ICollection<TLink> restrictions) =>
32     ↪ Links.Update(Links.ResolveConstantAsSelfReference(Constants.Itself, restrictions));
33 }

```

./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     /// <remarks>
6     /// Not practical if newSource and newTarget are too big.
7     /// To be able to use practical version we should allow to create link at any specific
8     ↪ location inside ResizableDirectMemoryLinks.
9     /// This in turn will require to implement not a list of empty links, but a list of ranges
10    ↪ to store it more efficiently.
11    /// </remarks>
12    public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
13    {
14        public LinksNonExistentDependenciesCreator(ICollection<TLink> links) : base(links) { }
15
16        public override TLink Update(ICollection<TLink> restrictions)
17        {
18            var constants = Constants;
19            Links.EnsureCreated(restrictions[constants.SourcePart],
20            ↪ restrictions[constants.TargetPart]);
21            return Links.Update(restrictions);
22        }
23    }
24 }

```

./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
6     {
7         public LinksNullConstantToSelfReferenceResolver(ICollection<TLink> links) : base(links) { }
8
9         public override TLink Create()
10        {
11            var link = Links.Create();
12            return Links.Update(link, link, link);
13        }
14
15        public override TLink Update(ICollection<TLink> restrictions) =>
16            ↪ Links.Update(Links.ResolveConstantAsSelfReference(Constants.Null, restrictions));
17    }
18 }

```

./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
6     {
7         private static readonly EqualityComparer<TLink> _equalityComparer =
8             ↪ EqualityComparer<TLink>.Default;
9
10        public LinksUniquenessResolver(ICollection<TLink> links) : base(links) { }
11
12        public override TLink Update(ICollection<TLink> restrictions)
13        {
14            var newLinkAddress = Links.SearchOrDefault(restrictions[Constants.SourcePart],
15            ↪ restrictions[Constants.TargetPart]);
16            if (_equalityComparer.Equals(newLinkAddress, default))
17            {

```

```

16         return Links.Update(restrictions);
17     }
18     return ResolveAddressChangeConflict(restrictions[Constants.IndexPart],
19         ↪ newLinkAddress);
20 }
21 protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
22     ↪ newLinkAddress)
23 {
24     if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
25         ↪ Links.Exists(oldLinkAddress))
26     {
27         Delete(oldLinkAddress);
28     }
29     return newLinkAddress;
30 }

```

./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
6     {
7         public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
8
9         public override TLink Update(IList<TLink> restrictions)
10         {
11             Links.EnsureDoesNotExists(restrictions[Constants.SourcePart],
12                 ↪ restrictions[Constants.TargetPart]);
13             return Links.Update(restrictions);
14         }
15     }

```

./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
6     {
7         public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }
8
9         public override TLink Update(IList<TLink> restrictions)
10         {
11             Links.EnsureNoUsages(restrictions[Constants.IndexPart]);
12             return Links.Update(restrictions);
13         }
14
15         public override void Delete(TLink link)
16         {
17             Links.EnsureNoUsages(link);
18             Links.Delete(link);
19         }
20     }
21 }

```

./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```

1 namespace Platform.Data.Doublets.Decorators
2 {
3     public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
4     {
5         public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }
6
7         public override void Delete(TLink linkIndex)
8         {
9             Links.EnforceResetValues(linkIndex);
10             Links.Delete(linkIndex);
11         }
12     }
13 }

```

./Platform.Data.Doublets/Decorators/UInt64Links.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Collections;
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     /// <summary>
8     /// Представляет объект для работы с базой данных (файлом) в формате Links (массива связей).
9     /// </summary>
10    /// <remarks>
11    /// Возможные оптимизации:
12    /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
13    ///     + меньше объём БД
14    ///     - меньше производительность
15    ///     - больше ограничение на количество связей в БД)
16    /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
17    ///     + меньше объём БД
18    ///     - больше сложность
19    ///
20    /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
21    ↪ поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
22    ↪ 460 752 303 423 488
23    /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
24    ↪ (битовыми строками) - вариант матрицы (выстраиваемой лениво).
25    ///
26    /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
27    ↪ выбрасываться только при #if DEBUG
28    /// </remarks>
29    public class UInt64Links : LinksDisposableDecoratorBase<ulong>
30    {
31        public UInt64Links(ILinks<ulong> links) : base(links) { }
32
33        public override ulong Each(Func<IList<ulong>, ulong> handler, IList<ulong> restrictions)
34        {
35            this.EnsureLinkIsAnyOrExists(restrictions);
36            return Links.Each(handler, restrictions);
37        }
38
39        public override ulong Create() => Links.CreatePoint();
40
41        public override ulong Update(IList<ulong> restrictions)
42        {
43            var constants = Constants;
44            var nullConstant = constants.Null;
45            if (restrictions.IsNullOrEmpty())
46            {
47                return nullConstant;
48            }
49            // TODO: Looks like this is a common type of exceptions linked with restrictions
50            ↪ support
51            if (restrictions.Count != 3)
52            {
53                throw new NotSupportedException();
54            }
55            var indexPartConstant = constants.IndexPart;
56            var updatedLink = restrictions[indexPartConstant];
57            this.EnsureLinkExists(updatedLink,
58            ↪ $"{nameof(restrictions)}[{nameof(indexPartConstant)}]");
59            var sourcePartConstant = constants.SourcePart;
60            var newSource = restrictions[sourcePartConstant];
61            this.EnsureLinkIsItselfOrExists(newSource,
62            ↪ $"{nameof(restrictions)}[{nameof(sourcePartConstant)}]");
63            var targetPartConstant = constants.TargetPart;
64            var newTarget = restrictions[targetPartConstant];
65            this.EnsureLinkIsItselfOrExists(newTarget,
66            ↪ $"{nameof(restrictions)}[{nameof(targetPartConstant)}]");
67            var existedLink = nullConstant;
68            var itselfConstant = constants.Itself;
69            if (newSource != itselfConstant && newTarget != itselfConstant)
70            {
71                existedLink = this.SearchOrDefault(newSource, newTarget);
72            }
73            if (existedLink == nullConstant)
74            {
75                var before = Links.GetLink(updatedLink);
76                if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
77                ↪ newTarget)
```

```

69         {
70             Links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
                ↪ newSource,
71                                     newTarget == itselfConstant ? updatedLink :
                ↪ newTarget);
72         }
73         return updatedLink;
74     }
75     else
76     {
77         return this.MergeAndDelete(updatedLink, existedLink);
78     }
79 }
80
81 public override void Delete(ulong linkIndex)
82 {
83     Links.EnsureLinkExists(linkIndex);
84     Links.EnforceResetValues(linkIndex);
85     this.DeleteAllUsages(linkIndex);
86     Links.Delete(linkIndex);
87 }
88 }
89 }

```

./Platform.Data.Doublets/Decorators/UniLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using Platform.Collections;
5  using Platform.Collections.Arrays;
6  using Platform.Collections.Lists;
7  using Platform.Data.Universal;
8
9  namespace Platform.Data.Doublets.Decorators
10 {
11     /// <remarks>
12     /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
13     /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
14     /// ↪ by itself. But can cause creation (update from nothing) or deletion (update to nothing).
15     ///
16     /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
17     /// ↪ DefaultUniLinksBase, that contains logic itself and can be implemented using both
18     /// ↪ IDoubletLinks and ILinks.)
19     /// </remarks>
20     internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
21     {
22         private static readonly EqualityComparer<TLink> _equalityComparer =
23             ↪ EqualityComparer<TLink>.Default;
24
25         public UniLinks(ILinks<TLink> links) : base(links) { }
26
27         private struct Transition
28         {
29             public IList<TLink> Before;
30             public IList<TLink> After;
31
32             public Transition(IList<TLink> before, IList<TLink> after)
33             {
34                 Before = before;
35                 After = after;
36             }
37         }
38
39         //public static readonly TLink NullConstant = Use<LinksCombinedConstants<TLink, TLink,
40         ↪ int>>.Single.Null;
41         //public static readonly IReadOnlyList<TLink> NullLink = new
42         ↪ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
43         ↪ });
44
45         // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
46         ↪ (Links-Expression)
47         public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
48         ↪ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
49         ↪ substitutedHandler)
50         {
51             ///List<Transition> transitions = null;
52             ///if (!restriction.IsNullOrEmpty())
53             ///{
54             ///    // Есть причина делать проход (чтение)

```

```

45     if (matchedHandler != null)
46     {
47         if (!substitution.IsNullOrEmpty())
48         {
49             // restriction => { 0, 0, 0 } | { 0 } // Create
50             // substitution => { itself, 0, 0 } | { itself, itself, itself } //
↳ Create / Update
51             // substitution => { 0, 0, 0 } | { 0 } // Delete
52             transitions = new List<Transition>();
53             if (Equals(substitution[Constants.IndexPart], Constants.Null))
54             {
55                 // If index is Null, that means we always ignore every other
↳ value (they are also Null by definition)
56                 var matchDecision = matchedHandler(, NullLink);
57                 if (Equals(matchDecision, Constants.Break))
58                     return false;
59                 if (!Equals(matchDecision, Constants.Skip))
60                     transitions.Add(new Transition(matchedLink, newValue));
61             }
62             else
63             {
64                 Func<T, bool> handler;
65                 handler = link =>
66                 {
67                     var matchedLink = Memory.GetLinkValue(link);
68                     var newValue = Memory.GetLinkValue(link);
69                     newValue[Constants.IndexPart] = Constants.Itself;
70                     newValue[Constants.SourcePart] =
↳ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
↳ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
71                     newValue[Constants.TargetPart] =
↳ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
↳ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
72                     var matchDecision = matchedHandler(matchedLink, newValue);
73                     if (Equals(matchDecision, Constants.Break))
74                         return false;
75                     if (!Equals(matchDecision, Constants.Skip))
76                         transitions.Add(new Transition(matchedLink, newValue));
77                     return true;
78                 };
79                 if (!Memory.Each(handler, restriction))
80                     return Constants.Break;
81             }
82         }
83         else
84         {
85             Func<T, bool> handler = link =>
86             {
87                 var matchedLink = Memory.GetLinkValue(link);
88                 var matchDecision = matchedHandler(matchedLink, matchedLink);
89                 return !Equals(matchDecision, Constants.Break);
90             };
91             if (!Memory.Each(handler, restriction))
92                 return Constants.Break;
93         }
94     }
95     else
96     {
97         if (substitution != null)
98         {
99             transitions = new List<IList<T>>();
100             Func<T, bool> handler = link =>
101             {
102                 var matchedLink = Memory.GetLinkValue(link);
103                 transitions.Add(matchedLink);
104                 return true;
105             };
106             if (!Memory.Each(handler, restriction))
107                 return Constants.Break;
108         }
109         else
110         {
111             return Constants.Continue;
112         }
113     }
114 }
115 }

```

```

116     ////{
117     ////    // Есть причина делать замену (запись)
118     ////    if (substitutedHandler != null)
119     ////    {
120     ////    }
121     ////    else
122     ////    {
123     ////    }
124     ////}
125     ////return Constants.Continue;
126
127     //if (restriction.IsNullOrEmpty()) // Create
128     //{
129     //    substitution[Constants.IndexPart] = Memory.AllocateLink();
130     //    Memory.SetLinkValue(substitution);
131     //}
132     //else if (substitution.IsNullOrEmpty()) // Delete
133     //{
134     //    Memory.FreeLink(restriction[Constants.IndexPart]);
135     //}
136     //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
137     //{
138     //    // No need to collect links to list
139     //    // Skip == Continue
140     //    // No need to check substitutedHandler
141     //    if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
142     //    ↪ Constants.Break), restriction))
143     //        return Constants.Break;
144     //}
145     //else // Update
146     //{
147     //    //List<IList<T>> matchedLinks = null;
148     //    if (matchedHandler != null)
149     //    {
150     //        matchedLinks = new List<IList<T>>();
151     //        Func<T, bool> handler = link =>
152     //        {
153     //            var matchedLink = Memory.GetLinkValue(link);
154     //            var matchDecision = matchedHandler(matchedLink);
155     //            if (Equals(matchDecision, Constants.Break))
156     //                return false;
157     //            if (!Equals(matchDecision, Constants.Skip))
158     //                matchedLinks.Add(matchedLink);
159     //            return true;
160     //        };
161     //        if (!Memory.Each(handler, restriction))
162     //            return Constants.Break;
163     //    }
164     //    if (!matchedLinks.IsNullOrEmpty())
165     //    {
166     //        var totalMatchedLinks = matchedLinks.Count;
167     //        for (var i = 0; i < totalMatchedLinks; i++)
168     //        {
169     //            var matchedLink = matchedLinks[i];
170     //            if (substitutedHandler != null)
171     //            {
172     //                var newValue = new List<T>(); // TODO: Prepare value to update here
173     //                // TODO: Decide is it actually needed to use Before and After
174     //                ↪ substitution handling.
175     //                var substitutedDecision = substitutedHandler(matchedLink,
176     //                ↪ newValue);
177     //                if (Equals(substitutedDecision, Constants.Break))
178     //                    return Constants.Break;
179     //                if (Equals(substitutedDecision, Constants.Continue))
180     //                {
181     //                    // Actual update here
182     //                    Memory.SetLinkValue(newValue);
183     //                }
184     //                if (Equals(substitutedDecision, Constants.Skip))
185     //                {
186     //                    // Cancel the update. TODO: decide use separate Cancel
187     //                    ↪ constant or Skip is enough?
188     //                }
189     //            }
190     //        }
191     //    }
192     //}

```



```

189     return Constants.Continue;
190 }
191
192 public TLink Trigger(IList<TLink> patternOrCondition, Func<IList<TLink>, TLink>
    ↳ matchHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
    ↳ substitutionHandler)
193 {
194     if (patternOrCondition.IsNullOrEmpty() && substitution.IsNullOrEmpty())
195     {
196         return Constants.Continue;
197     }
198     else if (patternOrCondition.EqualTo(substitution)) // Should be Each here TODO:
    ↳ Check if it is a correct condition
199     {
200         // Or it only applies to trigger without matchHandler.
201         throw new NotImplementedException();
202     }
203     else if (!substitution.IsNullOrEmpty()) // Creation
204     {
205         var before = ArrayPool<TLink>.Empty;
206         // Что должно означать False здесь? Остановиться (перестать идти) или пропустить
    ↳ (пройти мимо) или пустить (взять)?
207         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
    ↳ Constants.Break))
208         {
209             return Constants.Break;
210         }
211         var after = (IList<TLink>)substitution.ToArray();
212         if (_equalityComparer.Equals(after[0], default))
213         {
214             var newLink = Links.Create();
215             after[0] = newLink;
216         }
217         if (substitution.Count == 1)
218         {
219             after = Links.GetLink(substitution[0]);
220         }
221         else if (substitution.Count == 3)
222         {
223             Links.Update(after);
224         }
225         else
226         {
227             throw new NotSupportedException();
228         }
229         if (matchHandler != null)
230         {
231             return substitutionHandler(before, after);
232         }
233         return Constants.Continue;
234     }
235     else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
236     {
237         if (patternOrCondition.Count == 1)
238         {
239             var linkToDelete = patternOrCondition[0];
240             var before = Links.GetLink(linkToDelete);
241             if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
    ↳ Constants.Break))
242             {
243                 return Constants.Break;
244             }
245             var after = ArrayPool<TLink>.Empty;
246             Links.Update(linkToDelete, Constants.Null, Constants.Null);
247             Links.Delete(linkToDelete);
248             if (matchHandler != null)
249             {
250                 return substitutionHandler(before, after);
251             }
252             return Constants.Continue;
253         }
254         else
255         {
256             throw new NotSupportedException();
257         }
258     }
259     else // Replace / Update
260     {

```



```

7     /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
8     /// 2x faster with comparer
9     /// </remarks>
10    public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
11    {
12        public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
19    }
20 }

```

./Platform.Data.Doublets/Doublet.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets
5  {
6      public struct Doublet<T> : IEquatable<Doublet<T>>
7      {
8          private static readonly EqualityComparer<T> _equalityComparer =
9              => EqualityComparer<T>.Default;
10
11          public T Source { get; set; }
12          public T Target { get; set; }
13
14          public Doublet(T source, T target)
15          {
16              Source = source;
17              Target = target;
18          }
19
20          public override string ToString() => $"{Source}->{Target}";
21
22          public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
23              => && _equalityComparer.Equals(Target, other.Target);
24
25          public override bool Equals(object obj) => obj is Doublet<T> doublet ?
26              => base.Equals(doublet) : false;
27
28          public override int GetHashCode() => (Source, Target).GetHashCode();
29      }
30 }

```

./Platform.Data.Doublets/Hybrid.cs

```

1  using System;
2  using System.Reflection;
3  using Platform.Reflection;
4  using Platform.Converters;
5  using Platform.Exceptions;
6
7  namespace Platform.Data.Doublets
8  {
9      public class Hybrid<T>
10     {
11         public readonly T Value;
12         public bool IsNothing => Convert.ToInt64(To.Signed(Value)) == 0;
13         public bool IsInternal => Convert.ToInt64(To.Signed(Value)) > 0;
14         public bool IsExternal => Convert.ToInt64(To.Signed(Value)) < 0;
15         public long AbsoluteValue => Numbers.Math.Abs(Convert.ToInt64(To.Signed(Value)));
16
17         public Hybrid(T value)
18         {
19             Ensure.Always.IsUnsignedInteger<T>();
20             Value = value;
21         }
22
23         public Hybrid(object value) => Value = To.UnsignedAs<T>(Convert.ChangeType(value,
24             => Type<T>.SignedVersion));
25
26         public Hybrid(object value, bool isExternal)
27         {
28             var signedType = Type<T>.SignedVersion;
29             var signedValue = Convert.ChangeType(value, signedType);
30             var abs = typeof(Numbers.Math).GetTypeInfo().GetMethod("Abs").MakeGenericMethod(signedType);
31             Value = (T)abs.Invoke(null, new object[] { signedValue });
32         }
33     }
34 }

```

```

30     var negate = typeof(Numbers.Math).GetTypeInfo().GetMethod("Negate").MakeGenericMethod(
31         ↳ d(signedType);
32     var absoluteValue = abs.Invoke(null, new[] { signedValue });
33     var resultValue = isExternal ? negate.Invoke(null, new[] { absoluteValue }) :
34         ↳ absoluteValue;
35     Value = To.UnsignedAs<T>(resultValue);
36 }
37
38 public static implicit operator Hybrid<T>(T integer) => new Hybrid<T>(integer);
39
40 public static explicit operator Hybrid<T>(ulong integer) => new Hybrid<T>(integer);
41
42 public static explicit operator Hybrid<T>(long integer) => new Hybrid<T>(integer);
43
44 public static explicit operator Hybrid<T>(uint integer) => new Hybrid<T>(integer);
45
46 public static explicit operator Hybrid<T>(int integer) => new Hybrid<T>(integer);
47
48 public static explicit operator Hybrid<T>(ushort integer) => new Hybrid<T>(integer);
49
50 public static explicit operator Hybrid<T>(short integer) => new Hybrid<T>(integer);
51
52 public static explicit operator Hybrid<T>(byte integer) => new Hybrid<T>(integer);
53
54 public static explicit operator Hybrid<T>(sbyte integer) => new Hybrid<T>(integer);
55
56 public static implicit operator T(Hybrid<T> hybrid) => hybrid.Value;
57
58 public static explicit operator ulong(Hybrid<T> hybrid) =>
59     ↳ Convert.ToUInt64(hybrid.Value);
60
61 public static explicit operator long(Hybrid<T> hybrid) => hybrid.AbsoluteValue;
62
63 public static explicit operator uint(Hybrid<T> hybrid) => Convert.ToUInt32(hybrid.Value);
64
65 public static explicit operator int(Hybrid<T> hybrid) =>
66     ↳ Convert.ToInt32(hybrid.AbsoluteValue);
67
68 public static explicit operator ushort(Hybrid<T> hybrid) =>
69     ↳ Convert.ToUInt16(hybrid.Value);
70
71 public static explicit operator short(Hybrid<T> hybrid) =>
72     ↳ Convert.ToInt16(hybrid.AbsoluteValue);
73
74 public static explicit operator byte(Hybrid<T> hybrid) => Convert.ToByte(hybrid.Value);
75
76 public static explicit operator sbyte(Hybrid<T> hybrid) =>
77     ↳ Convert.ToSByte(hybrid.AbsoluteValue);
78
79 public override string ToString() => IsNothing ? default(T) == null ? "Nothing" :
80     ↳ default(T).ToString() : IsExternal ? $"{<AbsoluteValue>}" : Value.ToString();
81 }
82 }

```

./Platform.Data.Doublets/ILinks.cs

```

1 using Platform.Data.Constants;
2
3 namespace Platform.Data.Doublets
4 {
5     public interface ILinks<TLink> : ILinks<TLink, LinksCombinedConstants<TLink, TLink, int>>
6     {
7     }
8 }

```

./Platform.Data.Doublets/ILinksExtensions.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using System.Linq;
5 using System.Runtime.CompilerServices;
6 using Platform.Ranges;
7 using Platform.Collections.Arrays;
8 using Platform.Numbers;
9 using Platform.Random;
10 using Platform.Setters;
11 using Platform.Data.Exceptions;
12
13 namespace Platform.Data.Doublets
14 {
15     public static class ILinksExtensions

```

```

16 {
17     public static void RunRandomCreations<TLink>(this ILinks<TLink> links, long
    ↳ amountOfCreations)
18     {
19         for (long i = 0; i < amountOfCreations; i++)
20         {
21             var linksAddressRange = new Range<ulong>(0, (Integer<TLink>)links.Count());
22             Integer<TLink> source = RandomHelpers.Default.NextUInt64(linksAddressRange);
23             Integer<TLink> target = RandomHelpers.Default.NextUInt64(linksAddressRange);
24             links.CreateAndUpdate(source, target);
25         }
26     }
27
28     public static void RunRandomSearches<TLink>(this ILinks<TLink> links, long
    ↳ amountOfSearches)
29     {
30         for (long i = 0; i < amountOfSearches; i++)
31         {
32             var linkAddressRange = new Range<ulong>(1, (Integer<TLink>)links.Count());
33             Integer<TLink> source = RandomHelpers.Default.NextUInt64(linkAddressRange);
34             Integer<TLink> target = RandomHelpers.Default.NextUInt64(linkAddressRange);
35             links.SearchOrDefault(source, target);
36         }
37     }
38
39     public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, long
    ↳ amountOfDeletions)
40     {
41         var min = (ulong)amountOfDeletions > (Integer<TLink>)links.Count() ? 1 :
    ↳ (Integer<TLink>)links.Count() - (ulong)amountOfDeletions;
42         for (long i = 0; i < amountOfDeletions; i++)
43         {
44             var linksAddressRange = new Range<ulong>(min, (Integer<TLink>)links.Count());
45             Integer<TLink> link = RandomHelpers.Default.NextUInt64(linksAddressRange);
46             links.Delete(link);
47             if ((Integer<TLink>)links.Count() < min)
48             {
49                 break;
50             }
51         }
52     }
53
54     /// <remarks>
55     /// TODO: Возможно есть очень простой способ это сделать.
56     /// (Например просто удалить файл, или изменить его размер таким образом,
57     /// чтобы удалился весь контент)
58     /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
59     /// </remarks>
60     public static void DeleteAll<TLink>(this ILinks<TLink> links)
61     {
62         var equalityComparer = EqualityComparer<TLink>.Default;
63         var comparer = Comparer<TLink>.Default;
64         for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
    ↳ Arithmetic.Decrement(i))
65         {
66             links.Delete(i);
67             if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
68             {
69                 i = links.Count();
70             }
71         }
72     }
73
74     public static TLink First<TLink>(this ILinks<TLink> links)
75     {
76         TLink firstLink = default;
77         var equalityComparer = EqualityComparer<TLink>.Default;
78         if (equalityComparer.Equals(links.Count(), default))
79         {
80             throw new Exception("В хранилище нет связей.");
81         }
82         links.Each(links.Constants.Any, links.Constants.Any, link =>
83         {
84             firstLink = link[links.Constants.IndexPart];
85             return links.Constants.Break;
86         });
87         if (equalityComparer.Equals(firstLink, default))
88         {

```

```

89         throw new Exception("В процессе поиска по хранилищу не было найдено связей.");
90     }
91     return firstLink;
92 }
93
94 public static bool IsInnerReference<TLink>(this ILinks<TLink> links, TLink reference)
95 {
96     var constants = links.Constants;
97     var comparer = Comparer<TLink>.Default;
98     return comparer.Compare(constants.MinPossibleIndex, reference) >= 0 &&
99         ⇨ comparer.Compare(reference, constants.MaxPossibleIndex) <= 0;
100 }
101
102 #region Paths
103
104 /// <remarks>
105 /// TODO: Как так? Как то что ниже может быть корректно?
106 /// Скорее всего практически не применимо
107 /// Предполагалось, что можно было конвертировать формируемый в проходе через
108 ⇨ SequenceWalker
109 /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
110 /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
111 /// </remarks>
112 public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
113 ⇨ path)
114 {
115     var current = path[0];
116     //EnsureLinkExists(current, "path");
117     if (!links.Exists(current))
118     {
119         return false;
120     }
121     var equalityComparer = EqualityComparer<TLink>.Default;
122     var constants = links.Constants;
123     for (var i = 1; i < path.Length; i++)
124     {
125         var next = path[i];
126         var values = links.GetLink(current);
127         var source = values[constants.SourcePart];
128         var target = values[constants.TargetPart];
129         if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
130 ⇨ next))
131         {
132             //throw new Exception(string.Format("Невозможно выбрать путь, так как и
133 ⇨ Source и Target совпадают с элементом пути {0}.", next));
134             return false;
135         }
136         if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
137 ⇨ target))
138         {
139             //throw new Exception(string.Format("Невозможно продолжить путь через
140 ⇨ элемент пути {0}", next));
141             return false;
142         }
143         current = next;
144     }
145     return true;
146 }
147
148 /// <remarks>
149 /// Может потребовать дополнительного стека для PathElement's при использовании
150 ⇨ SequenceWalker.
151 /// </remarks>
152 public static TLink GetByKeyes<TLink>(this ILinks<TLink> links, TLink root, params int[]
153 ⇨ path)
154 {
155     links.EnsureLinkExists(root, "root");
156     var currentLink = root;
157     for (var i = 0; i < path.Length; i++)
158     {
159         currentLink = links.GetLink(currentLink)[path[i]];
160     }
161     return currentLink;
162 }
163
164 public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
165 ⇨ links, TLink root, ulong size, ulong index)
166 {

```

```

157     var constants = links.Constants;
158     var source = constants.SourcePart;
159     var target = constants.TargetPart;
160     if (!Numbers.Math.IsPowerOfTwo(size))
161     {
162         throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
        ↳ than powers of two are not supported.");
163     }
164     var path = new BitArray(BitConverter.GetBytes(index));
165     var length = Bit.GetLowestPosition(size);
166     links.EnsureLinkExists(root, "root");
167     var currentLink = root;
168     for (var i = length - 1; i >= 0; i--)
169     {
170         currentLink = links.GetLink(currentLink)[path[i] ? target : source];
171     }
172     return currentLink;
173 }
174
175 #endregion
176
177 /// <summary>
178 /// Возвращает индекс указанной связи.
179 /// </summary>
180 /// <param name="links">Хранилище связей.</param>
181 /// <param name="link">Связь представленная списком, состоящим из её адреса и
182   ↳ содержимого.</param>
183 /// <returns>Индекс начальной связи для указанной связи.</returns>
184 [MethodImpl(MethodImplOptions.AggressiveInlining)]
185 public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
186   ↳ link[links.Constants.IndexPart];
187
188 /// <summary>
189 /// Возвращает индекс начальной (Source) связи для указанной связи.
190 /// </summary>
191 /// <param name="links">Хранилище связей.</param>
192 /// <param name="link">Индекс связи.</param>
193 /// <returns>Индекс начальной связи для указанной связи.</returns>
194 [MethodImpl(MethodImplOptions.AggressiveInlining)]
195 public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
196   ↳ links.GetLink(link)[links.Constants.SourcePart];
197
198 /// <summary>
199 /// Возвращает индекс начальной (Source) связи для указанной связи.
200 /// </summary>
201 /// <param name="links">Хранилище связей.</param>
202 /// <param name="link">Связь представленная списком, состоящим из её адреса и
203   ↳ содержимого.</param>
204 /// <returns>Индекс начальной связи для указанной связи.</returns>
205 [MethodImpl(MethodImplOptions.AggressiveInlining)]
206 public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
207   ↳ link[links.Constants.SourcePart];
208
209 /// <summary>
210 /// Возвращает индекс конечной (Target) связи для указанной связи.
211 /// </summary>
212 /// <param name="links">Хранилище связей.</param>
213 /// <param name="link">Индекс связи.</param>
214 /// <returns>Индекс конечной связи для указанной связи.</returns>
215 [MethodImpl(MethodImplOptions.AggressiveInlining)]
216 public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
217   ↳ links.GetLink(link)[links.Constants.TargetPart];
218
219 /// <summary>
220 /// Возвращает индекс конечной (Target) связи для указанной связи.
221 /// </summary>
222 /// <param name="links">Хранилище связей.</param>
223 /// <param name="link">Связь представленная списком, состоящим из её адреса и
224   ↳ содержимого.</param>
225 /// <returns>Индекс конечной связи для указанной связи.</returns>
226 [MethodImpl(MethodImplOptions.AggressiveInlining)]
227 public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
228   ↳ link[links.Constants.TargetPart];
229
230 /// <summary>
231 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
232   ↳ (handler) для каждой подходящей связи.
233 /// </summary>

```

```

225 /// <param name="links">Хранилище связей.</param>
226 /// <param name="handler">Обработчик каждой подходящей связи.</param>
227 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    ↳ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    ↳ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
228 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
229 [MethodImpl(MethodImplOptions.AggressiveInlining)]
230 public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
    ↳ handler, params TLink[] restrictions)
231 => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
    ↳ links.Constants.Continue);
232
233 /// <summary>
234 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
235 /// </summary>
236 /// <param name="links">Хранилище связей.</param>
237 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
238 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
    ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
239 /// <param name="handler">Обработчик каждой подходящей связи.</param>
240 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
241 [MethodImpl(MethodImplOptions.AggressiveInlining)]
242 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
    ↳ Func<TLink, bool> handler)
243 {
244     var constants = links.Constants;
245     return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
    ↳ constants.Break, constants.Any, source, target);
246 }
247
248 /// <summary>
249 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
250 /// </summary>
251 /// <param name="links">Хранилище связей.</param>
252 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
253 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
    ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
254 /// <param name="handler">Обработчик каждой подходящей связи.</param>
255 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
256 [MethodImpl(MethodImplOptions.AggressiveInlining)]
257 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
    ↳ Func<IList<TLink>, TLink> handler)
258 {
259     var constants = links.Constants;
260     return links.Each(handler, constants.Any, source, target);
261 }
262
263 [MethodImpl(MethodImplOptions.AggressiveInlining)]
264 public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ restrictions)
265 {
266     long arraySize = (Integer<TLink>)links.Count(restrictions);
267     var array = new IList<TLink>[arraySize];
268     if (arraySize > 0)
269     {
270         var filler = new ArrayFiller<IList<TLink>, TLink>(array,
            ↳ links.Constants.Continue);
271         links.Each(filler.AddAndReturnConstant, restrictions);
272     }
273     return array;
274 }
275
276 [MethodImpl(MethodImplOptions.AggressiveInlining)]
277 public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ restrictions)

```



```

278 {
279     long arraySize = (Integer<TLink>)links.Count(restrictions);
280     var array = new TLink[arraySize];
281     if (arraySize > 0)
282     {
283         var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
284         links.Each(filler.AddFirstAndReturnConstant, restrictions);
285     }
286     return array;
287 }
288
289 /// <summary>
290 /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
291   ↳ в хранилище связей.
292 /// </summary>
293 /// <param name="links">Хранилище связей.</param>
294 /// <param name="source">Начало связи.</param>
295 /// <param name="target">Конец связи.</param>
296 /// <returns>Значение, определяющее существует ли связь.</returns>
297 [MethodImpl(MethodImplOptions.AggressiveInlining)]
298 public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
299   ↳ => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
300   ↳ default) > 0;
301
302 #region Ensure
303 // TODO: May be move to EnsureExtensions or make it both there and here
304
305 [MethodImpl(MethodImplOptions.AggressiveInlining)]
306 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
307   ↳ reference, string argumentName)
308 {
309     if (links.IsInnerReference(reference) && !links.Exists(reference))
310     {
311         throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
312     }
313 }
314
315 [MethodImpl(MethodImplOptions.AggressiveInlining)]
316 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
317   ↳ IList<TLink> restrictions, string argumentName)
318 {
319     for (int i = 0; i < restrictions.Count; i++)
320     {
321         links.EnsureInnerReferenceExists(restrictions[i], argumentName);
322     }
323 }
324
325 [MethodImpl(MethodImplOptions.AggressiveInlining)]
326 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
327   ↳ restrictions)
328 {
329     for (int i = 0; i < restrictions.Count; i++)
330     {
331         links.EnsureLinkIsAnyOrExists(restrictions[i], nameof(restrictions));
332     }
333 }
334
335 [MethodImpl(MethodImplOptions.AggressiveInlining)]
336 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
337   ↳ string argumentName)
338 {
339     var equalityComparer = EqualityComparer<TLink>.Default;
340     if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
341     {
342         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
343     }
344 }
345
346 [MethodImpl(MethodImplOptions.AggressiveInlining)]
347 public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
348   ↳ link, string argumentName)
349 {
350     var equalityComparer = EqualityComparer<TLink>.Default;
351     if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
352     {
353         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
354     }
355 }

```

```

348
349 /// <param name="links">Хранилище связей.</param>
350 [MethodImpl(MethodImplOptions.AggressiveInlining)]
351 public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
    ↳ TLink target)
352 {
353     if (links.Exists(source, target))
354     {
355         throw new LinkWithSameValueAlreadyExistsException();
356     }
357 }
358
359 /// <param name="links">Хранилище связей.</param>
360 public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
361 {
362     if (links.HasUsages(link))
363     {
364         throw new ArgumentLinkHasDependenciesException<TLink>(link);
365     }
366 }
367
368 /// <param name="links">Хранилище связей.</param>
369 public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.Create, addresses);
370
371 /// <param name="links">Хранилище связей.</param>
372 public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
373
374 /// <param name="links">Хранилище связей.</param>
375 public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
    ↳ params TLink[] addresses)
376 {
377     var constants = links.Constants;
378     var nonExistentAddresses = new HashSet<ulong>(addresses.Where(x =>
    ↳ !links.Exists(x)).Select(x => (ulong)(Integer<TLink>)x));
379     if (nonExistentAddresses.Count > 0)
380     {
381         var max = nonExistentAddresses.Max();
382         // TODO: Эту верхнюю границу нужно разрешить переопределять (проверить
    ↳ применяется ли эта логика)
383         max = System.Math.Min(max, (Integer<TLink>)constants.MaxPossibleIndex);
384         var createdLinks = new List<TLink>();
385         var equalityComparer = EqualityComparer<TLink>.Default;
386         TLink createdLink = creator();
387         while (!equalityComparer.Equals(createdLink, (Integer<TLink>)max))
388         {
389             createdLinks.Add(createdLink);
390         }
391         for (var i = 0; i < createdLinks.Count; i++)
392         {
393             if (!nonExistentAddresses.Contains((Integer<TLink>)createdLinks[i]))
394             {
395                 links.Delete(createdLinks[i]);
396             }
397         }
398     }
399 }
400
401 #endregion
402
403 /// <param name="links">Хранилище связей.</param>
404 public static ulong CountUsages<TLink>(this ILinks<TLink> links, TLink link)
405 {
406     var constants = links.Constants;
407     var values = links.GetLink(link);
408     ulong usagesAsSource = (Integer<TLink>)links.Count(new Link<TLink>(constants.Any,
    ↳ link, constants.Any));
409     var equalityComparer = EqualityComparer<TLink>.Default;
410     if (equalityComparer.Equals(values[constants.SourcePart], link))
411     {
412         usagesAsSource--;
413     }
414     ulong usagesAsTarget = (Integer<TLink>)links.Count(new Link<TLink>(constants.Any,
    ↳ constants.Any, link));
415     if (equalityComparer.Equals(values[constants.TargetPart], link))
416     {
417         usagesAsTarget--;

```

```

418     }
419     return usagesAsSource + usagesAsTarget;
420 }
421
422 /// <param name="links">Хранилище связей.</param>
423 [MethodImpl(MethodImplOptions.AggressiveInlining)]
424 public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
425     ↪ links.CountUsages(link) > 0;
426
427 /// <param name="links">Хранилище связей.</param>
428 [MethodImpl(MethodImplOptions.AggressiveInlining)]
429 public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
430     ↪ TLink target)
431 {
432     var constants = links.Constants;
433     var values = links.GetLink(link);
434     var equalityComparer = EqualityComparer<TLink>.Default;
435     return equalityComparer.Equals(values[constants.SourcePart], source) &&
436         ↪ equalityComparer.Equals(values[constants.TargetPart], target);
437 }
438
439 /// <summary>
440 /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
441 /// </summary>
442 /// <param name="links">Хранилище связей.</param>
443 /// <param name="source">Индекс связи, которая является началом для искомой
444     ↪ связи.</param>
445 /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
446 /// <returns>Индекс искомой связи с указанными Source (началом) и Target
447     ↪ (концом).</returns>
448 [MethodImpl(MethodImplOptions.AggressiveInlining)]
449 public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
450     ↪ target)
451 {
452     var constants = links.Constants;
453     var setter = new Setter<TLink, TLink>(constants.Continue, constants.Break, default);
454     links.Each(setter.SetFirstAndReturnFalse, constants.Any, source, target);
455     return setter.Result;
456 }
457
458 /// <param name="links">Хранилище связей.</param>
459 [MethodImpl(MethodImplOptions.AggressiveInlining)]
460 public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
461 {
462     var link = links.Create();
463     return links.Update(link, link, link);
464 }
465
466 /// <param name="links">Хранилище связей.</param>
467 [MethodImpl(MethodImplOptions.AggressiveInlining)]
468 public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
469     ↪ target) => links.Update(links.Create(), source, target);
470
471 /// <summary>
472 /// Обновляет связь с указанными началом (Source) и концом (Target)
473 /// на связь с указанными началом (NewSource) и концом (NewTarget).
474 /// </summary>
475 /// <param name="links">Хранилище связей.</param>
476 /// <param name="link">Индекс обновляемой связи.</param>
477 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
478     ↪ выполняется обновление.</param>
479 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
480     ↪ выполняется обновление.</param>
481 /// <returns>Индекс обновлённой связи.</returns>
482 [MethodImpl(MethodImplOptions.AggressiveInlining)]
483 public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
484     ↪ TLink newTarget) => links.Update(new Link<TLink>(link, newSource, newTarget));
485
486 /// <summary>
487 /// Обновляет связь с указанными началом (Source) и концом (Target)
488 /// на связь с указанными началом (NewSource) и концом (NewTarget).
489 /// </summary>
490 /// <param name="links">Хранилище связей.</param>
491 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
492     ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
493     ↪ Itself - требование установить ссылку на себя, 1..∞ конкретный адрес другой
494     ↪ связи.</param>
495 /// <returns>Индекс обновлённой связи.</returns>

```

```

483 [MethodImpl(MethodImplOptions.AggressiveInlining)]
484 public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
485 {
486     if (restrictions.Length == 2)
487     {
488         return links.MergeAndDelete(restrictions[0], restrictions[1]);
489     }
490     if (restrictions.Length == 4)
491     {
492         return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
493             ↪ restrictions[2], restrictions[3]);
494     }
495     else
496     {
497         return links.Update(restrictions);
498     }
499 }
500 [MethodImpl(MethodImplOptions.AggressiveInlining)]
501 public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
502 ↪ links, TLink constant, IList<TLink> restrictions)
503 {
504     var equalityComparer = EqualityComparer<TLink>.Default;
505     var constants = links.Constants;
506     var index = restrictions[constants.IndexPart];
507     var source = restrictions[constants.SourcePart];
508     var target = restrictions[constants.TargetPart];
509     source = equalityComparer.Equals(source, constant) ? index : source;
510     target = equalityComparer.Equals(target, constant) ? index : target;
511     return new Link<TLink>(index, source, target);
512 }
513 /// <summary>
514 /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
515 ↪ с указанными Source (началом) и Target (концом).
516 /// </summary>
517 /// <param name="links">Хранилище связей.</param>
518 /// <param name="source">Индекс связи, которая является началом на создаваемой
519 ↪ связи.</param>
520 /// <param name="target">Индекс связи, которая является концом для создаваемой
521 ↪ связи.</param>
522 /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
523 [MethodImpl(MethodImplOptions.AggressiveInlining)]
524 public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
525 ↪ target)
526 {
527     var link = links.SearchOrDefault(source, target);
528     if (EqualityComparer<TLink>.Default.Equals(link, default))
529     {
530         link = links.CreateAndUpdate(source, target);
531     }
532     return link;
533 }
534 /// <summary>
535 /// Обновляет связь с указанными началом (Source) и концом (Target)
536 ↪ на связь с указанными началом (NewSource) и концом (NewTarget).
537 /// </summary>
538 /// <param name="links">Хранилище связей.</param>
539 /// <param name="source">Индекс связи, которая является началом обновляемой
540 ↪ связи.</param>
541 /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
542 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
543 ↪ выполняется обновление.</param>
544 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
545 ↪ выполняется обновление.</param>
546 /// <returns>Индекс обновлённой связи.</returns>
547 [MethodImpl(MethodImplOptions.AggressiveInlining)]
548 public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
549 ↪ TLink target, TLink newSource, TLink newTarget)
550 {
551     var equalityComparer = EqualityComparer<TLink>.Default;
552     var link = links.SearchOrDefault(source, target);
553     if (equalityComparer.Equals(link, default))
554     {
555         return links.CreateAndUpdate(newSource, newTarget);
556     }
557 }

```

```

550         if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
551             ↪ target))
552         {
553             return link;
554         }
555         return links.Update(link, newSource, newTarget);
556     }
557     /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
558     /// <param name="links">Хранилище связей.</param>
559     /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
560     /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
561     [MethodImpl(MethodImplOptions.AggressiveInlining)]
562     public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
563         ↪ target)
564     {
565         var link = links.SearchOrDefault(source, target);
566         if (!EqualityComparer<TLink>.Default.Equals(link, default))
567         {
568             links.Delete(link);
569             return link;
570         }
571         return default;
572     }
573     /// <summary>Удаляет несколько связей.</summary>
574     /// <param name="links">Хранилище связей.</param>
575     /// <param name="deletedLinks">Список адресов связей к удалению.</param>
576     [MethodImpl(MethodImplOptions.AggressiveInlining)]
577     public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
578     {
579         for (int i = 0; i < deletedLinks.Count; i++)
580         {
581             links.Delete(deletedLinks[i]);
582         }
583     }
584     /// <remarks>Before execution of this method ensure that deleted link is detached (all
585     ↪ values - source and target are reset to null) or it might enter into infinite
586     ↪ recursion.</remarks>
587     public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
588     {
589         var anyConstant = links.Constants.Any;
590         var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
591         links.DeleteByQuery(usagesAsSourceQuery);
592         var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
593         links.DeleteByQuery(usagesAsTargetQuery);
594     }
595     public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
596     {
597         var count = (Integer<TLink>)links.Count(query);
598         if (count > 0)
599         {
600             var queryResult = new TLink[count];
601             var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
602                 ↪ links.Constants.Continue);
603             links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
604             for (var i = (long)count - 1; i >= 0; i--)
605             {
606                 links.Delete(queryResult[i]);
607             }
608         }
609     }
610     // TODO: Move to Platform.Data
611     public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
612     {
613         var nullConstant = links.Constants.Null;
614         var equalityComparer = EqualityComparer<TLink>.Default;
615         var link = links.GetLink(linkIndex);
616         for (int i = 1; i < link.Count; i++)
617         {
618             if (!equalityComparer.Equals(link[i], nullConstant))
619             {
620                 return false;
621             }
622         }

```

```

623         return true;
624     }
625
626     // TODO: Create a universal version of this method in Platform.Data (with using of for
        ↳ loop)
627     public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
628     {
629         var nullConstant = links.Constants.Null;
630         var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
631         links.Update(updateRequest);
632     }
633
634     // TODO: Create a universal version of this method in Platform.Data (with using of for
        ↳ loop)
635     public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
636     {
637         if (!links.AreValuesReset(linkIndex))
638         {
639             links.ResetValues(linkIndex);
640         }
641     }
642
643     /// <summary>
644     /// Merging two usages graphs, all children of old link moved to be children of new link
        ↳ or deleted.
645     /// </summary>
646     public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
        ↳ TLink newLinkIndex)
647     {
648         var equalityComparer = EqualityComparer<TLink>.Default;
649         if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
650         {
651             var constants = links.Constants;
652             var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
        ↳ constants.Any);
653             long usagesAsSourceCount = (Integer<TLink>)links.Count(usagesAsSourceQuery);
654             var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
        ↳ oldLinkIndex);
655             long usagesAsTargetCount = (Integer<TLink>)links.Count(usagesAsTargetQuery);
656             var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
        ↳ usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
657             if (!isStandalonePoint)
658             {
659                 var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
660                 if (totalUsages > 0)
661                 {
662                     var usages = ArrayPool.Allocate<TLink>(totalUsages);
663                     var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
        ↳ links.Constants.Continue);
664                     var i = 0L;
665                     if (usagesAsSourceCount > 0)
666                     {
667                         links.Each(usagesFiller.AddFirstAndReturnConstant,
        ↳ usagesAsSourceQuery);
668                         for (; i < usagesAsSourceCount; i++)
669                         {
670                             var usage = usages[i];
671                             if (!equalityComparer.Equals(usage, oldLinkIndex))
672                             {
673                                 links.Update(usage, newLinkIndex, links.GetTarget(usage));
674                             }
675                         }
676                     }
677                     if (usagesAsTargetCount > 0)
678                     {
679                         links.Each(usagesFiller.AddFirstAndReturnConstant,
        ↳ usagesAsTargetQuery);
680                         for (; i < usages.Length; i++)
681                         {
682                             var usage = usages[i];
683                             if (!equalityComparer.Equals(usage, oldLinkIndex))
684                             {
685                                 links.Update(usage, links.GetSource(usage), newLinkIndex);
686                             }
687                         }
688                     }
689                     ArrayPool.Free(usages);

```

```

690     }
691 }
692 }
693     return newLinkIndex;
694 }
695
696 /// <summary>
697 /// Replace one link with another (replaced link is deleted, children are updated or
    ↳ deleted).
698 /// </summary>
699 [MethodImpl(MethodImplOptions.AggressiveInlining)]
700 public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
    ↳ TLink newLinkIndex)
701 {
702     var equalityComparer = EqualityComparer<TLink>.Default;
703     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
704     {
705         links.MergeUsages(oldLinkIndex, newLinkIndex);
706         links.Delete(oldLinkIndex);
707     }
708     return newLinkIndex;
709 }
710 }
711 }

```

#### ./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Incrementers
5  {
6      public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↳ EqualityComparer<TLink>.Default;
9
10         private readonly TLink _frequencyMarker;
11         private readonly TLink _unaryOne;
12         private readonly IIncrementer<TLink> _unaryNumberIncrementer;
13
14         public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
            ↳ IIncrementer<TLink> unaryNumberIncrementer)
            : base(links)
15         {
16             _frequencyMarker = frequencyMarker;
17             _unaryOne = unaryOne;
18             _unaryNumberIncrementer = unaryNumberIncrementer;
19         }
20
21         public TLink Increment(TLink frequency)
22         {
23             if (_equalityComparer.Equals(frequency, default))
24             {
25                 return Links.GetOrCreate(_unaryOne, _frequencyMarker);
26             }
27             var source = Links.GetSource(frequency);
28             var incrementedSource = _unaryNumberIncrementer.Increment(source);
29             return Links.GetOrCreate(incrementedSource, _frequencyMarker);
30         }
31     }
32 }
33 }

```

#### ./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Incrementers
5  {
6      public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↳ EqualityComparer<TLink>.Default;
9
10         private readonly TLink _unaryOne;
11
12         public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
            ↳ _unaryOne = unaryOne;
13
14         public TLink Increment(TLink unaryNumber)

```

```

15     {
16         if (_equalityComparer.Equals(unaryNumber, _unaryOne))
17         {
18             return Links.GetOrCreate(_unaryOne, _unaryOne);
19         }
20         var source = Links.GetSource(unaryNumber);
21         var target = Links.GetTarget(unaryNumber);
22         if (_equalityComparer.Equals(source, target))
23         {
24             return Links.GetOrCreate(unaryNumber, _unaryOne);
25         }
26         else
27         {
28             return Links.GetOrCreate(source, Increment(target));
29         }
30     }
31 }
32 }

```

./Platform.Data.Doublets/ISynchronizedLinks.cs

```

1 using Platform.Data.Constants;
2
3 namespace Platform.Data.Doublets
4 {
5     public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
        ↳ LinksCombinedConstants<TLink, TLink, int>>, ILinks<TLink>
6     {
7     }
8 }

```

./Platform.Data.Doublets/Link.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using Platform.Exceptions;
5 using Platform.Ranges;
6 using Platform.Singletons;
7 using Platform.Collections.Lists;
8 using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublets
11 {
12     /// <summary>
13     /// Структура описывающая уникальную связь.
14     /// </summary>
15     public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
16     {
17         public static readonly Link<TLink> Null = new Link<TLink>();
18
19         private static readonly LinksCombinedConstants<bool, TLink, int> _constants =
20             ↳ Default<LinksCombinedConstants<bool, TLink, int>>.Instance;
21         private static readonly EqualityComparer<TLink> _equalityComparer =
22             ↳ EqualityComparer<TLink>.Default;
23
24         private const int Length = 3;
25
26         public readonly TLink Index;
27         public readonly TLink Source;
28         public readonly TLink Target;
29
30         public Link(params TLink[] values)
31         {
32             Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
33                 ↳ _constants.Null;
34             Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
35                 ↳ _constants.Null;
36             Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
37                 ↳ _constants.Null;
38         }
39
40         public Link(IList<TLink> values)
41         {
42             Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
43                 ↳ _constants.Null;
44             Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
45                 ↳ _constants.Null;
46             Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
47                 ↳ _constants.Null;
48         }
49     }
50 }
51

```



```

42 public Link(TLink index, TLink source, TLink target)
43 {
44     Index = index;
45     Source = source;
46     Target = target;
47 }
48
49 public Link(TLink source, TLink target)
50 : this(_constants.Null, source, target)
51 {
52     Source = source;
53     Target = target;
54 }
55
56 public static Link<TLink> Create(TLink source, TLink target) => new Link<TLink>(source,
    ↪ target);
57
58 public override int GetHashCode() => (Index, Source, Target).GetHashCode();
59
60 public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
61     && _equalityComparer.Equals(Source, _constants.Null)
62     && _equalityComparer.Equals(Target, _constants.Null);
63
64 public override bool Equals(object other) => other is Link<TLink> &&
    ↪ Equals((Link<TLink>)other);
65
66 public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
67     && _equalityComparer.Equals(Source, other.Source)
68     && _equalityComparer.Equals(Target, other.Target);
69
70 public static string ToString(TLink index, TLink source, TLink target) => $"{index}:
    ↪ {source}->{target}";
71
72 public static string ToString(TLink source, TLink target) => $"{source}->{target}";
73
74 public static implicit operator TLink[] (Link<TLink> link) => link.ToArray();
75
76 public static implicit operator Link<TLink>(TLink[] linkArray) => new
    ↪ Link<TLink>(linkArray);
77
78 public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
    ↪ ToString(Source, Target) : ToString(Index, Source, Target);
79
80 #region IList
81
82 public int Count => Length;
83
84 public bool IsReadOnly => true;
85
86 public TLink this[int index]
87 {
88     get
89     {
90         Ensure.Always.ArgumentInRange(index, new Range<int>(0, Length - 1),
            ↪ nameof(index));
91         if (index == _constants.IndexPart)
92         {
93             return Index;
94         }
95         if (index == _constants.SourcePart)
96         {
97             return Source;
98         }
99         if (index == _constants.TargetPart)
100         {
101             return Target;
102         }
103         throw new NotSupportedException(); // Impossible path due to
            ↪ Ensure.ArgumentInRange
104     }
105     set => throw new NotSupportedException();
106 }
107
108 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
109
110 public IEnumerator<TLink> GetEnumerator()
111 {
112     yield return Index;
113     yield return Source;
114     yield return Target;

```

```

115     }
116
117     public void Add(TLink item) => throw new NotSupportedException();
118
119     public void Clear() => throw new NotSupportedException();
120
121     public bool Contains(TLink item) => IndexOf(item) >= 0;
122
123     public void CopyTo(TLink[] array, int arrayIndex)
124     {
125         Ensure.Always.ArgumentNotNull(array, nameof(array));
126         Ensure.Always.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
127             ↳ nameof(arrayIndex));
128         if (arrayIndex + Length > array.Length)
129         {
130             throw new InvalidOperationException();
131         }
132         array[arrayIndex++] = Index;
133         array[arrayIndex++] = Source;
134         array[arrayIndex] = Target;
135     }
136
137     public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
138
139     public int IndexOf(TLink item)
140     {
141         if (_equalityComparer.Equals(Index, item))
142         {
143             return _constants.IndexPart;
144         }
145         if (_equalityComparer.Equals(Source, item))
146         {
147             return _constants.SourcePart;
148         }
149         if (_equalityComparer.Equals(Target, item))
150         {
151             return _constants.TargetPart;
152         }
153         return -1;
154     }
155
156     public void Insert(int index, TLink item) => throw new NotSupportedException();
157
158     public void RemoveAt(int index) => throw new NotSupportedException();
159
160     #endregion
161 }

```

./Platform.Data.Doublets/LinkExtensions.cs

```

1 namespace Platform.Data.Doublets
2 {
3     public static class LinkExtensions
4     {
5         public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
6             ↳ Point<TLink>.IsFullPoint(link);
7         public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
8             ↳ Point<TLink>.IsPartialPoint(link);
9     }
10 }

```

./Platform.Data.Doublets/LinksOperatorBase.cs

```

1 namespace Platform.Data.Doublets
2 {
3     public abstract class LinksOperatorBase<TLink>
4     {
5         public ILinks<TLink> Links { get; }
6         protected LinksOperatorBase(ILinks<TLink> links) => Links = links;
7     }
8 }

```

./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```

1 using System.Linq;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4
5 namespace Platform.Data.Doublets.PropertyOperators
6 {

```

```

7 public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>,
  ↳ IPropertiesOperator<TLink, TLink, TLink>
8 {
9     private static readonly EqualityComparer<TLink> _equalityComparer =
  ↳ EqualityComparer<TLink>.Default;
10
11     public PropertiesOperator(ILinks<TLink> links) : base(links) { }
12
13     public TLink GetValue(TLink @object, TLink property)
14     {
15         var objectProperty = Links.SearchOrDefault(@object, property);
16         if (_equalityComparer.Equals(objectProperty, default))
17         {
18             return default;
19         }
20         var valueLink = Links.All(Links.Constants.Any, objectProperty).SingleOrDefault();
21         if (valueLink == null)
22         {
23             return default;
24         }
25         return Links.GetTarget(valueLink[Links.Constants.IndexPart]);
26     }
27
28     public void SetValue(TLink @object, TLink property, TLink value)
29     {
30         var objectProperty = Links.GetOrCreate(@object, property);
31         Links.DeleteMany(Links.AllIndices(Links.Constants.Any, objectProperty));
32         Links.GetOrCreate(objectProperty, value);
33     }
34 }
35 }

```

./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.PropertyOperators
5 {
6     public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IPropertyOperator<TLink,
  ↳ TLink>
7     {
8         private static readonly EqualityComparer<TLink> _equalityComparer =
  ↳ EqualityComparer<TLink>.Default;
9
10         private readonly TLink _propertyMarker;
11         private readonly TLink _propertyValueMarker;
12
13         public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
  ↳ propertyValueMarker) : base(links)
14         {
15             _propertyMarker = propertyMarker;
16             _propertyValueMarker = propertyValueMarker;
17         }
18
19         public TLink Get(TLink link)
20         {
21             var property = Links.SearchOrDefault(link, _propertyMarker);
22             var container = GetContainer(property);
23             var value = GetValue(container);
24             return value;
25         }
26
27         private TLink GetContainer(TLink property)
28         {
29             var valueContainer = default(TLink);
30             if (_equalityComparer.Equals(property, default))
31             {
32                 return valueContainer;
33             }
34             var constants = Links.Constants;
35             var continueConstant = constants.Continue;
36             var breakConstant = constants.Break;
37             var anyConstant = constants.Any;
38             var query = new Link<TLink>(anyConstant, property, anyConstant);
39             Links.Each(candidate =>
40             {
41                 var candidateTarget = Links.GetTarget(candidate);
42                 var valueTarget = Links.GetTarget(candidateTarget);
43                 if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
44                 {

```

```

45         valueContainer = Links.GetIndex(candidate);
46         return breakConstant;
47     }
48     return countinueConstant;
49 }, query);
50 return valueContainer;
51 }
52
53 private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
    ↪ ? default : Links.GetTarget(container);
54
55 public void Set(TLink link, TLink value)
56 {
57     var property = Links.GetOrCreate(link, _propertyMarker);
58     var container = GetContainer(property);
59     if (_equalityComparer.Equals(container, default))
60     {
61         Links.GetOrCreate(property, value);
62     }
63     else
64     {
65         Links.Update(container, property, value);
66     }
67 }
68 }
69 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Runtime.InteropServices;
5  using Platform.Disposables;
6  using Platform.Singletons;
7  using Platform.Collections.Arrays;
8  using Platform.Numbers;
9  using Platform.Unsafe;
10 using Platform.Memory;
11 using Platform.Data.Exceptions;
12 using Platform.Data.Constants;
13 using static Platform.Numbers.Arithmetic;
14
15 #pragma warning disable 0649
16 #pragma warning disable 169
17 #pragma warning disable 618
18
19 // ReSharper disable StaticMemberInGenericType
20 // ReSharper disable BuiltInTypeReferenceStyle
21 // ReSharper disable MemberCanBePrivate.Local
22 // ReSharper disable UnusedMember.Local
23
24 namespace Platform.Data.Doublets.ResizableDirectMemory
25 {
26     public partial class ResizableDirectMemoryLinks<TLink> : DisposableBase, ILinks<TLink>
27     {
28         private static readonly EqualityComparer<TLink> _equalityComparer =
29             ↪ EqualityComparer<TLink>.Default;
30         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
31
32         /// <summary>Возвращает размер одной связи в байтах.</summary>
33         public static readonly int LinkSizeInBytes = Structure<Link>.Size;
34
35         public static readonly int LinkHeaderSizeInBytes = Structure<LinksHeader>.Size;
36
37         public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
38
39         private struct Link
40         {
41             public static readonly int SourceOffset = Marshal.OffsetOf(typeof(Link),
42                 ↪ nameof(Source)).ToInt32();
43             public static readonly int TargetOffset = Marshal.OffsetOf(typeof(Link),
44                 ↪ nameof(Target)).ToInt32();
45             public static readonly int LeftAsSourceOffset = Marshal.OffsetOf(typeof(Link),
46                 ↪ nameof(LeftAsSource)).ToInt32();
47             public static readonly int RightAsSourceOffset = Marshal.OffsetOf(typeof(Link),
48                 ↪ nameof(RightAsSource)).ToInt32();
49             public static readonly int SizeAsSourceOffset = Marshal.OffsetOf(typeof(Link),
50                 ↪ nameof(SizeAsSource)).ToInt32();
51             public static readonly int LeftAsTargetOffset = Marshal.OffsetOf(typeof(Link),
52                 ↪ nameof(LeftAsTarget)).ToInt32();

```

```

46     public static readonly int RightAsTargetOffset = Marshal.OffsetOf(typeof(Link),
    ↪     nameof(RightAsTarget)).ToInt32();
47     public static readonly int SizeAsTargetOffset = Marshal.OffsetOf(typeof(Link),
    ↪     nameof(SizeAsTarget)).ToInt32();
48
49     public TLink Source;
50     public TLink Target;
51     public TLink LeftAsSource;
52     public TLink RightAsSource;
53     public TLink SizeAsSource;
54     public TLink LeftAsTarget;
55     public TLink RightAsTarget;
56     public TLink SizeAsTarget;
57
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     public static TLink GetSource(IntPtr pointer) => (pointer +
    ↪     SourceOffset).GetValue<TLink>();
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     public static TLink GetTarget(IntPtr pointer) => (pointer +
    ↪     TargetOffset).GetValue<TLink>();
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     public static TLink GetLeftAsSource(IntPtr pointer) => (pointer +
    ↪     LeftAsSourceOffset).GetValue<TLink>();
64     [MethodImpl(MethodImplOptions.AggressiveInlining)]
65     public static TLink GetRightAsSource(IntPtr pointer) => (pointer +
    ↪     RightAsSourceOffset).GetValue<TLink>();
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     public static TLink GetSizeAsSource(IntPtr pointer) => (pointer +
    ↪     SizeAsSourceOffset).GetValue<TLink>();
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     public static TLink GetLeftAsTarget(IntPtr pointer) => (pointer +
    ↪     LeftAsTargetOffset).GetValue<TLink>();
70     [MethodImpl(MethodImplOptions.AggressiveInlining)]
71     public static TLink GetRightAsTarget(IntPtr pointer) => (pointer +
    ↪     RightAsTargetOffset).GetValue<TLink>();
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     public static TLink GetSizeAsTarget(IntPtr pointer) => (pointer +
    ↪     SizeAsTargetOffset).GetValue<TLink>();
74
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     public static void SetSource(IntPtr pointer, TLink value) => (pointer +
    ↪     SourceOffset).SetValue(value);
77     [MethodImpl(MethodImplOptions.AggressiveInlining)]
78     public static void SetTarget(IntPtr pointer, TLink value) => (pointer +
    ↪     TargetOffset).SetValue(value);
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     public static void SetLeftAsSource(IntPtr pointer, TLink value) => (pointer +
    ↪     LeftAsSourceOffset).SetValue(value);
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     public static void SetRightAsSource(IntPtr pointer, TLink value) => (pointer +
    ↪     RightAsSourceOffset).SetValue(value);
83     [MethodImpl(MethodImplOptions.AggressiveInlining)]
84     public static void SetSizeAsSource(IntPtr pointer, TLink value) => (pointer +
    ↪     SizeAsSourceOffset).SetValue(value);
85     [MethodImpl(MethodImplOptions.AggressiveInlining)]
86     public static void SetLeftAsTarget(IntPtr pointer, TLink value) => (pointer +
    ↪     LeftAsTargetOffset).SetValue(value);
87     [MethodImpl(MethodImplOptions.AggressiveInlining)]
88     public static void SetRightAsTarget(IntPtr pointer, TLink value) => (pointer +
    ↪     RightAsTargetOffset).SetValue(value);
89     [MethodImpl(MethodImplOptions.AggressiveInlining)]
90     public static void SetSizeAsTarget(IntPtr pointer, TLink value) => (pointer +
    ↪     SizeAsTargetOffset).SetValue(value);
91 }
92
93 private struct LinksHeader
94 {
95     public static readonly int AllocatedLinksOffset =
    ↪     Marshal.OffsetOf(typeof(LinksHeader), nameof(AllocatedLinks)).ToInt32();
96     public static readonly int ReservedLinksOffset =
    ↪     Marshal.OffsetOf(typeof(LinksHeader), nameof(ReservedLinks)).ToInt32();
97     public static readonly int FreeLinksOffset = Marshal.OffsetOf(typeof(LinksHeader),
    ↪     nameof(FreeLinks)).ToInt32();
98     public static readonly int FirstFreeLinkOffset =
    ↪     Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstFreeLink)).ToInt32();
99     public static readonly int FirstAsSourceOffset =
    ↪     Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsSource)).ToInt32();

```

```

100     public static readonly int FirstAsTargetOffset =
101         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsTarget)).ToInt32();
102     public static readonly int LastFreeLinkOffset =
103         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(LastFreeLink)).ToInt32();
104
105     public TLink AllocatedLinks;
106     public TLink ReservedLinks;
107     public TLink FreeLinks;
108     public TLink FirstFreeLink;
109     public TLink FirstAsSource;
110     public TLink FirstAsTarget;
111     public TLink LastFreeLink;
112     public TLink Reserved8;
113
114     [MethodImpl(MethodImplOptions.AggressiveInlining)]
115     public static TLink GetAllocatedLinks(IntPtr pointer) => (pointer +
116         ↳ AllocatedLinksOffset).GetValue<TLink>();
117     [MethodImpl(MethodImplOptions.AggressiveInlining)]
118     public static TLink GetReservedLinks(IntPtr pointer) => (pointer +
119         ↳ ReservedLinksOffset).GetValue<TLink>();
120     [MethodImpl(MethodImplOptions.AggressiveInlining)]
121     public static TLink GetFreeLinks(IntPtr pointer) => (pointer +
122         ↳ FreeLinksOffset).GetValue<TLink>();
123     [MethodImpl(MethodImplOptions.AggressiveInlining)]
124     public static TLink GetFirstFreeLink(IntPtr pointer) => (pointer +
125         ↳ FirstFreeLinkOffset).GetValue<TLink>();
126     [MethodImpl(MethodImplOptions.AggressiveInlining)]
127     public static TLink GetFirstAsSource(IntPtr pointer) => (pointer +
128         ↳ FirstAsSourceOffset).GetValue<TLink>();
129     [MethodImpl(MethodImplOptions.AggressiveInlining)]
130     public static TLink GetFirstAsTarget(IntPtr pointer) => (pointer +
131         ↳ FirstAsTargetOffset).GetValue<TLink>();
132     [MethodImpl(MethodImplOptions.AggressiveInlining)]
133     public static TLink GetLastFreeLink(IntPtr pointer) => (pointer +
134         ↳ LastFreeLinkOffset).GetValue<TLink>();
135
136     [MethodImpl(MethodImplOptions.AggressiveInlining)]
137     public static IntPtr GetFirstAsSourcePointer(IntPtr pointer) => pointer +
138         ↳ FirstAsSourceOffset;
139     [MethodImpl(MethodImplOptions.AggressiveInlining)]
140     public static IntPtr GetFirstAsTargetPointer(IntPtr pointer) => pointer +
141         ↳ FirstAsTargetOffset;
142
143     [MethodImpl(MethodImplOptions.AggressiveInlining)]
144     public static void SetAllocatedLinks(IntPtr pointer, TLink value) => (pointer +
145         ↳ AllocatedLinksOffset).SetValue(value);
146     [MethodImpl(MethodImplOptions.AggressiveInlining)]
147     public static void SetReservedLinks(IntPtr pointer, TLink value) => (pointer +
148         ↳ ReservedLinksOffset).SetValue(value);
149     [MethodImpl(MethodImplOptions.AggressiveInlining)]
150     public static void SetFreeLinks(IntPtr pointer, TLink value) => (pointer +
151         ↳ FreeLinksOffset).SetValue(value);
152     [MethodImpl(MethodImplOptions.AggressiveInlining)]
153     public static void SetFirstFreeLink(IntPtr pointer, TLink value) => (pointer +
154         ↳ FirstFreeLinkOffset).SetValue(value);
155     [MethodImpl(MethodImplOptions.AggressiveInlining)]
156     public static void SetFirstAsSource(IntPtr pointer, TLink value) => (pointer +
157         ↳ FirstAsSourceOffset).SetValue(value);
158     [MethodImpl(MethodImplOptions.AggressiveInlining)]
159     public static void SetFirstAsTarget(IntPtr pointer, TLink value) => (pointer +
160         ↳ FirstAsTargetOffset).SetValue(value);
161     [MethodImpl(MethodImplOptions.AggressiveInlining)]
162     public static void SetLastFreeLink(IntPtr pointer, TLink value) => (pointer +
163         ↳ LastFreeLinkOffset).SetValue(value);
164 }
165
166 private readonly long _memoryReservationStep;
167
168 private readonly IResizableDirectMemory _memory;
169 private IntPtr _header;
170 private IntPtr _links;
171
172 private LinksTargetsTreeMethods _targetsTreeMethods;
173 private LinksSourcesTreeMethods _sourcesTreeMethods;
174
175 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
176 ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
177 ↳ наличие связи внутри

```

```

158 private UnusedLinksListMethods _unusedLinksListMethods;
159
160 /// <summary>
161 /// Возвращает общее число связей находящихся в хранилище.
162 /// </summary>
163 private TLink Total => Subtract(LinksHeader.GetAllocatedLinks(_header),
    ↳ LinksHeader.GetFreeLinks(_header));
164
165 public LinksCombinedConstants<TLink, TLink, int> Constants { get; }
166
167 public ResizableDirectMemoryLinks(string address)
168     : this(address, DefaultLinksSizeStep)
169 {
170 }
171
172 /// <summary>
173 /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
    ↳ минимальным шагом расширения базы данных.
174 /// </summary>
175 /// <param name="address">Полный путь к файлу базы данных.</param>
176 /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
    ↳ байтах.</param>
177 public ResizableDirectMemoryLinks(string address, long memoryReservationStep)
178     : this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
    ↳ memoryReservationStep)
179 {
180 }
181
182 public ResizableDirectMemoryLinks(IResizableDirectMemory memory)
183     : this(memory, DefaultLinksSizeStep)
184 {
185 }
186
187 public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
    ↳ memoryReservationStep)
188 {
189     Constants = Default<LinksCombinedConstants<TLink, TLink, int>>.Instance;
190     _memory = memory;
191     _memoryReservationStep = memoryReservationStep;
192     if (memory.ReservedCapacity < memoryReservationStep)
193     {
194         memory.ReservedCapacity = memoryReservationStep;
195     }
196     SetPointers(_memory);
197     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
198     _memory.UsedCapacity = ((long)(Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)
    ↳ * LinkSizeInBytes) + LinkHeaderSizeInBytes;
199     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
200     LinksHeader.SetReservedLinks(_header, (Integer<TLink>)((_memory.ReservedCapacity -
    ↳ LinkHeaderSizeInBytes) / LinkSizeInBytes));
201 }
202
203 [MethodImpl(MethodImplOptions.AggressiveInlining)]
204 public TLink Count(IList<TLink> restrictions)
205 {
206     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
207     if (restrictions.Count == 0)
208     {
209         return Total;
210     }
211     if (restrictions.Count == 1)
212     {
213         var index = restrictions[Constants.IndexPart];
214         if (_equalityComparer.Equals(index, Constants.Any))
215         {
216             return Total;
217         }
218         return Exists(index) ? Integer<TLink>.One : Integer<TLink>.Zero;
219     }
220     if (restrictions.Count == 2)
221     {
222         var index = restrictions[Constants.IndexPart];
223         var value = restrictions[1];
224         if (_equalityComparer.Equals(index, Constants.Any))
225         {
226             if (_equalityComparer.Equals(value, Constants.Any))
227             {
228                 return Total; // Any - как отсутствие ограничения

```

```

229     }
230     return Add(_sourcesTreeMethods.CountUsages(value),
        ↪ _targetsTreeMethods.CountUsages(value));
231 }
232 else
233 {
234     if (!Exists(index))
235     {
236         return Integer<TLink>.Zero;
237     }
238     if (_equalityComparer.Equals(value, Constants.Any))
239     {
240         return Integer<TLink>.One;
241     }
242     var storedLinkValue = GetLinkUnsafe(index);
243     if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
244         _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
245     {
246         return Integer<TLink>.One;
247     }
248     return Integer<TLink>.Zero;
249 }
250 }
251 if (restrictions.Count == 3)
252 {
253     var index = restrictions[Constants.IndexPart];
254     var source = restrictions[Constants.SourcePart];
255     var target = restrictions[Constants.TargetPart];
256
257     if (_equalityComparer.Equals(index, Constants.Any))
258     {
259         if (_equalityComparer.Equals(source, Constants.Any) &&
260             ↪ _equalityComparer.Equals(target, Constants.Any))
261         {
262             return Total;
263         }
264         else if (_equalityComparer.Equals(source, Constants.Any))
265         {
266             return _targetsTreeMethods.CountUsages(target);
267         }
268         else if (_equalityComparer.Equals(target, Constants.Any))
269         {
270             return _sourcesTreeMethods.CountUsages(source);
271         }
272         else //if(source != Any && target != Any)
273         {
274             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
275             var link = _sourcesTreeMethods.Search(source, target);
276             return _equalityComparer.Equals(link, Constants.Null) ?
277                 ↪ Integer<TLink>.Zero : Integer<TLink>.One;
278         }
279     }
280     else
281     {
282         if (!Exists(index))
283         {
284             return Integer<TLink>.Zero;
285         }
286         if (_equalityComparer.Equals(source, Constants.Any) &&
287             ↪ _equalityComparer.Equals(target, Constants.Any))
288         {
289             return Integer<TLink>.One;
290         }
291         var storedLinkValue = GetLinkUnsafe(index);
292         if (!_equalityComparer.Equals(source, Constants.Any) &&
293             ↪ !_equalityComparer.Equals(target, Constants.Any))
294         {
295             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
296                 _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
297             {
298                 return Integer<TLink>.One;
299             }
300             return Integer<TLink>.Zero;
301         }
302         var value = default(TLink);
303         if (_equalityComparer.Equals(source, Constants.Any))
304         {
305             value = target;

```



```

302     }
303     if (_equalityComparer.Equals(target, Constants.Any))
304     {
305         value = source;
306     }
307     if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
308         _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
309     {
310         return Integer<TLink>.One;
311     }
312     return Integer<TLink>.Zero;
313 }
314 }
315 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
316 }
317
318 [MethodImpl(MethodImplOptions.AggressiveInlining)]
319 public TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
320 {
321     if (restrictions.Count == 0)
322     {
323         for (TLink link = Integer<TLink>.One; _comparer.Compare(link,
    ↳ (Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)) <= 0; link =
    ↳ Increment(link))
324         {
325             if (Exists(link) && _equalityComparer.Equals(handler(GetLinkStruct(link)),
    ↳ Constants.Break))
326             {
327                 return Constants.Break;
328             }
329         }
330
331         return Constants.Continue;
332     }
333     if (restrictions.Count == 1)
334     {
335         var index = restrictions[Constants.IndexPart];
336         if (_equalityComparer.Equals(index, Constants.Any))
337         {
338             return Each(handler, ArrayPool<TLink>.Empty);
339         }
340         if (!Exists(index))
341         {
342             return Constants.Continue;
343         }
344         return handler(GetLinkStruct(index));
345     }
346     if (restrictions.Count == 2)
347     {
348         var index = restrictions[Constants.IndexPart];
349         var value = restrictions[1];
350         if (_equalityComparer.Equals(index, Constants.Any))
351         {
352             if (_equalityComparer.Equals(value, Constants.Any))
353             {
354                 return Each(handler, ArrayPool<TLink>.Empty);
355             }
356             if (_equalityComparer.Equals(Each(handler, new[] { index, value,
    ↳ Constants.Any }), Constants.Break))
357             {
358                 return Constants.Break;
359             }
360             return Each(handler, new[] { index, Constants.Any, value });
361         }
362         else
363         {
364             if (!Exists(index))
365             {
366                 return Constants.Continue;
367             }
368             if (_equalityComparer.Equals(value, Constants.Any))
369             {
370                 return handler(GetLinkStruct(index));
371             }
372             var storedLinkValue = GetLinkUnsafe(index);
373             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
    ↳ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
374

```

```

375         {
376             return handler(GetLinkStruct(index));
377         }
378         return Constants.Continue;
379     }
380 }
381 if (restrictions.Count == 3)
382 {
383     var index = restrictions[Constants.IndexPart];
384     var source = restrictions[Constants.SourcePart];
385     var target = restrictions[Constants.TargetPart];
386     if (_equalityComparer.Equals(index, Constants.Any))
387     {
388         if (_equalityComparer.Equals(source, Constants.Any) &&
389             ↪ _equalityComparer.Equals(target, Constants.Any))
390         {
391             return Each(handler, ArrayPool<TLink>.Empty);
392         }
393         else if (_equalityComparer.Equals(source, Constants.Any))
394         {
395             return _targetsTreeMethods.EachUsage(target, handler);
396         }
397         else if (_equalityComparer.Equals(target, Constants.Any))
398         {
399             return _sourcesTreeMethods.EachUsage(source, handler);
400         }
401         else //if(source != Any && target != Any)
402         {
403             var link = _sourcesTreeMethods.Search(source, target);
404             return _equalityComparer.Equals(link, Constants.Null) ?
405                 ↪ Constants.Continue : handler(GetLinkStruct(link));
406         }
407     }
408     else
409     {
410         if (!Exists(index))
411         {
412             return Constants.Continue;
413         }
414         if (_equalityComparer.Equals(source, Constants.Any) &&
415             ↪ _equalityComparer.Equals(target, Constants.Any))
416         {
417             return handler(GetLinkStruct(index));
418         }
419         var storedLinkValue = GetLinkUnsafe(index);
420         if (!_equalityComparer.Equals(source, Constants.Any) &&
421             ↪ !_equalityComparer.Equals(target, Constants.Any))
422         {
423             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
424                 ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
425             {
426                 return handler(GetLinkStruct(index));
427             }
428             return Constants.Continue;
429         }
430         var value = default(TLink);
431         if (_equalityComparer.Equals(source, Constants.Any))
432         {
433             value = target;
434         }
435         if (_equalityComparer.Equals(target, Constants.Any))
436         {
437             value = source;
438         }
439         if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
440             ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
441         {
442             return handler(GetLinkStruct(index));
443         }
444         return Constants.Continue;
445     }
446 }
447 throw new NotSupportedException("Другие размеры и способы ограничений не
448     ↪ поддерживаются.");
449 }
450 /// <remarks>

```

```

447 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
448 ↪ в другом месте (но не в менеджере памяти, а в логике Links)
449 /// </remarks>
450 [MethodImpl(MethodImplOptions.AggressiveInlining)]
451 public TLink Update(ICollection<TLink> values)
452 {
453     var linkIndex = values[Constants.IndexPart];
454     var link = GetLinkUnsafe(linkIndex);
455     // Будет корректно работать только в том случае, если пространство выделенной связи
456     ↪ предварительно заполнено нулями
457     if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
458     {
459         _sourcesTreeMethods.Detach(LinksHeader.GetFirstAsSourcePointer(_header),
460             ↪ linkIndex);
461     }
462     if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
463     {
464         _targetsTreeMethods.Detach(LinksHeader.GetFirstAsTargetPointer(_header),
465             ↪ linkIndex);
466     }
467     Link.SetSource(link, values[Constants.SourcePart]);
468     Link.SetTarget(link, values[Constants.TargetPart]);
469     if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
470     {
471         _sourcesTreeMethods.Attach(LinksHeader.GetFirstAsSourcePointer(_header),
472             ↪ linkIndex);
473     }
474     if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
475     {
476         _targetsTreeMethods.Attach(LinksHeader.GetFirstAsTargetPointer(_header),
477             ↪ linkIndex);
478     }
479     return linkIndex;
480 }
481
482 [MethodImpl(MethodImplOptions.AggressiveInlining)]
483 public Link<TLink> GetLinkStruct(TLink linkIndex)
484 {
485     var link = GetLinkUnsafe(linkIndex);
486     return new Link<TLink>(linkIndex, Link.GetSource(link), Link.GetTarget(link));
487 }
488
489 [MethodImpl(MethodImplOptions.AggressiveInlining)]
490 private IntPtr GetLinkUnsafe(TLink linkIndex) => _links.GetElement(LinkSizeInBytes,
491     ↪ linkIndex);
492
493 /// <remarks>
494 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
495 ↪ пространство
496 /// </remarks>
497 public TLink Create()
498 {
499     var freeLink = LinksHeader.GetFirstFreeLink(_header);
500     if (!_equalityComparer.Equals(freeLink, Constants.Null))
501     {
502         _unusedLinksListMethods.Detach(freeLink);
503     }
504     else
505     {
506         if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
507             ↪ Constants.MaxPossibleIndex) > 0)
508         {
509             throw new
510                 ↪ LinksLimitReachedException((Integer<TLink>)Constants.MaxPossibleIndex);
511         }
512         if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
513             ↪ Decrement(LinksHeader.GetReservedLinks(_header))) >= 0)
514         {
515             _memory.ReservedCapacity += _memory.ReservationStep;
516             SetPointers(_memory);
517             LinksHeader.SetReservedLinks(_header,
518                 ↪ (Integer<TLink>)(_memory.ReservedCapacity / LinkSizeInBytes));
519         }
520         LinksHeader.SetAllocatedLinks(_header,
521             ↪ Increment(LinksHeader.GetAllocatedLinks(_header)));
522         _memory.UsedCapacity += LinkSizeInBytes;
523         freeLink = LinksHeader.GetAllocatedLinks(_header);
524     }
525 }

```

```

511     }
512     return freeLink;
513 }
514
515 public void Delete(TLink link)
516 {
517     if (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) < 0)
518     {
519         _unusedLinksListMethods.AttachAsFirst(link);
520     }
521     else if (_equalityComparer.Equals(link, LinksHeader.GetAllocatedLinks(_header)))
522     {
523         LinksHeader.SetAllocatedLinks(_header,
524             ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
525         ↪ _memory.UsedCapacity -= LinkSizeInBytes;
526         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
527         ↪ пока не дойдём до первой существующей связи
528         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
529         while ((_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
530             ↪ Integer<TLink>.Zero) > 0) &&
531             ↪ IsUnusedLink(LinksHeader.GetAllocatedLinks(_header)))
532         {
533             _unusedLinksListMethods.Detach(LinksHeader.GetAllocatedLinks(_header));
534             LinksHeader.SetAllocatedLinks(_header,
535                 ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
536             ↪ _memory.UsedCapacity -= LinkSizeInBytes;
537         }
538     }
539 }
540
541 /// <remarks>
542 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
543 ↪ адрес реально поменялся
544 ///
545 /// Указатель this.links может быть в том же месте,
546 /// так как 0-я связь не используется и имеет такой же размер как Header,
547 /// поэтому header размещается в том же месте, что и 0-я связь
548 /// </remarks>
549 private void SetPointers(IDirectMemory memory)
550 {
551     if (memory == null)
552     {
553         _links = IntPtr.Zero;
554         _header = _links;
555         _unusedLinksListMethods = null;
556         _targetsTreeMethods = null;
557         _unusedLinksListMethods = null;
558     }
559     else
560     {
561         _links = memory.Pointer;
562         _header = _links;
563         _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
564         _targetsTreeMethods = new LinksTargetsTreeMethods(this);
565         _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
566     }
567 }
568
569 [MethodImpl(MethodImplOptions.AggressiveInlining)]
570 private bool Exists(TLink link)
571 => (_comparer.Compare(link, Constants.MinPossibleIndex) >= 0)
572     && (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) <= 0)
573     && !IsUnusedLink(link);
574
575 [MethodImpl(MethodImplOptions.AggressiveInlining)]
576 private bool IsUnusedLink(TLink link)
577 => _equalityComparer.Equals(LinksHeader.GetFirstFreeLink(_header), link)
578     || (_equalityComparer.Equals(Link.GetSizeAsSource(GetLinkUnsafe(link)),
579         ↪ Constants.Null)
580         && !_equalityComparer.Equals(Link.GetSource(GetLinkUnsafe(link)), Constants.Null));
581
582 #region DisposableBase
583
584 protected override bool AllowMultipleDisposeCalls => true;
585
586 protected override void Dispose(bool manual, bool wasDisposed)
587 {
588     if (!wasDisposed)
589     {

```

```

583         SetPointers(null);
584         _memory.DisposeIfPossible();
585     }
586 }
587
588 #endregion
589 }
590 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs

```

1  using System;
2  using Platform.Unsafe;
3  using Platform.Collections.Methods.Lists;
4
5  namespace Platform.Data.Doublets.ResizableDirectMemory
6  {
7      partial class ResizableDirectMemoryLinks<TLink>
8      {
9          private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<TLink>
10         {
11             private readonly IntPtr _links;
12             private readonly IntPtr _header;
13
14             public UnusedLinksListMethods(IntPtr links, IntPtr header)
15             {
16                 _links = links;
17                 _header = header;
18             }
19
20             protected override TLink GetFirst() => (_header +
21                 ↳ LinksHeader.FirstFreeLinkOffset).GetValue<TLink>();
22
23             protected override TLink GetLast() => (_header +
24                 ↳ LinksHeader.LastFreeLinkOffset).GetValue<TLink>();
25
26             protected override TLink GetPrevious(TLink element) =>
27                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
28                 ↳ Link.SourceOffset).GetValue<TLink>();
29
30             protected override TLink GetNext(TLink element) =>
31                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
32                 ↳ Link.TargetOffset).GetValue<TLink>();
33
34             protected override TLink GetSize() => (_header +
35                 ↳ LinksHeader.FreeLinksOffset).GetValue<TLink>();
36
37             protected override void SetFirst(TLink element) => (_header +
38                 ↳ LinksHeader.FirstFreeLinkOffset).SetValue(element);
39
40             protected override void SetLast(TLink element) => (_header +
41                 ↳ LinksHeader.LastFreeLinkOffset).SetValue(element);
42
43             protected override void SetPrevious(TLink element, TLink previous) =>
44                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
45                 ↳ Link.SourceOffset).SetValue(previous);
46
47             protected override void SetNext(TLink element, TLink next) =>
48                 ↳ (_links.GetElement(LinkSizeInBytes, element) + Link.TargetOffset).SetValue(next);
49
50             protected override void SetSize(TLink size) => (_header +
51                 ↳ LinksHeader.FreeLinksOffset).SetValue(size);
52         }
53     }
54 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Numbers;
6  using Platform.Unsafe;
7  using Platform.Collections.Methods.Trees;
8  using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublets.ResizableDirectMemory
11 {
12     partial class ResizableDirectMemoryLinks<TLink>
13     {

```

```

14 private abstract class LinksTreeMethodsBase :
    ↳ SizedAndThreadedAVLBalancedTreeMethods<TLink>
15 {
16     private readonly ResizableDirectMemoryLinks<TLink> _memory;
17     private readonly LinksCombinedConstants<TLink, TLink, int> _constants;
18     protected readonly IntPtr Links;
19     protected readonly IntPtr Header;
20
21     protected LinksTreeMethodsBase(ResizableDirectMemoryLinks<TLink> memory)
22     {
23         Links = memory._links;
24         Header = memory._header;
25         _memory = memory;
26         _constants = memory.Constants;
27     }
28
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     protected abstract TLink GetTreeRoot();
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected abstract TLink GetBasePartValue(TLink link);
34
35     public TLink this[TLink index]
36     {
37         get
38         {
39             var root = GetTreeRoot();
40             if (GreaterOrEqualThan(index, GetSize(root)))
41             {
42                 return GetZero();
43             }
44             while (!EqualToZero(root))
45             {
46                 var left = GetLeftOrDefault(root);
47                 var leftSize = GetSizeOrZero(left);
48                 if (LessThan(index, leftSize))
49                 {
50                     root = left;
51                     continue;
52                 }
53                 if (IsEquals(index, leftSize))
54                 {
55                     return root;
56                 }
57                 root = GetRightOrDefault(root);
58                 index = Subtract(index, Increment(leftSize));
59             }
60             return GetZero(); // TODO: Impossible situation exception (only if tree
    ↳ structure broken)
61         }
62     }
63
64     // TODO: Return indices range instead of references count
65     public TLink CountUsages(TLink link)
66     {
67         var root = GetTreeRoot();
68         var total = GetSize(root);
69         var totalRightIgnore = GetZero();
70         while (!EqualToZero(root))
71         {
72             var @base = GetBasePartValue(root);
73             if (LessOrEqualThan(@base, link))
74             {
75                 root = GetRightOrDefault(root);
76             }
77             else
78             {
79                 totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
80                 root = GetLeftOrDefault(root);
81             }
82         }
83         root = GetTreeRoot();
84         var totalLeftIgnore = GetZero();
85         while (!EqualToZero(root))
86         {
87             var @base = GetBasePartValue(root);
88             if (GreaterOrEqualThan(@base, link))
89             {
90                 root = GetLeftOrDefault(root);

```

```

91         }
92         else
93         {
94             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
95             root = GetRightOrDefault(root);
96         }
97     }
98 }
99 return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
100 }
101
102 public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
103 {
104     var root = GetTreeRoot();
105     if (EqualToZero(root))
106     {
107         return _constants.Continue;
108     }
109     TLink first = GetZero(), current = root;
110     while (!EqualToZero(current))
111     {
112         var @base = GetBasePartValue(current);
113         if (GreaterOrEqualThan(@base, link))
114         {
115             if (IsEquals(@base, link))
116             {
117                 first = current;
118             }
119             current = GetLeftOrDefault(current);
120         }
121         else
122         {
123             current = GetRightOrDefault(current);
124         }
125     }
126     if (!EqualToZero(first))
127     {
128         current = first;
129         while (true)
130         {
131             if (IsEquals(handler(_memory.GetLinkStruct(current)), _constants.Break))
132             {
133                 return _constants.Break;
134             }
135             current = GetNext(current);
136             if (EqualToZero(current) || !IsEquals(GetBasePartValue(current), link))
137             {
138                 break;
139             }
140         }
141     }
142     return _constants.Continue;
143 }
144
145 protected override void PrintNodeValue(TLink node, StringBuilder sb)
146 {
147     sb.Append(' ');
148     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
149         ↳ Link.SourceOffset).GetValue<TLink>());
149     sb.Append('-');
150     sb.Append('>');
151     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
152         ↳ Link.TargetOffset).GetValue<TLink>());
153 }
154
155 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
156 {
157     public LinksSourcesTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
158         : base(memory)
159     {
160     }
161
162     protected override IntPtr GetLeftPointer(TLink node) =>
163         ↳ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsSourceOffset;
164
165     protected override IntPtr GetRightPointer(TLink node) =>
166         ↳ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsSourceOffset;

```

```

166     protected override TLink GetLeftValue(TLink node) =>
167         ↳ (Links.GetElement(LinkSizeInBytes, node) +
168         ↳ Link.LeftAsSourceOffset).GetValue<TLink>();

169
170     protected override TLink GetRightValue(TLink node) =>
171         ↳ (Links.GetElement(LinkSizeInBytes, node) +
172         ↳ Link.RightAsSourceOffset).GetValue<TLink>();

173
174     protected override TLink GetSize(TLink node)
175     {
176         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
177         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
178         return Bit.PartialRead(previousValue, 5, -5);
179     }

180
181     protected override void SetLeft(TLink node, TLink left) =>
182         ↳ (Links.GetElement(LinkSizeInBytes, node) +
183         ↳ Link.LeftAsSourceOffset).SetValue(left);

184
185     protected override void SetRight(TLink node, TLink right) =>
186         ↳ (Links.GetElement(LinkSizeInBytes, node) +
187         ↳ Link.RightAsSourceOffset).SetValue(right);

188
189     protected override void SetSize(TLink node, TLink size)
190     {
191         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
192         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
193         (Links.GetElement(LinkSizeInBytes, node) +
194         ↳ Link.SizeAsSourceOffset).SetValue(Bit.PartialWrite(previousValue, size, 5,
195         ↳ -5));
196     }

197
198     protected override bool GetLeftIsChild(TLink node)
199     {
200         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
201         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
202         return (Integer<TLink>)Bit.PartialRead(previousValue, 4, 1);
203     }

204
205     protected override void SetLeftIsChild(TLink node, bool value)
206     {
207         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
208         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
209         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 4,
210         ↳ 1);
211         (Links.GetElement(LinkSizeInBytes, node) +
212         ↳ Link.SizeAsSourceOffset).SetValue(modified);
213     }

214
215     protected override bool GetRightIsChild(TLink node)
216     {
217         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
218         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
219         return (Integer<TLink>)Bit.PartialRead(previousValue, 3, 1);
220     }

221
222     protected override void SetRightIsChild(TLink node, bool value)
223     {
224         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
225         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
226         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 3,
227         ↳ 1);
228         (Links.GetElement(LinkSizeInBytes, node) +
229         ↳ Link.SizeAsSourceOffset).SetValue(modified);
230     }

231
232     protected override sbyte GetBalance(TLink node)
233     {
234         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
235         ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
236         var value = (ulong)(Integer<TLink>)Bit.PartialRead(previousValue, 0, 3);
237         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
238         ↳ 124 : value & 3);
239         return unpackedValue;
240     }

241
242     protected override void SetBalance(TLink node, sbyte value)

```



```

221 {
222     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
223         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
224     var packagedValue = (TLink)(Integer<TLink>)((((byte)value >> 5) & 4) | value &
225         ↪ 3);
226     var modified = Bit.PartialWrite(previousValue, packagedValue, 0, 3);
227     (Links.GetElement(LinkSizeInBytes, node) +
228         ↪ Link.SizeAsSourceOffset).SetValue(modified);
229 }
230
231 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
232 {
233     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
234         ↪ Link.SourceOffset).GetValue<TLink>();
235     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
236         ↪ Link.SourceOffset).GetValue<TLink>();
237     return LessThan(firstSource, secondSource) ||
238         (IsEquals(firstSource, secondSource) &&
239         ↪ LessThan((Links.GetElement(LinkSizeInBytes, first) +
240             ↪ Link.TargetOffset).GetValue<TLink>(),
241             ↪ (Links.GetElement(LinkSizeInBytes, second) +
242             ↪ Link.TargetOffset).GetValue<TLink>()));
243 }
244
245 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
246 {
247     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
248         ↪ Link.SourceOffset).GetValue<TLink>();
249     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
250         ↪ Link.SourceOffset).GetValue<TLink>();
251     return GreaterThan(firstSource, secondSource) ||
252         (IsEquals(firstSource, secondSource) &&
253         ↪ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
254             ↪ Link.TargetOffset).GetValue<TLink>(),
255             ↪ (Links.GetElement(LinkSizeInBytes, second) +
256             ↪ Link.TargetOffset).GetValue<TLink>()));
257 }
258
259 protected override TLink GetTreeRoot() => (Header +
260     ↪ LinksHeader.FirstAsSourceOffset).GetValue<TLink>();
261
262 protected override TLink GetBasePartValue(TLink link) =>
263     (Links.GetElement(LinkSizeInBytes, link) + Link.SourceOffset).GetValue<TLink>();
264
265 /// <summary>
266 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
267 ↪ (концом)
268 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
269 /// </summary>
270 /// <param name="source">Индекс связи, которая является началом на искомой
271 ↪ связи.</param>
272 /// <param name="target">Индекс связи, которая является концом на искомой
273 ↪ связи.</param>
274 /// <returns>Индекс искомой связи.</returns>
275 public TLink Search(TLink source, TLink target)
276 {
277     var root = GetTreeRoot();
278     while (!EqualToZero(root))
279     {
280         var rootSource = (Links.GetElement(LinkSizeInBytes, root) +
281             ↪ Link.SourceOffset).GetValue<TLink>();
282         var rootTarget = (Links.GetElement(LinkSizeInBytes, root) +
283             ↪ Link.TargetOffset).GetValue<TLink>();
284         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
285             ↪ node.Key < root.Key
286         {
287             root = GetLeftOrDefault(root);
288         }
289         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
290             ↪ // node.Key > root.Key
291         {
292             root = GetRightOrDefault(root);
293         }
294         else // node.Key == root.Key
295         {
296             return root;
297         }
298     }
299 }

```

```

273     }
274 }
275     return GetZero();
276 }
277
278 [MethodImpl(MethodImplOptions.AggressiveInlining)]
279 private bool FirstIsToLeftOfSecond(TLink firstSource, TLink firstTarget, TLink
    ↪ secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
    ↪ (IsEquals(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
280
281 [MethodImpl(MethodImplOptions.AggressiveInlining)]
282 private bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget, TLink
    ↪ secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
    ↪ (IsEquals(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
283 }
284
285 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
286 {
287     public LinksTargetsTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
288         : base(memory)
289     {
290     }
291
292     protected override IntPtr GetLeftPointer(TLink node) =>
293         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsTargetOffset;
294
295     protected override IntPtr GetRightPointer(TLink node) =>
296         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsTargetOffset;
297
298     protected override TLink GetLeftValue(TLink node) =>
299         ↪ (Links.GetElement(LinkSizeInBytes, node) +
300         ↪ Link.LeftAsTargetOffset).GetValue<TLink>();
301
302     protected override TLink GetRightValue(TLink node) =>
303         ↪ (Links.GetElement(LinkSizeInBytes, node) +
304         ↪ Link.RightAsTargetOffset).GetValue<TLink>();
305
306     protected override TLink GetSize(TLink node)
307     {
308         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
309         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
310         return Bit.PartialRead(previousValue, 5, -5);
311     }
312
313     protected override void SetLeft(TLink node, TLink left) =>
314         ↪ (Links.GetElement(LinkSizeInBytes, node) +
315         ↪ Link.LeftAsTargetOffset).SetValue(left);
316
317     protected override void SetRight(TLink node, TLink right) =>
318         ↪ (Links.GetElement(LinkSizeInBytes, node) +
319         ↪ Link.RightAsTargetOffset).SetValue(right);
320
321     protected override void SetSize(TLink node, TLink size)
322     {
323         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
324         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
325         (Links.GetElement(LinkSizeInBytes, node) +
326         ↪ Link.SizeAsTargetOffset).SetValue(Bit.PartialWrite(previousValue, size, 5,
327         ↪ -5));
328     }
329
330     protected override bool GetLeftIsChild(TLink node)
331     {
332         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
333         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
334         return (Integer<TLink>)Bit.PartialRead(previousValue, 4, 1);
335     }
336
337     protected override void SetLeftIsChild(TLink node, bool value)
338     {
339         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
340         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
341         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 4,
342         ↪ 1);
343         (Links.GetElement(LinkSizeInBytes, node) +
344         ↪ Link.SizeAsTargetOffset).SetValue(modified);
345     }
346 }

```

```

328
329 protected override bool GetRightIsChild(TLink node)
330 {
331     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
332         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
333     return (Integer<TLink>)Bit.PartialRead(previousValue, 3, 1);
334 }
335
336 protected override void SetRightIsChild(TLink node, bool value)
337 {
338     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
339         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
340     var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 3,
341         ↪ 1);
342     (Links.GetElement(LinkSizeInBytes, node) +
343         ↪ Link.SizeAsTargetOffset).SetValue(modified);
344 }
345
346 protected override sbyte GetBalance(TLink node)
347 {
348     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
349         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
350     var value = (ulong)(Integer<TLink>)Bit.PartialRead(previousValue, 0, 3);
351     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
352         ↪ 124 : value & 3);
353     return unpackedValue;
354 }
355
356 protected override void SetBalance(TLink node, sbyte value)
357 {
358     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
359         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
360     var packagedValue = (TLink)(Integer<TLink>)((((byte)value >> 5) & 4) | value &
361         ↪ 3);
362     var modified = Bit.PartialWrite(previousValue, packagedValue, 0, 3);
363     (Links.GetElement(LinkSizeInBytes, node) +
364         ↪ Link.SizeAsTargetOffset).SetValue(modified);
365 }
366
367 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
368 {
369     var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
370         ↪ Link.TargetOffset).GetValue<TLink>();
371     var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
372         ↪ Link.TargetOffset).GetValue<TLink>();
373     return LessThan(firstTarget, secondTarget) ||
374         (IsEquals(firstTarget, secondTarget) &&
375         ↪ LessThan((Links.GetElement(LinkSizeInBytes, first) +
376         ↪ Link.SourceOffset).GetValue<TLink>(),
377         ↪ (Links.GetElement(LinkSizeInBytes, second) +
378         ↪ Link.SourceOffset).GetValue<TLink>()));
379 }
380
381 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
382 {
383     var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
384         ↪ Link.TargetOffset).GetValue<TLink>();
385     var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
386         ↪ Link.TargetOffset).GetValue<TLink>();
387     return GreaterThan(firstTarget, secondTarget) ||
388         (IsEquals(firstTarget, secondTarget) &&
389         ↪ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
390         ↪ Link.SourceOffset).GetValue<TLink>(),
391         ↪ (Links.GetElement(LinkSizeInBytes, second) +
392         ↪ Link.SourceOffset).GetValue<TLink>()));
393 }
394
395 protected override TLink GetTreeRoot() => (Header +
396     ↪ LinksHeader.FirstAsTargetOffset).GetValue<TLink>();
397
398 protected override TLink GetBasePartValue(TLink link) =>
399     ↪ (Links.GetElement(LinkSizeInBytes, link) + Link.TargetOffset).GetValue<TLink>();
400 }
401 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Disposables;
5  using Platform.Collections.Arrays;
6  using Platform.Singletons;
7  using Platform.Memory;
8  using Platform.Data.Exceptions;
9  using Platform.Data.Constants;
10
11  // #define ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
12
13  #pragma warning disable 0649
14  #pragma warning disable 169
15
16  // ReSharper disable BuiltInTypeReferenceStyle
17
18  namespace Platform.Data.Doublets.ResizableDirectMemory
19  {
20      using id = UInt64;
21
22      public unsafe partial class UInt64ResizableDirectMemoryLinks : DisposableBase, ILinks<id>
23      {
24          /// <summary>Возвращает размер одной связи в байтах.</summary>
25          /// <remarks>
26          ///     Используется только во вне класса, не рекомендуется использовать внутри.
27          ///     Так как во вне не обязательно будет доступен unsafe C#.
28          /// </remarks>
29          public static readonly int LinkSizeInBytes = sizeof(Link);
30
31          public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
32
33          private struct Link
34          {
35              public id Source;
36              public id Target;
37              public id LeftAsSource;
38              public id RightAsSource;
39              public id SizeAsSource;
40              public id LeftAsTarget;
41              public id RightAsTarget;
42              public id SizeAsTarget;
43          }
44
45          private struct LinksHeader
46          {
47              public id AllocatedLinks;
48              public id ReservedLinks;
49              public id FreeLinks;
50              public id FirstFreeLink;
51              public id FirstAsSource;
52              public id FirstAsTarget;
53              public id LastFreeLink;
54              public id Reserved8;
55          }
56
57          private readonly long _memoryReservationStep;
58
59          private readonly IResizableDirectMemory _memory;
60          private LinksHeader* _header;
61          private Link* _links;
62
63          private LinksTargetsTreeMethods _targetsTreeMethods;
64          private LinksSourcesTreeMethods _sourcesTreeMethods;
65
66          // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
67          //      ↪ нужно использовать не список а дерево, так как так можно быстрее проверить на
68          //      ↪ наличие связи внутри
69          private UnusedLinksListMethods _unusedLinksListMethods;
70
71          /// <summary>
72          ///     Возвращает общее число связей находящихся в хранилище.
73          /// </summary>
74          private id Total => _header->AllocatedLinks - _header->FreeLinks;
75
76          // TODO: Дать возможность переопределять в конструкторе
77          public LinksCombinedConstants<id, id, int> Constants { get; }
78
79          public UInt64ResizableDirectMemoryLinks(string address) : this(address,
80              ↪ DefaultLinksSizeStep) { }
```

```

89  /// <summary>
90  /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
91  /// → минимальным шагом расширения базы данных.
92  /// </summary>
93  /// <param name="address">Полный путь к файлу базы данных.</param>
94  /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
95  /// → байтах.</param>
96  public UInt64ResizableDirectMemoryLinks(string address, long memoryReservationStep) :
97  → this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
98  → memoryReservationStep) { }
99
100 public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
101 → DefaultLinksSizeStep) { }
102
103 public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
104 → memoryReservationStep)
105 {
106     Constants = Default<LinksCombinedConstants<id, id, int>>.Instance;
107     _memory = memory;
108     _memoryReservationStep = memoryReservationStep;
109     if (memory.ReservedCapacity < memoryReservationStep)
110     {
111         memory.ReservedCapacity = memoryReservationStep;
112     }
113     SetPointers(_memory);
114     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
115     _memory.UsedCapacity = ((long)_header->AllocatedLinks * sizeof(Link)) +
116     → sizeof(LinksHeader);
117     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
118     _header->ReservedLinks = (id)((_memory.ReservedCapacity - sizeof(LinksHeader)) /
119     → sizeof(Link));
120 }
121
122 [MethodImpl(MethodImplOptions.AggressiveInlining)]
123 public id Count(IList<id> restrictions)
124 {
125     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
126     if (restrictions.Count == 0)
127     {
128         return Total;
129     }
130     if (restrictions.Count == 1)
131     {
132         var index = restrictions[Constants.IndexPart];
133         if (index == Constants.Any)
134         {
135             return Total;
136         }
137         return Exists(index) ? 1UL : 0UL;
138     }
139     if (restrictions.Count == 2)
140     {
141         var index = restrictions[Constants.IndexPart];
142         var value = restrictions[1];
143         if (index == Constants.Any)
144         {
145             if (value == Constants.Any)
146             {
147                 return Total; // Any - как отсутствие ограничения
148             }
149             return _sourcesTreeMethods.CountUsages(value)
150                 + _targetsTreeMethods.CountUsages(value);
151         }
152         else
153         {
154             if (!Exists(index))
155             {
156                 return 0;
157             }
158             if (value == Constants.Any)
159             {
160                 return 1;
161             }
162             var storedLinkValue = GetLinkUnsafe(index);
163             if (storedLinkValue->Source == value ||
164                 storedLinkValue->Target == value)
165             {
166                 return 1;
167             }
168         }
169     }
170 }

```

```

149     }
150     return 0;
151 }
152 }
153 if (restrictions.Count == 3)
154 {
155     var index = restrictions[Constants.IndexPart];
156     var source = restrictions[Constants.SourcePart];
157     var target = restrictions[Constants.TargetPart];
158     if (index == Constants.Any)
159     {
160         if (source == Constants.Any && target == Constants.Any)
161         {
162             return Total;
163         }
164         else if (source == Constants.Any)
165         {
166             return _targetsTreeMethods.CountUsages(target);
167         }
168         else if (target == Constants.Any)
169         {
170             return _sourcesTreeMethods.CountUsages(source);
171         }
172         else //if(source != Any && target != Any)
173         {
174             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
175             var link = _sourcesTreeMethods.Search(source, target);
176             return link == Constants.Null ? OUL : 1UL;
177         }
178     }
179     else
180     {
181         if (!Exists(index))
182         {
183             return 0;
184         }
185         if (source == Constants.Any && target == Constants.Any)
186         {
187             return 1;
188         }
189         var storedLinkValue = GetLinkUnsafe(index);
190         if (source != Constants.Any && target != Constants.Any)
191         {
192             if (storedLinkValue->Source == source &&
193                 storedLinkValue->Target == target)
194             {
195                 return 1;
196             }
197             return 0;
198         }
199         var value = default(id);
200         if (source == Constants.Any)
201         {
202             value = target;
203         }
204         if (target == Constants.Any)
205         {
206             value = source;
207         }
208         if (storedLinkValue->Source == value ||
209             storedLinkValue->Target == value)
210         {
211             return 1;
212         }
213         return 0;
214     }
215 }
216 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
217 }
218
219 [MethodImpl(MethodImplOptions.AggressiveInlining)]
220 public id Each(Func<IList<id>, id> handler, IList<id> restrictions)
221 {
222     if (restrictions.Count == 0)
223     {
224         for (id link = 1; link <= _header->AllocatedLinks; link++)
225         {
226             if (Exists(link))

```

```

227         {
228             if (handler(GetLinkStruct(link)) == Constants.Break)
229             {
230                 return Constants.Break;
231             }
232         }
233     }
234     return Constants.Continue;
235 }
236 if (restrictions.Count == 1)
237 {
238     var index = restrictions[Constants.IndexPart];
239     if (index == Constants.Any)
240     {
241         return Each(handler, ArrayPool<ulong>.Empty);
242     }
243     if (!Exists(index))
244     {
245         return Constants.Continue;
246     }
247     return handler(GetLinkStruct(index));
248 }
249 if (restrictions.Count == 2)
250 {
251     var index = restrictions[Constants.IndexPart];
252     var value = restrictions[1];
253     if (index == Constants.Any)
254     {
255         if (value == Constants.Any)
256         {
257             return Each(handler, ArrayPool<ulong>.Empty);
258         }
259         if (Each(handler, new[] { index, value, Constants.Any }) == Constants.Break)
260         {
261             return Constants.Break;
262         }
263         return Each(handler, new[] { index, Constants.Any, value });
264     }
265     else
266     {
267         if (!Exists(index))
268         {
269             return Constants.Continue;
270         }
271         if (value == Constants.Any)
272         {
273             return handler(GetLinkStruct(index));
274         }
275         var storedLinkValue = GetLinkUnsafe(index);
276         if (storedLinkValue->Source == value ||
277             storedLinkValue->Target == value)
278         {
279             return handler(GetLinkStruct(index));
280         }
281         return Constants.Continue;
282     }
283 }
284 if (restrictions.Count == 3)
285 {
286     var index = restrictions[Constants.IndexPart];
287     var source = restrictions[Constants.SourcePart];
288     var target = restrictions[Constants.TargetPart];
289     if (index == Constants.Any)
290     {
291         if (source == Constants.Any && target == Constants.Any)
292         {
293             return Each(handler, ArrayPool<ulong>.Empty);
294         }
295         else if (source == Constants.Any)
296         {
297             return _targetsTreeMethods.EachReference(target, handler);
298         }
299         else if (target == Constants.Any)
300         {
301             return _sourcesTreeMethods.EachReference(source, handler);
302         }
303         else //if(source != Any && target != Any)
304         {

```

```

305         var link = _sourcesTreeMethods.Search(source, target);
306         return link == Constants.Null ? Constants.Continue :
            ↪ handler(GetLinkStruct(link));
307     }
308 }
309 else
310 {
311     if (!Exists(index))
312     {
313         return Constants.Continue;
314     }
315     if (source == Constants.Any && target == Constants.Any)
316     {
317         return handler(GetLinkStruct(index));
318     }
319     var storedLinkValue = GetLinkUnsafe(index);
320     if (source != Constants.Any && target != Constants.Any)
321     {
322         if (storedLinkValue->Source == source &&
323             storedLinkValue->Target == target)
324         {
325             return handler(GetLinkStruct(index));
326         }
327         return Constants.Continue;
328     }
329     var value = default(id);
330     if (source == Constants.Any)
331     {
332         value = target;
333     }
334     if (target == Constants.Any)
335     {
336         value = source;
337     }
338     if (storedLinkValue->Source == value ||
339         storedLinkValue->Target == value)
340     {
341         return handler(GetLinkStruct(index));
342     }
343     return Constants.Continue;
344 }
345 }
346 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↪ поддерживаются.");
347 }
348
349 /// <remarks>
350 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
351 ↪ в другом месте (но не в менеджере памяти, а в логике Links)
352 /// </remarks>
353 [MethodImpl(MethodImplOptions.AggressiveInlining)]
354 public id Update(IList<id> values)
355 {
356     var linkIndex = values[Constants.IndexPart];
357     var link = GetLinkUnsafe(linkIndex);
358     // Будет корректно работать только в том случае, если пространство выделенной связи
359     ↪ предварительно заполнено нулями
360     if (link->Source != Constants.Null)
361     {
362         _sourcesTreeMethods.Detach(new IntPtr(&_header->FirstAsSource), linkIndex);
363     }
364     if (link->Target != Constants.Null)
365     {
366         _targetsTreeMethods.Detach(new IntPtr(&_header->FirstAsTarget), linkIndex);
367     }
368 #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
369     var leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_header->FirstAsSource));
370     var rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_header->FirstAsTarget));
371     if (leftTreeSize != rightTreeSize)
372     {
373         throw new Exception("One of the trees is broken.");
374     }
375 #endif
376     link->Source = values[Constants.SourcePart];
377     link->Target = values[Constants.TargetPart];
378     if (link->Source != Constants.Null)
379     {
380         _sourcesTreeMethods.Attach(new IntPtr(&_header->FirstAsSource), linkIndex);

```



```

379     }
380     if (link->Target != Constants.Null)
381     {
382         _targetsTreeMethods.Attach(new IntPtr(&_header->FirstAsTarget), linkIndex);
383     }
384 #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
385     leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_header->FirstAsSource));
386     rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_header->FirstAsTarget));
387     if (leftTreeSize != rightTreeSize)
388     {
389         throw new Exception("One of the trees is broken.");
390     }
391 #endif
392     return linkIndex;
393 }
394
395 [MethodImpl(MethodImplOptions.AggressiveInlining)]
396 private IList<id> GetLinkStruct(id linkIndex)
397 {
398     var link = GetLinkUnsafe(linkIndex);
399     return new UInt64Link(linkIndex, link->Source, link->Target);
400 }
401
402 [MethodImpl(MethodImplOptions.AggressiveInlining)]
403 private Link* GetLinkUnsafe(id linkIndex) => &_amp;links[linkIndex];
404
405 /// <remarks>
406 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
407   ↳ пространство
408 /// </remarks>
409 public id Create()
410 {
411     var freeLink = _header->FirstFreeLink;
412     if (freeLink != Constants.Null)
413     {
414         _unusedLinksListMethods.Detach(freeLink);
415     }
416     else
417     {
418         if (_header->AllocatedLinks > Constants.MaxPossibleIndex)
419         {
420             throw new LinksLimitReachedException(Constants.MaxPossibleIndex);
421         }
422         if (_header->AllocatedLinks >= _header->ReservedLinks - 1)
423         {
424             _memory.ReservedCapacity += _memory.ReservationStep;
425             SetPointers(_memory);
426             _header->ReservedLinks = (id)(_memory.ReservedCapacity / sizeof(Link));
427         }
428         _header->AllocatedLinks++;
429         _memory.UsedCapacity += sizeof(Link);
430         freeLink = _header->AllocatedLinks;
431     }
432     return freeLink;
433 }
434
435 public void Delete(id link)
436 {
437     if (link < _header->AllocatedLinks)
438     {
439         _unusedLinksListMethods.AttachAsFirst(link);
440     }
441     else if (link == _header->AllocatedLinks)
442     {
443         _header->AllocatedLinks--;
444         _memory.UsedCapacity -= sizeof(Link);
445         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
446         // пока не дойдём до первой существующей связи
447         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
448         while (_header->AllocatedLinks > 0 && IsUnusedLink(_header->AllocatedLinks))
449         {
450             _unusedLinksListMethods.Detach(_header->AllocatedLinks);
451             _header->AllocatedLinks--;
452             _memory.UsedCapacity -= sizeof(Link);
453         }
454     }
455 }
456
457 /// <remarks>

```

```

456  /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
457  → адрес реально поменялся
458  ///
459  /// Указатель this.links может быть в том же месте,
460  /// так как 0-я связь не используется и имеет такой же размер как Header,
461  /// поэтому header размещается в том же месте, что и 0-я связь
462  /// </remarks>
463  private void SetPointers(IResizableDirectMemory memory)
464  {
465      if (memory == null)
466      {
467          _header = null;
468          _links = null;
469          _unusedLinksListMethods = null;
470          _targetsTreeMethods = null;
471          _unusedLinksListMethods = null;
472      }
473      else
474      {
475          _header = (LinksHeader*)(void*)memory.Pointer;
476          _links = (Link*)(void*)memory.Pointer;
477          _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
478          _targetsTreeMethods = new LinksTargetsTreeMethods(this);
479          _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
480      }
481
482      [MethodImpl(MethodImplOptions.AggressiveInlining)]
483      private bool Exists(id link) => link >= Constants.MinPossibleIndex && link <=
484      → _header->AllocatedLinks && !IsUnusedLink(link);
485
486      [MethodImpl(MethodImplOptions.AggressiveInlining)]
487      private bool IsUnusedLink(id link) => _header->FirstFreeLink == link
488      || (_links[link].SizeAsSource == Constants.Null &&
489      → _links[link].Source != Constants.Null);
490
491      #region Disposable
492
493      protected override bool AllowMultipleDisposeCalls => true;
494
495      protected override void Dispose(bool manual, bool wasDisposed)
496      {
497          if (!wasDisposed)
498          {
499              SetPointers(null);
500              _memory.DisposeIfPossible();
501          }
502      }
503      #endregion
504  }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs

```

1  using Platform.Collections.Methods.Lists;
2
3  namespace Platform.Data.Doublets.ResizableDirectMemory
4  {
5      unsafe partial class UInt64ResizableDirectMemoryLinks
6      {
7          private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<ulong>
8          {
9              private readonly Link* _links;
10             private readonly LinksHeader* _header;
11
12             public UnusedLinksListMethods(Link* links, LinksHeader* header)
13             {
14                 _links = links;
15                 _header = header;
16             }
17
18             protected override ulong GetFirst() => _header->FirstFreeLink;
19
20             protected override ulong GetLast() => _header->LastFreeLink;
21
22             protected override ulong GetPrevious(ulong element) => _links[element].Source;
23
24             protected override ulong GetNext(ulong element) => _links[element].Target;
25
26             protected override ulong GetSize() => _header->FreeLinks;

```

```

27         protected override void SetFirst(ulong element) => _header->FirstFreeLink = element;
28
29         protected override void SetLast(ulong element) => _header->LastFreeLink = element;
30
31         protected override void SetPrevious(ulong element, ulong previous) =>
32             ↪ _links[element].Source = previous;
33
34         protected override void SetNext(ulong element, ulong next) => _links[element].Target
35             ↪ = next;
36
37         protected override void SetSize(ulong size) => _header->FreeLinks = size;
38     }
39 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Text;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Data.Constants;
7
8  namespace Platform.Data.Doublets.ResizableDirectMemory
9  {
10     unsafe partial class UInt64ResizableDirectMemoryLinks
11     {
12         private abstract class LinksTreeMethodsBase :
13             ↪ SizedAndThreadedAVLBalancedTreeMethods<ulong>
14         {
15             private readonly UInt64ResizableDirectMemoryLinks _memory;
16             private readonly LinksCombinedConstants<ulong, ulong, int> _constants;
17             protected readonly Link* Links;
18             protected readonly LinksHeader* Header;
19
20             protected LinksTreeMethodsBase(UInt64ResizableDirectMemoryLinks memory)
21             {
22                 Links = memory._links;
23                 Header = memory._header;
24                 _memory = memory;
25                 _constants = memory.Constants;
26             }
27
28             [MethodImpl(MethodImplOptions.AggressiveInlining)]
29             protected abstract ulong GetTreeRoot();
30
31             [MethodImpl(MethodImplOptions.AggressiveInlining)]
32             protected abstract ulong GetBasePartValue(ulong link);
33
34             public ulong this[ulong index]
35             {
36                 get
37                 {
38                     var root = GetTreeRoot();
39                     if (index >= GetSize(root))
40                     {
41                         return 0;
42                     }
43                     while (root != 0)
44                     {
45                         var left = GetLeftOrDefault(root);
46                         var leftSize = GetSizeOrZero(left);
47                         if (index < leftSize)
48                         {
49                             root = left;
50                             continue;
51                         }
52                         if (index == leftSize)
53                         {
54                             return root;
55                         }
56                         root = GetRightOrDefault(root);
57                         index -= leftSize + 1;
58                     }
59                     return 0; // TODO: Impossible situation exception (only if tree structure
60                             ↪ broken)
61                 }
62             }
63         }
64     }
65 }

```

```

62 // TODO: Return indices range instead of references count
63 public ulong CountUsages(ulong link)
64 {
65     var root = GetTreeRoot();
66     var total = GetSize(root);
67     var totalRightIgnore = OUL;
68     while (root != 0)
69     {
70         var @base = GetBasePartValue(root);
71         if (@base <= link)
72         {
73             root = GetRightOrDefault(root);
74         }
75         else
76         {
77             totalRightIgnore += GetRightSize(root) + 1;
78             root = GetLeftOrDefault(root);
79         }
80     }
81     root = GetTreeRoot();
82     var totalLeftIgnore = OUL;
83     while (root != 0)
84     {
85         var @base = GetBasePartValue(root);
86         if (@base >= link)
87         {
88             root = GetLeftOrDefault(root);
89         }
90         else
91         {
92             totalLeftIgnore += GetLeftSize(root) + 1;
93             root = GetRightOrDefault(root);
94         }
95     }
96     return total - totalRightIgnore - totalLeftIgnore;
97 }
98
99 public ulong EachReference(ulong link, Func<IList<ulong>, ulong> handler)
100 {
101     var root = GetTreeRoot();
102     if (root == 0)
103     {
104         return _constants.Continue;
105     }
106     ulong first = 0, current = root;
107     while (current != 0)
108     {
109         var @base = GetBasePartValue(current);
110         if (@base >= link)
111         {
112             if (@base == link)
113             {
114                 first = current;
115             }
116             current = GetLeftOrDefault(current);
117         }
118         else
119         {
120             current = GetRightOrDefault(current);
121         }
122     }
123     if (first != 0)
124     {
125         current = first;
126         while (true)
127         {
128             if (handler(_memory.GetLinkStruct(current)) == _constants.Break)
129             {
130                 return _constants.Break;
131             }
132             current = GetNext(current);
133             if (current == 0 || GetBasePartValue(current) != link)
134             {
135                 break;
136             }
137         }
138     }
139     return _constants.Continue;
140 }

```

```

141
142     protected override void PrintNodeValue(ulong node, StringBuilder sb)
143     {
144         sb.Append(' ');
145         sb.Append(Links[node].Source);
146         sb.Append('-');
147         sb.Append('>');
148         sb.Append(Links[node].Target);
149     }
150 }
151
152 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
153 {
154     public LinksSourcesTreeMethods(UInt64ResizableDirectMemoryLinks memory)
155         : base(memory)
156     {
157     }
158
159     protected override IntPtr GetLeftPointer(ulong node) => new
160     ↪ IntPtr(&Links[node].LeftAsSource);
161
162     protected override IntPtr GetRightPointer(ulong node) => new
163     ↪ IntPtr(&Links[node].RightAsSource);
164
165     protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsSource;
166     protected override ulong GetRightValue(ulong node) => Links[node].RightAsSource;
167
168     protected override ulong GetSize(ulong node)
169     {
170         var previousValue = Links[node].SizeAsSource;
171         //return Math.PartialRead(previousValue, 5, -5);
172         return (previousValue & 4294967264) >> 5;
173     }
174
175     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource
176     ↪ = left;
177
178     protected override void SetRight(ulong node, ulong right) =>
179     ↪ Links[node].RightAsSource = right;
180
181     protected override void SetSize(ulong node, ulong size)
182     {
183         var previousValue = Links[node].SizeAsSource;
184         //var modified = Math.PartialWrite(previousValue, size, 5, -5);
185         var modified = (previousValue & 31) | ((size & 134217727) << 5);
186         Links[node].SizeAsSource = modified;
187     }
188
189     protected override bool GetLeftIsChild(ulong node)
190     {
191         var previousValue = Links[node].SizeAsSource;
192         //return (Integer)Math.PartialRead(previousValue, 4, 1);
193         return (previousValue & 16) >> 4 == 1UL;
194     }
195
196     protected override void SetLeftIsChild(ulong node, bool value)
197     {
198         var previousValue = Links[node].SizeAsSource;
199         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
200         var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
201         Links[node].SizeAsSource = modified;
202     }
203
204     protected override bool GetRightIsChild(ulong node)
205     {
206         var previousValue = Links[node].SizeAsSource;
207         //return (Integer)Math.PartialRead(previousValue, 3, 1);
208         return (previousValue & 8) >> 3 == 1UL;
209     }
210
211     protected override void SetRightIsChild(ulong node, bool value)
212     {
213         var previousValue = Links[node].SizeAsSource;
214         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
215         var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
216         Links[node].SizeAsSource = modified;
217     }
218 }

```

```

216 protected override sbyte GetBalance(ulong node)
217 {
218     var previousValue = Links[node].SizeAsSource;
219     //var value = Math.PartialRead(previousValue, 0, 3);
220     var value = previousValue & 7;
221     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
        ↳ 124 : value & 3);
222     return unpackedValue;
223 }
224
225 protected override void SetBalance(ulong node, sbyte value)
226 {
227     var previousValue = Links[node].SizeAsSource;
228     var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
229     //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
230     var modified = (previousValue & 4294967288) | (packagedValue & 7);
231     Links[node].SizeAsSource = modified;
232 }
233
234 protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
235 => Links[first].Source < Links[second].Source ||
236     (Links[first].Source == Links[second].Source && Links[first].Target <
        ↳ Links[second].Target);
237
238 protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
239 => Links[first].Source > Links[second].Source ||
240     (Links[first].Source == Links[second].Source && Links[first].Target >
        ↳ Links[second].Target);
241
242 protected override ulong GetTreeRoot() => Header->FirstAsSource;
243
244 protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
245
246 /// <summary>
247 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
248 ↳ (концом)
249 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
250 /// </summary>
251 /// <param name="source">Индекс связи, которая является началом на искомой
252 ↳ связи.</param>
253 /// <param name="target">Индекс связи, которая является концом на искомой
254 ↳ связи.</param>
255 /// <returns>Индекс искомой связи.</returns>
256 public ulong Search(ulong source, ulong target)
257 {
258     var root = Header->FirstAsSource;
259     while (root != 0)
260     {
261         var rootSource = Links[root].Source;
262         var rootTarget = Links[root].Target;
263         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
264             ↳ node.Key < root.Key
265         {
266             root = GetLeftOrDefault(root);
267         }
268         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
269             ↳ // node.Key > root.Key
270         {
271             root = GetRightOrDefault(root);
272         }
273         else // node.Key == root.Key
274         {
275             return root;
276         }
277     }
278     return 0;
279 }
280
281 [MethodImpl(MethodImplOptions.AggressiveInlining)]
282 private static bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
283     ↳ ulong secondSource, ulong secondTarget)
284 => firstSource < secondSource || (firstSource == secondSource && firstTarget <
285     ↳ secondTarget);
286
287 [MethodImpl(MethodImplOptions.AggressiveInlining)]
288 private static bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
289     ↳ ulong secondSource, ulong secondTarget)

```

```

282         => firstSource > secondSource || (firstSource == secondSource && firstTarget >
283             ↪ secondTarget);
284
285     [MethodImpl(MethodImplOptions.AggressiveInlining)]
286     protected override void ClearNode(ulong node)
287     {
288         Links[node].LeftAsSource = OUL;
289         Links[node].RightAsSource = OUL;
290         Links[node].SizeAsSource = OUL;
291     }
292
293     [MethodImpl(MethodImplOptions.AggressiveInlining)]
294     protected override ulong GetZero() => OUL;
295
296     [MethodImpl(MethodImplOptions.AggressiveInlining)]
297     protected override ulong GetOne() => 1UL;
298
299     [MethodImpl(MethodImplOptions.AggressiveInlining)]
300     protected override ulong GetTwo() => 2UL;
301
302     [MethodImpl(MethodImplOptions.AggressiveInlining)]
303     protected override bool ValueEqualToZero(IntPtr pointer) =>
304         ↪ *(ulong*)pointer.ToPointer() == OUL;
305
306     [MethodImpl(MethodImplOptions.AggressiveInlining)]
307     protected override bool EqualToZero(ulong value) => value == OUL;
308
309     [MethodImpl(MethodImplOptions.AggressiveInlining)]
310     protected override bool IsEquals(ulong first, ulong second) => first == second;
311
312     [MethodImpl(MethodImplOptions.AggressiveInlining)]
313     protected override bool GreaterThanZero(ulong value) => value > OUL;
314
315     [MethodImpl(MethodImplOptions.AggressiveInlining)]
316     protected override bool GreaterThan(ulong first, ulong second) => first > second;
317
318     [MethodImpl(MethodImplOptions.AggressiveInlining)]
319     protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >=
320         ↪ second;
321
322     [MethodImpl(MethodImplOptions.AggressiveInlining)]
323     protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0
324         ↪ is always true for ulong
325
326     [MethodImpl(MethodImplOptions.AggressiveInlining)]
327     protected override bool LessOrEqualThanZero(ulong value) => value == 0; // value is
328         ↪ always >= 0 for ulong
329
330     [MethodImpl(MethodImplOptions.AggressiveInlining)]
331     protected override bool LessOrEqualThan(ulong first, ulong second) => first <=
332         ↪ second;
333
334     [MethodImpl(MethodImplOptions.AggressiveInlining)]
335     protected override bool LessThanZero(ulong value) => false; // value < 0 is always
336         ↪ false for ulong
337
338     [MethodImpl(MethodImplOptions.AggressiveInlining)]
339     protected override bool LessThan(ulong first, ulong second) => first < second;
340
341     [MethodImpl(MethodImplOptions.AggressiveInlining)]
342     protected override ulong Increment(ulong value) => ++value;
343
344     [MethodImpl(MethodImplOptions.AggressiveInlining)]
345     protected override ulong Decrement(ulong value) => --value;
346
347     [MethodImpl(MethodImplOptions.AggressiveInlining)]
348     protected override ulong Add(ulong first, ulong second) => first + second;
349
350     [MethodImpl(MethodImplOptions.AggressiveInlining)]
351     protected override ulong Subtract(ulong first, ulong second) => first - second;
352 }
353
354 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
355 {
356     public LinksTargetsTreeMethods(UInt64ResizableDirectMemoryLinks memory)
357         : base(memory)
358     {
359     }
360 }

```

```

354 //protected override IntPtr GetLeft(ulong node) => new
355     ↳ IntPtr(&Links[node].LeftAsTarget);
356
357 //protected override IntPtr GetRight(ulong node) => new
358     ↳ IntPtr(&Links[node].RightAsTarget);
359
360 //protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
361
362 //protected override void SetLeft(ulong node, ulong left) =>
363     ↳ Links[node].LeftAsTarget = left;
364
365 //protected override void SetRight(ulong node, ulong right) =>
366     ↳ Links[node].RightAsTarget = right;
367
368 //protected override void SetSize(ulong node, ulong size) =>
369     ↳ Links[node].SizeAsTarget = size;
370
371 protected override IntPtr GetLeftPointer(ulong node) => new
372     ↳ IntPtr(&Links[node].LeftAsTarget);
373
374 protected override IntPtr GetRightPointer(ulong node) => new
375     ↳ IntPtr(&Links[node].RightAsTarget);
376
377 protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsTarget;
378
379 protected override ulong GetRightValue(ulong node) => Links[node].RightAsTarget;
380
381 protected override ulong GetSize(ulong node)
382 {
383     var previousValue = Links[node].SizeAsTarget;
384     //return Math.PartialRead(previousValue, 5, -5);
385     return (previousValue & 4294967264) >> 5;
386 }
387
388 protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget
389     ↳ = left;
390
391 protected override void SetRight(ulong node, ulong right) =>
392     ↳ Links[node].RightAsTarget = right;
393
394 protected override void SetSize(ulong node, ulong size)
395 {
396     var previousValue = Links[node].SizeAsTarget;
397     //var modified = Math.PartialWrite(previousValue, size, 5, -5);
398     var modified = (previousValue & 31) | ((size & 134217727) << 5);
399     Links[node].SizeAsTarget = modified;
400 }
401
402 protected override bool GetLeftIsChild(ulong node)
403 {
404     var previousValue = Links[node].SizeAsTarget;
405     //return (Integer)Math.PartialRead(previousValue, 4, 1);
406     return (previousValue & 16) >> 4 == 1UL;
407     // TODO: Check if this is possible to use
408     //var nodeSize = GetSize(node);
409     //var left = GetLeftValue(node);
410     //var leftSize = GetSizeOrZero(left);
411     //return leftSize > 0 && nodeSize > leftSize;
412 }
413
414 protected override void SetLeftIsChild(ulong node, bool value)
415 {
416     var previousValue = Links[node].SizeAsTarget;
417     //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
418     var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
419     Links[node].SizeAsTarget = modified;
420 }
421
422 protected override bool GetRightIsChild(ulong node)
423 {
424     var previousValue = Links[node].SizeAsTarget;
425     //return (Integer)Math.PartialRead(previousValue, 3, 1);
426     return (previousValue & 8) >> 3 == 1UL;
427     // TODO: Check if this is possible to use
428     //var nodeSize = GetSize(node);
429     //var right = GetRightValue(node);
430     //var rightSize = GetSizeOrZero(right);
431     //return rightSize > 0 && nodeSize > rightSize;

```



```

423     }
424
425     protected override void SetRightIsChild(ulong node, bool value)
426     {
427         var previousValue = Links[node].SizeAsTarget;
428         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
429         var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
430         Links[node].SizeAsTarget = modified;
431     }
432
433     protected override sbyte GetBalance(ulong node)
434     {
435         var previousValue = Links[node].SizeAsTarget;
436         //var value = Math.PartialRead(previousValue, 0, 3);
437         var value = previousValue & 7;
438         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
439             ↪ 124 : value & 3);
440         return unpackedValue;
441     }
442
443     protected override void SetBalance(ulong node, sbyte value)
444     {
445         var previousValue = Links[node].SizeAsTarget;
446         var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
447         //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
448         var modified = (previousValue & 4294967288) | (packagedValue & 7);
449         Links[node].SizeAsTarget = modified;
450     }
451
452     protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
453     => Links[first].Target < Links[second].Target ||
454         (Links[first].Target == Links[second].Target && Links[first].Source <
455             ↪ Links[second].Source);
456
457     protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
458     => Links[first].Target > Links[second].Target ||
459         (Links[first].Target == Links[second].Target && Links[first].Source >
460             ↪ Links[second].Source);
461
462     protected override ulong GetTreeRoot() => Header->FirstAsTarget;
463
464     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
465
466     [MethodImpl(MethodImplOptions.AggressiveInlining)]
467     protected override void ClearNode(ulong node)
468     {
469         Links[node].LeftAsTarget = 0UL;
470         Links[node].RightAsTarget = 0UL;
471         Links[node].SizeAsTarget = 0UL;
472     }
473 }
474
475 }
476
477 }

```

./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```

1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Sequences.Converters
4  {
5      public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
6      {
7          public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }
8
9          public override TLink Convert(IList<TLink> sequence)
10         {
11             var length = sequence.Count;
12             if (length < 1)
13             {
14                 return default;
15             }
16             if (length == 1)
17             {
18                 return sequence[0];
19             }
20             // Make copy of next layer
21             if (length > 2)
22             {
23                 // TODO: Try to use stackalloc (which at the moment is not working with
24                 ↪ generics) but will be possible with Sigil

```

```

24         var halvedSequence = new TLink[(length / 2) + (length % 2)];
25         HalveSequence(halvedSequence, sequence, length);
26         sequence = halvedSequence;
27         length = halvedSequence.Length;
28     }
29     // Keep creating layer after layer
30     while (length > 2)
31     {
32         HalveSequence(sequence, sequence, length);
33         length = (length / 2) + (length % 2);
34     }
35     return Links.GetOrCreate(sequence[0], sequence[1]);
36 }
37
38 private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
39 {
40     var loopedLength = length - (length % 2);
41     for (var i = 0; i < loopedLength; i += 2)
42     {
43         destination[i / 2] = Links.GetOrCreate(source[i], source[i + 1]);
44     }
45     if (length > loopedLength)
46     {
47         destination[length / 2] = source[length - 1];
48     }
49 }
50 }
51 }

```

./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Interfaces;
5  using Platform.Collections;
6  using Platform.Singletons;
7  using Platform.Numbers;
8  using Platform.Data.Constants;
9  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
10
11 namespace Platform.Data.Doublets.Sequences.Converters
12 {
13     /// <remarks>
14     /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
15     /// ↳ Links на этапе сжатия.
16     /// А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
17     /// ↳ таком случае тип значения элемента массива может быть любым, как char так и ulong.
18     /// Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
19     /// ↳ пар, а так же разом выполнить замену.
20     /// </remarks>
21     public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
22     {
23         private static readonly LinksCombinedConstants<bool, TLink, long> _constants =
24             ↳ Default<LinksCombinedConstants<bool, TLink, long>>.Instance;
25         private static readonly EqualityComparer<TLink> _equalityComparer =
26             ↳ EqualityComparer<TLink>.Default;
27         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
28
29         private readonly IConverter<IList<TLink>, TLink> _baseConverter;
30         private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
31         private readonly TLink _minFrequencyToCompress;
32         private readonly bool _doInitialFrequenciesIncrement;
33         private Doublet<TLink> _maxDoublet;
34         private LinkFrequency<TLink> _maxDoubletData;
35
36         private struct HalfDoublet
37         {
38             public TLink Element;
39             public LinkFrequency<TLink> DoubletData;
40
41             public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
42             {
43                 Element = element;
44                 DoubletData = doubletData;
45             }
46
47             public override string ToString() => $"{Element}: ({DoubletData})";
48         }
49
50         public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
51             ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)

```

```

46         : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One, true)
47     {
48     }
49
50     public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↪ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
    ↪ doInitialFrequenciesIncrement)
51         : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One,
    ↪ doInitialFrequenciesIncrement)
52     {
53     }
54
55     public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↪ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
    ↪ minFrequencyToCompress, bool doInitialFrequenciesIncrement)
56         : base(links)
57     {
58         _baseConverter = baseConverter;
59         _doubletFrequenciesCache = doubletFrequenciesCache;
60         if (_comparer.Compare(minFrequencyToCompress, Integer<TLink>.One) < 0)
61         {
62             minFrequencyToCompress = Integer<TLink>.One;
63         }
64         _minFrequencyToCompress = minFrequencyToCompress;
65         _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
66         ResetMaxDoublet();
67     }
68
69     public override TLink Convert(IList<TLink> source) =>
    ↪ _baseConverter.Convert(Compress(source));
70
71     /// <remarks>
72     /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding .
73     /// Faster version (doublets' frequencies dictionary is not recreated).
74     /// </remarks>
75     private IList<TLink> Compress(IList<TLink> sequence)
76     {
77         if (sequence.IsNullOrEmpty())
78         {
79             return null;
80         }
81         if (sequence.Count == 1)
82         {
83             return sequence;
84         }
85         if (sequence.Count == 2)
86         {
87             return new[] { Links.GetOrCreate(sequence[0], sequence[1]) };
88         }
89         // TODO: arraypool with min size (to improve cache locality) or stackalloc with Sigil
90         var copy = new HalfDoublet[sequence.Count];
91         Doublet<TLink> doublet = default;
92         for (var i = 1; i < sequence.Count; i++)
93         {
94             doublet.Source = sequence[i - 1];
95             doublet.Target = sequence[i];
96             LinkFrequency<TLink> data;
97             if (_doInitialFrequenciesIncrement)
98             {
99                 data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
100             }
101             else
102             {
103                 data = _doubletFrequenciesCache.GetFrequency(ref doublet);
104                 if (data == null)
105                 {
106                     throw new NotSupportedException("If you ask not to increment
    ↪ frequencies, it is expected that all frequencies for the sequence
    ↪ are prepared.");
107                 }
108             }
109             copy[i - 1].Element = sequence[i - 1];
110             copy[i - 1].DoubletData = data;
111             UpdateMaxDoublet(ref doublet, data);
112         }
113         copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
114         copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
115         if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)

```

```

116     {
117         var newLength = ReplaceDoublets(copy);
118         sequence = new TLink[newLength];
119         for (int i = 0; i < newLength; i++)
120         {
121             sequence[i] = copy[i].Element;
122         }
123     }
124     return sequence;
125 }
126
127 /// <remarks>
128 /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding
129 /// </remarks>
130 private int ReplaceDoublets(HalfDoublet[] copy)
131 {
132     var oldLength = copy.Length;
133     var newLength = copy.Length;
134     while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
135     {
136         var maxDoubletSource = _maxDoublet.Source;
137         var maxDoubletTarget = _maxDoublet.Target;
138         if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
139         {
140             _maxDoubletData.Link = Links.GetOrCreate(maxDoubletSource, maxDoubletTarget);
141         }
142         var maxDoubletReplacementLink = _maxDoubletData.Link;
143         oldLength--;
144         var oldLengthMinusTwo = oldLength - 1;
145         // Substitute all usages
146         int w = 0, r = 0; // (r == read, w == write)
147         for (; r < oldLength; r++)
148         {
149             if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
150                 ↪ _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
151             {
152                 if (r > 0)
153                 {
154                     var previous = copy[w - 1].Element;
155                     copy[w - 1].DoubletData.DecrementFrequency();
156                     copy[w - 1].DoubletData =
157                         ↪ _doubletFrequenciesCache.IncrementFrequency(previous,
158                             ↪ maxDoubletReplacementLink);
159                 }
160                 if (r < oldLengthMinusTwo)
161                 {
162                     var next = copy[r + 2].Element;
163                     copy[r + 1].DoubletData.DecrementFrequency();
164                     copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(maxDoubletReplacementLink,
165                         ↪ next);
166                 }
167                 copy[w++].Element = maxDoubletReplacementLink;
168                 r++;
169                 newLength--;
170             }
171             else
172             {
173                 copy[w++] = copy[r];
174             }
175         }
176         if (w < newLength)
177         {
178             copy[w] = copy[r];
179         }
180         oldLength = newLength;
181         ResetMaxDoublet();
182         UpdateMaxDoublet(copy, newLength);
183     }
184     return newLength;
185 }
186
187 [MethodImpl(MethodImplOptions.AggressiveInlining)]
188 private void ResetMaxDoublet()
189 {
190     _maxDoublet = new Doublet<TLink>();
191     _maxDoubletData = new LinkFrequency<TLink>();
192 }

```

```

190 [MethodImpl(MethodImplOptions.AggressiveInlining)]
191 private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
192 {
193     Doublet<TLink> doublet = default;
194     for (var i = 1; i < length; i++)
195     {
196         doublet.Source = copy[i - 1].Element;
197         doublet.Target = copy[i].Element;
198         UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
199     }
200 }
201
202 [MethodImpl(MethodImplOptions.AggressiveInlining)]
203 private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
204 {
205     var frequency = data.Frequency;
206     var maxFrequency = _maxDoubletData.Frequency;
207     //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
208     ↪ (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
209     ↪ compression string data (and gives collisions quickly) */ _maxDoublet.Source +
210     ↪ _maxDoublet.Target)))
211     if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
212     ↪ (_comparer.Compare(maxFrequency, frequency) < 0 ||
213     ↪ (_equalityComparer.Equals(maxFrequency, frequency) &&
214     ↪ _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
215     ↪ Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
216     ↪ better stability and better compression on sequent data and even on random
217     ↪ numbers data (but gives collisions anyway) */
218     {
219         _maxDoublet = doublet;
220         _maxDoubletData = data;
221     }
222 }
223 }
224 }
225 }
226 }

```

#### ./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.Converters
5 {
6     public abstract class LinksListToSequenceConverterBase<TLink> : IConverter<IList<TLink>,
7     ↪ TLink>
8     {
9         protected readonly ILinks<TLink> Links;
10        public LinksListToSequenceConverterBase(ILinks<TLink> links) => Links = links;
11        public abstract TLink Convert(IList<TLink> source);
12    }
13 }

```

#### ./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```

1 using System.Collections.Generic;
2 using System.Linq;
3 using Platform.Interfaces;
4
5 namespace Platform.Data.Doublets.Sequences.Converters
6 {
7     public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10        ↪ EqualityComparer<TLink>.Default;
11        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
12
13        private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;
14
15        public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
16        ↪ sequenceToItsLocalElementLevelsConverter) : base(links)
17        => _sequenceToItsLocalElementLevelsConverter =
18        ↪ sequenceToItsLocalElementLevelsConverter;
19
20        public override TLink Convert(IList<TLink> sequence)
21        {
22            var length = sequence.Count;
23            if (length == 1)
24            {
25                return sequence[0];
26            }
27            var links = Links;
28        }
29    }
30 }

```

```

25     if (length == 2)
26     {
27         return links.GetOrCreate(sequence[0], sequence[1]);
28     }
29     sequence = sequence.ToArray();
30     var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
31     while (length > 2)
32     {
33         var levelRepeat = 1;
34         var currentLevel = levels[0];
35         var previousLevel = levels[0];
36         var skipOnce = false;
37         var w = 0;
38         for (var i = 1; i < length; i++)
39         {
40             if (_equalityComparer.Equals(currentLevel, levels[i]))
41             {
42                 levelRepeat++;
43                 skipOnce = false;
44                 if (levelRepeat == 2)
45                 {
46                     sequence[w] = links.GetOrCreate(sequence[i - 1], sequence[i]);
47                     var newLevel = i >= length - 1 ?
48                         GetPreviousLowerThanCurrentOrCurrent(previousLevel,
49                             ↪ currentLevel) :
50                         i < 2 ?
51                         GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
52                         GetGreatestNeighbourLowerThanCurrentOrCurrent(previousLevel,
53                             ↪ currentLevel, levels[i + 1]);
54                     levels[w] = newLevel;
55                     previousLevel = currentLevel;
56                     w++;
57                     levelRepeat = 0;
58                     skipOnce = true;
59                 }
60                 else if (i == length - 1)
61                 {
62                     sequence[w] = sequence[i];
63                     levels[w] = levels[i];
64                     w++;
65                 }
66             }
67             else
68             {
69                 currentLevel = levels[i];
70                 levelRepeat = 1;
71                 if (skipOnce)
72                 {
73                     skipOnce = false;
74                 }
75                 else
76                 {
77                     sequence[w] = sequence[i - 1];
78                     levels[w] = levels[i - 1];
79                     previousLevel = levels[w];
80                     w++;
81                 }
82                 if (i == length - 1)
83                 {
84                     sequence[w] = sequence[i];
85                     levels[w] = levels[i];
86                     w++;
87                 }
88             }
89         }
90         length = w;
91     }
92     return links.GetOrCreate(sequence[0], sequence[1]);
93 }
94
95 private static TLink GetGreatestNeighbourLowerThanCurrentOrCurrent(TLink previous, TLink
96 ↪ current, TLink next)
97 {
98     return _comparer.Compare(previous, next) > 0
99         ? _comparer.Compare(previous, current) < 0 ? previous : current
100         : _comparer.Compare(next, current) < 0 ? next : current;
101 }

```

```

100     private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
101         ↪ _comparer.Compare(next, current) < 0 ? next : current;
102
103     private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
104         ↪ => _comparer.Compare(previous, current) < 0 ? previous : current;
105 }
106 }

```

./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Sequences.Converters
5  {
6      public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
7          ↪ IConverter<ILink<TLink>>
8      {
9          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
10
11         private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;
12
13         public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links,
14             ↪ IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
15             ↪ => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;
16
17         public ILink<TLink> Convert(ILink<TLink> sequence)
18         {
19             var levels = new TLink[sequence.Count];
20             levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
21             for (var i = 1; i < sequence.Count - 1; i++)
22             {
23                 var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
24                 var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
25                 levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
26             }
27             levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
28                 ↪ sequence[sequence.Count - 1]);
29             return levels;
30         }
31
32         public TLink GetFrequencyNumber(TLink source, TLink target) =>
33             ↪ _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
34     }
35 }

```

./Platform.Data.Doublets/Sequences/CreteriaMatchers/DefaultSequenceElementCriterionMatcher.cs

```

1  using Platform.Interfaces;
2
3  namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
4  {
5      public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
6          ↪ ICriterionMatcher<TLink>
7      {
8          public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }
9          public bool IsMatched(TLink argument) => Links.IsPartialPoint(argument);
10     }

```

./Platform.Data.Doublets/Sequences/CreteriaMatchers/MarkedSequenceCriterionMatcher.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
5  {
6      public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
9             ↪ EqualityComparer<TLink>.Default;
10
11         private readonly ILinks<TLink> _links;
12         private readonly TLink _sequenceMarkerLink;
13
14         public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
15         {
16             _links = links;
17             _sequenceMarkerLink = sequenceMarkerLink;
18         }
19
20         public bool IsMatched(TLink sequenceCandidate)

```

```

20         => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
21         || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
22             ↪ sequenceCandidate), _links.Constants.Null);
23     }

```

# ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```

1  using System.Collections.Generic;
2  using Platform.Collections.Stacks;
3  using Platform.Data.Doublets.Sequences.HeightProviders;
4  using Platform.Data.Sequencing;
5
6  namespace Platform.Data.Doublets.Sequences
7  {
8      public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
9          ↪ ISequenceAppender<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly IStack<TLink> _stack;
15         private readonly ISequenceHeightProvider<TLink> _heightProvider;
16
17         public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
18             ↪ ISequenceHeightProvider<TLink> heightProvider)
19             : base(links)
20         {
21             _stack = stack;
22             _heightProvider = heightProvider;
23         }
24
25         public TLink Append(TLink sequence, TLink appendant)
26         {
27             var cursor = sequence;
28             while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
29             {
30                 var source = Links.GetSource(cursor);
31                 var target = Links.GetTarget(cursor);
32                 if (_equalityComparer.Equals(_heightProvider.Get(source),
33                     ↪ _heightProvider.Get(target)))
34                 {
35                     break;
36                 }
37                 else
38                 {
39                     _stack.Push(source);
40                     cursor = target;
41                 }
42             }
43             var left = cursor;
44             var right = appendant;
45             while (!_equalityComparer.Equals(cursor = _stack.Pop(), Links.Constants.Null))
46             {
47                 right = Links.GetOrCreate(left, right);
48                 left = cursor;
49             }
50             return Links.GetOrCreate(left, right);
51         }
52     }
53 }

```

# ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```

1  using System.Collections.Generic;
2  using System.Linq;
3  using Platform.Interfaces;
4
5  namespace Platform.Data.Doublets.Sequences
6  {
7      public class DuplicateSegmentsCounter<TLink> : ICounter<int>
8      {
9          private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
10             ↪ _duplicateFragmentsProvider;
11         public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
12             ↪ IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
13             ↪ duplicateFragmentsProvider;
14         public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
15     }
16 }

```





```

69         {
70             WalkAll(sequenceElements);
71         }
72     }
73     return _links.Constants.Continue;
74 });
75 var resultList = _groups.ToList();
76 var comparer = Default<ItemComparer>.Instance;
77 resultList.Sort(comparer);
78 #if DEBUG
79     foreach (var item in resultList)
80     {
81         PrintDuplicates(item);
82     }
83 #endif
84     return resultList;
85 }
86
87 protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
    ↪ length) => new Segment<TLink>(elements, offset, length);
88
89 protected override void OnDuplicateFound(Segment<TLink> segment)
90 {
91     var duplicates = CollectDuplicatesForSegment(segment);
92     if (duplicates.Count > 1)
93     {
94         _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
    ↪ duplicates));
95     }
96 }
97
98 private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
99 {
100     var duplicates = new List<TLink>();
101     var readAsElement = new HashSet<TLink>();
102     _sequences.Each(sequence =>
103     {
104         duplicates.Add(sequence);
105         readAsElement.Add(sequence);
106         return true; // Continue
107     }, segment);
108     if (duplicates.Any(x => _visited.Get((Integer<TLink>)x)))
109     {
110         return new List<TLink>();
111     }
112     foreach (var duplicate in duplicates)
113     {
114         var duplicateBitIndex = (long)(Integer<TLink>)duplicate;
115         _visited.Set(duplicateBitIndex);
116     }
117     if (_sequences is Sequences sequencesExperiments)
118     {
119         var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H_
    ↪ ashSet<ulong>)(object)readAsElement,
    ↪ (IList<ulong>)segment);
120         foreach (var partiallyMatchedSequence in partiallyMatched)
121         {
122             TLink sequenceIndex = (Integer<TLink>)partiallyMatchedSequence;
123             duplicates.Add(sequenceIndex);
124         }
125     }
126     duplicates.Sort();
127     return duplicates;
128 }
129
130 private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
131 {
132     if (!(_links is ILinks<ulong> ulongLinks))
133     {
134         return;
135     }
136     var duplicatesKey = duplicatesItem.Key;
137     var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
138     Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)}");
139     var duplicatesList = duplicatesItem.Value;
140     for (int i = 0; i < duplicatesList.Count; i++)
141     {
142         ulong sequenceIndex = (Integer<TLink>)duplicatesList[i];

```

```

143         var formattedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
            ↳ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
            ↳ UnicodeMap.IsCharLink(link.Index) ?
            ↳ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
144         Console.WriteLine(formattedSequenceStructure);
145         var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
            ↳ ulongLinks);
146         Console.WriteLine(sequenceString);
147     }
148     Console.WriteLine();
149 }
150 }
151 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Interfaces;
5  using Platform.Numbers;
6
7  namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
8  {
9      /// <remarks>
10     /// Can be used to operate with many CompressingConverters (to keep global frequencies data
11     ↳ between them).
12     /// TODO: Extract interface to implement frequencies storage inside Links storage
13     /// </remarks>
14     public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
15     {
16         private static readonly EqualityComparer<TLink> _equalityComparer =
17             ↳ EqualityComparer<TLink>.Default;
18         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
19
20         private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
21         private readonly ICounter<TLink, TLink> _frequencyCounter;
22
23         public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
24             : base(links)
25         {
26             _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
27                 ↳ DoubletComparer<TLink>.Default);
28             _frequencyCounter = frequencyCounter;
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
33         {
34             var doublet = new Doublet<TLink>(source, target);
35             return GetFrequency(ref doublet);
36         }
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
40         {
41             _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
42             return data;
43         }
44
45         public void IncrementFrequencies(IList<TLink> sequence)
46         {
47             for (var i = 1; i < sequence.Count; i++)
48             {
49                 IncrementFrequency(sequence[i - 1], sequence[i]);
50             }
51         }
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
55         {
56             var doublet = new Doublet<TLink>(source, target);
57             return IncrementFrequency(ref doublet);
58         }
59
60         public void PrintFrequencies(IList<TLink> sequence)
61         {
62             for (var i = 1; i < sequence.Count; i++)
63             {
64                 PrintFrequency(sequence[i - 1], sequence[i]);
65             }
66         }
67     }
68 }

```

```

62     }
63 }
64
65 public void PrintFrequency(TLink source, TLink target)
66 {
67     var number = GetFrequency(source, target).Frequency;
68     Console.WriteLine("{0},{1} - {2}", source, target, number);
69 }
70
71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
73 {
74     if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
75     {
76         data.IncrementFrequency();
77     }
78     else
79     {
80         var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
81         data = new LinkFrequency<TLink>(Integer<TLink>.One, link);
82         if (!_equalityComparer.Equals(link, default))
83         {
84             data.Frequency = Arithmetic.Add(data.Frequency,
85                 ↪ _frequencyCounter.Count(link));
86         }
87         _doubletsCache.Add(doublet, data);
88     }
89     return data;
90 }
91
92 public void ValidateFrequencies()
93 {
94     foreach (var entry in _doubletsCache)
95     {
96         var value = entry.Value;
97         var linkIndex = value.Link;
98         if (!_equalityComparer.Equals(linkIndex, default))
99         {
100             var frequency = value.Frequency;
101             var count = _frequencyCounter.Count(linkIndex);
102             // TODO: Why `frequency` always greater than `count` by 1?
103             if (((_comparer.Compare(frequency, count) > 0) &&
104                 ↪ (_comparer.Compare(Arithmetic.Subtract(frequency, count),
105                 ↪ Integer<TLink>.One) > 0))
106                 || ((_comparer.Compare(count, frequency) > 0) &&
107                 ↪ (_comparer.Compare(Arithmetic.Subtract(count, frequency),
108                 ↪ Integer<TLink>.One) > 0)))
109             {
110                 throw new InvalidOperationException("Frequencies validation failed.");
111             }
112             //else
113             //{
114             //    if (value.Frequency > 0)
115             //    {
116             //        var frequency = value.Frequency;
117             //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
118             //        var count = _countLinkFrequency(linkIndex);
119             //        if ((frequency > count && frequency - count > 1) || (count > frequency
120             //            ↪ && count - frequency > 1))
121             //            throw new Exception("Frequencies validation failed.");
122             //    }
123             //}
124     }
125 }
126
127 }
128
129 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Numbers;
3
4 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
5 {
6     public class LinkFrequency<TLink>
7     {
8         public TLink Frequency { get; set; }

```

```

9         public TLink Link { get; set; }
10
11         public LinkFrequency(TLink frequency, TLink link)
12         {
13             Frequency = frequency;
14             Link = link;
15         }
16
17         public LinkFrequency() { }
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);
24
25         public override string ToString() => $"F: {Frequency}, L: {Link}";
26     }
27 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
4 {
5     public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
6         ↳ IConverter<Doublet<TLink>, TLink>
7     {
8         private readonly LinkFrequenciesCache<TLink> _cache;
9         public
10             ↳ FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
11                 ↳ cache) => _cache = cache;
12         public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
13     }
14 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4 {
5     public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
6         ↳ SequenceSymbolFrequencyOneOffCounter<TLink>
7     {
8         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
9
10         public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
11             ↳ ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
12             : base(links, sequenceLink, symbol)
13             => _markedSequenceMatcher = markedSequenceMatcher;
14
15         public override TLink Count()
16         {
17             if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
18             {
19                 return default;
20             }
21             return base.Count();
22         }
23     }
24 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4 using Platform.Data.Sequences;
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7 {
8     public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↳ EqualityComparer<TLink>.Default;
12         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
13
14         protected readonly ILinks<TLink> _links;
15         protected readonly TLink _sequenceLink;
16         protected readonly TLink _symbol;
17         protected TLink _total;
18     }
19 }

```

```

17
18     public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
19         ↪ TLink symbol)
20     {
21         _links = links;
22         _sequenceLink = sequenceLink;
23         _symbol = symbol;
24         _total = default;
25     }
26
27     public virtual TLink Count()
28     {
29         if (_comparer.Compare(_total, default) > 0)
30         {
31             return _total;
32         }
33         StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
34         ↪ IsElement, VisitElement);
35         return _total;
36     }
37
38     private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
39     ↪ _links.IsPartialPoint(x); // TODO: Use SequenceElementCriteriaMatcher instead of
40     ↪ IsPartialPoint
41
42     private bool VisitElement(TLink element)
43     {
44         if (_equalityComparer.Equals(element, _symbol))
45         {
46             _total = Arithmetic.Increment(_total);
47         }
48         return true;
49     }
50 }
51

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs

```

1  using Platform.Interfaces;
2
3  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4  {
5      public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
6      {
7          private readonly ILinks<TLink> _links;
8          private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
9
10         public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
11             ↪ ICriterionMatcher<TLink> markedSequenceMatcher)
12         {
13             _links = links;
14             _markedSequenceMatcher = markedSequenceMatcher;
15         }
16
17         public TLink Count(TLink argument) => new
18         ↪ TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
19         ↪ _markedSequenceMatcher, argument).Count();
20     }
21 }
22

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter

```

1  using Platform.Interfaces;
2  using Platform.Numbers;
3
4  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
5  {
6      public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
7      ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>
8      {
9          private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
10
11         public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
12             ↪ ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
13         : base(links, symbol)
14         => _markedSequenceMatcher = markedSequenceMatcher;
15
16         protected override void CountSequenceSymbolFrequency(TLink link)
17         {
18             var symbolFrequencyCounter = new
19             ↪ MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
20             ↪ _markedSequenceMatcher, link, _symbol);
21         }
22     }
23 }
24

```

```

17         _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
18     }
19 }
20 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4 {
5     public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
6     {
7         private readonly ILinks<TLink> _links;
8         public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
9         public TLink Count(TLink symbol) => new
10             ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
11     }
12 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4
5 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
6 {
7     public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↪ EqualityComparer<TLink>.Default;
11         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
12
13         protected readonly ILinks<TLink> _links;
14         protected readonly TLink _symbol;
15         protected readonly HashSet<TLink> _visits;
16         protected TLink _total;
17
18         public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
19         {
20             _links = links;
21             _symbol = symbol;
22             _visits = new HashSet<TLink>();
23             _total = default;
24         }
25
26         public TLink Count()
27         {
28             if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
29             {
30                 return _total;
31             }
32             CountCore(_symbol);
33             return _total;
34         }
35
36         private void CountCore(TLink link)
37         {
38             var any = _links.Constants.Any;
39             if (_equalityComparer.Equals(_links.Count(any, link), default))
40             {
41                 CountSequenceSymbolFrequency(link);
42             }
43             else
44             {
45                 _links.Each(EachElementHandler, any, link);
46             }
47         }
48
49         protected virtual void CountSequenceSymbolFrequency(TLink link)
50         {
51             var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
52                 ↪ link, _symbol);
53             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
54         }
55
56         private TLink EachElementHandler(IList<TLink> doublet)
57         {
58             var constants = _links.Constants;
59             var doubletIndex = doublet[constants.IndexPart];
60             if (_visits.Add(doubletIndex))

```

```

59         {
60             CountCore(doupletIndex);
61         }
62         return constants.Continue;
63     }
64 }
65 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Sequences.HeightProviders
5  {
6      public class CachedSequenceHeightProvider<TLink> : LinksOperatorBase<TLink>,
7          ↳ ISequenceHeightProvider<TLink>
8      {
9          private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↳ EqualityComparer<TLink>.Default;
11
12         private readonly TLink _heightPropertyMarker;
13         private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
14         private readonly IConverter<TLink> _addressToUnaryNumberConverter;
15         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
16         private readonly IPropertiesOperator<TLink, TLink, TLink> _propertyOperator;
17
18         public CachedSequenceHeightProvider(
19             ILinks<TLink> links,
20             ISequenceHeightProvider<TLink> baseHeightProvider,
21             IConverter<TLink> addressToUnaryNumberConverter,
22             IConverter<TLink> unaryNumberToAddressConverter,
23             TLink heightPropertyMarker,
24             IPropertiesOperator<TLink, TLink, TLink> propertyOperator)
25             : base(links)
26         {
27             _heightPropertyMarker = heightPropertyMarker;
28             _baseHeightProvider = baseHeightProvider;
29             _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
30             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
31             _propertyOperator = propertyOperator;
32         }
33
34         public TLink Get(TLink sequence)
35         {
36             TLink height;
37             var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
38             if (_equalityComparer.Equals(heightValue, default))
39             {
40                 height = _baseHeightProvider.Get(sequence);
41                 heightValue = _addressToUnaryNumberConverter.Convert(height);
42                 _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
43             }
44             else
45             {
46                 height = _unaryNumberToAddressConverter.Convert(heightValue);
47             }
48             return height;
49         }
50     }
51 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```

1  using Platform.Interfaces;
2  using Platform.Numbers;
3
4  namespace Platform.Data.Doublets.Sequences.HeightProviders
5  {
6      public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
7          ↳ ISequenceHeightProvider<TLink>
8      {
9          private readonly ICriterionMatcher<TLink> _elementMatcher;
10
11         public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
12             ↳ elementMatcher) : base(links) => _elementMatcher = elementMatcher;
13
14         public TLink Get(TLink sequence)
15         {
16             var height = default(TLink);
17             var pairOrElement = sequence;
18             while (!_elementMatcher.IsMatched(pairOrElement))

```



```

17         {
18             pairOrElement = Links.GetTarget(pairOrElement);
19             height = Arithmetic.Increment(height);
20         }
21         return height;
22     }
23 }
24 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.HeightProviders
4 {
5     public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
6     {
7     }
8 }

```

./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```

1 using System.Collections.Generic;
2 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
3
4 namespace Platform.Data.Doublets.Sequences.Indexes
5 {
6     public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
7     {
8         private static readonly EqualityComparer<TLink> _equalityComparer =
9             ↳ EqualityComparer<TLink>.Default;
10
11         private readonly LinkFrequenciesCache<TLink> _cache;
12
13         public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
14             ↳ _cache = cache;
15
16         public bool Add(IList<TLink> sequence)
17         {
18             var indexed = true;
19             var i = sequence.Count;
20             while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
21                 ↳ { }
22             for (; i >= 1; i--)
23             {
24                 _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
25             }
26             return indexed;
27         }
28
29         private bool IsIndexedWithIncrement(TLink source, TLink target)
30         {
31             var frequency = _cache.GetFrequency(source, target);
32             if (frequency == null)
33             {
34                 return false;
35             }
36             var indexed = !_equalityComparer.Equals(frequency.Frequency, default);
37             if (indexed)
38             {
39                 _cache.IncrementFrequency(source, target);
40             }
41             return indexed;
42         }
43
44         public bool MightContain(IList<TLink> sequence)
45         {
46             var indexed = true;
47             var i = sequence.Count;
48             while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
49             return indexed;
50         }
51
52         private bool IsIndexed(TLink source, TLink target)
53         {
54             var frequency = _cache.GetFrequency(source, target);
55             if (frequency == null)
56             {
57                 return false;
58             }
59             return !_equalityComparer.Equals(frequency.Frequency, default);
60         }
61     }
62 }

```

```

58     }
59 }

./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs
1  using Platform.Interfaces;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets.Sequences.Indexes
5  {
6      public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>,
        ↳ ISequenceIndex<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
        ↳ EqualityComparer<TLink>.Default;
9
10         private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
11         private readonly IIncrementer<TLink> _frequencyIncrementer;
12
13         public FrequencyIncrementingSequenceIndex(ILinks<TLink> links, IPropertyOperator<TLink,
        ↳ TLink> frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
        : base(links)
14         {
15             _frequencyPropertyOperator = frequencyPropertyOperator;
16             _frequencyIncrementer = frequencyIncrementer;
17         }
18
19         public override bool Add(IList<TLink> sequence)
20         {
21             var indexed = true;
22             var i = sequence.Count;
23             while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
24                 ↳ { }
25             for (; i >= 1; i--)
26             {
27                 Increment(Links.GetOrCreate(sequence[i - 1], sequence[i]));
28             }
29             return indexed;
30         }
31
32         private bool IsIndexedWithIncrement(TLink source, TLink target)
33         {
34             var link = Links.SearchOrCreate(source, target);
35             var indexed = !_equalityComparer.Equals(link, default);
36             if (indexed)
37             {
38                 Increment(link);
39             }
40             return indexed;
41         }
42
43         private void Increment(TLink link)
44         {
45             var previousFrequency = _frequencyPropertyOperator.Get(link);
46             var frequency = _frequencyIncrementer.Increment(previousFrequency);
47             _frequencyPropertyOperator.Set(link, frequency);
48         }
49     }
50 }

```

```

./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs
1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Sequences.Indexes
4  {
5      public interface ISequenceIndex<TLink>
6      {
7          /// <summary>
8          /// Индексирует последовательность глобально, и возвращает значение,
9          /// определяющие была ли запрошенная последовательность проиндексирована ранее.
10         /// </summary>
11         /// <param name="sequence">Последовательность для индексации.</param>
12         bool Add(IList<TLink> sequence);
13
14         bool MightContain(IList<TLink> sequence);
15     }
16 }

```

./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```
1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Sequences.Indexes
4 {
5     public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
6     {
7         private static readonly EqualityComparer<TLink> _equalityComparer =
8             ↳ EqualityComparer<TLink>.Default;
9
10        public SequenceIndex(ILinks<TLink> links) : base(links) { }
11
12        public virtual bool Add(IList<TLink> sequence)
13        {
14            var indexed = true;
15            var i = sequence.Count;
16            while (--i >= 1 && (indexed =
17                ↳ !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
18                ↳ default))) { }
19            for (; i >= 1; i--)
20            {
21                Links.GetOrCreate(sequence[i - 1], sequence[i]);
22            }
23            return indexed;
24        }
25
26        public virtual bool MightContain(IList<TLink> sequence)
27        {
28            var indexed = true;
29            var i = sequence.Count;
30            while (--i >= 1 && (indexed =
31                ↳ !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
32                ↳ default))) { }
33            return indexed;
34        }
35    }
36 }
```

./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```
1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Sequences.Indexes
4 {
5     public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
6     {
7         private static readonly EqualityComparer<TLink> _equalityComparer =
8             ↳ EqualityComparer<TLink>.Default;
9
10        private readonly ISynchronizedLinks<TLink> _links;
11
12        public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;
13
14        public bool Add(IList<TLink> sequence)
15        {
16            var indexed = true;
17            var i = sequence.Count;
18            var links = _links.Unsync;
19            _links.SyncRoot.ExecuteReadOperation(() =>
20            {
21                while (--i >= 1 && (indexed =
22                    ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
23                    ↳ sequence[i]), default))) { }
24            });
25            if (!indexed)
26            {
27                _links.SyncRoot.ExecuteWriteOperation(() =>
28                {
29                    for (; i >= 1; i--)
30                    {
31                        links.GetOrCreate(sequence[i - 1], sequence[i]);
32                    }
33                });
34            }
35            return indexed;
36        }
37
38        public bool MightContain(IList<TLink> sequence)
39        {
40            var links = _links.Unsync;
41            return _links.SyncRoot.ExecuteReadOperation(() =>
```

```

39         {
40             var indexed = true;
41             var i = sequence.Count;
42             while (--i >= 1 && (indexed =
43                 ↪ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
44                 ↪ sequence[i]), default))) { }
45             return indexed;
46         });
47     }
48 }

```

./Platform.Data.Doublets/Sequences/Sequences.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections;
6  using Platform.Collections.Lists;
7  using Platform.Threading.Synchronization;
8  using Platform.Singletons;
9  using LinkIndex = System.UInt64;
10 using Platform.Data.Constants;
11 using Platform.Data.Sequences;
12 using Platform.Data.Doublets.Sequences.Walkers;
13 using Platform.Collections.Stacks;
14
15 namespace Platform.Data.Doublets.Sequences
16 {
17     /// <summary>
18     /// Представляет коллекцию последовательностей связей.
19     /// </summary>
20     /// <remarks>
21     /// Обязательно реализовать атомарность каждого публичного метода.
22     ///
23     /// TODO:
24     ///
25     /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
26     /// через естественную группировку по unicode типам, все whitespace вместе, все символы
27     ↪ вместе, все числа вместе и т.п.
28     /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
29     ↪ графа)
30     ///
31     /// х*у - найти все связи между, в последовательностях любой формы, если не стоит
32     ↪ ограничитель на то, что является последовательностью, а что нет,
33     /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
34     ↪ порядке.
35     ///
36     /// Рост последовательности слева и справа.
37     /// Поиск со звёздочкой.
38     /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
39     /// так же проблема может быть решена при реализации дистанционных триггеров.
40     /// Нужны ли уникальные указатели вообще?
41     /// Что если обращение к информации будет происходить через содержимое всегда?
42     ///
43     /// Писать тесты.
44     ///
45     ///
46     /// Можно убрать зависимость от конкретной реализации Links,
47     /// на зависимость от абстрактного элемента, который может быть представлен несколькими
48     ↪ способами.
49     ///
50     /// Можно ли как-то сделать один общий интерфейс
51     ///
52     /// Блокчейн и/или гит для распределённой записи транзакций.
53     ///
54     /// </remarks>
55     public partial class Sequences : ISequences<ulong> // IList<string>, IList<ulong[]> (после
56     ↪ завершения реализации Sequences)
57     {
58         private static readonly LinksCombinedConstants<bool, ulong, long> _constants =
59         ↪ Default<LinksCombinedConstants<bool, ulong, long>>.Instance;
60
61         /// <summary>Возвращает значение ulong, обозначающее любое количество связей.</summary>
62         public const ulong ZeroOrMany = ulong.MaxValue;
63
64         public SequencesOptions<ulong> Options;
65         public readonly SynchronizedLinks<ulong> Links;
66         public readonly ISynchronization Sync;

```

```

61
62 public Sequences(SynchronizedLinks<ulong> links)
63     : this(links, new SequencesOptions<ulong>())
64 {
65 }
66
67 public Sequences(SynchronizedLinks<ulong> links, SequencesOptions<ulong> options)
68 {
69     Links = links;
70     Sync = links.SyncRoot;
71     Options = options;
72
73     Options.ValidateOptions();
74     Options.InitOptions(Links);
75 }
76
77 public bool IsSequence(ulong sequence)
78 {
79     return Sync.ExecuteReadOperation(() =>
80     {
81         if (Options.UseSequenceMarker)
82         {
83             return Options.MarkedSequenceMatcher.IsMatched(sequence);
84         }
85         return !Links.Unsync.IsPartialPoint(sequence);
86     });
87 }
88
89 [MethodImpl(MethodImplOptions.AggressiveInlining)]
90 private ulong GetSequenceByElements(ulong sequence)
91 {
92     if (Options.UseSequenceMarker)
93     {
94         return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
95     }
96     return sequence;
97 }
98
99 private ulong GetSequenceElements(ulong sequence)
100 {
101     if (Options.UseSequenceMarker)
102     {
103         var linkContents = new UInt64Link(Links.GetLink(sequence));
104         if (linkContents.Source == Options.SequenceMarkerLink)
105         {
106             return linkContents.Target;
107         }
108         if (linkContents.Target == Options.SequenceMarkerLink)
109         {
110             return linkContents.Source;
111         }
112     }
113     return sequence;
114 }
115
116 #region Count
117
118 public ulong Count(params ulong[] sequence)
119 {
120     if (sequence.Length == 0)
121     {
122         return Links.Count(_constants.Any, Options.SequenceMarkerLink, _constants.Any);
123     }
124     if (sequence.Length == 1) // Первая связь это адрес
125     {
126         if (sequence[0] == _constants.Null)
127         {
128             return 0;
129         }
130         if (sequence[0] == _constants.Any)
131         {
132             return Count();
133         }
134         if (Options.UseSequenceMarker)
135         {
136             return Links.Count(_constants.Any, Options.SequenceMarkerLink, sequence[0]);
137         }
138         return Links.Exists(sequence[0]) ? 1UL : 0;
139     }

```

```

140         throw new NotImplementedException();
141     }
142
143     private ulong CountUsages(params ulong[] restrictions)
144     {
145         if (restrictions.Length == 0)
146         {
147             return 0;
148         }
149         if (restrictions.Length == 1) // Первая связь это адрес
150         {
151             if (restrictions[0] == _constants.Null)
152             {
153                 return 0;
154             }
155             if (Options.UseSequenceMarker)
156             {
157                 var elementsLink = GetSequenceElements(restrictions[0]);
158                 var sequenceLink = GetSequenceByElements(elementsLink);
159                 if (sequenceLink != _constants.Null)
160                 {
161                     return Links.Count(sequenceLink) + Links.Count(elementsLink) - 1;
162                 }
163                 return Links.Count(elementsLink);
164             }
165             return Links.Count(restrictions[0]);
166         }
167         throw new NotImplementedException();
168     }
169
170 #endregion
171
172 #region Create
173
174     public ulong Create(params ulong[] sequence)
175     {
176         return Sync.ExecuteWriteOperation(() =>
177         {
178             if (sequence.IsNullOrEmpty())
179             {
180                 return _constants.Null;
181             }
182             Links.EnsureEachLinkExists(sequence);
183             return CreateCore(sequence);
184         });
185     }
186
187     private ulong CreateCore(params ulong[] sequence)
188     {
189         if (Options.UseIndex)
190         {
191             Options.Index.Add(sequence);
192         }
193         var sequenceRoot = default(ulong);
194         if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
195         {
196             var matches = Each(sequence);
197             if (matches.Count > 0)
198             {
199                 sequenceRoot = matches[0];
200             }
201         }
202         else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
203         {
204             return CompactCore(sequence);
205         }
206         if (sequenceRoot == default)
207         {
208             sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
209         }
210         if (Options.UseSequenceMarker)
211         {
212             Links.Unsync.CreateAndUpdate(Options.SequenceMarkerLink, sequenceRoot);
213         }
214         return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
215     }
216
217 #endregion
218

```

```

219 #region Each
220
221 public List<ulong> Each(params ulong[] sequence)
222 {
223     var results = new List<ulong>();
224     Each(results.AddAndReturnTrue, sequence);
225     return results;
226 }
227
228 public bool Each(Func<ulong, bool> handler, IList<ulong> sequence)
229 {
230     return Sync.ExecuteReadOperation(() =>
231     {
232         if (sequence.IsNullOrEmpty())
233         {
234             return true;
235         }
236         Links.EnsureEachLinkIsAnyOrExists(sequence);
237         if (sequence.Count == 1)
238         {
239             var link = sequence[0];
240             if (link == _constants.Any)
241             {
242                 return Links.Unsync.Each(_constants.Any, _constants.Any, handler);
243             }
244             return handler(link);
245         }
246         if (sequence.Count == 2)
247         {
248             return Links.Unsync.Each(sequence[0], sequence[1], handler);
249         }
250         if (Options.UseIndex && !Options.Index.MightContain(sequence))
251         {
252             return false;
253         }
254         return EachCore(handler, sequence);
255     });
256 }
257
258 private bool EachCore(Func<ulong, bool> handler, IList<ulong> sequence)
259 {
260     var matcher = new Matcher(this, sequence, new HashSet<LinkIndex>(), handler);
261     // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
262     ↪ Id.
263     Func<ulong, bool> innerHandler = Options.UseSequenceMarker ? (Func<ulong,
264     ↪ bool>)matcher.HandleFullMatchedSequence : matcher.HandleFullMatched;
265     //if (sequence.Length >= 2)
266     if (!StepRight(innerHandler, sequence[0], sequence[1]))
267     {
268         return false;
269     }
270     var last = sequence.Count - 2;
271     for (var i = 1; i < last; i++)
272     {
273         if (!PartialStepRight(innerHandler, sequence[i], sequence[i + 1]))
274         {
275             return false;
276         }
277     }
278     if (sequence.Count >= 3)
279     {
280         if (!StepLeft(innerHandler, sequence[sequence.Count - 2],
281         ↪ sequence[sequence.Count - 1]))
282         {
283             return false;
284         }
285     }
286     return true;
287 }
288
289 private bool PartialStepRight(Func<ulong, bool> handler, ulong left, ulong right)
290 {
291     return Links.Unsync.Each(_constants.Any, left, doublet =>
292     {
293         if (!StepRight(handler, doublet, right))
294         {
295             return false;
296         }
297     }

```

```

294         if (left != doublet)
295         {
296             return PartialStepRight(handler, doublet, right);
297         }
298         return true;
299     });
300 }
301
302 private bool StepRight(Func<ulong, bool> handler, ulong left, ulong right) =>
    ↳ Links.Unsync.Each(left, _constants.Any, rightStep => TryStepRightUp(handler, right,
    ↳ rightStep));
303
304 private bool TryStepRightUp(Func<ulong, bool> handler, ulong right, ulong stepFrom)
305 {
306     var upStep = stepFrom;
307     var firstSource = Links.Unsync.GetTarget(upStep);
308     while (firstSource != right && firstSource != upStep)
309     {
310         upStep = firstSource;
311         firstSource = Links.Unsync.GetSource(upStep);
312     }
313     if (firstSource == right)
314     {
315         return handler(stepFrom);
316     }
317     return true;
318 }
319
320 private bool StepLeft(Func<ulong, bool> handler, ulong left, ulong right) =>
    ↳ Links.Unsync.Each(_constants.Any, right, leftStep => TryStepLeftUp(handler, left,
    ↳ leftStep));
321
322 private bool TryStepLeftUp(Func<ulong, bool> handler, ulong left, ulong stepFrom)
323 {
324     var upStep = stepFrom;
325     var firstTarget = Links.Unsync.GetSource(upStep);
326     while (firstTarget != left && firstTarget != upStep)
327     {
328         upStep = firstTarget;
329         firstTarget = Links.Unsync.GetTarget(upStep);
330     }
331     if (firstTarget == left)
332     {
333         return handler(stepFrom);
334     }
335     return true;
336 }
337
338 #endregion
339
340 #region Update
341
342 public ulong Update(ulong[] sequence, ulong[] newSequence)
343 {
344     if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
345     {
346         return _constants.Null;
347     }
348     if (sequence.IsNullOrEmpty())
349     {
350         return Create(newSequence);
351     }
352     if (newSequence.IsNullOrEmpty())
353     {
354         Delete(sequence);
355         return _constants.Null;
356     }
357     return Sync.ExecuteWriteOperation(() =>
358     {
359         Links.EnsureEachLinkIsAnyOrExists(sequence);
360         Links.EnsureEachLinkExists(newSequence);
361         return UpdateCore(sequence, newSequence);
362     });
363 }
364
365 private ulong UpdateCore(ulong[] sequence, ulong[] newSequence)
366 {
367     ulong bestVariant;

```



```

368     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
369         ↪ !sequence.EqualTo(newSequence))
370     {
371         bestVariant = CompactCore(newSequence);
372     }
373     else
374     {
375         bestVariant = CreateCore(newSequence);
376     }
377     // TODO: Check all options only ones before loop execution
378     // Возможно нужно две версии Each, возвращающий фактические последовательности и с
379     ↪ маркером,
380     // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
381     ↪ можно получить имея только фактические последовательности.
382     foreach (var variant in Each(sequence))
383     {
384         if (variant != bestVariant)
385         {
386             UpdateOneCore(variant, bestVariant);
387         }
388     }
389     return bestVariant;
390 }
391
392 private void UpdateOneCore(ulong sequence, ulong newSequence)
393 {
394     if (Options.UseGarbageCollection)
395     {
396         var sequenceElements = GetSequenceElements(sequence);
397         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
398         var sequenceLink = GetSequenceByElements(sequenceElements);
399         var newSequenceElements = GetSequenceElements(newSequence);
400         var newSequenceLink = GetSequenceByElements(newSequenceElements);
401         if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
402         {
403             if (sequenceLink != _constants.Null)
404             {
405                 Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
406             }
407             Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
408         }
409         ClearGarbage(sequenceElementsContents.Source);
410         ClearGarbage(sequenceElementsContents.Target);
411     }
412     else
413     {
414         if (Options.UseSequenceMarker)
415         {
416             var sequenceElements = GetSequenceElements(sequence);
417             var sequenceLink = GetSequenceByElements(sequenceElements);
418             var newSequenceElements = GetSequenceElements(newSequence);
419             var newSequenceLink = GetSequenceByElements(newSequenceElements);
420             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
421             {
422                 if (sequenceLink != _constants.Null)
423                 {
424                     Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
425                 }
426                 Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
427             }
428         }
429         else
430         {
431             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
432             {
433                 Links.Unsync.MergeUsages(sequence, newSequence);
434             }
435         }
436     }
437 }
438
439 #endregion
440
441 #region Delete
442
443 public void Delete(params ulong[] sequence)
444 {
445     Sync.ExecuteWriteOperation(() =>

```

```

443     {
444         // TODO: Check all options only ones before loop execution
445         foreach (var linkToDelete in Each(sequence))
446         {
447             DeleteOneCore(linkToDelete);
448         }
449     });
450 }
451
452 private void DeleteOneCore(ulong link)
453 {
454     if (Options.UseGarbageCollection)
455     {
456         var sequenceElements = GetSequenceElements(link);
457         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
458         var sequenceLink = GetSequenceByElements(sequenceElements);
459         if (Options.UseCascadeDelete || CountUsages(link) == 0)
460         {
461             if (sequenceLink != _constants.Null)
462             {
463                 Links.Unsync.Delete(sequenceLink);
464             }
465             Links.Unsync.Delete(link);
466         }
467         ClearGarbage(sequenceElementsContents.Source);
468         ClearGarbage(sequenceElementsContents.Target);
469     }
470     else
471     {
472         if (Options.UseSequenceMarker)
473         {
474             var sequenceElements = GetSequenceElements(link);
475             var sequenceLink = GetSequenceByElements(sequenceElements);
476             if (Options.UseCascadeDelete || CountUsages(link) == 0)
477             {
478                 if (sequenceLink != _constants.Null)
479                 {
480                     Links.Unsync.Delete(sequenceLink);
481                 }
482                 Links.Unsync.Delete(link);
483             }
484         }
485         else
486         {
487             if (Options.UseCascadeDelete || CountUsages(link) == 0)
488             {
489                 Links.Unsync.Delete(link);
490             }
491         }
492     }
493 }
494
495 #endregion
496
497 #region Compactification
498
499 /// <remarks>
500 /// bestVariant можно выбирать по максимальному числу использований,
501 /// но балансированный позволяет гарантировать уникальность (если есть возможность,
502 /// гарантировать его использование в других местах).
503 ///
504 /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
505 /// </remarks>
506 public ulong Compact(params ulong[] sequence)
507 {
508     return Sync.ExecuteWriteOperation(() =>
509     {
510         if (sequence.IsNullOrEmpty())
511         {
512             return _constants.Null;
513         }
514         Links.EnsureEachLinkExists(sequence);
515         return CompactCore(sequence);
516     });
517 }
518
519 [MethodImpl(MethodImplOptions.AggressiveInlining)]
520 private ulong CompactCore(params ulong[] sequence) => UpdateCore(sequence, sequence);
521

```

```

522 #endregion
523
524 #region Garbage Collection
525
526 /// <remarks>
527 /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
528 /// ↳ определить извне или в унаследованном классе
529 /// </remarks>
530 [MethodImpl(MethodImplOptions.AggressiveInlining)]
531 private bool IsGarbage(ulong link) => link != Options.SequenceMarkerLink &&
532 ↳ !Links.Unsync.IsPartialPoint(link) && Links.Count(link) == 0;
533
534 private void ClearGarbage(ulong link)
535 {
536     if (IsGarbage(link))
537     {
538         var contents = new UInt64Link(Links.GetLink(link));
539         Links.Unsync.Delete(link);
540         ClearGarbage(contents.Source);
541         ClearGarbage(contents.Target);
542     }
543 }
544
545 #endregion
546
547 #region Walkers
548
549 public bool EachPart(Func<ulong, bool> handler, ulong sequence)
550 {
551     return Sync.ExecuteReadOperation(() =>
552     {
553         var links = Links.Unsync;
554         foreach (var part in Options.Walker.Walk(sequence))
555         {
556             if (!handler(part))
557             {
558                 return false;
559             }
560         }
561         return true;
562     });
563 }
564
565 public class Matcher : RightSequenceWalker<ulong>
566 {
567     private readonly Sequences _sequences;
568     private readonly IList<LinkIndex> _patternSequence;
569     private readonly HashSet<LinkIndex> _linksInSequence;
570     private readonly HashSet<LinkIndex> _results;
571     private readonly Func<ulong, bool> _stopableHandler;
572     private readonly HashSet<ulong> _readAsElements;
573     private int _filterPosition;
574
575     public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
576 ↳ HashSet<LinkIndex> results, Func<LinkIndex, bool> stopableHandler,
577 ↳ HashSet<LinkIndex> readAsElements = null)
578     : base(sequences.Links.Unsync, new DefaultStack<ulong>())
579     {
580         _sequences = sequences;
581         _patternSequence = patternSequence;
582         _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
583 ↳ _constants.Any && x != ZeroOrMany));
584         _results = results;
585         _stopableHandler = stopableHandler;
586         _readAsElements = readAsElements;
587     }
588
589     protected override bool IsElement(ulong link) => base.IsElement(link) ||
590 ↳ (_readAsElements != null && _readAsElements.Contains(link)) ||
591 ↳ _linksInSequence.Contains(link);
592
593     public bool FullMatch(LinkIndex sequenceToMatch)
594     {
595         _filterPosition = 0;
596         foreach (var part in Walk(sequenceToMatch))
597         {
598             if (!FullMatchCore(part))
599             {
600                 break;
601             }
602         }
603     }

```

```

595     }
596     return _filterPosition == _patternSequence.Count;
597 }
598
599 private bool FullMatchCore(LinkIndex element)
600 {
601     if (_filterPosition == _patternSequence.Count)
602     {
603         _filterPosition = -2; // Длиннее чем нужно
604         return false;
605     }
606     if (_patternSequence[_filterPosition] != _constants.Any
607     && element != _patternSequence[_filterPosition])
608     {
609         _filterPosition = -1;
610         return false; // Начинается/Продолжается иначе
611     }
612     _filterPosition++;
613     return true;
614 }
615
616 public void AddFullMatchedToResults(ulong sequenceToMatch)
617 {
618     if (FullMatch(sequenceToMatch))
619     {
620         _results.Add(sequenceToMatch);
621     }
622 }
623
624 public bool HandleFullMatched(ulong sequenceToMatch)
625 {
626     if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
627     {
628         return _stopableHandler(sequenceToMatch);
629     }
630     return true;
631 }
632
633 public bool HandleFullMatchedSequence(ulong sequenceToMatch)
634 {
635     var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
636     if (sequence != _constants.Null && FullMatch(sequenceToMatch) &&
637     ↪ _results.Add(sequenceToMatch))
638     {
639         return _stopableHandler(sequence);
640     }
641     return true;
642 }
643
644 /// <remarks>
645 /// TODO: Add support for LinksConstants.Any
646 /// </remarks>
647 public bool PartialMatch(LinkIndex sequenceToMatch)
648 {
649     _filterPosition = -1;
650     foreach (var part in Walk(sequenceToMatch))
651     {
652         if (!PartialMatchCore(part))
653         {
654             break;
655         }
656     }
657     return _filterPosition == _patternSequence.Count - 1;
658 }
659
660 private bool PartialMatchCore(LinkIndex element)
661 {
662     if (_filterPosition == (_patternSequence.Count - 1))
663     {
664         return false; // Нашлось
665     }
666     if (_filterPosition >= 0)
667     {
668         if (element == _patternSequence[_filterPosition + 1])
669         {
670             _filterPosition++;
671         }
672         else
673         {

```

```

673         _filterPosition = -1;
674     }
675 }
676 if (_filterPosition < 0)
677 {
678     if (element == _patternSequence[0])
679     {
680         _filterPosition = 0;
681     }
682 }
683 return true; // Ищем дальше
684 }
685
686 public void AddPartialMatchedToResults(ulong sequenceToMatch)
687 {
688     if (PartialMatch(sequenceToMatch))
689     {
690         _results.Add(sequenceToMatch);
691     }
692 }
693
694 public bool HandlePartialMatched(ulong sequenceToMatch)
695 {
696     if (PartialMatch(sequenceToMatch))
697     {
698         return _stopableHandler(sequenceToMatch);
699     }
700     return true;
701 }
702
703 public void AddAllPartialMatchedToResults(IEnumerable<ulong> sequencesToMatch)
704 {
705     foreach (var sequenceToMatch in sequencesToMatch)
706     {
707         if (PartialMatch(sequenceToMatch))
708         {
709             _results.Add(sequenceToMatch);
710         }
711     }
712 }
713
714 public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<ulong>
↵ sequencesToMatch)
715 {
716     foreach (var sequenceToMatch in sequencesToMatch)
717     {
718         if (PartialMatch(sequenceToMatch))
719         {
720             _readAsElements.Add(sequenceToMatch);
721             _results.Add(sequenceToMatch);
722         }
723     }
724 }
725 }
726 #endregion
727 }
728 }
729 }

```

./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```

1  using System;
2  using LinkIndex = System.UInt64;
3  using System.Collections.Generic;
4  using Stack = System.Collections.Generic.Stack<ulong>;
5  using System.Linq;
6  using System.Text;
7  using Platform.Collections;
8  using Platform.Data.Exceptions;
9  using Platform.Data.Sequences;
10 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
11 using Platform.Data.Doublets.Sequences.Walkers;
12 using Platform.Collections.Stacks;
13
14 namespace Platform.Data.Doublets.Sequences
15 {
16     partial class Sequences
17     {
18         #region Create All Variants (Not Practical)
19
20         /// <remarks>

```

```

21     /// Number of links that is needed to generate all variants for
22     /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
23     /// </remarks>
24     public ulong[] CreateAllVariants2(ulong[] sequence)
25     {
26         return Sync.ExecuteWriteOperation(() =>
27         {
28             if (sequence.IsNullOrEmpty())
29             {
30                 return new ulong[0];
31             }
32             Links.EnsureEachLinkExists(sequence);
33             if (sequence.Length == 1)
34             {
35                 return sequence;
36             }
37             return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
38         });
39     }
40
41     private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
42     {
43         #if DEBUG
44             if ((stopAt - startAt) < 0)
45             {
46                 throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
47                     ↪ меньше или равен stopAt");
48             }
49             #endif
50             if ((stopAt - startAt) == 0)
51             {
52                 return new[] { sequence[startAt] };
53             }
54             if ((stopAt - startAt) == 1)
55             {
56                 return new[] { Links.Unsync.CreateAndUpdate(sequence[startAt], sequence[stopAt])
57                     ↪ };
58             }
59             var variants = new ulong[(ulong)Numbers.Math.Catalan(stopAt - startAt)];
60             var last = 0;
61             for (var splitter = startAt; splitter < stopAt; splitter++)
62             {
63                 var left = CreateAllVariants2Core(sequence, startAt, splitter);
64                 var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
65                 for (var i = 0; i < left.Length; i++)
66                 {
67                     for (var j = 0; j < right.Length; j++)
68                     {
69                         var variant = Links.Unsync.CreateAndUpdate(left[i], right[j]);
70                         if (variant == _constants.Null)
71                         {
72                             throw new NotImplementedException("Creation cancellation is not
73                                 ↪ implemented.");
74                         }
75                         variants[last++] = variant;
76                     }
77                 }
78             }
79             return variants;
80         }
81
82     public List<ulong> CreateAllVariants1(params ulong[] sequence)
83     {
84         return Sync.ExecuteWriteOperation(() =>
85         {
86             if (sequence.IsNullOrEmpty())
87             {
88                 return new List<ulong>();
89             }
90             Links.Unsync.EnsureEachLinkExists(sequence);
91             if (sequence.Length == 1)
92             {
93                 return new List<ulong> { sequence[0] };
94             }
95             var results = new List<ulong>((int)Numbers.Math.Catalan(sequence.Length));
96             return CreateAllVariants1Core(sequence, results);
97         });
98     }
99

```

```

96
97 private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
98 {
99     if (sequence.Length == 2)
100     {
101         var link = Links.Unsync.CreateAndUpdate(sequence[0], sequence[1]);
102         if (link == _constants.Null)
103         {
104             throw new NotImplementedException("Creation cancellation is not
105                 ↳ implemented.");
106         }
107         results.Add(link);
108         return results;
109     }
110     var innerSequenceLength = sequence.Length - 1;
111     var innerSequence = new ulong[innerSequenceLength];
112     for (var li = 0; li < innerSequenceLength; li++)
113     {
114         var link = Links.Unsync.CreateAndUpdate(sequence[li], sequence[li + 1]);
115         if (link == _constants.Null)
116         {
117             throw new NotImplementedException("Creation cancellation is not
118                 ↳ implemented.");
119         }
120         for (var isi = 0; isi < li; isi++)
121         {
122             innerSequence[isi] = sequence[isi];
123         }
124         innerSequence[li] = link;
125         for (var isi = li + 1; isi < innerSequenceLength; isi++)
126         {
127             innerSequence[isi] = sequence[isi + 1];
128         }
129         CreateAllVariants1Core(innerSequence, results);
130     }
131     return results;
132 }
133
134 #endregion
135
136 public HashSet<ulong> Each1(params ulong[] sequence)
137 {
138     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
139     Each1(link =>
140     {
141         if (!visitedLinks.Contains(link))
142         {
143             visitedLinks.Add(link); // изучить почему случаются повторы
144         }
145         return true;
146     }, sequence);
147     return visitedLinks;
148 }
149
150 private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
151 {
152     if (sequence.Length == 2)
153     {
154         Links.Unsync.Each(sequence[0], sequence[1], handler);
155     }
156     else
157     {
158         var innerSequenceLength = sequence.Length - 1;
159         for (var li = 0; li < innerSequenceLength; li++)
160         {
161             var left = sequence[li];
162             var right = sequence[li + 1];
163             if (left == 0 && right == 0)
164             {
165                 continue;
166             }
167             var linkIndex = li;
168             ulong[] innerSequence = null;
169             Links.Unsync.Each(left, right, doublet =>
170             {
171                 if (innerSequence == null)
172                 {
173                     innerSequence = new ulong[innerSequenceLength];
174                 }
175             });
176         }
177     }
178 }

```

```

172         for (var isi = 0; isi < linkIndex; isi++)
173         {
174             innerSequence[isi] = sequence[isi];
175         }
176         for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
177         {
178             innerSequence[isi] = sequence[isi + 1];
179         }
180     }
181     innerSequence[linkIndex] = doublet;
182     Each1(handler, innerSequence);
183     return _constants.Continue;
184 });
185 }
186 }
187 }
188
189 public HashSet<ulong> EachPart(params ulong[] sequence)
190 {
191     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
192     EachPartCore(link =>
193     {
194         if (!visitedLinks.Contains(link))
195         {
196             visitedLinks.Add(link); // изучить почему случаются повторы
197         }
198         return true;
199     }, sequence);
200     return visitedLinks;
201 }
202
203 public void EachPart(Func<ulong, bool> handler, params ulong[] sequence)
204 {
205     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
206     EachPartCore(link =>
207     {
208         if (!visitedLinks.Contains(link))
209         {
210             visitedLinks.Add(link); // изучить почему случаются повторы
211             return handler(link);
212         }
213         return true;
214     }, sequence);
215 }
216
217 private void EachPartCore(Func<ulong, bool> handler, params ulong[] sequence)
218 {
219     if (sequence.IsNullOrEmpty())
220     {
221         return;
222     }
223     Links.EnsureEachLinkIsAnyOrExists(sequence);
224     if (sequence.Length == 1)
225     {
226         var link = sequence[0];
227         if (link > 0)
228         {
229             handler(link);
230         }
231         else
232         {
233             Links.Each(_constants.Any, _constants.Any, handler);
234         }
235     }
236     else if (sequence.Length == 2)
237     {
238         // _links.Each(sequence[0], sequence[1], handler);
239         //   o_ |      x_o ...
240         // x_ |      |__|
241         Links.Each(sequence[1], _constants.Any, doublet =>
242         {
243             var match = Links.SearchOrDefault(sequence[0], doublet);
244             if (match != _constants.Null)
245             {
246                 handler(match);
247             }
248             return true;
249         });

```



```

250 // |_x      ... x_o
251 // |_o      |__|
252 Links.Each(_constants.Any, sequence[0], doublet =>
253 {
254     var match = Links.SearchOrDefault(doublet, sequence[1]);
255     if (match != 0)
256     {
257         handler(match);
258     }
259     return true;
260 });
261 //      . _x o _ .
262 //      |__|
263 PartialStepRight(x => handler(x), sequence[0], sequence[1]);
264 }
265 else
266 {
267     // TODO: Implement other variants
268     return;
269 }
270 }
271
272 private void PartialStepRight(Action<ulong> handler, ulong left, ulong right)
273 {
274     Links.Unsync.Each(_constants.Any, left, doublet =>
275     {
276         StepRight(handler, doublet, right);
277         if (left != doublet)
278         {
279             PartialStepRight(handler, doublet, right);
280         }
281         return true;
282     });
283 }
284
285 private void StepRight(Action<ulong> handler, ulong left, ulong right)
286 {
287     Links.Unsync.Each(left, _constants.Any, rightStep =>
288     {
289         TryStepRightUp(handler, right, rightStep);
290         return true;
291     });
292 }
293
294 private void TryStepRightUp(Action<ulong> handler, ulong right, ulong stepFrom)
295 {
296     var upStep = stepFrom;
297     var firstSource = Links.Unsync.GetTarget(upStep);
298     while (firstSource != right && firstSource != upStep)
299     {
300         upStep = firstSource;
301         firstSource = Links.Unsync.GetSource(upStep);
302     }
303     if (firstSource == right)
304     {
305         handler(stepFrom);
306     }
307 }
308
309 // TODO: Test
310 private void PartialStepLeft(Action<ulong> handler, ulong left, ulong right)
311 {
312     Links.Unsync.Each(right, _constants.Any, doublet =>
313     {
314         StepLeft(handler, left, doublet);
315         if (right != doublet)
316         {
317             PartialStepLeft(handler, left, doublet);
318         }
319         return true;
320     });
321 }
322
323 private void StepLeft(Action<ulong> handler, ulong left, ulong right)
324 {
325     Links.Unsync.Each(_constants.Any, right, leftStep =>
326     {
327         TryStepLeftUp(handler, left, leftStep);
328         return true;

```

```

329     });
330 }
331
332 private void TryStepLeftUp(Action<ulong> handler, ulong left, ulong stepFrom)
333 {
334     var upStep = stepFrom;
335     var firstTarget = Links.Unsync.GetSource(upStep);
336     while (firstTarget != left && firstTarget != upStep)
337     {
338         upStep = firstTarget;
339         firstTarget = Links.Unsync.GetTarget(upStep);
340     }
341     if (firstTarget == left)
342     {
343         handler(stepFrom);
344     }
345 }
346
347 private bool StartsWith(ulong sequence, ulong link)
348 {
349     var upStep = sequence;
350     var firstSource = Links.Unsync.GetSource(upStep);
351     while (firstSource != link && firstSource != upStep)
352     {
353         upStep = firstSource;
354         firstSource = Links.Unsync.GetSource(upStep);
355     }
356     return firstSource == link;
357 }
358
359 private bool EndsWith(ulong sequence, ulong link)
360 {
361     var upStep = sequence;
362     var lastTarget = Links.Unsync.GetTarget(upStep);
363     while (lastTarget != link && lastTarget != upStep)
364     {
365         upStep = lastTarget;
366         lastTarget = Links.Unsync.GetTarget(upStep);
367     }
368     return lastTarget == link;
369 }
370
371 public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
372 {
373     return Sync.ExecuteReadOperation(() =>
374     {
375         var results = new List<ulong>();
376         if (sequence.Length > 0)
377         {
378             Links.EnsureEachLinkExists(sequence);
379             var firstElement = sequence[0];
380             if (sequence.Length == 1)
381             {
382                 results.Add(firstElement);
383                 return results;
384             }
385             if (sequence.Length == 2)
386             {
387                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
388                 if (doublet != _constants.Null)
389                 {
390                     results.Add(doublet);
391                 }
392                 return results;
393             }
394             var linksInSequence = new HashSet<ulong>(sequence);
395             void handler(ulong result)
396             {
397                 var filterPosition = 0;
398                 StoppableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
399                     ↪ Links.Unsync.GetTarget,
400                     x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
401                     ↪ x =>
402                     {
403                         if (filterPosition == sequence.Length)
404                         {
405                             filterPosition = -2; // Длиннее чем нужно
406                             return false;
407                         }
408                     }
409                 )
410             }
411         }
412     });
413 }

```

```

406         if (x != sequence[filterPosition])
407         {
408             filterPosition = -1;
409             return false; // Начинается иначе
410         }
411         filterPosition++;
412         return true;
413     });
414     if (filterPosition == sequence.Length)
415     {
416         results.Add(result);
417     }
418 }
419 if (sequence.Length >= 2)
420 {
421     StepRight(handler, sequence[0], sequence[1]);
422 }
423 var last = sequence.Length - 2;
424 for (var i = 1; i < last; i++)
425 {
426     PartialStepRight(handler, sequence[i], sequence[i + 1]);
427 }
428 if (sequence.Length >= 3)
429 {
430     StepLeft(handler, sequence[sequence.Length - 2],
431         ↪ sequence[sequence.Length - 1]);
432 }
433 }
434 return results;
435 });
436 }
437
438 public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
439 {
440     return Sync.ExecuteReadOperation(() =>
441     {
442         var results = new HashSet<ulong>();
443         if (sequence.Length > 0)
444         {
445             Links.EnsureEachLinkExists(sequence);
446             var firstElement = sequence[0];
447             if (sequence.Length == 1)
448             {
449                 results.Add(firstElement);
450                 return results;
451             }
452             if (sequence.Length == 2)
453             {
454                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
455                 if (doublet != _constants.Null)
456                 {
457                     results.Add(doublet);
458                 }
459                 return results;
460             }
461             var matcher = new Matcher(this, sequence, results, null);
462             if (sequence.Length >= 2)
463             {
464                 StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
465             }
466             var last = sequence.Length - 2;
467             for (var i = 1; i < last; i++)
468             {
469                 PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
470                     ↪ sequence[i + 1]);
471             }
472             if (sequence.Length >= 3)
473             {
474                 StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
475                     ↪ sequence[sequence.Length - 1]);
476             }
477         }
478         return results;
479     });
480 }
481
482 public const int MaxSequenceFormatSize = 200;

```

```

481 public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
482     => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);
483
484 public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
    elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
    elementToString, insertComma, knownElements));
485
486 private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    LinkIndex[] knownElements)
487 {
488     var linksInSequence = new HashSet<ulong>(knownElements);
489     //var entered = new HashSet<ulong>();
490     var sb = new StringBuilder();
491     sb.Append('{');
492     if (links.Exists(sequenceLink))
493     {
494         StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
495             x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
            entered.AddAndReturnVoid, x => { }, entered.DoNotContains
            {
496                 if (insertComma && sb.Length > 1)
497                 {
498                     sb.Append(',');
499                 }
500                 //if (entered.Contains(element))
501                 //{
502                 //    sb.Append('{');
503                 //    elementToString(sb, element);
504                 //    sb.Append('}');
505                 //}
506                 //else
507                 elementToString(sb, element);
508                 if (sb.Length < MaxSequenceFormatSize)
509                 {
510                     return true;
511                 }
512                 sb.Append(insertComma ? ", ..." : "...");
513                 return false;
514             });
515     }
516     sb.Append('}');
517     return sb.ToString();
518 }
519
520 public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
    knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
    knownElements);
521
522 public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
    LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
    sequenceLink, elementToString, insertComma, knownElements));
523
524 private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    LinkIndex[] knownElements)
525 {
526     var linksInSequence = new HashSet<ulong>(knownElements);
527     var entered = new HashSet<ulong>();
528     var sb = new StringBuilder();
529     sb.Append('{');
530     if (links.Exists(sequenceLink))
531     {
532         StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
533             x => linksInSequence.Contains(x) || links.IsFullPoint(x),
534             entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
            {
535                 if (insertComma && sb.Length > 1)
536                 {
537                     sb.Append(',');
538                 }
539                 if (entered.Contains(element))
540                 {
541                     sb.Append('{');
542

```

```

543         elementToString(sb, element);
544         sb.Append('}');
545     }
546     else
547     {
548         elementToString(sb, element);
549     }
550     if (sb.Length < MaxSequenceFormatSize)
551     {
552         return true;
553     }
554     sb.Append(insertComma ? ", ..." : "...");
555     return false;
556 });
557 }
558 sb.Append('}');
559 return sb.ToString();
560 }
561
562 public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
563 {
564     return Sync.ExecuteReadOperation(() =>
565     {
566         if (sequence.Length > 0)
567         {
568             Links.EnsureEachLinkExists(sequence);
569             var results = new HashSet<ulong>();
570             for (var i = 0; i < sequence.Length; i++)
571             {
572                 AllUsagesCore(sequence[i], results);
573             }
574             var filteredResults = new List<ulong>();
575             var linksInSequence = new HashSet<ulong>(sequence);
576             foreach (var result in results)
577             {
578                 var filterPosition = -1;
579                 StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
580                     ↪ Links.Unsync.GetTarget,
581                     ↪ x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
582                     ↪ x =>
583                     {
584                         if (filterPosition == (sequence.Length - 1))
585                         {
586                             return false;
587                         }
588                         if (filterPosition >= 0)
589                         {
590                             if (x == sequence[filterPosition + 1])
591                             {
592                                 filterPosition++;
593                             }
594                             else
595                             {
596                                 return false;
597                             }
598                         }
599                         if (filterPosition < 0)
600                         {
601                             if (x == sequence[0])
602                             {
603                                 filterPosition = 0;
604                             }
605                         }
606                         return true;
607                     }
608                 );
609                 if (filterPosition == (sequence.Length - 1))
610                 {
611                     filteredResults.Add(result);
612                 }
613             }
614             return filteredResults;
615         }
616         return new List<ulong>();
617     });
618 }
619
620 public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
621 {
622     return Sync.ExecuteReadOperation(() =>

```

```

620     {
621         if (sequence.Length > 0)
622         {
623             Links.EnsureEachLinkExists(sequence);
624             var results = new HashSet<ulong>();
625             for (var i = 0; i < sequence.Length; i++)
626             {
627                 AllUsagesCore(sequence[i], results);
628             }
629             var filteredResults = new HashSet<ulong>();
630             var matcher = new Matcher(this, sequence, filteredResults, null);
631             matcher.AddAllPartialMatchedToResults(results);
632             return filteredResults;
633         }
634         return new HashSet<ulong>();
635     });
636 }
637
638 public bool GetAllPartiallyMatchingSequences2(Func<ulong, bool> handler, params ulong[]
639     ↪ sequence)
640 {
641     return Sync.ExecuteReadOperation(() =>
642     {
643         if (sequence.Length > 0)
644         {
645             Links.EnsureEachLinkExists(sequence);
646
647             var results = new HashSet<ulong>();
648             var filteredResults = new HashSet<ulong>();
649             var matcher = new Matcher(this, sequence, filteredResults, handler);
650             for (var i = 0; i < sequence.Length; i++)
651             {
652                 if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
653                 {
654                     return false;
655                 }
656             }
657             return true;
658         }
659         return true;
660     });
661 }
662
663 //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
664 //{{
665 //    return Sync.ExecuteReadOperation(() =>
666 //    {
667 //        if (sequence.Length > 0)
668 //        {
669 //            _links.EnsureEachLinkIsAnyOrExists(sequence);
670
671 //            var firstResults = new HashSet<ulong>();
672 //            var lastResults = new HashSet<ulong>();
673
674 //            var first = sequence.First(x => x != LinksConstants.Any);
675 //            var last = sequence.Last(x => x != LinksConstants.Any);
676
677 //            AllUsagesCore(first, firstResults);
678 //            AllUsagesCore(last, lastResults);
679
680 //            firstResults.IntersectWith(lastResults);
681
682 //            //for (var i = 0; i < sequence.Length; i++)
683 //            //    AllUsagesCore(sequence[i], results);
684
685 //            var filteredResults = new HashSet<ulong>();
686 //            var matcher = new Matcher(this, sequence, filteredResults, null);
687 //            matcher.AddAllPartialMatchedToResults(firstResults);
688 //            return filteredResults;
689 //        }
690 //        return new HashSet<ulong>();
691 //    });
692 //}}
693
694 public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
695 {
696     return Sync.ExecuteReadOperation(() =>
697     {

```

```

698     if (sequence.Length > 0)
699     {
700         Links.EnsureEachLinkIsAnyOrExists(sequence);
701         var firstResults = new HashSet<ulong>();
702         var lastResults = new HashSet<ulong>();
703         var first = sequence.First(x => x != _constants.Any);
704         var last = sequence.Last(x => x != _constants.Any);
705         AllUsagesCore(first, firstResults);
706         AllUsagesCore(last, lastResults);
707         firstResults.IntersectWith(lastResults);
708         //for (var i = 0; i < sequence.Length; i++)
709         //    AllUsagesCore(sequence[i], results);
710         var filteredResults = new HashSet<ulong>();
711         var matcher = new Matcher(this, sequence, filteredResults, null);
712         matcher.AddAllPartialMatchedToResults(firstResults);
713         return filteredResults;
714     }
715     return new HashSet<ulong>();
716 });
717 }
718
719 public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
720     ↳ IList<ulong> sequence)
721 {
722     return Sync.ExecuteReadOperation(() =>
723     {
724         if (sequence.Count > 0)
725         {
726             Links.EnsureEachLinkExists(sequence);
727             var results = new HashSet<LinkIndex>();
728             //var nextResults = new HashSet<ulong>();
729             //for (var i = 0; i < sequence.Length; i++)
730             //{
731             //    AllUsagesCore(sequence[i], nextResults);
732             //    if (results.IsNullOrEmpty())
733             //    {
734             //        results = nextResults;
735             //        nextResults = new HashSet<ulong>();
736             //    }
737             //    else
738             //    {
739             //        results.IntersectWith(nextResults);
740             //        nextResults.Clear();
741             //    }
742             //}
743             var collector1 = new AllUsagesCollector1(Links.Unsync, results);
744             collector1.Collect(Links.Unsync.GetLink(sequence[0]));
745             var next = new HashSet<ulong>();
746             for (var i = 1; i < sequence.Count; i++)
747             {
748                 var collector = new AllUsagesCollector1(Links.Unsync, next);
749                 collector.Collect(Links.Unsync.GetLink(sequence[i]));
750
751                 results.IntersectWith(next);
752                 next.Clear();
753             }
754             var filteredResults = new HashSet<ulong>();
755             var matcher = new Matcher(this, sequence, filteredResults, null,
756                 ↳ readAsElements);
757             matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
758                 ↳ x)); // OrderBy is a Hack
759             return filteredResults;
760         }
761         return new HashSet<ulong>();
762     });
763 }
764
765 // Does not work
766 public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
767     ↳ params ulong[] sequence)
768 {
769     var visited = new HashSet<ulong>();
770     var results = new HashSet<ulong>();
771     var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
772         ↳ true; }, readAsElements);
773     var last = sequence.Length - 1;
774     for (var i = 0; i < last; i++)
775     {

```

```

771         PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
772     }
773     return results;
774 }
775
776 public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
777 {
778     return Sync.ExecuteReadOperation(() =>
779     {
780         if (sequence.Length > 0)
781         {
782             Links.EnsureEachLinkExists(sequence);
783             //var firstElement = sequence[0];
784             //if (sequence.Length == 1)
785             //{
786                 //    //results.Add(firstElement);
787                 //    return results;
788             //}
789             //if (sequence.Length == 2)
790             //{
791                 //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
792                 //    //if (doublet != Doublets.Links.Null)
793                 //    //    results.Add(doublet);
794                 //    return results;
795             //}
796             //var lastElement = sequence[sequence.Length - 1];
797             //Func<ulong, bool> handler = x =>
798             //{
799                 //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
800                     //    results.Add(x);
801                     //    return true;
802             //};
803             //if (sequence.Length >= 2)
804                 //    StepRight(handler, sequence[0], sequence[1]);
805             //var last = sequence.Length - 2;
806             //for (var i = 1; i < last; i++)
807                 //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
808             //if (sequence.Length >= 3)
809                 //    StepLeft(handler, sequence[sequence.Length - 2],
810                     //    sequence[sequence.Length - 1]);
811             //if (sequence.Length == 1)
812             //{
813                 //    throw new NotImplementedException(); // all sequences, containing
814                     //    this element?
815             //}
816             //if (sequence.Length == 2)
817             //{
818                 //    var results = new List<ulong>();
819                 //    PartialStepRight(results.Add, sequence[0], sequence[1]);
820                 //    return results;
821             //}
822             //var matches = new List<List<ulong>>();
823             //var last = sequence.Length - 1;
824             //for (var i = 0; i < last; i++)
825             //{
826                 //    var results = new List<ulong>();
827                 //    //StepRight(results.Add, sequence[i], sequence[i + 1]);
828                 //    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
829                 //    if (results.Count > 0)
830                     //    matches.Add(results);
831                 //    else
832                     //    return results;
833                 //    if (matches.Count == 2)
834                 //    {
835                     //        var merged = new List<ulong>();
836                     //        for (var j = 0; j < matches[0].Count; j++)
837                         //        for (var k = 0; k < matches[1].Count; k++)
838                             //        CloseInnerConnections(merged.Add, matches[0][j],
839                                 //        matches[1][k]);
840                     //        if (merged.Count > 0)
841                         //        matches = new List<List<ulong>> { merged };
842                     //        else
843                         //        return new List<ulong>();
844                 //    }
845             //}
846             //if (matches.Count > 0)
847             //{

```



```

844         //var usages = new HashSet<ulong>();
845         //for (int i = 0; i < sequence.Length; i++)
846         //{
847             AllUsagesCore(sequence[i], usages);
848         //}
849         //for (int i = 0; i < matches[0].Count; i++)
850         //    AllUsagesCore(matches[0][i], usages);
851         //usages.UnionWith(matches[0]);
852         return usages.ToList();
853     //}
854     var firstLinkUsages = new HashSet<ulong>();
855     AllUsagesCore(sequence[0], firstLinkUsages);
856     firstLinkUsages.Add(sequence[0]);
857     //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() {
858     //    sequence[0] }; // or all sequences, containing this element?
859     //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages,
860     //    1).ToList();
861     var results = new HashSet<ulong>();
862     foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence,
863         firstLinkUsages, 1))
864     {
865         AllUsagesCore(match, results);
866     }
867     return results.ToList();
868 }
869
870 /// <remarks>
871 /// TODO: Может потребоваться ограничение на уровень глубины рекурсии
872 /// </remarks>
873 public HashSet<ulong> AllUsages(ulong link)
874 {
875     return Sync.ExecuteReadOperation(() =>
876     {
877         var usages = new HashSet<ulong>();
878         AllUsagesCore(link, usages);
879         return usages;
880     });
881 }
882
883 // При сборе всех использований (последовательностей) можно сохранять обратный путь к
884 // той связи с которой начинался поиск (STTTSSSTT),
885 // причём достаточно одного бита для хранения перехода влево или вправо
886 private void AllUsagesCore(ulong link, HashSet<ulong> usages)
887 {
888     bool handler(ulong doublet)
889     {
890         if (usages.Add(doublet))
891         {
892             AllUsagesCore(doublet, usages);
893         }
894         return true;
895     }
896     Links.Unsync.Each(link, _constants.Any, handler);
897     Links.Unsync.Each(_constants.Any, link, handler);
898 }
899
900 public HashSet<ulong> AllBottomUsages(ulong link)
901 {
902     return Sync.ExecuteReadOperation(() =>
903     {
904         var visits = new HashSet<ulong>();
905         var usages = new HashSet<ulong>();
906         AllBottomUsagesCore(link, visits, usages);
907         return usages;
908     });
909 }
910
911 private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong>
912     usages)
913 {
914     bool handler(ulong doublet)
915     {
916         if (visits.Add(doublet))
917         {
918             AllBottomUsagesCore(doublet, visits, usages);

```

```

917     }
918     return true;
919 }
920 if (Links.Unsync.Count(_constants.Any, link) == 0)
921 {
922     usages.Add(link);
923 }
924 else
925 {
926     Links.Unsync.Each(link, _constants.Any, handler);
927     Links.Unsync.Each(_constants.Any, link, handler);
928 }
929 }
930
931 public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
932 {
933     if (Options.UseSequenceMarker)
934     {
935         var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
936             ↪ Options.MarkedSequenceMatcher, symbol);
937         return counter.Count();
938     }
939     else
940     {
941         var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
942             ↪ symbol);
943         return counter.Count();
944     }
945 }
946
947 private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<ulong, bool>
948     ↪ outerHandler)
949 {
950     bool handler(ulong doublet)
951     {
952         if (usages.Add(doublet))
953         {
954             if (!outerHandler(doublet))
955             {
956                 return false;
957             }
958             if (!AllUsagesCore1(doublet, usages, outerHandler))
959             {
960                 return false;
961             }
962         }
963         return true;
964     }
965     return Links.Unsync.Each(link, _constants.Any, handler)
966         && Links.Unsync.Each(_constants.Any, link, handler);
967 }
968
969 public void CalculateAllUsages(ulong[] totals)
970 {
971     var calculator = new AllUsagesCalculator(Links, totals);
972     calculator.Calculate();
973 }
974
975 public void CalculateAllUsages2(ulong[] totals)
976 {
977     var calculator = new AllUsagesCalculator2(Links, totals);
978     calculator.Calculate();
979 }
980
981 private class AllUsagesCalculator
982 {
983     private readonly SynchronizedLinks<ulong> _links;
984     private readonly ulong[] _totals;
985
986     public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
987     {
988         _links = links;
989         _totals = totals;
990     }
991
992     public void Calculate() => _links.Each(_constants.Any, _constants.Any,
993         ↪ CalculateCore);
994
995     private bool CalculateCore(ulong link)

```

```

992     {
993         if (_totals[link] == 0)
994         {
995             var total = 1UL;
996             _totals[link] = total;
997             var visitedChildren = new HashSet<ulong>();
998             bool linkCalculator(ulong child)
999             {
1000                 if (link != child && visitedChildren.Add(child))
1001                 {
1002                     total += _totals[child] == 0 ? 1 : _totals[child];
1003                 }
1004                 return true;
1005             }
1006             _links.Unsync.Each(link, _constants.Any, linkCalculator);
1007             _links.Unsync.Each(_constants.Any, link, linkCalculator);
1008             _totals[link] = total;
1009         }
1010         return true;
1011     }
1012 }
1013
1014 private class AllUsagesCalculator2
1015 {
1016     private readonly SynchronizedLinks<ulong> _links;
1017     private readonly ulong[] _totals;
1018
1019     public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
1020     {
1021         _links = links;
1022         _totals = totals;
1023     }
1024
1025     public void Calculate() => _links.Each(_constants.Any, _constants.Any,
1026         ↪ CalculateCore);
1027
1028     private bool IsElement(ulong link)
1029     {
1030         // _linksInSequence.Contains(link) ||
1031         return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
1032             ↪ link;
1033     }
1034
1035     private bool CalculateCore(ulong link)
1036     {
1037         // TODO: Проработать защиту от заикливания
1038         // Основано на SequenceWalker.WalkLeft
1039         Func<ulong, ulong> getSource = _links.Unsync.GetSource;
1040         Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
1041         Func<ulong, bool> isElement = IsElement;
1042         void visitLeaf(ulong parent)
1043         {
1044             if (link != parent)
1045             {
1046                 _totals[parent]++;
1047             }
1048         }
1049         void visitNode(ulong parent)
1050         {
1051             if (link != parent)
1052             {
1053                 _totals[parent]++;
1054             }
1055         }
1056         var stack = new Stack();
1057         var element = link;
1058         if (isElement(element))
1059         {
1060             visitLeaf(element);
1061         }
1062         else
1063         {
1064             while (true)
1065             {
1066                 if (isElement(element))
1067                 {
1068                     if (stack.Count == 0)
1069                     {
1070                         break;
1071                     }
1072                 }
1073             }
1074         }
1075     }
1076 }

```

```

1069         }
1070         element = stack.Pop();
1071         var source = getSource(element);
1072         var target = getTarget(element);
1073         // 06пабoтка элемеHта
1074         if (isElement(target))
1075         {
1076             visitLeaf(target);
1077         }
1078         if (isElement(source))
1079         {
1080             visitLeaf(source);
1081         }
1082         element = source;
1083     }
1084     else
1085     {
1086         stack.Push(element);
1087         visitNode(element);
1088         element = getTarget(element);
1089     }
1090 }
1091 }
1092 _totals[link]++;
1093 return true;
1094 }
1095 }
1096
1097 private class AllUsagesCollector
1098 {
1099     private readonly ILinks<ulong> _links;
1100     private readonly HashSet<ulong> _usages;
1101
1102     public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
1103     {
1104         _links = links;
1105         _usages = usages;
1106     }
1107
1108     public bool Collect(ulong link)
1109     {
1110         if (_usages.Add(link))
1111         {
1112             _links.Each(link, _constants.Any, Collect);
1113             _links.Each(_constants.Any, link, Collect);
1114         }
1115         return true;
1116     }
1117 }
1118
1119 private class AllUsagesCollector1
1120 {
1121     private readonly ILinks<ulong> _links;
1122     private readonly HashSet<ulong> _usages;
1123     private readonly ulong _continue;
1124
1125     public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
1126     {
1127         _links = links;
1128         _usages = usages;
1129         _continue = _links.Constants.Continue;
1130     }
1131
1132     public ulong Collect(IList<ulong> link)
1133     {
1134         var linkIndex = _links.GetIndex(link);
1135         if (_usages.Add(linkIndex))
1136         {
1137             _links.Each(Collect, _constants.Any, linkIndex);
1138         }
1139         return _continue;
1140     }
1141 }
1142
1143 private class AllUsagesCollector2
1144 {
1145     private readonly ILinks<ulong> _links;
1146     private readonly BitString _usages;
1147
1148     public AllUsagesCollector2(ILinks<ulong> links, BitString usages)

```

```

1149     {
1150         _links = links;
1151         _usages = usages;
1152     }
1153
1154     public bool Collect(ulong link)
1155     {
1156         if (_usages.Add((long)link))
1157         {
1158             _links.Each(link, _constants.Any, Collect);
1159             _links.Each(_constants.Any, link, Collect);
1160         }
1161         return true;
1162     }
1163 }
1164
1165 private class AllUsagesIntersectingCollector
1166 {
1167     private readonly SynchronizedLinks<ulong> _links;
1168     private readonly HashSet<ulong> _intersectWith;
1169     private readonly HashSet<ulong> _usages;
1170     private readonly HashSet<ulong> _enter;
1171
1172     public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
↪ intersectWith, HashSet<ulong> usages)
1173     {
1174         _links = links;
1175         _intersectWith = intersectWith;
1176         _usages = usages;
1177         _enter = new HashSet<ulong>(); // защита от зацикливания
1178     }
1179
1180     public bool Collect(ulong link)
1181     {
1182         if (_enter.Add(link))
1183         {
1184             if (_intersectWith.Contains(link))
1185             {
1186                 _usages.Add(link);
1187             }
1188             _links.Unsync.Each(link, _constants.Any, Collect);
1189             _links.Unsync.Each(_constants.Any, link, Collect);
1190         }
1191         return true;
1192     }
1193 }
1194
1195 private void CloseInnerConnections(Action<ulong> handler, ulong left, ulong right)
1196 {
1197     TryStepLeftUp(handler, left, right);
1198     TryStepRightUp(handler, right, left);
1199 }
1200
1201 private void AllCloseConnections(Action<ulong> handler, ulong left, ulong right)
1202 {
1203     // Direct
1204     if (left == right)
1205     {
1206         handler(left);
1207     }
1208     var doublet = Links.Unsync.SearchOrDefault(left, right);
1209     if (doublet != _constants.Null)
1210     {
1211         handler(doublet);
1212     }
1213     // Inner
1214     CloseInnerConnections(handler, left, right);
1215     // Outer
1216     StepLeft(handler, left, right);
1217     StepRight(handler, left, right);
1218     PartialStepRight(handler, left, right);
1219     PartialStepLeft(handler, left, right);
1220 }
1221
1222 private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
↪ HashSet<ulong> previousMatchings, long startAt)
1223 {
1224     if (startAt >= sequence.Length) // ?
1225     {

```

```

1226         return previousMatchings;
1227     }
1228     var secondLinkUsages = new HashSet<ulong>();
1229     AllUsagesCore(sequence[startAt], secondLinkUsages);
1230     secondLinkUsages.Add(sequence[startAt]);
1231     var matchings = new HashSet<ulong>();
1232     //for (var i = 0; i < previousMatchings.Count; i++)
1233     foreach (var secondLinkUsage in secondLinkUsages)
1234     {
1235         foreach (var previousMatching in previousMatchings)
1236         {
1237             //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
1238             //    secondLinkUsage);
1239             StepRight(matchings.AddAndReturnVoid, previousMatching, secondLinkUsage);
1240             TryStepRightUp(matchings.AddAndReturnVoid, secondLinkUsage,
1241             //    previousMatching);
1242             //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
1243             //    sequence[startAt]); // почему-то эта ошибочная запись приводит к
1244             //    желаемым результатам.
1245             PartialStepRight(matchings.AddAndReturnVoid, previousMatching,
1246             //    secondLinkUsage);
1247         }
1248     }
1249     if (matchings.Count == 0)
1250     {
1251         return matchings;
1252     }
1253     return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1254 }
1255
1256 private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
1257     // links, params ulong[] sequence)
1258 {
1259     if (sequence == null)
1260     {
1261         return;
1262     }
1263     for (var i = 0; i < sequence.Length; i++)
1264     {
1265         if (sequence[i] != _constants.Any && sequence[i] != ZeroOrMany &&
1266             // !links.Exists(sequence[i]))
1267         {
1268             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
1269             //    $"patternSequence[{i}]");
1270         }
1271     }
1272 }
1273
1274 // Pattern Matching -> Key To Triggers
1275 public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1276 {
1277     return Sync.ExecuteReadOperation(() =>
1278     {
1279         patternSequence = Simplify(patternSequence);
1280         if (patternSequence.Length > 0)
1281         {
1282             EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
1283             var uniqueSequenceElements = new HashSet<ulong>();
1284             for (var i = 0; i < patternSequence.Length; i++)
1285             {
1286                 if (patternSequence[i] != _constants.Any && patternSequence[i] !=
1287                 //    ZeroOrMany)
1288                 {
1289                     uniqueSequenceElements.Add(patternSequence[i]);
1290                 }
1291             }
1292             var results = new HashSet<ulong>();
1293             foreach (var uniqueSequenceElement in uniqueSequenceElements)
1294             {
1295                 AllUsagesCore(uniqueSequenceElement, results);
1296             }
1297             var filteredResults = new HashSet<ulong>();
1298             var matcher = new PatternMatcher(this, patternSequence, filteredResults);
1299             matcher.AddAllPatternMatchedToResults(results);
1300             return filteredResults;
1301         }
1302     }
1303     return new HashSet<ulong>();
1304 }

```

```

1294     });
1295 }
1296
1297 // Найти все возможные связи между указанным списком связей.
1298 // Находит связи между всеми указанными связями в любом порядке.
1299 // TODO: решить что делать с повторами (когда одни и те же элементы встречаются
1300 //        несколько раз в последовательности)
1301 public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
1302 {
1303     return Sync.ExecuteReadOperation(() =>
1304     {
1305         var results = new HashSet<ulong>();
1306         if (linksToConnect.Length > 0)
1307         {
1308             Links.EnsureEachLinkExists(linksToConnect);
1309             AllUsagesCore(linksToConnect[0], results);
1310             for (var i = 1; i < linksToConnect.Length; i++)
1311             {
1312                 var next = new HashSet<ulong>();
1313                 AllUsagesCore(linksToConnect[i], next);
1314                 results.IntersectWith(next);
1315             }
1316             return results;
1317         }
1318     });
1319 }
1320
1321 public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
1322 {
1323     return Sync.ExecuteReadOperation(() =>
1324     {
1325         var results = new HashSet<ulong>();
1326         if (linksToConnect.Length > 0)
1327         {
1328             Links.EnsureEachLinkExists(linksToConnect);
1329             var collector1 = new AllUsagesCollector(Links.Unsync, results);
1330             collector1.Collect(linksToConnect[0]);
1331             var next = new HashSet<ulong>();
1332             for (var i = 1; i < linksToConnect.Length; i++)
1333             {
1334                 var collector = new AllUsagesCollector(Links.Unsync, next);
1335                 collector.Collect(linksToConnect[i]);
1336                 results.IntersectWith(next);
1337                 next.Clear();
1338             }
1339             return results;
1340         }
1341     });
1342 }
1343
1344 public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
1345 {
1346     return Sync.ExecuteReadOperation(() =>
1347     {
1348         var results = new HashSet<ulong>();
1349         if (linksToConnect.Length > 0)
1350         {
1351             Links.EnsureEachLinkExists(linksToConnect);
1352             var collector1 = new AllUsagesCollector(Links, results);
1353             collector1.Collect(linksToConnect[0]);
1354             //AllUsagesCore(linksToConnect[0], results);
1355             for (var i = 1; i < linksToConnect.Length; i++)
1356             {
1357                 var next = new HashSet<ulong>();
1358                 var collector = new AllUsagesIntersectingCollector(Links, results, next);
1359                 collector.Collect(linksToConnect[i]);
1360                 //AllUsagesCore(linksToConnect[i], next);
1361                 //results.IntersectWith(next);
1362                 results = next;
1363             }
1364             return results;
1365         }
1366     });
1367 }
1368
1369 public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
1370 {
1371     return Sync.ExecuteReadOperation(() =>

```

```

1371 {
1372     var results = new BitString((long)Links.Unsync.Count() + 1); // new
        ↳ BitArray((int)_links.Total + 1);
1373     if (linksToConnect.Length > 0)
1374     {
1375         Links.EnsureEachLinkExists(linksToConnect);
1376         var collector1 = new AllUsagesCollector2(Links.Unsync, results);
1377         collector1.Collect(linksToConnect[0]);
1378         for (var i = 1; i < linksToConnect.Length; i++)
1379         {
1380             var next = new BitString((long)Links.Unsync.Count() + 1); //new
                ↳ BitArray((int)_links.Total + 1);
1381             var collector = new AllUsagesCollector2(Links.Unsync, next);
1382             collector.Collect(linksToConnect[i]);
1383             results = results.And(next);
1384         }
1385     }
1386     return results.GetSetUInt64Indices();
1387 });
1388 }
1389
1390 private static ulong[] Simplify(ulong[] sequence)
1391 {
1392     // Считаем новый размер последовательности
1393     long newLength = 0;
1394     var zeroOrManyStepped = false;
1395     for (var i = 0; i < sequence.Length; i++)
1396     {
1397         if (sequence[i] == ZeroOrMany)
1398         {
1399             if (zeroOrManyStepped)
1400             {
1401                 continue;
1402             }
1403             zeroOrManyStepped = true;
1404         }
1405         else
1406         {
1407             //if (zeroOrManyStepped) Is it efficient?
1408             zeroOrManyStepped = false;
1409         }
1410         newLength++;
1411     }
1412     // Строим новую последовательность
1413     zeroOrManyStepped = false;
1414     var newSequence = new ulong[newLength];
1415     long j = 0;
1416     for (var i = 0; i < sequence.Length; i++)
1417     {
1418         //var current = zeroOrManyStepped;
1419         //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
1420         //if (current && zeroOrManyStepped)
1421         //    continue;
1422         //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
1423         //if (zeroOrManyStepped && newZeroOrManyStepped)
1424         //    continue;
1425         //zeroOrManyStepped = newZeroOrManyStepped;
1426         if (sequence[i] == ZeroOrMany)
1427         {
1428             if (zeroOrManyStepped)
1429             {
1430                 continue;
1431             }
1432             zeroOrManyStepped = true;
1433         }
1434         else
1435         {
1436             //if (zeroOrManyStepped) Is it efficient?
1437             zeroOrManyStepped = false;
1438         }
1439         newSequence[j++] = sequence[i];
1440     }
1441     return newSequence;
1442 }
1443
1444 public static void TestSimplify()
1445 {
1446     var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
        ↳ ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };

```



```

1447     var simplifiedSequence = Simplify(sequence);
1448 }
1449
1450 public List<ulong> GetSimilarSequences() => new List<ulong>();
1451
1452 public void Prediction()
1453 {
1454     //_links
1455     //_sequences
1456 }
1457
1458 #region From Triplets
1459
1460 //public static void DeleteSequence(Link sequence)
1461 //{
1462 //}
1463
1464 public List<ulong> CollectMatchingSequences(ulong[] links)
1465 {
1466     if (links.Length == 1)
1467     {
1468         throw new Exception("Подпоследовательности с одним элементом не
        ↳ поддерживаются.");
1469     }
1470     var leftBound = 0;
1471     var rightBound = links.Length - 1;
1472     var left = links[leftBound++];
1473     var right = links[rightBound--];
1474     var results = new List<ulong>();
1475     CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
1476     return results;
1477 }
1478
1479 private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
    ↳ middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
1480 {
1481     var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
1482     var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
1483     if (leftLinkTotalReferers <= rightLinkTotalReferers)
1484     {
1485         var nextLeftLink = middleLinks[leftBound];
1486         var elements = GetRightElements(leftLink, nextLeftLink);
1487         if (leftBound <= rightBound)
1488         {
1489             for (var i = elements.Length - 1; i >= 0; i--)
1490             {
1491                 var element = elements[i];
1492                 if (element != 0)
1493                 {
1494                     CollectMatchingSequences(element, leftBound + 1, middleLinks,
                        ↳ rightLink, rightBound, ref results);
1495                 }
1496             }
1497         }
1498         else
1499         {
1500             for (var i = elements.Length - 1; i >= 0; i--)
1501             {
1502                 var element = elements[i];
1503                 if (element != 0)
1504                 {
1505                     results.Add(element);
1506                 }
1507             }
1508         }
1509     }
1510     else
1511     {
1512         var nextRightLink = middleLinks[rightBound];
1513         var elements = GetLeftElements(rightLink, nextRightLink);
1514         if (leftBound <= rightBound)
1515         {
1516             for (var i = elements.Length - 1; i >= 0; i--)
1517             {
1518                 var element = elements[i];
1519                 if (element != 0)
1520                 {

```

```

1521         CollectMatchingSequences(leftLink, leftBound, middleLinks,
1522             ↪ elements[i], rightBound - 1, ref results);
1523     }
1524 }
1525 else
1526 {
1527     for (var i = elements.Length - 1; i >= 0; i--)
1528     {
1529         var element = elements[i];
1530         if (element != 0)
1531         {
1532             results.Add(element);
1533         }
1534     }
1535 }
1536 }
1537 }
1538
1539 public ulong[] GetRightElements(ulong startLink, ulong rightLink)
1540 {
1541     var result = new ulong[5];
1542     TryStepRight(startLink, rightLink, result, 0);
1543     Links.Each(_constants.Any, startLink, couple =>
1544     {
1545         if (couple != startLink)
1546         {
1547             if (TryStepRight(couple, rightLink, result, 2))
1548             {
1549                 return false;
1550             }
1551         }
1552         return true;
1553     });
1554     if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
1555     {
1556         result[4] = startLink;
1557     }
1558     return result;
1559 }
1560
1561 public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1562 {
1563     var added = 0;
1564     Links.Each(startLink, _constants.Any, couple =>
1565     {
1566         if (couple != startLink)
1567         {
1568             var coupleTarget = Links.GetTarget(couple);
1569             if (coupleTarget == rightLink)
1570             {
1571                 result[offset] = couple;
1572                 if (++added == 2)
1573                 {
1574                     return false;
1575                 }
1576             }
1577             else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
1578                 ↪ == Net.And &&
1579             {
1580                 result[offset + 1] = couple;
1581                 if (++added == 2)
1582                 {
1583                     return false;
1584                 }
1585             }
1586         }
1587         return true;
1588     });
1589     return added > 0;
1590 }
1591
1592 public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1593 {
1594     var result = new ulong[5];
1595     TryStepLeft(startLink, leftLink, result, 0);
1596     Links.Each(startLink, _constants.Any, couple =>

```

```

1597         if (couple != startLink)
1598         {
1599             if (TryStepLeft(couple, leftLink, result, 2))
1600             {
1601                 return false;
1602             }
1603         }
1604         return true;
1605     });
1606     if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1607     {
1608         result[4] = leftLink;
1609     }
1610     return result;
1611 }
1612
1613 public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1614 {
1615     var added = 0;
1616     Links.Each(_constants.Any, startLink, couple =>
1617     {
1618         if (couple != startLink)
1619         {
1620             var coupleSource = Links.GetSource(couple);
1621             if (coupleSource == leftLink)
1622             {
1623                 result[offset] = couple;
1624                 if (++added == 2)
1625                 {
1626                     return false;
1627                 }
1628             }
1629             else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
1630             ↪ == Net.And &&
1631             {
1632                 result[offset + 1] = couple;
1633                 if (++added == 2)
1634                 {
1635                     return false;
1636                 }
1637             }
1638         }
1639         return true;
1640     });
1641     return added > 0;
1642 }
1643
1644 #endregion
1645
1646 #region Walkers
1647
1648 public class PatternMatcher : RightSequenceWalker<ulong>
1649 {
1650     private readonly Sequences _sequences;
1651     private readonly ulong[] _patternSequence;
1652     private readonly HashSet<LinkIndex> _linksInSequence;
1653     private readonly HashSet<LinkIndex> _results;
1654
1655     #region Pattern Match
1656
1657     enum PatternBlockType
1658     {
1659         Undefined,
1660         Gap,
1661         Elements
1662     }
1663
1664     struct PatternBlock
1665     {
1666         public PatternBlockType Type;
1667         public long Start;
1668         public long Stop;
1669     }
1670
1671     private readonly List<PatternBlock> _pattern;
1672     private int _patternPosition;
1673     private long _sequencePosition;
1674
1675     #endregion

```

```

1676 public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
1677 ↪ HashSet<LinkIndex> results)
1678 : base(sequences.Links.Unsync, new DefaultStack<ulong>())
1679 {
1680     _sequences = sequences;
1681     _patternSequence = patternSequence;
1682     _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
1683 ↪ _constants.Any && x != ZeroOrMany));
1684     _results = results;
1685     _pattern = CreateDetailedPattern();
1686 }
1687
1688 protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
1689 ↪ base.IsElement(link);
1690
1691 public bool PatternMatch(LinkIndex sequenceToMatch)
1692 {
1693     _patternPosition = 0;
1694     _sequencePosition = 0;
1695     foreach (var part in Walk(sequenceToMatch))
1696     {
1697         if (!PatternMatchCore(part))
1698         {
1699             break;
1700         }
1701     }
1702     return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
1703 ↪ - 1 && _pattern[_patternPosition].Start == 0);
1704 }
1705
1706 private List<PatternBlock> CreateDetailedPattern()
1707 {
1708     var pattern = new List<PatternBlock>();
1709     var patternBlock = new PatternBlock();
1710     for (var i = 0; i < _patternSequence.Length; i++)
1711     {
1712         if (patternBlock.Type == PatternBlockType.Undefined)
1713         {
1714             if (_patternSequence[i] == _constants.Any)
1715             {
1716                 patternBlock.Type = PatternBlockType.Gap;
1717                 patternBlock.Start = 1;
1718                 patternBlock.Stop = 1;
1719             }
1720             else if (_patternSequence[i] == ZeroOrMany)
1721             {
1722                 patternBlock.Type = PatternBlockType.Gap;
1723                 patternBlock.Start = 0;
1724                 patternBlock.Stop = long.MaxValue;
1725             }
1726             else
1727             {
1728                 patternBlock.Type = PatternBlockType.Elements;
1729                 patternBlock.Start = i;
1730                 patternBlock.Stop = i;
1731             }
1732         }
1733         else if (patternBlock.Type == PatternBlockType.Elements)
1734         {
1735             if (_patternSequence[i] == _constants.Any)
1736             {
1737                 pattern.Add(patternBlock);
1738                 patternBlock = new PatternBlock
1739                 {
1740                     Type = PatternBlockType.Gap,
1741                     Start = 1,
1742                     Stop = 1
1743                 };
1744             }
1745             else if (_patternSequence[i] == ZeroOrMany)
1746             {
1747                 pattern.Add(patternBlock);
1748                 patternBlock = new PatternBlock
1749                 {
1750                     Type = PatternBlockType.Gap,
1751                     Start = 0,
1752                     Stop = long.MaxValue
1753                 };
1754             }
1755             else

```

```

1752         {
1753             patternBlock.Stop = i;
1754         }
1755     }
1756     else // patternBlock.Type == PatternBlockType.Gap
1757     {
1758         if (_patternSequence[i] == _constants.Any)
1759         {
1760             patternBlock.Start++;
1761             if (patternBlock.Stop < patternBlock.Start)
1762             {
1763                 patternBlock.Stop = patternBlock.Start;
1764             }
1765         }
1766         else if (_patternSequence[i] == ZeroOrMany)
1767         {
1768             patternBlock.Stop = long.MaxValue;
1769         }
1770         else
1771         {
1772             pattern.Add(patternBlock);
1773             patternBlock = new PatternBlock
1774             {
1775                 Type = PatternBlockType.Elements,
1776                 Start = i,
1777                 Stop = i
1778             };
1779         }
1780     }
1781 }
1782 if (patternBlock.Type != PatternBlockType.Undefined)
1783 {
1784     pattern.Add(patternBlock);
1785 }
1786 return pattern;
1787 }
1788
1789 /** match: search for regexp anywhere in text */
1790 //int match(char* regexp, char* text)
1791 //{
1792 //    do
1793 //    {
1794 //        } while (*text++ != '\0');
1795 //    return 0;
1796 //}
1797
1798 /** matchhere: search for regexp at beginning of text */
1799 //int matchhere(char* regexp, char* text)
1800 //{
1801 //    if (regexp[0] == '\0')
1802 //        return 1;
1803 //    if (regexp[1] == '*')
1804 //        return matchstar(regexp[0], regexp + 2, text);
1805 //    if (regexp[0] == '$' && regexp[1] == '\0')
1806 //        return *text == '\0';
1807 //    if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
1808 //        return matchhere(regexp + 1, text + 1);
1809 //    return 0;
1810 //}
1811
1812 /** matchstar: search for c*regexp at beginning of text */
1813 //int matchstar(int c, char* regexp, char* text)
1814 //{
1815 //    do
1816 //    {
1817 //        /* a * matches zero or more instances */
1818 //        if (matchhere(regexp, text))
1819 //            return 1;
1820 //    } while (*text != '\0' && (*text++ == c || c == '.'));
1821 //    return 0;
1822 //}
1823
1824 //private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out
1825 //    ↪ long maximumGap)
1826 //{
1827 //    mininumGap = 0;
1828 //    maximumGap = 0;
1829 //    element = 0;
1830 //    for (; _patternPosition < _patternSequence.Length; _patternPosition++)
1831 //    {

```

```

1830         //         if (_patternSequence[_patternPosition] == Doublets.Links.Null)
1831             //             mininumGap++;
1832         //         else if (_patternSequence[_patternPosition] == ZeroOrMany)
1833             //             maximumGap = long.MaxValue;
1834         //         else
1835             //             break;
1836         //     }
1837
1838         //     if (maximumGap < mininumGap)
1839             //         maximumGap = mininumGap;
1840         // }
1841
1842 private bool PatternMatchCore(LinkIndex element)
1843 {
1844     if (_patternPosition >= _pattern.Count)
1845     {
1846         _patternPosition = -2;
1847         return false;
1848     }
1849     var currentPatternBlock = _pattern[_patternPosition];
1850     if (currentPatternBlock.Type == PatternBlockType.Gap)
1851     {
1852         //var currentMatchingBlockLength = (_sequencePosition -
1853         ↪ _lastMatchedBlockPosition);
1854         if (_sequencePosition < currentPatternBlock.Start)
1855         {
1856             _sequencePosition++;
1857             return true; // Двигаемся дальше
1858         }
1859         // Это последний блок
1860         if (_pattern.Count == _patternPosition + 1)
1861         {
1862             _patternPosition++;
1863             _sequencePosition = 0;
1864             return false; // Полное соответствие
1865         }
1866         else
1867         {
1868             if (_sequencePosition > currentPatternBlock.Stop)
1869             {
1870                 return false; // Соответствие невозможно
1871             }
1872             var nextPatternBlock = _pattern[_patternPosition + 1];
1873             if (_patternSequence[nextPatternBlock.Start] == element)
1874             {
1875                 if (nextPatternBlock.Start < nextPatternBlock.Stop)
1876                 {
1877                     _patternPosition++;
1878                     _sequencePosition = 1;
1879                 }
1880                 else
1881                 {
1882                     _patternPosition += 2;
1883                     _sequencePosition = 0;
1884                 }
1885             }
1886         }
1887     }
1888     else // currentPatternBlock.Type == PatternBlockType.Elements
1889     {
1890         var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
1891         if (_patternSequence[patternElementPosition] != element)
1892         {
1893             return false; // Соответствие невозможно
1894         }
1895         if (patternElementPosition == currentPatternBlock.Stop)
1896         {
1897             _patternPosition++;
1898             _sequencePosition = 0;
1899         }
1900         else
1901         {
1902             _sequencePosition++;
1903         }
1904     }
1905     return true;
1906     //if (_patternSequence[_patternPosition] != element)
1907     //    return false;
1908     //else

```

```

1908         //{
1909         //     _sequencePosition++;
1910         //     _patternPosition++;
1911         //     return true;
1912         //}
1913         //if (_filterPosition == _patternSequence.Length)
1914         //{
1915         //     _filterPosition = -2; // Длиннее чем нужно
1916         //     return false;
1917         //}
1918         //if (element != _patternSequence[_filterPosition])
1919         //{
1920         //     _filterPosition = -1;
1921         //     return false; // Начинается иначе
1922         //}
1923         //if (_filterPosition == (_patternSequence.Length - 1))
1924         //{
1925         //     if (element == _patternSequence[_filterPosition + 1])
1926         //         _filterPosition++;
1927         //     else
1928         //         return false;
1929         //}
1930         //if (_filterPosition < 0)
1931         //{
1932         //     if (element == _patternSequence[0])
1933         //         _filterPosition = 0;
1934         //}
1935     }
1936 }
1937
1938 public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
1939 {
1940     foreach (var sequenceToMatch in sequencesToMatch)
1941     {
1942         if (PatternMatch(sequenceToMatch))
1943         {
1944             _results.Add(sequenceToMatch);
1945         }
1946     }
1947 }
1948
1949 #endregion
1950
1951 }
1952
1953 }
1954
1955 }

```

./Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```

1 using Platform.Collections.Lists;
2 using Platform.Data.Sequences;
3 using System.Collections.Generic;
4
5 namespace Platform.Data.Doublets.Sequences
6 {
7     public static class SequencesExtensions
8     {
9         public static TLink Create<TLink>(this ISequences<TLink> sequences, IList<TLink[]>
10             ↪ groupedSequence)
11         {
12             var finalSequence = new TLink[groupedSequence.Count];
13             for (var i = 0; i < finalSequence.Length; i++)
14             {
15                 var part = groupedSequence[i];
16                 finalSequence[i] = part.Length == 1 ? part[0] : sequences.Create(part);
17             }
18             return sequences.Create(finalSequence);
19         }
20
21         public static IList<TLink> ToList<TLink>(this ISequences<TLink> sequences, TLink
22             ↪ sequence)
23         {
24             var list = new List<TLink>();
25             sequences.EachPart(list.AddAndReturnTrue, sequence);
26             return list;
27         }
28     }
29 }

```

27 }

./Platform.Data.Doublets/Sequences/SequencesOptions.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4 using Platform.Collections.Stacks;
5 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
6 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
7 using Platform.Data.Doublets.Sequences.Converters;
8 using Platform.Data.Doublets.Sequences.CriteriaMatchers;
9 using Platform.Data.Doublets.Sequences.Walkers;
10 using Platform.Data.Doublets.Sequences.Indexes;
11
12 namespace Platform.Data.Doublets.Sequences
13 {
14     public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
15     ↪ ILinks<TLink> must contain GetConstants function.
16     {
17         private static readonly EqualityComparer<TLink> _equalityComparer =
18         ↪ EqualityComparer<TLink>.Default;
19
20         public TLink SequenceMarkerLink { get; set; }
21         public bool UseCascadeUpdate { get; set; }
22         public bool UseCascadeDelete { get; set; }
23         public bool UseIndex { get; set; } // TODO: Update Index on sequence update/delete.
24         public bool UseSequenceMarker { get; set; }
25         public bool UseCompression { get; set; }
26         public bool UseGarbageCollection { get; set; }
27         public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting { get; set; }
28         public bool EnforceSingleSequenceVersionOnWriteBasedOnNew { get; set; }
29
30         public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher { get; set; }
31         public IConverter<IList<TLink>, TLink> LinksToSequenceConverter { get; set; }
32         public ISequenceIndex<TLink> Index { get; set; }
33         public ISequenceWalker<TLink> Walker { get; set; }
34
35         // TODO: Реализовать компактификацию при чтении
36         //public bool EnforceSingleSequenceVersionOnRead { get; set; }
37         //public bool UseRequestMarker { get; set; }
38         //public bool StoreRequestResults { get; set; }
39
40         public void InitOptions(ISynchronizedLinks<TLink> links)
41         {
42             if (UseSequenceMarker)
43             {
44                 if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
45                 {
46                     SequenceMarkerLink = links.CreatePoint();
47                 }
48                 else
49                 {
50                     if (!links.Exists(SequenceMarkerLink))
51                     {
52                         var link = links.CreatePoint();
53                         if (!_equalityComparer.Equals(link, SequenceMarkerLink))
54                         {
55                             throw new InvalidOperationException("Cannot recreate sequence marker
56                             ↪ link.");
57                         }
58                     }
59                 }
60             }
61             if (MarkedSequenceMatcher == null)
62             {
63                 MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
64                 ↪ SequenceMarkerLink);
65             }
66             var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
67             if (UseCompression)
68             {
69                 if (LinksToSequenceConverter == null)
70                 {
71                     ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
72                     if (UseSequenceMarker)
73                     {
74                         totalSequenceSymbolFrequencyCounter = new
75                         ↪ TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
76                         ↪ MarkedSequenceMatcher);
77                     }
78                     else
79                     {
80                         totalSequenceSymbolFrequencyCounter = new
81                         ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links);
82                     }
83                     balancedVariantConverter.SetFrequencyCounter(totalSequenceSymbolFrequencyCounter);
84                 }
85             }
86         }
87     }
88 }

```



```

71     }
72     else
73     {
74         totalSequenceSymbolFrequencyCounter = new
            ↳ TotalSequenceSymbolFrequencyCounter<TLink>(links);
75     }
76     var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
            ↳ totalSequenceSymbolFrequencyCounter);
77     var compressingConverter = new CompressingConverter<TLink>(links,
            ↳ balancedVariantConverter, doubletFrequenciesCache);
78     LinksToSequenceConverter = compressingConverter;
79 }
80 }
81 else
82 {
83     if (LinksToSequenceConverter == null)
84     {
85         LinksToSequenceConverter = balancedVariantConverter;
86     }
87 }
88 if (UseIndex && Index == null)
89 {
90     Index = new SequenceIndex<TLink>(links);
91 }
92 if (Walker == null)
93 {
94     Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
95 }
96 }
97
98 public void ValidateOptions()
99 {
100     if (UseGarbageCollection && !UseSequenceMarker)
101     {
102         throw new NotSupportedException("To use garbage collection UseSequenceMarker
            ↳ option must be on.");
103     }
104 }
105 }
106 }

```

./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Sequences.Walkers
4 {
5     public interface ISequenceWalker<TLink>
6     {
7         IEnumerable<TLink> Walk(TLink sequence);
8     }
9 }

```

./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Collections.Stacks;
4
5 namespace Platform.Data.Doublets.Sequences.Walkers
6 {
7     public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
8     {
9         public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack)
            ↳ { }
10
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         protected override TLink GetNextElementAfterPop(TLink element) =>
            ↳ Links.GetSource(element);
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override TLink GetNextElementAfterPush(TLink element) =>
            ↳ Links.GetTarget(element);
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected override IEnumerable<TLink> WalkContents(TLink element)
19         {
20             var parts = Links.GetLink(element);
21             var start = Links.Constants.IndexPart + 1;
22             for (var i = parts.Count - 1; i >= start; i--)

```

```

23     {
24         var part = parts[i];
25         if (IsElement(part))
26         {
27             yield return part;
28         }
29     }
30 }
31 }
32 }

```

./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  //#define USEARRAYPOOL
6  #if USEARRAYPOOL
7  using Platform.Collections;
8  #endif
9
10 namespace Platform.Data.Doublets.Sequences.Walkers
11 {
12     public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ⇨ EqualityComparer<TLink>.Default;
16
17         private readonly Func<TLink, bool> _isElement;
18
19         public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
20             ⇨ base(links) => _isElement = isElement;
21
22         public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
23             ⇨ Links.IsPartialPoint;
24
25         public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);
26
27         public TLink[] ToArray(TLink sequence)
28         {
29             var length = 1;
30             var array = new TLink[length];
31             array[0] = sequence;
32             if (_isElement(sequence))
33             {
34                 return array;
35             }
36             bool hasElements;
37             do
38             {
39                 length *= 2;
40 #if USEARRAYPOOL
41                 var nextArray = ArrayPool.Allocate<ulong>(length);
42 #else
43                 var nextArray = new TLink[length];
44 #endif
45                 hasElements = false;
46                 for (var i = 0; i < array.Length; i++)
47                 {
48                     var candidate = array[i];
49                     if (_equalityComparer.Equals(array[i], default))
50                     {
51                         continue;
52                     }
53                     var doubletOffset = i * 2;
54                     if (_isElement(candidate))
55                     {
56                         nextArray[doubletOffset] = candidate;
57                     }
58                     else
59                     {
60                         var link = Links.GetLink(candidate);
61                         var linkSource = Links.GetSource(link);
62                         var linkTarget = Links.GetTarget(link);
63                         nextArray[doubletOffset] = linkSource;
64                         nextArray[doubletOffset + 1] = linkTarget;
65                         if (!hasElements)
66                         {
67                             hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
68                         }
69                     }
70                 }
71             } while (!hasElements);
72             return nextArray;
73         }
74     }
75 }

```

```

66         }
67     }
68     #if USEARRAYPOOL
69         if (array.Length > 1)
70         {
71             ArrayPool.Free(array);
72         }
73     #endif
74     array = nextArray;
75 }
76 while (hasElements);
77 var filledElementsCount = CountFilledElements(array);
78 if (filledElementsCount == array.Length)
79 {
80     return array;
81 }
82 else
83 {
84     return CopyFilledElements(array, filledElementsCount);
85 }
86 }
87
88 [MethodImpl(MethodImplOptions.AggressiveInlining)]
89 private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
90 {
91     var finalArray = new TLink[filledElementsCount];
92     for (int i = 0, j = 0; i < array.Length; i++)
93     {
94         if (!_equalityComparer.Equals(array[i], default))
95         {
96             finalArray[j] = array[i];
97             j++;
98         }
99     }
100     #if USEARRAYPOOL
101         ArrayPool.Free(array);
102     #endif
103     return finalArray;
104 }
105
106 [MethodImpl(MethodImplOptions.AggressiveInlining)]
107 private static int CountFilledElements(TLink[] array)
108 {
109     var count = 0;
110     for (var i = 0; i < array.Length; i++)
111     {
112         if (!_equalityComparer.Equals(array[i], default))
113         {
114             count++;
115         }
116     }
117     return count;
118 }
119 }
120 }

```

./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Collections.Stacks;
4
5  namespace Platform.Data.Doublets.Sequences.Walkers
6  {
7      public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
8      {
9          public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
10              ↪ stack) { }
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          protected override TLink GetNextElementAfterPop(TLink element) =>
14              ↪ Links.GetTarget(element);
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          protected override TLink GetNextElementAfterPush(TLink element) =>
18              ↪ Links.GetSource(element);
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override IEnumerable<TLink> WalkContents(TLink element)
22          {

```

```

20     var parts = Links.GetLink(element);
21     for (var i = Links.Constants.IndexPart + 1; i < parts.Count; i++)
22     {
23         var part = parts[i];
24         if (IsElement(part))
25         {
26             yield return part;
27         }
28     }
29 }
30 }
31 }

```

./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Collections.Stacks;
4
5  namespace Platform.Data.Doublets.Sequences.Walkers
6  {
7      public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
8          ↳ ISequenceWalker<TLink>
9      {
10         private readonly IStack<TLink> _stack;
11
12         protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : base(links) =>
13             ↳ _stack = stack;
14
15         public IEnumerable<TLink> Walk(TLink sequence)
16         {
17             _stack.Clear();
18             var element = sequence;
19             if (IsElement(element))
20             {
21                 yield return element;
22             }
23             else
24             {
25                 while (true)
26                 {
27                     if (IsElement(element))
28                     {
29                         if (_stack.IsEmpty)
30                         {
31                             break;
32                         }
33                         element = _stack.Pop();
34                         foreach (var output in WalkContents(element))
35                         {
36                             yield return output;
37                         }
38                         element = GetNextElementAfterPop(element);
39                     }
40                     else
41                     {
42                         _stack.Push(element);
43                         element = GetNextElementAfterPush(element);
44                     }
45                 }
46             }
47
48             [MethodImpl(MethodImplOptions.AggressiveInlining)]
49             protected virtual bool IsElement(TLink elementLink) => Links.IsPartialPoint(elementLink);
50
51             [MethodImpl(MethodImplOptions.AggressiveInlining)]
52             protected abstract TLink GetNextElementAfterPop(TLink element);
53
54             [MethodImpl(MethodImplOptions.AggressiveInlining)]
55             protected abstract TLink GetNextElementAfterPush(TLink element);
56
57             [MethodImpl(MethodImplOptions.AggressiveInlining)]
58             protected abstract IEnumerable<TLink> WalkContents(TLink element);
59 }

```

./Platform.Data.Doublets/Stacks/Stack.cs

```

1  using System.Collections.Generic;
2  using Platform.Collections.Stacks;

```

```

3
4 namespace Platform.Data.Doublets.Stacks
5 {
6     public class Stack<TLink> : IStack<TLink>
7     {
8         private static readonly EqualityComparer<TLink> _equalityComparer =
9             ↪ EqualityComparer<TLink>.Default;
10
11         private readonly ILinks<TLink> _links;
12         private readonly TLink _stack;
13
14         public bool IsEmpty => _equalityComparer.Equals(Peek(), _stack);
15
16         public Stack(ILinks<TLink> links, TLink stack)
17         {
18             _links = links;
19             _stack = stack;
20         }
21
22         private TLink GetStackMarker() => _links.GetSource(_stack);
23
24         private TLink GetTop() => _links.GetTarget(_stack);
25
26         public TLink Peek() => _links.GetTarget(GetTop());
27
28         public TLink Pop()
29         {
30             var element = Peek();
31             if (!_equalityComparer.Equals(element, _stack))
32             {
33                 var top = GetTop();
34                 var previousTop = _links.GetSource(top);
35                 _links.Update(_stack, GetStackMarker(), previousTop);
36                 _links.Delete(top);
37             }
38             return element;
39         }
40
41         public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
42             ↪ _links.GetOrCreate(GetTop(), element));
43     }
44 }

```

./Platform.Data.Doublets/Stacks/StackExtensions.cs

```

1 namespace Platform.Data.Doublets.Stacks
2 {
3     public static class StackExtensions
4     {
5         public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
6         {
7             var stackPoint = links.CreatePoint();
8             var stack = links.Update(stackPoint, stackMarker, stackPoint);
9             return stack;
10         }
11     }
12 }

```

./Platform.Data.Doublets/SynchronizedLinks.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Data.Constants;
4 using Platform.Data.Doublets;
5 using Platform.Threading.Synchronization;
6
7 namespace Platform.Data.Doublets
8 {
9     /// <remarks>
10     /// TODO: Autogeneration of synchronized wrapper (decorator).
11     /// TODO: Try to unfold code of each method using IL generation for performance improvements.
12     /// TODO: Or even to unfold multiple layers of implementations.
13     /// </remarks>
14     public class SynchronizedLinks<T> : ISynchronizedLinks<T>
15     {
16         public LinksCombinedConstants<T, T, int> Constants { get; }
17         public ISynchronization SyncRoot { get; }
18         public ILinks<T> Sync { get; }
19         public ILinks<T> Unsync { get; }
20
21         public SynchronizedLinks(ILinks<T> links) : this(new ReaderWriterLockSynchronization(),
22             ↪ links) { }
23     }
24 }

```

```

22
23     public SynchronizedLinks(ISynchronization synchronization, ILinks<T> links)
24     {
25         SyncRoot = synchronization;
26         Sync = this;
27         Unsync = links;
28         Constants = links.Constants;
29     }
30
31     public T Count(IList<T> restriction) => SyncRoot.ExecuteReadOperation(restriction,
32     ↪ Unsync.Count);
33     public T Each(Func<IList<T>, T> handler, IList<T> restrictions) =>
34     ↪ SyncRoot.ExecuteReadOperation(handler, restrictions, (handler1, restrictions1) =>
35     ↪ Unsync.Each(handler1, restrictions1));
36     public T Create() => SyncRoot.ExecuteWriteOperation(Unsync.Create);
37     public T Update(IList<T> restrictions) => SyncRoot.ExecuteWriteOperation(restrictions,
38     ↪ Unsync.Update);
39     public void Delete(T link) => SyncRoot.ExecuteWriteOperation(link, Unsync.Delete);
40
41     //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
42     ↪ IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
43     //{
44     //    if (restriction != null && substitution != null &&
45     ↪ !substitution.EqualTo(restriction))
46     //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
47     ↪ substitution, substitutedHandler, Unsync.Trigger);
48     //
49     //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
50     ↪ substitutedHandler, Unsync.Trigger);
51     //}
52 }

```

./Platform.Data.Doublers/UInt64Link.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using Platform.Exceptions;
5  using Platform.Ranges;
6  using Platform.Singletons;
7  using Platform.Collections.Lists;
8  using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublers
11 {
12     /// <summary>
13     /// Структура описывающая уникальную связь.
14     /// </summary>
15     public struct UInt64Link : IEquatable<UInt64Link>, IReadOnlyList<ulong>, IList<ulong>
16     {
17         private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
18         ↪ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
19
20         private const int Length = 3;
21
22         public readonly ulong Index;
23         public readonly ulong Source;
24         public readonly ulong Target;
25
26         public static readonly UInt64Link Null = new UInt64Link();
27
28         public UInt64Link(params ulong[] values)
29         {
30             Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
31             ↪ _constants.Null;
32             Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
33             ↪ _constants.Null;
34             Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
35             ↪ _constants.Null;
36         }
37
38         public UInt64Link(IList<ulong> values)
39         {
40             Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
41             ↪ _constants.Null;
42             Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
43             ↪ _constants.Null;
44             Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
45             ↪ _constants.Null;
46         }
47     }
48 }

```

```

39     }
40
41     public UInt64Link(ulong index, ulong source, ulong target)
42     {
43         Index = index;
44         Source = source;
45         Target = target;
46     }
47
48     public UInt64Link(ulong source, ulong target)
49         : this(_constants.Null, source, target)
50     {
51         Source = source;
52         Target = target;
53     }
54
55     public static UInt64Link Create(ulong source, ulong target) => new UInt64Link(source,
56         ↪ target);
57
58     public override int GetHashCode() => (Index, Source, Target).GetHashCode();
59
60     public bool IsNull() => Index == _constants.Null
61         && Source == _constants.Null
62         && Target == _constants.Null;
63
64     public override bool Equals(object other) => other is UInt64Link &&
65         ↪ Equals((UInt64Link)other);
66
67     public bool Equals(UInt64Link other) => Index == other.Index
68         && Source == other.Source
69         && Target == other.Target;
70
71     public static string ToString(ulong index, ulong source, ulong target) => $"{index}:
72         ↪ {source}->{target}";
73
74     public static string ToString(ulong source, ulong target) => $"{source}->{target}";
75
76     public static implicit operator ulong[] (UInt64Link link) => link.ToArray();
77
78     public static implicit operator UInt64Link(ulong[] linkArray) => new
79         ↪ UInt64Link(linkArray);
80
81     public override string ToString() => Index == _constants.Null ? ToString(Source, Target)
82         ↪ : ToString(Index, Source, Target);
83
84     #region IList
85
86     public ulong this[int index]
87     {
88         get
89         {
90             Ensure.Always.ArgumentInRange(index, new Range<int>(0, Length - 1),
91                 ↪ nameof(index));
92             if (index == _constants.IndexPart)
93             {
94                 return Index;
95             }
96             if (index == _constants.SourcePart)
97             {
98                 return Source;
99             }
100             if (index == _constants.TargetPart)
101             {
102                 return Target;
103             }
104             throw new NotSupportedException(); // Impossible path due to
105                 ↪ Ensure.ArgumentInRange
106         }
107         set => throw new NotSupportedException();
108     }
109
110     public int Count => Length;
111
112     public bool IsReadOnly => true;
113
114     IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
115
116     public IEnumerator<ulong> GetEnumerator()
117     {
118         yield return Index;
119     }

```

```

112         yield return Source;
113         yield return Target;
114     }
115
116     public void Add(ulong item) => throw new NotSupportedException();
117
118     public void Clear() => throw new NotSupportedException();
119
120     public bool Contains(ulong item) => IndexOf(item) >= 0;
121
122     public void CopyTo(ulong[] array, int arrayIndex)
123     {
124         Ensure.Always.ArgumentNotNull(array, nameof(array));
125         Ensure.Always.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
126             ↪ nameof(arrayIndex));
127         if (arrayIndex + Length > array.Length)
128         {
129             throw new ArgumentException();
130         }
131         array[arrayIndex++] = Index;
132         array[arrayIndex++] = Source;
133         array[arrayIndex] = Target;
134     }
135
136     public bool Remove(ulong item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
137
138     public int IndexOf(ulong item)
139     {
140         if (Index == item)
141         {
142             return _constants.IndexPart;
143         }
144         if (Source == item)
145         {
146             return _constants.SourcePart;
147         }
148         if (Target == item)
149         {
150             return _constants.TargetPart;
151         }
152         return -1;
153     }
154
155     public void Insert(int index, ulong item) => throw new NotSupportedException();
156
157     public void RemoveAt(int index) => throw new NotSupportedException();
158
159     #endregion
160 }
161 }

```

./Platform.Data.Doublets/UInt64LinkExtensions.cs

```

1 namespace Platform.Data.Doublets
2 {
3     public static class UInt64LinkExtensions
4     {
5         public static bool IsFullPoint(this UInt64Link link) => Point<ulong>.IsFullPoint(link);
6         public static bool IsPartialPoint(this UInt64Link link) =>
7             ↪ Point<ulong>.IsPartialPoint(link);
8     }
9 }

```

./Platform.Data.Doublets/UInt64LinksExtensions.cs

```

1 using System;
2 using System.Text;
3 using System.Collections.Generic;
4 using Platform.Singletons;
5 using Platform.Data.Constants;
6 using Platform.Data.Exceptions;
7 using Platform.Data.Doublets.Unicode;
8
9 namespace Platform.Data.Doublets
10 {
11     public static class UInt64LinksExtensions
12     {
13         public static readonly LinksCombinedConstants<bool, ulong, int> Constants =
14             ↪ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
15
16         public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);
17     }
18 }

```



```

16 public static void EnsureEachLinkExists(this ILinks<ulong> links, IList<ulong> sequence)
17 {
18     if (sequence == null)
19     {
20         return;
21     }
22     for (var i = 0; i < sequence.Count; i++)
23     {
24         if (!links.Exists(sequence[i]))
25         {
26             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
27                 ↪ $"sequence[{i}]");
28         }
29     }
30 }
31
32 public static void EnsureEachLinkIsAnyOrExists(this ILinks<ulong> links, IList<ulong>
33 ↪ sequence)
34 {
35     if (sequence == null)
36     {
37         return;
38     }
39     for (var i = 0; i < sequence.Count; i++)
40     {
41         if (sequence[i] != Constants.Any && !links.Exists(sequence[i]))
42         {
43             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
44                 ↪ $"sequence[{i}]");
45         }
46     }
47 }
48
49 public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
50 {
51     if (sequence == null)
52     {
53         return false;
54     }
55     var constants = links.Constants;
56     for (var i = 0; i < sequence.Length; i++)
57     {
58         if (sequence[i] == constants.Any)
59         {
60             return true;
61         }
62     }
63     return false;
64 }
65
66 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
67 ↪ Func<UInt64Link, bool> isElement, bool renderIndex = false, bool renderDebug = false)
68 {
69     var sb = new StringBuilder();
70     var visited = new HashSet<ulong>();
71     links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
72         ↪ innerSb.Append(link.Index), renderIndex, renderDebug);
73     return sb.ToString();
74 }
75
76 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
77 ↪ Func<UInt64Link, bool> isElement, Action<StringBuilder, UInt64Link> appendElement,
78 ↪ bool renderIndex = false, bool renderDebug = false)
79 {
80     var sb = new StringBuilder();
81     var visited = new HashSet<ulong>();
82     links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
83         ↪ renderDebug);
84     return sb.ToString();
85 }
86
87 public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
88 ↪ HashSet<ulong> visited, ulong linkIndex, Func<UInt64Link, bool> isElement,
89 ↪ Action<StringBuilder, UInt64Link> appendElement, bool renderIndex = false, bool
90 ↪ renderDebug = false)
91 {
92     if (sb == null)

```

```

83     {
84         throw new ArgumentNullException(nameof(sb));
85     }
86     if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
87         ↪ Constants.Itself)
88     {
89         return;
90     }
91     if (links.Exists(linkIndex))
92     {
93         if (visited.Add(linkIndex))
94         {
95             sb.Append('(');
96             var link = new UInt64Link(links.GetLink(linkIndex));
97             if (renderIndex)
98             {
99                 sb.Append(link.Index);
100                 sb.Append(':');
101             }
102             if (link.Source == link.Index)
103             {
104                 sb.Append(link.Index);
105             }
106             else
107             {
108                 var source = new UInt64Link(links.GetLink(link.Source));
109                 if (isElement(source))
110                 {
111                     appendElement(sb, source);
112                 }
113                 else
114                 {
115                     links.AppendStructure(sb, visited, source.Index, isElement,
116                         ↪ appendElement, renderIndex);
117                 }
118             }
119             sb.Append(' ');
120             if (link.Target == link.Index)
121             {
122                 sb.Append(link.Index);
123             }
124             else
125             {
126                 var target = new UInt64Link(links.GetLink(link.Target));
127                 if (isElement(target))
128                 {
129                     appendElement(sb, target);
130                 }
131                 else
132                 {
133                     links.AppendStructure(sb, visited, target.Index, isElement,
134                         ↪ appendElement, renderIndex);
135                 }
136             }
137             sb.Append(')');
138         }
139         else
140         {
141             if (renderDebug)
142             {
143                 sb.Append('*');
144             }
145             sb.Append(linkIndex);
146         }
147     }
148     else
149     {
150         if (renderDebug)
151         {
152             sb.Append('~');
153         }
154         sb.Append(linkIndex);
155     }
156 }

```

./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```
1 using System;
2 using System.Linq;
3 using System.Collections.Generic;
4 using System.IO;
5 using System.Runtime.CompilerServices;
6 using System.Threading;
7 using System.Threading.Tasks;
8 using Platform.Disposables;
9 using Platform.Timestamps;
10 using Platform.Unsafe;
11 using Platform.IO;
12 using Platform.Data.Doublets.Decorators;
13
14 namespace Platform.Data.Doublets
15 {
16     public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
17     {
18         /// <remarks>
19         /// Альтернативные варианты хранения трансформации (элемента транзакции):
20         ///
21         /// private enum TransitionType
22         /// {
23         ///     Creation,
24         ///     UpdateOf,
25         ///     UpdateTo,
26         ///     Deletion
27         /// }
28         ///
29         /// private struct Transition
30         /// {
31         ///     public ulong TransactionId;
32         ///     public UniqueTimestamp Timestamp;
33         ///     public TransactionItemType Type;
34         ///     public Link Source;
35         ///     public Link Linker;
36         ///     public Link Target;
37         /// }
38         ///
39         /// Или
40         ///
41         /// public struct TransitionHeader
42         /// {
43         ///     public ulong TransactionIdCombined;
44         ///     public ulong TimestampCombined;
45         ///
46         ///     public ulong TransactionId
47         ///     {
48         ///         get
49         ///         {
50         ///             return (ulong) mask & TransactionIdCombined;
51         ///         }
52         ///     }
53         ///
54         ///     public UniqueTimestamp Timestamp
55         ///     {
56         ///         get
57         ///         {
58         ///             return (UniqueTimestamp)mask & TransactionIdCombined;
59         ///         }
60         ///     }
61         ///
62         ///     public TransactionItemType Type
63         ///     {
64         ///         get
65         ///         {
66         ///             // Использовать по одному биту из TransactionId и Timestamp,
67         ///             // для значения в 2 бита, которое представляет тип операции
68         ///             throw new NotImplementedException();
69         ///         }
70         ///     }
71         /// }
72         ///
73         /// private struct Transition
74         /// {
75         ///     public TransitionHeader Header;
76         ///     public Link Source;
77         ///     public Link Linker;
78         ///     public Link Target;
```

```

79     /// }
80     ///
81     /// </remarks>
82     public struct Transition
83     {
84         public static readonly long Size = Structure<Transition>.Size;
85
86         public readonly ulong TransactionId;
87         public readonly UInt64Link Before;
88         public readonly UInt64Link After;
89         public readonly Timestamp Timestamp;
90
91         public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
92             ↪ transactionId, UInt64Link before, UInt64Link after)
93         {
94             TransactionId = transactionId;
95             Before = before;
96             After = after;
97             Timestamp = uniqueTimestampFactory.Create();
98         }
99
100        public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
101            ↪ transactionId, UInt64Link before)
102            : this(uniqueTimestampFactory, transactionId, before, default)
103        {
104        }
105
106        public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong transactionId)
107            : this(uniqueTimestampFactory, transactionId, default, default)
108        {
109        }
110
111        public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
112            ↪ {After}";
113    }
114
115    /// <remarks>
116    /// Другие варианты реализации транзакций (атомарности):
117    /// 1. Разделение хранения значения связи ((Source Target) или (Source Linker
118    ///    ↪ Target)) и индексов.
119    /// 2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
120    ///    ↪ потребуется решить вопрос
121    ///    со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
122    ///    ↪ пересечениями идентификаторов.
123    ///
124    /// Где хранить промежуточный список транзакций?
125    ///
126    /// В оперативной памяти:
127    /// Минусы:
128    /// 1. Может усложнить систему, если она будет функционировать самостоятельно,
129    ///    так как нужно отдельно выделять память под список трансформаций.
130    /// 2. Выделенной оперативной памяти может не хватить, в том случае,
131    ///    если транзакция использует слишком много трансформаций.
132    ///    -> Можно использовать жёсткий диск для слишком длинных транзакций.
133    ///    -> Максимальный размер списка трансформаций можно ограничить / задать
134    ///    ↪ константой.
135    /// 3. При подтверждении транзакции (Commit) все трансформации записываются разом
136    ///    ↪ создавая задержку.
137    ///
138    /// На жёстком диске:
139    /// Минусы:
140    /// 1. Длительный отклик, на запись каждой трансформации.
141    /// 2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
142    ///    -> Это может решаться упаковкой/исключением дублирующих операций.
143    ///    -> Также это может решаться тем, что короткие транзакции вообще
144    ///        не будут записываться в случае отката.
145    /// 3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
146    ///    ↪ операции (трансформации)
147    ///        будут записаны в лог.
148    ///
149    /// </remarks>
150    public class Transaction : DisposableBase
151    {
152        private readonly Queue<Transition> _transitions;
153        private readonly UInt64LinksTransactionsLayer _layer;
154        public bool IsCommitted { get; private set; }
155        public bool IsReverted { get; private set; }
156
157        public Transaction(UInt64LinksTransactionsLayer layer)

```

```

149     {
150         _layer = layer;
151         if (_layer._currentTransactionId != 0)
152         {
153             throw new NotSupportedException("Nested transactions not supported.");
154         }
155         IsCommitted = false;
156         IsReverted = false;
157         _transitions = new Queue<Transition>();
158         SetCurrentTransaction(layer, this);
159     }
160
161     public void Commit()
162     {
163         EnsureTransactionAllowsWriteOperations(this);
164         while (_transitions.Count > 0)
165         {
166             var transition = _transitions.Dequeue();
167             _layer._transitions.Enqueue(transition);
168         }
169         _layer._lastCommittedTransactionId = _layer._currentTransactionId;
170         IsCommitted = true;
171     }
172
173     private void Revert()
174     {
175         EnsureTransactionAllowsWriteOperations(this);
176         var transitionsToRevert = new Transition[_transitions.Count];
177         _transitions.CopyTo(transitionsToRevert, 0);
178         for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
179         {
180             _layer.RevertTransition(transitionsToRevert[i]);
181         }
182         IsReverted = true;
183     }
184
185     public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
186 ↪ Transaction transaction)
187     {
188         layer._currentTransactionId = layer._lastCommittedTransactionId + 1;
189         layer._currentTransactionTransitions = transaction._transitions;
190         layer._currentTransaction = transaction;
191     }
192
193     public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
194     {
195         if (transaction.IsReverted)
196         {
197             throw new InvalidOperationException("Transation is reverted.");
198         }
199         if (transaction.IsCommitted)
200         {
201             throw new InvalidOperationException("Transation is committed.");
202         }
203     }
204
205     protected override void Dispose(bool manual, bool wasDisposed)
206     {
207         if (!wasDisposed && _layer != null && !_layer.IsDisposed)
208         {
209             if (!IsCommitted && !IsReverted)
210             {
211                 Revert();
212             }
213             _layer.ResetCurrentTransation();
214         }
215     }
216
217     public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
218
219     private readonly string _logAddress;
220     private readonly FileStream _log;
221     private readonly Queue<Transition> _transitions;
222     private readonly UniqueTimestampFactory _uniqueTimestampFactory;
223     private Task _transitionsPusher;
224     private Transition _lastCommittedTransition;
225     private ulong _currentTransactionId;
226     private Queue<Transition> _currentTransactionTransitions;
227     private Transaction _currentTransaction;

```

```

228 private ulong _lastCommittedTransactionId;
229
230 public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
231     : base(links)
232 {
233     if (string.IsNullOrEmpty(logAddress))
234     {
235         throw new ArgumentNullException(nameof(logAddress));
236     }
237     // В первой строке файла хранится последняя закоммиченную транзакцию.
238     // При запуске это используется для проверки удачного закрытия файла лога.
239     // In the first line of the file the last committed transaction is stored.
240     // On startup, this is used to check that the log file is successfully closed.
241     var lastCommittedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
242     var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
243     if (!lastCommittedTransition.Equals(lastWrittenTransition))
244     {
245         Dispose();
246         throw new NotSupportedException("Database is damaged, autorecovery is not
        ↳ supported yet.");
247     }
248     if (lastCommittedTransition.Equals(default(Transition)))
249     {
250         FileHelpers.WriteFirst(logAddress, lastCommittedTransition);
251     }
252     _lastCommittedTransition = lastCommittedTransition;
253     // TODO: Think about a better way to calculate or store this value
254     var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
255     _lastCommittedTransactionId = allTransitions.Max(x => x.TransactionId);
256     _uniqueTimestampFactory = new UniqueTimestampFactory();
257     _logAddress = logAddress;
258     _log = FileHelpers.Append(logAddress);
259     _transitions = new Queue<Transition>();
260     _transitionsPusher = new Task(TransitionsPusher);
261     _transitionsPusher.Start();
262 }
263
264 public IList<ulong> GetLinkValue(ulong link) => Links.GetLink(link);
265
266 public override ulong Create()
267 {
268     var createdLinkIndex = Links.Create();
269     var createdLink = new UInt64Link(Links.GetLink(createdLinkIndex));
270     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
        ↳ default, createdLink));
271     return createdLinkIndex;
272 }
273
274 public override ulong Update(IList<ulong> parts)
275 {
276     var linkIndex = parts[Constants.IndexPart];
277     var beforeLink = new UInt64Link(Links.GetLink(linkIndex));
278     linkIndex = Links.Update(parts);
279     var afterLink = new UInt64Link(Links.GetLink(linkIndex));
280     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
        ↳ beforeLink, afterLink));
281     return linkIndex;
282 }
283
284 public override void Delete(ulong link)
285 {
286     var deletedLink = new UInt64Link(Links.GetLink(link));
287     Links.Delete(link);
288     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
        ↳ deletedLink, default));
289 }
290
291 [MethodImpl(MethodImplOptions.AggressiveInlining)]
292 private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
    ↳ _transitions;
293
294 private void CommitTransition(Transition transition)
295 {
296     if (_currentTransaction != null)
297     {
298         Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
299     }
300     var transitions = GetCurrentTransitions();

```

```

301     transitions.Enqueue(transition);
302 }
303
304 private void RevertTransition(Transition transition)
305 {
306     if (transition.After.IsNull()) // Revert Deletion with Creation
307     {
308         Links.Create();
309     }
310     else if (transition.Before.IsNull()) // Revert Creation with Deletion
311     {
312         Links.Delete(transition.After.Index);
313     }
314     else // Revert Update
315     {
316         Links.Update(new[] { transition.After.Index, transition.Before.Source,
317             ↪ transition.Before.Target });
318     }
319 }
320
321 private void ResetCurrentTransation()
322 {
323     _currentTransactionId = 0;
324     _currentTransactionTransitions = null;
325     _currentTransaction = null;
326 }
327
328 private void PushTransitions()
329 {
330     if (_log == null || _transitions == null)
331     {
332         return;
333     }
334     for (var i = 0; i < _transitions.Count; i++)
335     {
336         var transition = _transitions.Dequeue();
337
338         _log.Write(transition);
339         _lastCommittedTransition = transition;
340     }
341 }
342
343 private void TransitionsPusher()
344 {
345     while (!IsDisposed && _transitionsPusher != null)
346     {
347         Thread.Sleep(DefaultPushDelay);
348         PushTransitions();
349     }
350 }
351
352 public Transaction BeginTransaction() => new Transaction(this);
353
354 private void DisposeTransitions()
355 {
356     try
357     {
358         var pusher = _transitionsPusher;
359         if (pusher != null)
360         {
361             _transitionsPusher = null;
362             pusher.Wait();
363         }
364         if (_transitions != null)
365         {
366             PushTransitions();
367         }
368         _log.DisposeIfPossible();
369         FileHelpers.WriteFirst(_logAddress, _lastCommittedTransition);
370     }
371     catch
372     {
373     }
374 }
375
376 #region DisposalBase
377
378 protected override void Dispose(bool manual, bool wasDisposed)
379 {

```

```

379         if (!wasDisposed)
380         {
381             DisposeTransitions();
382         }
383         base.Dispose(manual, wasDisposed);
384     }
385
386     #endregion
387 }
388 }

```

./Platform.Data.Doublets/UnaryNumbers/AddressToUnaryNumberConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3  using Platform.Reflection;
4  using Platform.Numbers;
5
6  namespace Platform.Data.Doublets.UnaryNumbers
7  {
8      public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
9          ⇨ IConverter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ⇨ EqualityComparer<TLink>.Default;
13
14         private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;
15
16         public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
17             ⇨ powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
18             ⇨ powerOf2ToUnaryNumberConverter;
19
20         public TLink Convert(TLink sourceAddress)
21         {
22             var number = sourceAddress;
23             var nullConstant = Links.Constants.Null;
24             var one = Integer<TLink>.One;
25             var target = nullConstant;
26             for (int i = 0; !_equalityComparer.Equals(number, default) && i <
27                 ⇨ Type<TLink>.BitsLength; i++)
28             {
29                 if (_equalityComparer.Equals(Arithmetic.And(number, one), one))
30                 {
31                     target = _equalityComparer.Equals(target, nullConstant)
32                         ? _powerOf2ToUnaryNumberConverter.Convert(i)
33                         : Links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
34                 }
35                 number = (Integer<TLink>)((ulong)(Integer<TLink>)number >> 1); // Should be
36                 ⇨ Bit.ShiftRight(number, 1)
37             }
38             return target;
39         }
40     }
41 }

```

./Platform.Data.Doublets/UnaryNumbers/LinkToItsFrequencyNumberConveter.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Interfaces;
4
5  namespace Platform.Data.Doublets.UnaryNumbers
6  {
7      public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
8          ⇨ IConverter<Doublet<TLink>, TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ⇨ EqualityComparer<TLink>.Default;
12
13         private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
14         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
15
16         public LinkToItsFrequencyNumberConveter(
17             ILinks<TLink> links,
18             IPropertyOperator<TLink, TLink> frequencyPropertyOperator,
19             IConverter<TLink> unaryNumberToAddressConverter)
20             : base(links)
21         {
22             _frequencyPropertyOperator = frequencyPropertyOperator;
23             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
24         }
25     }
26 }

```



```

24     public TLink Convert(Doublet<TLink> doublet)
25     {
26         var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
27         if (_equalityComparer.Equals(link, default))
28         {
29             throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
30         }
31         var frequency = _frequencyPropertyOperator.Get(link);
32         if (_equalityComparer.Equals(frequency, default))
33         {
34             return default;
35         }
36         var frequencyNumber = Links.GetSource(frequency);
37         return _unaryNumberToAddressConverter.Convert(frequencyNumber);
38     }
39 }
40 }

```

#### ./Platform.Data.Doublets/UnaryNumbers/PowerOf2ToUnaryNumberConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Exceptions;
3  using Platform.Interfaces;
4  using Platform.Ranges;
5
6  namespace Platform.Data.Doublets.UnaryNumbers
7  {
8      public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
9          ↪ IConverter<int, TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly TLink[] _unaryNumberPowersOf2;
15
16         public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
17         {
18             _unaryNumberPowersOf2 = new TLink[64];
19             _unaryNumberPowersOf2[0] = one;
20         }
21
22         public TLink Convert(int power)
23         {
24             Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
25                 ↪ - 1), nameof(power));
26             if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
27             {
28                 return _unaryNumberPowersOf2[power];
29             }
30             var previousPowerOf2 = Convert(power - 1);
31             var powerOf2 = Links.GetOrCreate(previousPowerOf2, previousPowerOf2);
32             _unaryNumberPowersOf2[power] = powerOf2;
33             return powerOf2;
34         }
35     }
36 }

```

#### ./Platform.Data.Doublets/UnaryNumbers/UnaryNumberToAddressAddOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Numbers;
5
6  namespace Platform.Data.Doublets.UnaryNumbers
7  {
8      public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
9          ↪ IConverter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private Dictionary<TLink, TLink> _unaryToUInt64;
15         private readonly TLink _unaryOne;
16
17         public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
18             : base(links)
19         {
20             _unaryOne = unaryOne;
21             InitUnaryToUInt64();
22         }
23     }
24 }

```

```

21
22 private void InitUnaryToUInt64()
23 {
24     var one = Integer<TLink>.One;
25     _unaryToUInt64 = new Dictionary<TLink, TLink>
26     {
27         { _unaryOne, one }
28     };
29     var unary = _unaryOne;
30     var number = one;
31     for (var i = 1; i < 64; i++)
32     {
33         unary = Links.GetOrCreate(unary, unary);
34         number = Double(number);
35         _unaryToUInt64.Add(unary, number);
36     }
37 }
38
39 public TLink Convert(TLink unaryNumber)
40 {
41     if (_equalityComparer.Equals(unaryNumber, default))
42     {
43         return default;
44     }
45     if (_equalityComparer.Equals(unaryNumber, _unaryOne))
46     {
47         return Integer<TLink>.One;
48     }
49     var source = Links.GetSource(unaryNumber);
50     var target = Links.GetTarget(unaryNumber);
51     if (_equalityComparer.Equals(source, target))
52     {
53         return _unaryToUInt64[unaryNumber];
54     }
55     else
56     {
57         var result = _unaryToUInt64[source];
58         TLink lastValue;
59         while (!_unaryToUInt64.TryGetValue(target, out lastValue))
60         {
61             source = Links.GetSource(target);
62             result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
63             target = Links.GetTarget(target);
64         }
65         result = Arithmetic<TLink>.Add(result, lastValue);
66         return result;
67     }
68 }
69
70 [MethodImpl(MethodImplOptions.AggressiveInlining)]
71 private static TLink Double(TLink number) => (Integer<TLink>)((Integer<TLink>)number *
    ↪ 2UL);
72 }
73 }

```

./Platform.Data.Doublets/UnaryNumbers/UnaryNumberToAddressOrOperationConverter.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Reflection;
4 using Platform.Numbers;
5 using System.Runtime.CompilerServices;
6
7 namespace Platform.Data.Doublets.UnaryNumbers
8 {
9     public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪ EqualityComparer<TLink>.Default;
12
13         private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;
14
15         public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
    ↪ TLink> powerOf2ToUnaryNumberConverter)
    ↪ : base(links)
16         {
17             _unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
18             for (int i = 0; i < Type<TLink>.BitsLength; i++)
19             {
20

```

```

21         _unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
22     }
23 }
24
25 public TLink Convert(TLink sourceNumber)
26 {
27     var nullConstant = Links.Constants.Null;
28     var source = sourceNumber;
29     var target = nullConstant;
30     if (!_equalityComparer.Equals(source, nullConstant))
31     {
32         while (true)
33         {
34             if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
35             {
36                 SetBit(ref target, powerOf2Index);
37                 break;
38             }
39             else
40             {
41                 powerOf2Index = _unaryNumberPowerOf2Indicies[Links.GetSource(source)];
42                 SetBit(ref target, powerOf2Index);
43                 source = Links.GetTarget(source);
44             }
45         }
46     }
47     return target;
48 }
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 private static void SetBit(ref TLink target, int powerOf2Index) => target =
    ↪ (Integer<TLink>)((Integer<TLink>)target | 1UL << powerOf2Index); // Should be
    ↪ Math.Or(target, Math.ShiftLeft(One, powerOf2Index))
52 }
53 }

```

#### ./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```

1 using Platform.Interfaces;
2 using Platform.Numbers;
3
4 namespace Platform.Data.Doublets.Unicode
5 {
6     public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<char, TLink>
7     {
8         private readonly IConverter<TLink> _addressToUnaryNumberConverter;
9         private readonly TLink _unicodeSymbolMarker;
10
11         public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
    ↪ addressToUnaryNumberConverter, TLink unicodeSymbolMarker) : base(links)
12         {
13             _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
14             _unicodeSymbolMarker = unicodeSymbolMarker;
15         }
16
17         public TLink Convert(char source)
18         {
19             var unaryNumber = _addressToUnaryNumberConverter.Convert((Integer<TLink>)source);
20             return Links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
21         }
22     }
23 }

```

#### ./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```

1 using Platform.Data.Doublets.Sequences.Indexes;
2 using Platform.Interfaces;
3 using System.Collections.Generic;
4
5 namespace Platform.Data.Doublets.Unicode
6 {
7     public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<string, TLink>
8     {
9         private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;
10        private readonly ISequenceIndex<TLink> _index;
11        private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
12        private readonly TLink _unicodeSequenceMarker;
13

```

```

14     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
    ↪ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
    ↪ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
15     {
16         _charToUnicodeSymbolConverter = charToUnicodeSymbolConverter;
17         _index = index;
18         _listToSequenceLinkConverter = listToSequenceLinkConverter;
19         _unicodeSequenceMarker = unicodeSequenceMarker;
20     }
21
22     public TLink Convert(string source)
23     {
24         var elements = new List<TLink>();
25         for (int i = 0; i < source.Length; i++)
26         {
27             elements.Add(_charToUnicodeSymbolConverter.Convert(source[i]));
28         }
29         _index.Add(elements);
30         var sequence = _listToSequenceLinkConverter.Convert(elements);
31         return Links.GetOrCreate(sequence, _unicodeSequenceMarker);
32     }
33 }
34 }

```

./Platform.Data.Doublets/Unicode/UnicodeMap.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Globalization;
4  using System.Runtime.CompilerServices;
5  using System.Text;
6  using Platform.Data.Sequences;
7
8  namespace Platform.Data.Doublets.Unicode
9  {
10     public class UnicodeMap
11     {
12         public static readonly ulong FirstCharLink = 1;
13         public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
14         public static readonly ulong MapSize = 1 + char.MaxValue;
15
16         private readonly ILinks<ulong> _links;
17         private bool _initialized;
18
19         public UnicodeMap(ILinks<ulong> links) => _links = links;
20
21         public static UnicodeMap InitNew(ILinks<ulong> links)
22         {
23             var map = new UnicodeMap(links);
24             map.Init();
25             return map;
26         }
27
28         public void Init()
29         {
30             if (_initialized)
31             {
32                 return;
33             }
34             _initialized = true;
35             var firstLink = _links.CreatePoint();
36             if (firstLink != FirstCharLink)
37             {
38                 _links.Delete(firstLink);
39             }
40             else
41             {
42                 for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
43                 {
44                     // From NIL to It (NIL -> Character) transformation meaning, (or infinite
45                     ↪ amount of NIL characters before actual Character)
46                     var createdLink = _links.CreatePoint();
47                     _links.Update(createdLink, firstLink, createdLink);
48                     if (createdLink != i)
49                     {
50                         throw new InvalidOperationException("Unable to initialize UTF 16
51                         ↪ table.");
52                     }
53                 }
54             }
55         }
56     }
57 }

```

```

54 // 0 - null link
55 // 1 - nil character (0 character)
56 // ...
57 // 65536 (0(1) + 65535 = 65536 possible values)
58
59 [MethodImpl(MethodImplOptions.AggressiveInlining)]
60 public static ulong FromCharToLink(char character) => (ulong)character + 1;
61
62 [MethodImpl(MethodImplOptions.AggressiveInlining)]
63 public static char FromLinkToChar(ulong link) => (char)(link - 1);
64
65 [MethodImpl(MethodImplOptions.AggressiveInlining)]
66 public static bool IsCharLink(ulong link) => link <= MapSize;
67
68 public static string FromLinksToString(IList<ulong> linksList)
69 {
70     var sb = new StringBuilder();
71     for (int i = 0; i < linksList.Count; i++)
72     {
73         sb.Append(FromLinkToChar(linksList[i]));
74     }
75     return sb.ToString();
76 }
77
78 public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
79 {
80     var sb = new StringBuilder();
81     if (links.Exists(link))
82     {
83         StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
84             x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
85             ↪ element =>
86             {
87                 sb.Append(FromLinkToChar(element));
88                 return true;
89             });
90     }
91     return sb.ToString();
92 }
93
94 public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
95     ↪ chars.Length);
96
97 public static ulong[] FromCharsToLinkArray(char[] chars, int count)
98 {
99     // char array to ulong array
100     var linksSequence = new ulong[count];
101     for (var i = 0; i < count; i++)
102     {
103         linksSequence[i] = FromCharToLink(chars[i]);
104     }
105     return linksSequence;
106 }
107
108 public static ulong[] FromStringToLinkArray(string sequence)
109 {
110     // char array to ulong array
111     var linksSequence = new ulong[sequence.Length];
112     for (var i = 0; i < sequence.Length; i++)
113     {
114         linksSequence[i] = FromCharToLink(sequence[i]);
115     }
116     return linksSequence;
117 }
118
119 public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
120 {
121     var result = new List<ulong[]>();
122     var offset = 0;
123     while (offset < sequence.Length)
124     {
125         var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
126         var relativeLength = 1;
127         var absoluteLength = offset + relativeLength;
128         while (absoluteLength < sequence.Length &&
129             ↪ currentCategory == CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
130         {

```

```

130         relativeLength++;
131         absoluteLength++;
132     }
133     // char array to ulong array
134     var innerSequence = new ulong[relativeLength];
135     var maxLength = offset + relativeLength;
136     for (var i = offset; i < maxLength; i++)
137     {
138         innerSequence[i - offset] = FromCharToLink(sequence[i]);
139     }
140     result.Add(innerSequence);
141     offset += relativeLength;
142 }
143 return result;
144 }
145
146 public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
147 {
148     var result = new List<ulong[]>();
149     var offset = 0;
150     while (offset < array.Length)
151     {
152         var relativeLength = 1;
153         if (array[offset] <= LastCharLink)
154         {
155             var currentCategory =
156                 ↪ CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
157             var absoluteLength = offset + relativeLength;
158             while (absoluteLength < array.Length &&
159                 array[absoluteLength] <= LastCharLink &&
160                 currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
161                 ↪ array[absoluteLength])))
162             {
163                 relativeLength++;
164                 absoluteLength++;
165             }
166         }
167         else
168         {
169             var absoluteLength = offset + relativeLength;
170             while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
171             {
172                 relativeLength++;
173                 absoluteLength++;
174             }
175             // copy array
176             var innerSequence = new ulong[relativeLength];
177             var maxLength = offset + relativeLength;
178             for (var i = offset; i < maxLength; i++)
179             {
180                 innerSequence[i - offset] = array[i];
181             }
182             result.Add(innerSequence);
183             offset += relativeLength;
184         }
185     }
186     return result;
187 }

```

./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs

```

1 using Platform.Interfaces;
2 using System.Collections.Generic;
3
4 namespace Platform.Data.Doublets.Unicode
5 {
6     public class UnicodeSequenceCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
7         ↪ ICriterionMatcher<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↪ EqualityComparer<TLink>.Default;
11         private readonly TLink _unicodeSequenceMarker;
12         public UnicodeSequenceCriterionMatcher(ILinks<TLink> links, TLink unicodeSequenceMarker)
13             ↪ : base(links) => _unicodeSequenceMarker = unicodeSequenceMarker;
14         public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
15             ↪ _unicodeSequenceMarker);
16     }
17 }

```

./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```
1 using System;
2 using System.Linq;
3 using Platform.Data.Doublets.Sequences.Walkers;
4 using Platform.Interfaces;
5
6 namespace Platform.Data.Doublets.Unicode
7 {
8     public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>,
9         ↳ IConverter<TLink, string>
10     {
11         private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
12         private readonly ISequenceWalker<TLink> _sequenceWalker;
13         private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;
14
15         public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink>
16             ↳ unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker,
17             ↳ IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
18         {
19             _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
20             _sequenceWalker = sequenceWalker;
21             _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
22         }
23
24         public string Convert(TLink source)
25         {
26             if(!_unicodeSequenceCriterionMatcher.IsMatched(source))
27             {
28                 throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
29                     ↳ not a unicode sequence.");
30             }
31             var sequence = Links.GetSource(source);
32             var charArray = _sequenceWalker.Walk(sequence).Select(_unicodeSymbolToCharConverter.
33                 ↳ Convert).ToArray();
34             return new string(charArray);
35         }
36     }
37 }
```

./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs

```
1 using Platform.Interfaces;
2 using System.Collections.Generic;
3
4 namespace Platform.Data.Doublets.Unicode
5 {
6     public class UnicodeSymbolCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
7         ↳ ICriterionMatcher<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↳ EqualityComparer<TLink>.Default;
11         private readonly TLink _unicodeSymbolMarker;
12         public UnicodeSymbolCriterionMatcher(ILinks<TLink> links, TLink unicodeSymbolMarker) :
13             ↳ base(links) => _unicodeSymbolMarker = unicodeSymbolMarker;
14         public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
15             ↳ _unicodeSymbolMarker);
16     }
17 }
```

./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```
1 using Platform.Interfaces;
2 using Platform.Numbers;
3 using System;
4 using System.Collections.Generic;
5
6 namespace Platform.Data.Doublets.Unicode
7 {
8     public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>,
9         ↳ IConverter<TLink, char>
10     {
11         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
12         private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;
13
14         public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink>
15             ↳ unaryNumberToAddressConverter, ICriterionMatcher<TLink>
16             ↳ unicodeSymbolCriterionMatcher) : base(links)
17         {
18             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
19             _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
20         }
21     }
22 }
```

```

19     public char Convert(TLink source)
20     {
21         if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
22         {
23             throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
                ↳ not a unicode symbol.");
24         }
25         return (char)(ushort)(Integer<TLink>)_unaryNumberToAddressConverter.Convert(Links.Ge
                ↳ tSource(source));
26     }
27 }
28 }

```

./Platform.Data.Doublets.Tests/ComparisonTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Xunit;
4  using Platform.Diagnostics;
5
6  namespace Platform.Data.Doublets.Tests
7  {
8      public static class ComparisonTests
9      {
10         protected class UInt64Comparer : IComparer<ulong>
11         {
12             public int Compare(ulong x, ulong y) => x.CompareTo(y);
13         }
14
15         private static int Compare(ulong x, ulong y) => x.CompareTo(y);
16
17         [Fact]
18         public static void GreaterOrEqualPerfomanceTest()
19         {
20             const int N = 1000000;
21
22             ulong x = 10;
23             ulong y = 500;
24
25             bool result = false;
26
27             var ts1 = Performance.Measure(() =>
28             {
29                 for (int i = 0; i < N; i++)
30                 {
31                     result = Compare(x, y) >= 0;
32                 }
33             });
34
35             var comparer1 = Comparer<ulong>.Default;
36
37             var ts2 = Performance.Measure(() =>
38             {
39                 for (int i = 0; i < N; i++)
40                 {
41                     result = comparer1.Compare(x, y) >= 0;
42                 }
43             });
44
45             Func<ulong, ulong, int> compareReference = comparer1.Compare;
46
47             var ts3 = Performance.Measure(() =>
48             {
49                 for (int i = 0; i < N; i++)
50                 {
51                     result = compareReference(x, y) >= 0;
52                 }
53             });
54
55             var comparer2 = new UInt64Comparer();
56
57             var ts4 = Performance.Measure(() =>
58             {
59                 for (int i = 0; i < N; i++)
60                 {
61                     result = comparer2.Compare(x, y) >= 0;
62                 }
63             });
64
65             Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {result}");
66     }

```



```
67     }
68 }
```

./Platform.Data.Doublets.Tests/DoubletLinksTests.cs

```
1  using System.Collections.Generic;
2  using Xunit;
3  using Platform.Reflection;
4  using Platform.Numbers;
5  using Platform.Memory;
6  using Platform.Scopes;
7  using Platform.Setters;
8  using Platform.Data.Doublets.ResizableDirectMemory;
9
10 namespace Platform.Data.Doublets.Tests
11 {
12     public static class DoubletLinksTests
13     {
14         [Fact]
15         public static void UInt64CRUDTest()
16         {
17             using (var scope = new Scope<Types<HeapResizableDirectMemory,
18                 ↳ ResizableDirectMemoryLinks<ulong>>>())
19             {
20                 scope.Use<ILinks<ulong>>().TestCRUDOperations();
21             }
22
23             [Fact]
24             public static void UInt32CRUDTest()
25             {
26                 using (var scope = new Scope<Types<HeapResizableDirectMemory,
27                 ↳ ResizableDirectMemoryLinks<uint>>>())
28                 {
29                     scope.Use<ILinks<uint>>().TestCRUDOperations();
30                 }
31
32                 [Fact]
33                 public static void UInt16CRUDTest()
34                 {
35                     using (var scope = new Scope<Types<HeapResizableDirectMemory,
36                     ↳ ResizableDirectMemoryLinks<ushort>>>())
37                     {
38                         scope.Use<ILinks<ushort>>().TestCRUDOperations();
39                     }
40
41                     [Fact]
42                     public static void UInt8CRUDTest()
43                     {
44                         using (var scope = new Scope<Types<HeapResizableDirectMemory,
45                         ↳ ResizableDirectMemoryLinks<byte>>>())
46                         {
47                             scope.Use<ILinks<byte>>().TestCRUDOperations();
48                         }
49
50                         private static void TestCRUDOperations<T>(this ILinks<T> links)
51                         {
52                             var constants = links.Constants;
53                             var equalityComparer = EqualityComparer<T>.Default;
54
55                             // Create Link
56                             Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
57
58                             var setter = new Setter<T>(constants.Null);
59                             links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
60
61                             Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
62
63                             var linkAddress = links.Create();
64
65                             var link = new Link<T>(links.GetLink(linkAddress));
66
67                             Assert.True(link.Count == 3);
68                             Assert.True(equalityComparer.Equals(link.Index, linkAddress));
69                             Assert.True(equalityComparer.Equals(link.Source, constants.Null));
70                             Assert.True(equalityComparer.Equals(link.Target, constants.Null));
71                         }
51
```

```

72     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.One));
73
74     // Get first link
75     setter = new Setter<T>(constants.Null);
76     links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);
77
78     Assert.True(equalityComparer.Equals(setter.Result, linkAddress));
79
80     // Update link to reference itself
81     links.Update(linkAddress, linkAddress, linkAddress);
82
83     link = new Link<T>(links.GetLink(linkAddress));
84
85     Assert.True(equalityComparer.Equals(link.Source, linkAddress));
86     Assert.True(equalityComparer.Equals(link.Target, linkAddress));
87
88     // Update link to reference null (prepare for delete)
89     var updated = links.Update(linkAddress, constants.Null, constants.Null);
90
91     Assert.True(equalityComparer.Equals(updated, linkAddress));
92
93     link = new Link<T>(links.GetLink(linkAddress));
94
95     Assert.True(equalityComparer.Equals(link.Source, constants.Null));
96     Assert.True(equalityComparer.Equals(link.Target, constants.Null));
97
98     // Delete link
99     links.Delete(linkAddress);
100
101     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
102
103     setter = new Setter<T>(constants.Null);
104     links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
105
106     Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
107 }
108
109 [Fact]
110 public static void UInt64RawNumbersCRUDTest()
111 {
112     using (var scope = new Scope<Types<HeapResizableDirectMemory,
113         ↳ ResizableDirectMemoryLinks<ulong>>>())
114     {
115         scope.Use<ILinks<ulong>>().TestRawNumbersCRUDOperations();
116     }
117 }
118
119 [Fact]
120 public static void UInt32RawNumbersCRUDTest()
121 {
122     using (var scope = new Scope<Types<HeapResizableDirectMemory,
123         ↳ ResizableDirectMemoryLinks<uint>>>())
124     {
125         scope.Use<ILinks<uint>>().TestRawNumbersCRUDOperations();
126     }
127 }
128
129 [Fact]
130 public static void UInt16RawNumbersCRUDTest()
131 {
132     using (var scope = new Scope<Types<HeapResizableDirectMemory,
133         ↳ ResizableDirectMemoryLinks<ushort>>>())
134     {
135         scope.Use<ILinks<ushort>>().TestRawNumbersCRUDOperations();
136     }
137 }
138
139 [Fact]
140 public static void UInt8RawNumbersCRUDTest()
141 {
142     using (var scope = new Scope<Types<HeapResizableDirectMemory,
143         ↳ ResizableDirectMemoryLinks<byte>>>())
144     {
145         scope.Use<ILinks<byte>>().TestRawNumbersCRUDOperations();
146     }
147 }
148
149 private static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)

```

```

147 {
148     // Constants
149     var constants = links.Constants;
150     var equalityComparer = EqualityComparer<T>.Default;
151
152     var h106E = new Hybrid<T>(106L, isExternal: true);
153     var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
154     var h108E = new Hybrid<T>(-108L);
155
156     Assert.Equal(106L, h106E.AbsoluteValue);
157     Assert.Equal(107L, h107E.AbsoluteValue);
158     Assert.Equal(108L, h108E.AbsoluteValue);
159
160     // Create Link (External -> External)
161     var linkAddress1 = links.Create();
162
163     links.Update(linkAddress1, h106E, h108E);
164
165     var link1 = new Link<T>(links.GetLink(linkAddress1));
166
167     Assert.True(equalityComparer.Equals(link1.Source, h106E));
168     Assert.True(equalityComparer.Equals(link1.Target, h108E));
169
170     // Create Link (Internal -> External)
171     var linkAddress2 = links.Create();
172
173     links.Update(linkAddress2, linkAddress1, h108E);
174
175     var link2 = new Link<T>(links.GetLink(linkAddress2));
176
177     Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
178     Assert.True(equalityComparer.Equals(link2.Target, h108E));
179
180     // Create Link (Internal -> Internal)
181     var linkAddress3 = links.Create();
182
183     links.Update(linkAddress3, linkAddress1, linkAddress2);
184
185     var link3 = new Link<T>(links.GetLink(linkAddress3));
186
187     Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
188     Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
189
190     // Search for created link
191     var setter1 = new Setter<T>(constants.Null);
192     links.Each(h106E, h108E, setter1.SetAndReturnFalse);
193
194     Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
195
196     // Search for nonexistent link
197     var setter2 = new Setter<T>(constants.Null);
198     links.Each(h106E, h107E, setter2.SetAndReturnFalse);
199
200     Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
201
202     // Update link to reference null (prepare for delete)
203     var updated = links.Update(linkAddress3, constants.Null, constants.Null);
204
205     Assert.True(equalityComparer.Equals(updated, linkAddress3));
206
207     link3 = new Link<T>(links.GetLink(linkAddress3));
208
209     Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
210     Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
211
212     // Delete link
213     links.Delete(linkAddress3);
214
215     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Two));
216
217     var setter3 = new Setter<T>(constants.Null);
218     links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
219
220     Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
221 }
222
223 // TODO: Test layers
224 }
225

```

./Platform.Data.Doublets.Tests/EqualityTests.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Xunit;
4 using Platform.Diagnostics;
5
6 namespace Platform.Data.Doublets.Tests
7 {
8     public static class EqualityTests
9     {
10         protected class UInt64EqualityComparer : IEqualityComparer<ulong>
11         {
12             public bool Equals(ulong x, ulong y) => x == y;
13
14             public int GetHashCode(ulong obj) => obj.GetHashCode();
15         }
16
17         private static bool Equals1<T>(T x, T y) => Equals(x, y);
18
19         private static bool Equals2<T>(T x, T y) => x.Equals(y);
20
21         private static bool Equals3(ulong x, ulong y) => x == y;
22
23         [Fact]
24         public static void EqualsPerformanceTest()
25         {
26             const int N = 1000000;
27
28             ulong x = 10;
29             ulong y = 500;
30
31             bool result = false;
32
33             var ts1 = Performance.Measure(() =>
34             {
35                 for (int i = 0; i < N; i++)
36                 {
37                     result = Equals1(x, y);
38                 }
39             });
40
41             var ts2 = Performance.Measure(() =>
42             {
43                 for (int i = 0; i < N; i++)
44                 {
45                     result = Equals2(x, y);
46                 }
47             });
48
49             var ts3 = Performance.Measure(() =>
50             {
51                 for (int i = 0; i < N; i++)
52                 {
53                     result = Equals3(x, y);
54                 }
55             });
56
57             var equalityComparer1 = EqualityComparer<ulong>.Default;
58
59             var ts4 = Performance.Measure(() =>
60             {
61                 for (int i = 0; i < N; i++)
62                 {
63                     result = equalityComparer1.Equals(x, y);
64                 }
65             });
66
67             var equalityComparer2 = new UInt64EqualityComparer();
68
69             var ts5 = Performance.Measure(() =>
70             {
71                 for (int i = 0; i < N; i++)
72                 {
73                     result = equalityComparer2.Equals(x, y);
74                 }
75             });
76
77             Func<ulong, ulong, bool> equalityComparer3 = equalityComparer2.Equals;
78
79             var ts6 = Performance.Measure(() =>
```

```

80     {
81         for (int i = 0; i < N; i++)
82         {
83             result = equalityComparer3(x, y);
84         }
85     });
86
87     var comparer = Comparer<ulong>.Default;
88
89     var ts7 = Performance.Measure(() =>
90     {
91         for (int i = 0; i < N; i++)
92         {
93             result = comparer.Compare(x, y) == 0;
94         }
95     });
96
97     Assert.True(ts2 < ts1);
98     Assert.True(ts3 < ts2);
99     Assert.True(ts5 < ts4);
100    Assert.True(ts5 < ts6);
101
102    Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {ts5} {ts6} {ts7} {result}");
103 }
104 }
105 }

```

./Platform.Data.Doublets.Tests/LinksTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
9  using Platform.Disposables;
10 using Platform.IO;
11 using Platform.Ranges;
12 using Platform.Random;
13 using Platform.Timestamps;
14 using Platform.Singletons;
15 using Platform.Counters;
16 using Platform.Diagnostics;
17 using Platform.Data.Constants;
18 using Platform.Data.Doublets.ResizableDirectMemory;
19 using Platform.Data.Doublets.Decorators;
20
21 namespace Platform.Data.Doublets.Tests
22 {
23     public static class LinksTests
24     {
25         private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
26             ↪ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
27
28         private const long Iterations = 10 * 1024;
29
30         #region Concept
31
32         [Fact]
33         public static void MultipleCreateAndDeleteTest()
34         {
35             //const int N = 21;
36
37             using (var scope = new TempLinksTestScope())
38             {
39                 var links = scope.Links;
40
41                 for (var N = 0; N < 100; N++)
42                 {
43                     var random = new System.Random(N);
44
45                     var created = 0;
46                     var deleted = 0;
47
48                     for (var i = 0; i < N; i++)
49                     {
50                         var linksCount = links.Count();
51
52                         var createPoint = random.NextBoolean();

```

```

53         if (linksCount > 2 && createPoint)
54         {
55             var linksAddressRange = new Range<ulong>(1, linksCount);
56             var source = random.NextUInt64(linksAddressRange);
57             var target = random.NextUInt64(linksAddressRange); //-V3086
58
59             var resultLink = links.CreateAndUpdate(source, target);
60             if (resultLink > linksCount)
61             {
62                 created++;
63             }
64         }
65         else
66         {
67             links.Create();
68             created++;
69         }
70     }
71
72     Assert.True(created == (int)links.Count());
73
74     for (var i = 0; i < N; i++)
75     {
76         var link = (ulong)i + 1;
77         if (links.Exists(link))
78         {
79             links.Delete(link);
80             deleted++;
81         }
82     }
83
84     Assert.True(links.Count() == 0);
85 }
86
87
88
89 [Fact]
90 public static void CascadeUpdateTest()
91 {
92     var itself = _constants.Itself;
93
94     using (var scope = new TempLinksTestScope(useLog: true))
95     {
96         var links = scope.Links;
97
98         var l1 = links.Create();
99         var l2 = links.Create();
100
101         l2 = links.Update(l2, l2, l1, l2);
102
103         links.CreateAndUpdate(l2, itself);
104         links.CreateAndUpdate(l2, itself);
105
106         l2 = links.Update(l2, l1);
107
108         links.Delete(l2);
109
110         Global.Trash = links.Count();
111
112         links.Unsync.DisposeIfPossible(); // Close links to access log
113
114         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
            ↪ e.TempTransactionLogFilename);
115     }
116
117
118 [Fact]
119 public static void BasicTransactionLogTest()
120 {
121     using (var scope = new TempLinksTestScope(useLog: true))
122     {
123         var links = scope.Links;
124         var l1 = links.Create();
125         var l2 = links.Create();
126
127         Global.Trash = links.Update(l2, l2, l1, l2);
128
129         links.Delete(l1);
130
131         links.Unsync.DisposeIfPossible(); // Close links to access log

```

```

132         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope ↵
133             ↪ e.TempTransactionLogFilename);
134     }
135 }
136
137 [Fact]
138 public static void TransactionAutoRevertedTest()
139 {
140     // Auto Reverted (Because no commit at transaction)
141     using (var scope = new TempLinksTestScope(useLog: true))
142     {
143         var links = scope.Links;
144         var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
145         using (var transaction = transactionsLayer.BeginTransaction())
146         {
147             var l1 = links.Create();
148             var l2 = links.Create();
149
150             links.Update(l2, l2, l1, l2);
151         }
152
153         Assert.Equal(0UL, links.Count());
154
155         links.Unsync.DisposeIfPossible();
156
157         var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s ↵
158             ↪ cope.TempTransactionLogFilename);
159         Assert.Single(transitions);
160     }
161 }
162
163 [Fact]
164 public static void TransactionUserCodeErrorNoDataSavedTest()
165 {
166     // User Code Error (Autoreverted), no data saved
167     var itself = _constants.Itself;
168
169     TempLinksTestScope lastScope = null;
170     try
171     {
172         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false, ↵
173             ↪ useLog: true))
174         {
175             var links = scope.Links;
176             var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor ↵
177                 ↪ atorBase<ulong>)links.Unsync).Links;
178             using (var transaction = transactionsLayer.BeginTransaction())
179             {
180                 var l1 = links.CreateAndUpdate(itself, itself);
181                 var l2 = links.CreateAndUpdate(itself, itself);
182
183                 l2 = links.Update(l2, l2, l1, l2);
184
185                 links.CreateAndUpdate(l2, itself);
186                 links.CreateAndUpdate(l2, itself);
187
188                 //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi ↵
189                 ↪ tion>(scope.TempTransactionLogFilename);
190
191                 l2 = links.Update(l2, l1);
192
193                 links.Delete(l2);
194
195                 ExceptionThrower();
196
197                 transaction.Commit();
198             }
199
200             Global.Trash = links.Count();
201         }
202     }
203     catch
204     {
205         Assert.False(lastScope == null);
206
207         var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l ↵
208             ↪ astScope.TempTransactionLogFilename);
209     }
210 }

```

```

205         Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
206             ↳ transitions[0].After.IsNull());
207     lastScope.DeleteFiles();
208 }
209 }
210
211 [Fact]
212 public static void TransactionUserCodeErrorSomeDataSavedTest()
213 {
214     // User Code Error (Autoreverted), some data saved
215     var itself = _constants.Itself;
216
217     TempLinksTestScope lastScope = null;
218     try
219     {
220         ulong l1;
221         ulong l2;
222
223         using (var scope = new TempLinksTestScope(useLog: true))
224         {
225             var links = scope.Links;
226             l1 = links.CreateAndUpdate(itself, itself);
227             l2 = links.CreateAndUpdate(itself, itself);
228
229             l2 = links.Update(l2, l2, l1, l2);
230
231             links.CreateAndUpdate(l2, itself);
232             links.CreateAndUpdate(l2, itself);
233
234             links.Unsync.DisposeIfPossible();
235
236             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
237                 ↳ scope.TempTransactionLogFilename);
238         }
239
240         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
241             ↳ useLog: true))
242         {
243             var links = scope.Links;
244             var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
245             using (var transaction = transactionsLayer.BeginTransaction())
246             {
247                 l2 = links.Update(l2, l1);
248
249                 links.Delete(l2);
250
251                 ExceptionThrower();
252
253                 transaction.Commit();
254             }
255
256             Global.Trash = links.Count();
257         }
258     }
259     catch
260     {
261         Assert.False(lastScope == null);
262
263         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
264             ↳ Scope.TempTransactionLogFilename);
265
266         lastScope.DeleteFiles();
267     }
268 }
269
270 [Fact]
271 public static void TransactionCommit()
272 {
273     var itself = _constants.Itself;
274
275     var tempDatabaseFilename = Path.GetTempFileName();
276     var tempTransactionLogFilename = Path.GetTempFileName();
277
278     // Commit
279     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
280         ↳ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
281         ↳ tempTransactionLogFilename))
282     using (var links = new UInt64Links(memoryAdapter))

```



```

278     {
279         using (var transaction = memoryAdapter.BeginTransaction())
280         {
281             var l1 = links.CreateAndUpdate(itself, itself);
282             var l2 = links.CreateAndUpdate(itself, itself);
283
284             Global.Trash = links.Update(l2, l2, l1, l2);
285
286             links.Delete(l1);
287
288             transaction.Commit();
289         }
290
291         Global.Trash = links.Count();
292     }
293
294     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
    ↪ sactionLogFilename);
295 }
296
297 [Fact]
298 public static void TransactionDamage()
299 {
300     var itself = _constants.Itself;
301
302     var tempDatabaseFilename = Path.GetTempFileName();
303     var tempTransactionLogFilename = Path.GetTempFileName();
304
305     // Commit
306     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
    ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
    ↪ tempTransactionLogFilename))
307     using (var links = new UInt64Links(memoryAdapter))
308     {
309         using (var transaction = memoryAdapter.BeginTransaction())
310         {
311             var l1 = links.CreateAndUpdate(itself, itself);
312             var l2 = links.CreateAndUpdate(itself, itself);
313
314             Global.Trash = links.Update(l2, l2, l1, l2);
315
316             links.Delete(l1);
317
318             transaction.Commit();
319         }
320
321         Global.Trash = links.Count();
322     }
323
324     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
    ↪ sactionLogFilename);
325
326     // Damage database
327
328     FileHelpers.WriteFirst(tempTransactionLogFilename, new
    ↪ UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
329
330     // Try load damaged database
331     try
332     {
333         // TODO: Fix
334         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
    ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
    ↪ tempTransactionLogFilename))
335         using (var links = new UInt64Links(memoryAdapter))
336         {
337             Global.Trash = links.Count();
338         }
339     }
340     catch (NotSupportedException ex)
341     {
342         Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
    ↪ yet.");
343     }
344
345     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
    ↪ sactionLogFilename);
346
347     File.Delete(tempDatabaseFilename);

```

```

348     File.Delete(tempTransactionLogFilename);
349 }
350
351 [Fact]
352 public static void Bug1Test()
353 {
354     var tempDatabaseFilename = Path.GetTempFileName();
355     var tempTransactionLogFilename = Path.GetTempFileName();
356
357     var itself = _constants.Itself;
358
359     // User Code Error (Autoreverted), some data saved
360     try
361     {
362         ulong l1;
363         ulong l2;
364
365         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
366             ↳ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
367             ↳ tempTransactionLogFilename))
368         using (var links = new UInt64Links(memoryAdapter))
369         {
370             l1 = links.CreateAndUpdate(itself, itself);
371             l2 = links.CreateAndUpdate(itself, itself);
372
373             l2 = links.Update(l2, l2, l1, l2);
374
375             links.CreateAndUpdate(l2, itself);
376             links.CreateAndUpdate(l2, itself);
377         }
378
379         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
380             ↳ TransactionLogFilename);
381
382         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
383             ↳ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
384             ↳ tempTransactionLogFilename))
385         using (var links = new UInt64Links(memoryAdapter))
386         {
387             using (var transaction = memoryAdapter.BeginTransaction())
388             {
389                 l2 = links.Update(l2, l1);
390
391                 links.Delete(l2);
392
393                 ExceptionThrower();
394
395                 transaction.Commit();
396             }
397
398             Global.Trash = links.Count();
399         }
400     }
401     catch
402     {
403         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
404             ↳ TransactionLogFilename);
405     }
406
407     File.Delete(tempDatabaseFilename);
408     File.Delete(tempTransactionLogFilename);
409 }
410
411 private static void ExceptionThrower()
412 {
413     throw new Exception();
414 }
415
416 [Fact]
417 public static void PathsTest()
418 {
419     var source = _constants.SourcePart;
420     var target = _constants.TargetPart;
421
422     using (var scope = new TempLinksTestScope())
423     {
424         var links = scope.Links;
425         var l1 = links.CreatePoint();
426         var l2 = links.CreatePoint();

```

```

421     var r1 = links.GetByKeys(l1, source, target, source);
422     var r2 = links.CheckPathExistence(l2, l2, l2, l2);
423 }
424 }
425 }
426
427 [Fact]
428 public static void RecursiveStringFormattingTest()
429 {
430     using (var scope = new TempLinksTestScope(useSequences: true))
431     {
432         var links = scope.Links;
433         var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
434
435         var a = links.CreatePoint();
436         var b = links.CreatePoint();
437         var c = links.CreatePoint();
438
439         var ab = links.CreateAndUpdate(a, b);
440         var cb = links.CreateAndUpdate(c, b);
441         var ac = links.CreateAndUpdate(a, c);
442
443         a = links.Update(a, c, b);
444         b = links.Update(b, a, c);
445         c = links.Update(c, a, b);
446
447         Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
448         Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
449         Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
450
451         Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
452             ↳ "(5:(4:5 (6:5 4)) 6)");
453         Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
454             ↳ "(6:(5:(4:5 6) 6) 4)");
455         Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
456             ↳ "(4:(5:4 (6:5 4)) 6)");
457
458         // TODO: Think how to build balanced syntax tree while formatting structure (eg.
459         ↳ "(4:(5:4 6) (6:5 4))" instead of "(4:(5:4 (6:5 4)) 6)"
460
461         Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
462             ↳ "{5}{5}{4}{6}");
463         Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
464             ↳ "{5}{6}{6}{4}");
465         Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
466             ↳ "{4}{5}{4}{6}");
467     }
468 }
469
470 private static void DefaultFormatter(StringBuilder sb, ulong link)
471 {
472     sb.Append(link.ToString());
473 }
474
475 #endregion
476
477 #region Performance
478
479 /*
480 public static void RunAllPerformanceTests()
481 {
482     try
483     {
484         links.TestLinksInSteps();
485     }
486     catch (Exception ex)
487     {
488         ex.WriteToConsole();
489     }
490
491     return;
492
493     try
494     {
495         //ThreadPool.SetMaxThreads(2, 2);
496
497         // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
498         ↳ результат
499         // Также это дополнительно помогает в отладке

```

```

492         // Увеличивает вероятность попадания информации в кэши
493         for (var i = 0; i < 10; i++)
494         {
495             //0 - 10 ГБ
496             //Каждые 100 МБ срез цифр
497
498             //links.TestGetSourceFunction();
499             //links.TestGetSourceFunctionInParallel();
500             //links.TestGetTargetFunction();
501             //links.TestGetTargetFunctionInParallel();
502             links.Create64BillionLinks();
503
504             links.TestRandomSearchFixed();
505             //links.Create64BillionLinksInParallel();
506             links.TestEachFunction();
507             //links.TestForeach();
508             //links.TestParallelForeach();
509         }
510
511         links.TestDeletionOfAllLinks();
512
513     }
514     catch (Exception ex)
515     {
516         ex.WriteToConsole();
517     }
518 }*/
519
520 /*
521 public static void TestLinksInSteps()
522 {
523     const long gibibyte = 1024 * 1024 * 1024;
524     const long mebibyte = 1024 * 1024;
525
526     var totalLinksToCreate = gibibyte /
↵ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
527     var linksStep = 102 * mebibyte /
↵ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
528
529     var creationMeasurements = new List<TimeSpan>();
530     var searchMeasurements = new List<TimeSpan>();
531     var deletionMeasurements = new List<TimeSpan>();
532
533     GetBaseRandomLoopOverhead(linksStep);
534     GetBaseRandomLoopOverhead(linksStep);
535
536     var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);
537
538     ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
539
540     var loops = totalLinksToCreate / linksStep;
541
542     for (int i = 0; i < loops; i++)
543     {
544         creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
545         searchMeasurements.Add(Measure(() => links.RunRandomSearches(linksStep)));
546
547         Console.WriteLine("\rC + S {0}/{1}", i + 1, loops);
548     }
549
550     ConsoleHelpers.Debug();
551
552     for (int i = 0; i < loops; i++)
553     {
554         deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
555
556         Console.WriteLine("\rD {0}/{1}", i + 1, loops);
557     }
558
559     ConsoleHelpers.Debug();
560
561     ConsoleHelpers.Debug("C S D");
562
563     for (int i = 0; i < loops; i++)
564     {
565         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
↵ searchMeasurements[i], deletionMeasurements[i]);
566     }
567

```

```

568         ConsoleHelpers.Debug("C S D (no overhead)");
569
570         for (int i = 0; i < loops; i++)
571         {
572             ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
↪ searchMeasurements[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
573         }
574
575         ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
↪ links.Total);
576     }
577
578     private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
↪ amountToCreate)
579     {
580         for (long i = 0; i < amountToCreate; i++)
581             links.Create(0, 0);
582     }
583
584     private static TimeSpan GetBaseRandomLoopOverhead(long loops)
585     {
586         return Measure(() =>
587         {
588             ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
589             ulong result = 0;
590             for (long i = 0; i < loops; i++)
591             {
592                 var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
593                 var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
594
595                 result += maxValue + source + target;
596             }
597             Global.Trash = result;
598         });
599     }
600     */
601
602     [Fact(Skip = "performance test")]
603     public static void GetSourceTest()
604     {
605         using (var scope = new TempLinksTestScope())
606         {
607             var links = scope.Links;
608             ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
↪ Iterations);
609
610             ulong counter = 0;
611
612             //var firstLink = links.First();
613             // Создаём одну связь, из которой будет производить считывание
614             var firstLink = links.Create();
615
616             var sw = Stopwatch.StartNew();
617
618             // Тестируем саму функцию
619             for (ulong i = 0; i < Iterations; i++)
620             {
621                 counter += links.GetSource(firstLink);
622             }
623
624             var elapsedTime = sw.Elapsed;
625
626             var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
627
628             // Удаляем связь, из которой производилось считывание
629             links.Delete(firstLink);
630
631             ConsoleHelpers.Debug(
632                 "{0} Iterations of GetSource function done in {1} ({2} Iterations per
↪ second), counter result: {3}",
633                 Iterations, elapsedTime, (long)iterationsPerSecond, counter);
634         }
635     }
636
637     [Fact(Skip = "performance test")]
638     public static void GetSourceInParallel()
639     {
640         using (var scope = new TempLinksTestScope())
641         {

```

```

642     var links = scope.Links;
643     ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
        ↳ parallel.", Iterations);
644
645     long counter = 0;
646
647     //var firstLink = links.First();
648     var firstLink = links.Create();
649
650     var sw = Stopwatch.StartNew();
651
652     // Тестируем саму функцию
653     Parallel.For(0, Iterations, x =>
654     {
655         Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
656         //Interlocked.Increment(ref counter);
657     });
658
659     var elapsedTime = sw.Elapsed;
660
661     var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
662
663     links.Delete(firstLink);
664
665     ConsoleHelpers.Debug(
666         "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
667     }
668 }
669
670 [Fact(Skip = "performance test")]
671 public static void TestGetTarget()
672 {
673     using (var scope = new TempLinksTestScope())
674     {
675         var links = scope.Links;
676         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
677             ↳ Iterations);
678
679         ulong counter = 0;
680
681         //var firstLink = links.First();
682         var firstLink = links.Create();
683
684         var sw = Stopwatch.StartNew();
685
686         for (ulong i = 0; i < Iterations; i++)
687         {
688             counter += links.GetTarget(firstLink);
689         }
690
691         var elapsedTime = sw.Elapsed;
692
693         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
694
695         links.Delete(firstLink);
696
697         ConsoleHelpers.Debug(
698             "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
699             ↳ second), counter result: {3}",
700             Iterations, elapsedTime, (long)iterationsPerSecond, counter);
701     }
702 }
703 [Fact(Skip = "performance test")]
704 public static void TestGetTargetInParallel()
705 {
706     using (var scope = new TempLinksTestScope())
707     {
708         var links = scope.Links;
709         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
710             ↳ parallel.", Iterations);
711
712         long counter = 0;
713
714         //var firstLink = links.First();
715         var firstLink = links.Create();
716
717         var sw = Stopwatch.StartNew();

```

```

717     Parallel.For(0, Iterations, x =>
718     {
719         Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
720         //Interlocked.Increment(ref counter);
721     });
722
723     var elapsedTime = sw.Elapsed;
724
725     var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
726
727     links.Delete(firstLink);
728
729     ConsoleHelpers.Debug(
730         "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
731         ↪ second), counter result: {3}",
732         Iterations, elapsedTime, (long)iterationsPerSecond, counter);
733     }
734 }
735
736 // TODO: Заполнить базу данных перед тестом
737 /*
738 [Fact]
739 public void TestRandomSearchFixed()
740 {
741     var tempFilename = Path.GetTempFileName();
742
743     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
744     ↪ DefaultLinksSizeStep))
745     {
746         long iterations = 64 * 1024 * 1024 /
747     ↪ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
748
749         ulong counter = 0;
750         var maxLink = links.Total;
751
752         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
753
754         var sw = Stopwatch.StartNew();
755
756         for (var i = iterations; i > 0; i--)
757         {
758             var source =
759     ↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
760             var target =
761     ↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
762
763             counter += links.Search(source, target);
764         }
765
766         var elapsedTime = sw.Elapsed;
767
768         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
769
770         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
771     ↪ Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
772     ↪ counter);
773     }
774
775     File.Delete(tempFilename);
776 }*/
777
778 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
779 public static void TestRandomSearchAll()
780 {
781     using (var scope = new TempLinksTestScope())
782     {
783         var links = scope.Links;
784         ulong counter = 0;
785
786         var maxLink = links.Count();
787
788         var iterations = links.Count();
789
790         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
791     ↪ links.Count());
792
793         var sw = Stopwatch.StartNew();

```

```

788     for (var i = iterations; i > 0; i--)
789     {
790         var linksAddressRange = new Range<ulong>(_constants.MinPossibleIndex,
791             ↪ maxLink);
792
793         var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
794         var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
795
796         counter += links.SearchOrDefault(source, target);
797     }
798     var elapsedTime = sw.Elapsed;
799
800     var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
801
802     ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
803         ↪ Iterations per second), c: {3}",
804         iterations, elapsedTime, (long)iterationsPerSecond, counter);
805 }
806
807 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
808 public static void TestEach()
809 {
810     using (var scope = new TempLinksTestScope())
811     {
812         var links = scope.Links;
813
814         var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
815
816         ConsoleHelpers.Debug("Testing Each function.");
817
818         var sw = Stopwatch.StartNew();
819
820         links.Each(counter.IncrementAndReturnTrue);
821
822         var elapsedTime = sw.Elapsed;
823
824         var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
825
826         ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
827             ↪ links per second)",
828             counter, elapsedTime, (long)linksPerSecond);
829     }
830
831     /*
832     [Fact]
833     public static void TestForeach()
834     {
835         var tempFilename = Path.GetTempFileName();
836
837         using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
838             ↪ DefaultLinksSizeStep))
839         {
840             ulong counter = 0;
841
842             ConsoleHelpers.Debug("Testing foreach through links.");
843
844             var sw = Stopwatch.StartNew();
845
846             //foreach (var link in links)
847             //{
848                 counter++;
849             //}
850
851             var elapsedTime = sw.Elapsed;
852
853             var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
854
855             ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
856                 ↪ links per second)", counter, elapsedTime, (long)linksPerSecond);
857         }
858
859         File.Delete(tempFilename);
860     }
861     */
862     /*
863     [Fact]

```



```

863     public static void TestParallelForeach()
864     {
865         var tempFilename = Path.GetTempFileName();
866
867         using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪ DefaultLinksSizeStep))
868         {
869             long counter = 0;
870
871             ConsoleHelpers.Debug("Testing parallel foreach through links.");
872
873             var sw = Stopwatch.StartNew();
874
875             //Parallel.ForEach((IEnumerable<ulong>)links, x =>
876             //{
877             //    Interlocked.Increment(ref counter);
878             //});
879
880             var elapsedTime = sw.Elapsed;
881
882             var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
883
884             ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
↪ {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
885         }
886
887         File.Delete(tempFilename);
888     }
889     */
890
891     [Fact(Skip = "performance test")]
892     public static void Create64BillionLinks()
893     {
894         using (var scope = new TempLinksTestScope())
895         {
896             var links = scope.Links;
897             var linksBeforeTest = links.Count();
898
899             long linksToCreate = 64 * 1024 * 1024 /
↪ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
900
901             ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
902
903             var elapsedTime = Performance.Measure(() =>
904             {
905                 for (long i = 0; i < linksToCreate; i++)
906                 {
907                     links.Create();
908                 }
909             });
910
911             var linksCreated = links.Count() - linksBeforeTest;
912             var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
913
914             ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
915
916             ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
↪ linksCreated, elapsedTime,
917                 (long)linksPerSecond);
918         }
919     }
920
921     [Fact(Skip = "performance test")]
922     public static void Create64BillionLinksInParallel()
923     {
924         using (var scope = new TempLinksTestScope())
925         {
926             var links = scope.Links;
927             var linksBeforeTest = links.Count();
928
929             var sw = Stopwatch.StartNew();
930
931             long linksToCreate = 64 * 1024 * 1024 /
↪ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
932
933             ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
934
935             Parallel.For(0, linksToCreate, x => links.Create());
936
937

```

```

938         var elapsedTime = sw.Elapsed;
939
940         var linksCreated = links.Count() - linksBeforeTest;
941         var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
942
943         ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
944             ↪ linksCreated, elapsedTime,
945             (long)linksPerSecond);
946     }
947 }
948 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
949 public static void TestDeletionOfAllLinks()
950 {
951     using (var scope = new TempLinksTestScope())
952     {
953         var links = scope.Links;
954         var linksBeforeTest = links.Count();
955
956         ConsoleHelpers.Debug("Deleting all links");
957
958         var elapsedTime = Performance.Measure(links.DeleteAll);
959
960         var linksDeleted = linksBeforeTest - links.Count();
961         var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
962
963         ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
964             ↪ linksDeleted, elapsedTime,
965             (long)linksPerSecond);
966     }
967 }
968 #endregion
969 }
970 }

```

#### ./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using Xunit;
5  using Platform.Data.Doublets.Sequences;
6  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
7  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
8  using Platform.Data.Doublets.Sequences.Converters;
9  using Platform.Data.Doublets.PropertyOperators;
10 using Platform.Data.Doublets.Incrementers;
11 using Platform.Data.Doublets.Sequences.Walkers;
12 using Platform.Data.Doublets.Sequences.Indexes;
13 using Platform.Data.Doublets.Unicode;
14 using Platform.Data.Doublets.UnaryNumbers;
15
16 namespace Platform.Data.Doublets.Tests
17 {
18     public static class OptimalVariantSequenceTests
19     {
20         private const string SequenceExample = "зеленела зелёная зелень";
21
22         [Fact]
23         public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
24         {
25             using (var scope = new TempLinksTestScope(useSequences: false))
26             {
27                 var links = scope.Links;
28                 var constants = links.Constants;
29
30                 links.UseUnicode();
31
32                 var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
33
34                 var meaningRoot = links.CreatePoint();
35                 var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
36                 var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
37                 var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
38                     ↪ constants.Itself);
39
40                 var unaryNumberToAddressConverter = new
41                     ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
42                 var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
43                 var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
44                     ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);

```

```

42     var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
43         ↪ frequencyPropertyMarker, frequencyMarker);
44     var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
45         ↪ frequencyPropertyOperator, frequencyIncrementer);
46     var linkToItsFrequencyNumberConverter = new
47         ↪ LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
48         ↪ unaryNumberToAddressConverter);
49     var sequenceToItsLocalElementLevelsConverter = new
50         ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
51         ↪ linkToItsFrequencyNumberConverter);
52     var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
53         ↪ sequenceToItsLocalElementLevelsConverter);
54
55     var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
56         ↪ Walker = new LeveledSequenceWalker<ulong>(links) });
57
58     ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
59         ↪ index, optimalVariantConverter);
60 }
61
62 [Fact]
63 public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
64 {
65     using (var scope = new TempLinksTestScope(useSequences: false))
66     {
67         var links = scope.Links;
68
69         links.UseUnicode();
70
71         var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
72
73         var linksToFrequencies = new Dictionary<ulong, ulong>();
74
75         var totalSequenceSymbolFrequencyCounter = new
76             ↪ TotalSequenceSymbolFrequencyCounter<ulong>(links);
77
78         var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
79             ↪ totalSequenceSymbolFrequencyCounter);
80
81         var index = new
82             ↪ CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
83         var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache);
84
85         var sequenceToItsLocalElementLevelsConverter = new
86             ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
87             ↪ linkToItsFrequencyNumberConverter);
88         var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
89             ↪ sequenceToItsLocalElementLevelsConverter);
90
91         var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
92             ↪ Walker = new LeveledSequenceWalker<ulong>(links) });
93
94         ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
95             ↪ index, optimalVariantConverter);
96     }
97 }
98
99 private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
100     ↪ SequenceToItsLocalElementLevelsConverter<ulong>
101     ↪ sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
102     ↪ OptimalVariantConverter<ulong> optimalVariantConverter)
103 {
104     index.Add(sequence);
105
106     var optimalVariant = optimalVariantConverter.Convert(sequence);
107
108     var readSequence1 = sequences.ToList(optimalVariant);
109
110     Assert.True(sequence.SequenceEqual(readSequence1));
111 }
112
113 }
114
115 }

```

./Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```

1 using System;
2 using System.Collections.Generic;

```

```

3 using System.Diagnostics;
4 using System.Linq;
5 using Xunit;
6 using Platform.Data.Sequences;
7 using Platform.Data.Doublets.Sequences.Converters;
8 using Platform.Data.Doublets.Sequences.Walkers;
9 using Platform.Data.Doublets.Sequences;
10
11 namespace Platform.Data.Doublets.Tests
12 {
13     public static class ReadSequenceTests
14     {
15         [Fact]
16         public static void ReadSequenceTest()
17         {
18             const long sequenceLength = 2000;
19
20             using (var scope = new TempLinksTestScope(useSequences: false))
21             {
22                 var links = scope.Links;
23                 var sequences = new Sequences.Sequences(links, new SequencesOptions() {
24                     ↪ Walker = new LeveledSequenceWalker(links) });;;
25
26                 var sequence = new ulong[sequenceLength];
27                 for (var i = 0; i < sequenceLength; i++)
28                 {
29                     sequence[i] = links.Create();
30                 }
31
32                 var balancedVariantConverter = new BalancedVariantConverter(links);
33
34                 var sw1 = Stopwatch.StartNew();
35                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
36
37                 var sw2 = Stopwatch.StartNew();
38                 var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();
39
40                 var sw3 = Stopwatch.StartNew();
41                 var readSequence2 = new List();
42                 SequenceWalker.WalkRight(balancedVariant,
43                                         links.GetSource,
44                                         links.GetTarget,
45                                         links.IsPartialPoint,
46                                         readSequence2.Add);
47
48                 sw3.Stop();
49
50                 Assert.True(sequence.SequenceEqual(readSequence1));
51                 Assert.True(sequence.SequenceEqual(readSequence2));
52                 // Assert.True(sw2.Elapsed < sw3.Elapsed);
53
54                 Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
55                     ↪ {sw2.Elapsed}");
56
57                 for (var i = 0; i < sequenceLength; i++)
58                 {
59                     links.Delete(sequence[i]);
60                 }
61             }
62         }
63     }

```

./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```

1 using System.IO;
2 using Xunit;
3 using Platform.Singletons;
4 using Platform.Memory;
5 using Platform.Data.Constants;
6 using Platform.Data.Doublets.ResizableDirectMemory;
7
8 namespace Platform.Data.Doublets.Tests
9 {
10     public static class ResizableDirectMemoryLinksTests
11     {
12         private static readonly LinksCombinedConstants

```

```

16     {
17         var tempFilename = Path.GetTempFileName();
18         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(tempFilename))
19         {
20             memoryAdapter.TestBasicMemoryOperations();
21         }
22         File.Delete(tempFilename);
23     }
24
25     [Fact]
26     public static void BasicHeapMemoryTest()
27     {
28         using (var memory = new
29             ↳ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
30         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
31             ↳ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
32         {
33             memoryAdapter.TestBasicMemoryOperations();
34         }
35
36     private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
37     {
38         var link = memoryAdapter.Create();
39         memoryAdapter.Delete(link);
40     }
41
42     [Fact]
43     public static void NonexistentReferencesHeapMemoryTest()
44     {
45         using (var memory = new
46             ↳ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
47         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
48             ↳ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
49         {
50             memoryAdapter.TestNonexistentReferences();
51         }
52
53     private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
54     {
55         var link = memoryAdapter.Create();
56         memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
57         var resultLink = _constants.Null;
58         memoryAdapter.Each(foundLink =>
59         {
60             resultLink = foundLink[_constants.IndexPart];
61             return _constants.Break;
62         }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
63         Assert.True(resultLink == link);
64         Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
65         memoryAdapter.Delete(link);
66     }
67 }

```

./Platform.Data.Doublets.Tests/ScopeTests.cs

```

1  using Xunit;
2  using Platform.Scopes;
3  using Platform.Memory;
4  using Platform.Data.Doublets.ResizableDirectMemory;
5  using Platform.Data.Doublets.Decorators;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public static class ScopeTests
10     {
11         [Fact]
12         public static void SingleDependencyTest()
13         {
14             using (var scope = new Scope())
15             {
16                 scope.IncludeAssemblyOf<IMemory>();
17                 var instance = scope.Use<IDirectMemory>();
18                 Assert.IsType<HeapResizableDirectMemory>(instance);
19             }
20         }
21
22         [Fact]

```

```

23     public static void CascadeDependencyTest()
24     {
25         using (var scope = new Scope())
26         {
27             scope.Include<TemporaryFileMappedResizableDirectMemory>();
28             scope.Include<UInt64ResizableDirectMemoryLinks>();
29             var instance = scope.Use<ILinks<ulong>>();
30             Assert.IsType<UInt64ResizableDirectMemoryLinks>(instance);
31         }
32     }
33
34     [Fact]
35     public static void FullAutoResolutionTest()
36     {
37         using (var scope = new Scope(autoInclude: true, autoExplore: true))
38         {
39             var instance = scope.Use<UInt64Links>();
40             Assert.IsType<UInt64Links>(instance);
41         }
42     }
43 }
44 }

```

./Platform.Data.Doublets.Tests/SequencesTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Collections;
7  using Platform.Random;
8  using Platform.IO;
9  using Platform.Singletons;
10 using Platform.Data.Constants;
11 using Platform.Data.Doublets.Sequences;
12 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
13 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
14 using Platform.Data.Doublets.Sequences.Converters;
15 using Platform.Data.Doublets.Unicode;
16
17 namespace Platform.Data.Doublets.Tests
18 {
19     public static class SequencesTests
20     {
21         private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
22             ↪ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
23
24         static SequencesTests()
25         {
26             // Trigger static constructor to not mess with performance measurements
27             _ = BitString.GetBitMaskFromIndex(1);
28         }
29
30         [Fact]
31         public static void CreateAllVariantsTest()
32         {
33             const long sequenceLength = 8;
34
35             using (var scope = new TempLinksTestScope(useSequences: true))
36             {
37                 var links = scope.Links;
38                 var sequences = scope.Sequences;
39
40                 var sequence = new ulong[sequenceLength];
41                 for (var i = 0; i < sequenceLength; i++)
42                 {
43                     sequence[i] = links.Create();
44                 }
45
46                 var sw1 = Stopwatch.StartNew();
47                 var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
48
49                 var sw2 = Stopwatch.StartNew();
50                 var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
51
52                 Assert.True(results1.Count > results2.Length);
53                 Assert.True(sw1.Elapsed > sw2.Elapsed);
54
55                 for (var i = 0; i < sequenceLength; i++)
56                 {

```

```

56         links.Delete(sequence[i]);
57     }
58
59     Assert.True(links.Count() == 0);
60 }
61
62
63 // [Fact]
64 // public void CUDTest()
65 // {
66 //     var tempFilename = Path.GetTempFileName();
67
68 //     const long sequenceLength = 8;
69
70 //     const ulong itself = LinksConstants.Itself;
71
72 //     using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
73 ↪ DefaultLinksSizeStep))
74 //     using (var links = new Links(memoryAdapter))
75 //     {
76 //         var sequence = new ulong[sequenceLength];
77 //         for (var i = 0; i < sequenceLength; i++)
78 //             sequence[i] = links.Create(itself, itself);
79
80 //         SequencesOptions o = new SequencesOptions();
81
82 //         TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
83 //         o.
84
85
86 //         var sequences = new Sequences(links);
87
88 //         var sw1 = Stopwatch.StartNew();
89 //         var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
90
91 //         var sw2 = Stopwatch.StartNew();
92 //         var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
93
94 //         Assert.True(results1.Count > results2.Length);
95 //         Assert.True(sw1.Elapsed > sw2.Elapsed);
96
97 //         for (var i = 0; i < sequenceLength; i++)
98 //             links.Delete(sequence[i]);
99 //     }
100
101 //     File.Delete(tempFilename);
102 // }
103
104 [Fact]
105 public static void AllVariantsSearchTest()
106 {
107     const long sequenceLength = 8;
108
109     using (var scope = new TempLinksTestScope(useSequences: true))
110     {
111         var links = scope.Links;
112         var sequences = scope.Sequences;
113
114         var sequence = new ulong[sequenceLength];
115         for (var i = 0; i < sequenceLength; i++)
116         {
117             sequence[i] = links.Create();
118         }
119
120         var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();
121
122         // for (int i = 0; i < createResults.Length; i++)
123         //     sequences.Create(createResults[i]);
124
125         var sw0 = Stopwatch.StartNew();
126         var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
127
128         var sw1 = Stopwatch.StartNew();
129         var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
130
131         var sw2 = Stopwatch.StartNew();
132         var searchResults2 = sequences.Each1(sequence); sw2.Stop();
133
134         var sw3 = Stopwatch.StartNew();

```

```

135     var searchResults3 = sequences.Each(sequence); sw3.Stop();
136
137     var intersection0 = createResults.Intersect(searchResults0).ToList();
138     Assert.True(intersection0.Count == searchResults0.Count);
139     Assert.True(intersection0.Count == createResults.Length);
140
141     var intersection1 = createResults.Intersect(searchResults1).ToList();
142     Assert.True(intersection1.Count == searchResults1.Count);
143     Assert.True(intersection1.Count == createResults.Length);
144
145     var intersection2 = createResults.Intersect(searchResults2).ToList();
146     Assert.True(intersection2.Count == searchResults2.Count);
147     Assert.True(intersection2.Count == createResults.Length);
148
149     var intersection3 = createResults.Intersect(searchResults3).ToList();
150     Assert.True(intersection3.Count == searchResults3.Count);
151     Assert.True(intersection3.Count == createResults.Length);
152
153     for (var i = 0; i < sequenceLength; i++)
154     {
155         links.Delete(sequence[i]);
156     }
157 }
158 }
159
160 [Fact]
161 public static void BalancedVariantSearchTest()
162 {
163     const long sequenceLength = 200;
164
165     using (var scope = new TempLinksTestScope(useSequences: true))
166     {
167         var links = scope.Links;
168         var sequences = scope.Sequences;
169
170         var sequence = new ulong[sequenceLength];
171         for (var i = 0; i < sequenceLength; i++)
172         {
173             sequence[i] = links.Create();
174         }
175
176         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
177
178         var sw1 = Stopwatch.StartNew();
179         var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
180
181         var sw2 = Stopwatch.StartNew();
182         var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
183
184         var sw3 = Stopwatch.StartNew();
185         var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
186
187         // На количестве в 200 элементов это будет занимать вечность
188         //var sw4 = Stopwatch.StartNew();
189         //var searchResults4 = sequences.Each(sequence); sw4.Stop();
190
191         Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
192
193         Assert.True(searchResults3.Count == 1 && balancedVariant ==
194             ↪ searchResults3.First());
195
196         //Assert.True(sw1.Elapsed < sw2.Elapsed);
197
198         for (var i = 0; i < sequenceLength; i++)
199         {
200             links.Delete(sequence[i]);
201         }
202     }
203 }
204
205 [Fact]
206 public static void AllPartialVariantsSearchTest()
207 {
208     const long sequenceLength = 8;
209
210     using (var scope = new TempLinksTestScope(useSequences: true))
211     {
212         var links = scope.Links;
213         var sequences = scope.Sequences;

```



```

214     var sequence = new ulong[sequenceLength];
215     for (var i = 0; i < sequenceLength; i++)
216     {
217         sequence[i] = links.Create();
218     }
219
220     var createResults = sequences.CreateAllVariants2(sequence);
221
222     //var createResultsStrings = createResults.Select(x => x + ": " +
223     ↪ sequences.FormatSequence(x)).ToList();
224     //Global.Trash = createResultsStrings;
225
226     var partialSequence = new ulong[sequenceLength - 2];
227
228     Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
229
230     var sw1 = Stopwatch.StartNew();
231     var searchResults1 =
232     ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
233
234     var sw2 = Stopwatch.StartNew();
235     var searchResults2 =
236     ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
237
238     //var sw3 = Stopwatch.StartNew();
239     //var searchResults3 =
240     ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
241
242     var sw4 = Stopwatch.StartNew();
243     var searchResults4 =
244     ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
245
246     //Global.Trash = searchResults3;
247
248     //var searchResults1Strings = searchResults1.Select(x => x + ": " +
249     ↪ sequences.FormatSequence(x)).ToList();
250     //Global.Trash = searchResults1Strings;
251
252     var intersection1 = createResults.Intersect(searchResults1).ToList();
253     Assert.True(intersection1.Count == createResults.Length);
254
255     var intersection2 = createResults.Intersect(searchResults2).ToList();
256     Assert.True(intersection2.Count == createResults.Length);
257
258     var intersection4 = createResults.Intersect(searchResults4).ToList();
259     Assert.True(intersection4.Count == createResults.Length);
260
261     for (var i = 0; i < sequenceLength; i++)
262     {
263         links.Delete(sequence[i]);
264     }
265 }
266
267 [Fact]
268 public static void BalancedPartialVariantsSearchTest()
269 {
270     const long sequenceLength = 200;
271
272     using (var scope = new TempLinksTestScope(useSequences: true))
273     {
274         var links = scope.Links;
275         var sequences = scope.Sequences;
276
277         var sequence = new ulong[sequenceLength];
278         for (var i = 0; i < sequenceLength; i++)
279         {
280             sequence[i] = links.Create();
281         }
282
283         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
284
285         var balancedVariant = balancedVariantConverter.Convert(sequence);
286
287         var partialSequence = new ulong[sequenceLength - 2];
288
289         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
290
291         var sw1 = Stopwatch.StartNew();

```

```

287     var searchResults1 =
288         ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
289
290     var sw2 = Stopwatch.StartNew();
291     var searchResults2 =
292         ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
293
294     Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
295
296     Assert.True(searchResults2.Count == 1 && balancedVariant ==
297         ↪ searchResults2.First());
298
299     for (var i = 0; i < sequenceLength; i++)
300     {
301         links.Delete(sequence[i]);
302     }
303 }
304
305 [Fact(Skip = "Correct implementation is pending")]
306 public static void PatternMatchTest()
307 {
308     var zeroOrMany = Sequences.Sequences.ZeroOrMany;
309
310     using (var scope = new TempLinksTestScope(useSequences: true))
311     {
312         var links = scope.Links;
313         var sequences = scope.Sequences;
314
315         var e1 = links.Create();
316         var e2 = links.Create();
317
318         var sequence = new[]
319         {
320             e1, e2, e1, e2 // mama / papa
321         };
322
323         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
324
325         var balancedVariant = balancedVariantConverter.Convert(sequence);
326
327         // 1: [1]
328         // 2: [2]
329         // 3: [1,2]
330         // 4: [1,2,1,2]
331
332         var doublet = links.GetSource(balancedVariant);
333
334         var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);
335
336         Assert.True(matchedSequences1.Count == 0);
337
338         var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);
339
340         Assert.True(matchedSequences2.Count == 0);
341
342         var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);
343
344         Assert.True(matchedSequences3.Count == 0);
345
346         var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);
347
348         Assert.Contains(doublet, matchedSequences4);
349         Assert.Contains(balancedVariant, matchedSequences4);
350
351         for (var i = 0; i < sequence.Length; i++)
352         {
353             links.Delete(sequence[i]);
354         }
355     }
356 }
357
358 [Fact]
359 public static void IndexTest()
360 {
361     using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
362         ↪ true }, useSequences: true))
363     {
364         var links = scope.Links;
365         var sequences = scope.Sequences;

```

```

363     var index = sequences.Options.Index;
364
365     var e1 = links.Create();
366     var e2 = links.Create();
367
368     var sequence = new[]
369     {
370         e1, e2, e1, e2 // mama / papa
371     };
372
373     Assert.False(index.MightContain(sequence));
374
375     index.Add(sequence);
376
377     Assert.True(index.MightContain(sequence));
378 }
379 }
380
381 /// <summary>Imported from https://raw.githubusercontent.com/wiki/Konard/LinksPlatform/%
    ↳ D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87
    ↳ %D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
382 private static readonly string _exampleText =
383     @"([english
    ↳ version] (https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))
384
385 Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов
    ↳ (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там
    ↳ где есть место для нового начала? Разве пустота это не характеристика пространства?
    ↳ Пространство это то, что можно чем-то наполнить?
386
387 [![чёрное пространство, белое
    ↳ пространство] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png
    ↳ "чёрное пространство, белое пространство")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png)
388
389 Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая
    ↳ форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?
390
391 [![чёрное пространство, чёрная
    ↳ точка] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png
    ↳ "чёрное пространство, чёрная
    ↳ точка")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)
392
393 А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть
    ↳ так? Инверсия? Отражение? Сумма?
394
395 [![белая точка, чёрная
    ↳ точка] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png "белая
    ↳ точка, чёрная
    ↳ точка")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)
396
397 А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет
    ↳ если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой?
    ↳ Гранью? Разделителем? Единицей?
398
399 [![две белые точки, чёрная вертикальная
    ↳ линия] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png "две
    ↳ белые точки, чёрная вертикальная
    ↳ линия")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)
400
401 Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся
    ↳ только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится
    ↳ замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что
    ↳ можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец?
    ↳ Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если
    ↳ у него нет размера? Будет ли круг точкой? Точка состоящая из точек?
402
403 [![белая вертикальная линия, чёрный
    ↳ круг] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png "белая
    ↳ вертикальная линия, чёрный
    ↳ круг")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)
404
405 Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может
    ↳ тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально?
    ↳ Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли
    ↳ элементарная единица смысла?
406

```

```

407 [![белый круг, чёрная горизонтальная
↳ линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png "белый
↳ круг, чёрная горизонтальная
↳ линия")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)
408
409 Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла "соединить,
↳ связать", есть ещё и смысл направления "от начала к концу"? От предка к потомку? От
↳ родителя к ребёнку? От общего к частному?
410
411 [![белая горизонтальная линия, чёрная горизонтальная
↳ стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png
↳ "белая горизонтальная линия, чёрная горизонтальная
↳ стрелка")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)
412
413 Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она
↳ может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть
↳ граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два
↳ объекта, как бы это выглядело?
414
415 [![белая связь, чёрная направленная
↳ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png "белая
↳ связь, чёрная направленная
↳ связь")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)
416
417 Допустим у нас есть смысл "связать" и смысл "направления", много ли это нам даёт? Много ли
↳ вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если
↳ можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие?
↳ Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в
↳ его конечном состоянии, если конечно конец определён направлением?
418
419 [![белая обычная и направленная связи, чёрная типизированная
↳ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png "белая
↳ обычная и направленная связи, чёрная типизированная
↳ связь")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)
420
421 А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри?
↳ Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать
↳ сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?
422
423 [![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная
↳ связь с рекурсивной внутренней
↳ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png
↳ "белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная
↳ типизированная связь с рекурсивной внутренней структурой")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)
424
425 На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом
↳ рекурсии или фрактала?
426
427 [![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
↳ типизированная связь с двойной рекурсивной внутренней
↳ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png
↳ "белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
↳ типизированная связь с двойной рекурсивной внутренней структурой")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)
428
429 Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы?
↳ Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?
430
431 [![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности,
↳ чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png "белая обычная и
↳ направленная связи со структурой из 8 цветных элементов последовательности, чёрная
↳ типизированная связь со структурой из 8 цветных элементов последовательности")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)
432
433 ...
434
435 [![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif
↳ "анимация")] (https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif)";
436
437
438 private static readonly string _exampleLoremIpsumText =
439     @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
↳ incididunt ut labore et dolore magna aliqua.
440 Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
↳ consequat.";

```

```

441 [Fact]
442 public static void CompressionTest()
443 {
444     using (var scope = new TempLinksTestScope(useSequences: true))
445     {
446         var links = scope.Links;
447         var sequences = scope.Sequences;
448
449         var e1 = links.Create();
450         var e2 = links.Create();
451
452         var sequence = new[]
453         {
454             e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
455         };
456
457         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
458         var totalSequenceSymbolFrequencyCounter = new
459             ↳ TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
460         var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
461             ↳ totalSequenceSymbolFrequencyCounter);
462         var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
463             ↳ balancedVariantConverter, doubletFrequenciesCache);
464
465         var compressedVariant = compressingConverter.Convert(sequence);
466
467         // 1: [1]          (1->1) point
468         // 2: [2]          (2->2) point
469         // 3: [1,2]        (1->2) doublet
470         // 4: [1,2,1,2]    (3->3) doublet
471
472         Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
473         Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
474         Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
475         Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
476
477         var source = _constants.SourcePart;
478         var target = _constants.TargetPart;
479
480         Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
481         Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
482         Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
483         Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
484
485         // 4 - length of sequence
486         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
487             ↳ == sequence[0]);
488         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
489             ↳ == sequence[1]);
490         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
491             ↳ == sequence[2]);
492         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
493             ↳ == sequence[3]);
494     }
495 }
496
497 [Fact]
498 public static void CompressionEfficiencyTest()
499 {
500     var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
501         ↳ StringSplitOptions.RemoveEmptyEntries);
502     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
503     var totalCharacters = arrays.Select(x => x.Length).Sum();
504
505     using (var scope1 = new TempLinksTestScope(useSequences: true))
506     using (var scope2 = new TempLinksTestScope(useSequences: true))
507     using (var scope3 = new TempLinksTestScope(useSequences: true))
508     {
509         scope1.Links.Unsync.UseUnicode();
510         scope2.Links.Unsync.UseUnicode();
511         scope3.Links.Unsync.UseUnicode();
512
513         var balancedVariantConverter1 = new
514             ↳ BalancedVariantConverter<ulong>(scope1.Links.Unsync);
515         var totalSequenceSymbolFrequencyCounter = new
516             ↳ TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);

```

```

508     var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
509         ↳ totalSequenceSymbolFrequencyCounter);
510     var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
511         ↳ balancedVariantConverter1, linkFrequenciesCache1,
512         ↳ doInitialFrequenciesIncrement: false);
513
514     var compressor2 = scope2.Sequences;
515     var compressor3 = scope3.Sequences;
516
517     var constants = Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
518     var sequences = compressor3;
519     //var meaningRoot = links.CreatePoint();
520     //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
521     //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
522     //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
523         ↳ constants.Itself);
524
525     //var unaryNumberToAddressConverter = new
526         ↳ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
527     //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
528         ↳ unaryOne);
529     //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
530         ↳ frequencyMarker, unaryOne, unaryNumberIncrementer);
531     //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
532         ↳ frequencyPropertyMarker, frequencyMarker);
533     //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
534         ↳ frequencyPropertyOperator, frequencyIncrementer);
535     //var linkToItsFrequencyNumberConverter = new
536         ↳ LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
537         ↳ unaryNumberToAddressConverter);
538
539     var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
540         ↳ totalSequenceSymbolFrequencyCounter);
541
542     var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache3);
543
544     var sequenceToItsLocalElementLevelsConverter = new
545         ↳ SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
546         ↳ linkToItsFrequencyNumberConverter);
547     var optimalVariantConverter = new
548         ↳ OptimalVariantConverter<ulong>(scope3.Links.Unsync,
549         ↳ sequenceToItsLocalElementLevelsConverter);
550
551     var compressed1 = new ulong[arrays.Length];
552     var compressed2 = new ulong[arrays.Length];
553     var compressed3 = new ulong[arrays.Length];
554
555     var START = 0;
556     var END = arrays.Length;
557
558     //for (int i = START; i < END; i++)
559     //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
560
561     var initialCount1 = scope2.Links.Unsync.Count();
562
563     var sw1 = Stopwatch.StartNew();
564
565     for (int i = START; i < END; i++)
566     {
567         linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
568         compressed1[i] = compressor1.Convert(arrays[i]);
569     }
570
571     var elapsed1 = sw1.Elapsed;
572
573     var balancedVariantConverter2 = new
574         ↳ BalancedVariantConverter<ulong>(scope2.Links.Unsync);
575
576     var initialCount2 = scope2.Links.Unsync.Count();
577
578     var sw2 = Stopwatch.StartNew();
579
580     for (int i = START; i < END; i++)
581     {
582         compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
583     }

```

```

569     var elapsed2 = sw2.Elapsed;
570
571     for (int i = START; i < END; i++)
572     {
573         linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
574     }
575
576     var initialCount3 = scope3.Links.Unsync.Count();
577
578     var sw3 = Stopwatch.StartNew();
579
580     for (int i = START; i < END; i++)
581     {
582         //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
583         compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
584     }
585
586     var elapsed3 = sw3.Elapsed;
587
588     Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
589         ↳ Optimal variant: {elapsed3}");
589
590     // Assert.True(elapsed1 > elapsed2);
591
592     // Checks
593     for (int i = START; i < END; i++)
594     {
595         var sequence1 = compressed1[i];
596         var sequence2 = compressed2[i];
597         var sequence3 = compressed3[i];
598
599         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
600             ↳ scope1.Links.Unsync);
601
602         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
603             ↳ scope2.Links.Unsync);
604
605         var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
606             ↳ scope3.Links.Unsync);
607
608         var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
609             ↳ link.IsPartialPoint());
610         var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
611             ↳ link.IsPartialPoint());
612         var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
613             ↳ link.IsPartialPoint());
614
615         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
616             ↳ arrays[i].Length > 3)
617         //    Assert.False(structure1 == structure2);
618         //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
619             ↳ arrays[i].Length > 3)
620         //    Assert.False(structure3 == structure2);
621
622         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
623         Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
624     }
625
626     Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
627         ↳ totalCharacters);
628     Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
629         ↳ totalCharacters);
630     Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
631         ↳ totalCharacters);
632
633     Console.WriteLine($"{{(double)(scope1.Links.Unsync.Count() - initialCount1) /
634         ↳ totalCharacters}} | {{(double)(scope2.Links.Unsync.Count() - initialCount2) /
635         ↳ totalCharacters}} | {{(double)(scope3.Links.Unsync.Count() - initialCount3) /
636         ↳ totalCharacters}}");
637
638     Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
639         ↳ scope2.Links.Unsync.Count() - initialCount2);
640     Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
641         ↳ scope2.Links.Unsync.Count() - initialCount2);
642
643     var duplicateProvider1 = new
644         ↳ DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);

```

```

628     var duplicateProvider2 = new
        ↳ DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
629     var duplicateProvider3 = new
        ↳ DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
630
631     var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
632     var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
633     var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
634
635     var duplicates1 = duplicateCounter1.Count();
636
637     ConsoleHelpers.Debug("-----");
638
639     var duplicates2 = duplicateCounter2.Count();
640
641     ConsoleHelpers.Debug("-----");
642
643     var duplicates3 = duplicateCounter3.Count();
644
645     Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
646
647     linkFrequenciesCache1.ValidateFrequencies();
648     linkFrequenciesCache3.ValidateFrequencies();
649 }
650 }
651
652 [Fact]
653 public static void CompressionStabilityTest()
654 {
655     // TODO: Fix bug (do a separate test)
656     //const ulong minNumbers = 0;
657     //const ulong maxNumbers = 1000;
658
659     const ulong minNumbers = 10000;
660     const ulong maxNumbers = 12500;
661
662     var strings = new List<string>();
663
664     for (ulong i = minNumbers; i < maxNumbers; i++)
665     {
666         strings.Add(i.ToString());
667     }
668
669     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
670     var totalCharacters = arrays.Select(x => x.Length).Sum();
671
672     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
        ↳ SequencesOptions<ulong> { UseCompression = true,
        ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
673     using (var scope2 = new TempLinksTestScope(useSequences: true))
674     {
675         scope1.Links.UseUnicode();
676         scope2.Links.UseUnicode();
677
678         //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
679         var compressor1 = scope1.Sequences;
680         var compressor2 = scope2.Sequences;
681
682         var compressed1 = new ulong[arrays.Length];
683         var compressed2 = new ulong[arrays.Length];
684
685         var sw1 = Stopwatch.StartNew();
686
687         var START = 0;
688         var END = arrays.Length;
689
690         // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
691         // Stability issue starts at 10001 or 11000
692         //for (int i = START; i < END; i++)
693         //{
694             var first = compressor1.Compress(arrays[i]);
695             var second = compressor1.Compress(arrays[i]);
696
697             if (first == second)
698                 compressed1[i] = first;
699             else
700             {
701                 // TODO: Find a solution for this case
702             }
703         //}

```



```

704
705     for (int i = START; i < END; i++)
706     {
707         var first = compressor1.Create(arrays[i]);
708         var second = compressor1.Create(arrays[i]);
709
710         if (first == second)
711         {
712             compressed1[i] = first;
713         }
714         else
715         {
716             // TODO: Find a solution for this case
717         }
718     }
719
720     var elapsed1 = sw1.Elapsed;
721
722     var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
723
724     var sw2 = Stopwatch.StartNew();
725
726     for (int i = START; i < END; i++)
727     {
728         var first = balancedVariantConverter.Convert(arrays[i]);
729         var second = balancedVariantConverter.Convert(arrays[i]);
730
731         if (first == second)
732         {
733             compressed2[i] = first;
734         }
735     }
736
737     var elapsed2 = sw2.Elapsed;
738
739     Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
740     ↪ {elapsed2}");
741
742     Assert.True(elapsed1 > elapsed2);
743
744     // Checks
745     for (int i = START; i < END; i++)
746     {
747         var sequence1 = compressed1[i];
748         var sequence2 = compressed2[i];
749
750         if (sequence1 != _constants.Null && sequence2 != _constants.Null)
751         {
752             var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
753             ↪ scope1.Links);
754
755             var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
756             ↪ scope2.Links);
757
758             //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
759             ↪ link.IsPartialPoint());
760             //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
761             ↪ link.IsPartialPoint());
762
763             //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
764             ↪ arrays[i].Length > 3)
765             //    Assert.False(structure1 == structure2);
766
767             Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
768         }
769     }
770
771     Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
772     Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
773
774     Debug.WriteLine($"{{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
775     ↪ totalCharacters}} | {{(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
776     ↪ totalCharacters}}");
777
778     Assert.True(scope1.Links.Count() <= scope2.Links.Count());
779
780     //compressor1.ValidateFrequencies();
781 }

```

```

775 [Fact]
776 public static void RandomNumbersCompressionQualityTest()
777 {
778     const ulong N = 500;
779
780     //const ulong minNumbers = 10000;
781     //const ulong maxNumbers = 20000;
782
783     //var strings = new List<string>();
784
785     //for (ulong i = 0; i < N; i++)
786     //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
787     //        ↪ maxNumbers).ToString());
788
789     var strings = new List<string>();
790
791     for (ulong i = 0; i < N; i++)
792     {
793         strings.Add(RandomHelpers.Default.NextUInt64().ToString());
794     }
795
796     strings = strings.Distinct().ToList();
797
798     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
799     var totalCharacters = arrays.Select(x => x.Length).Sum();
800
801     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
802     ↪ SequencesOptions<ulong> { UseCompression = true,
803     ↪ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
804     using (var scope2 = new TempLinksTestScope(useSequences: true))
805     {
806         scope1.Links.UseUnicode();
807         scope2.Links.UseUnicode();
808
809         var compressor1 = scope1.Sequences;
810         var compressor2 = scope2.Sequences;
811
812         var compressed1 = new ulong[arrays.Length];
813         var compressed2 = new ulong[arrays.Length];
814
815         var sw1 = Stopwatch.StartNew();
816
817         var START = 0;
818         var END = arrays.Length;
819
820         for (int i = START; i < END; i++)
821         {
822             compressed1[i] = compressor1.Create(arrays[i]);
823         }
824
825         var elapsed1 = sw1.Elapsed;
826
827         var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
828
829         var sw2 = Stopwatch.StartNew();
830
831         for (int i = START; i < END; i++)
832         {
833             compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
834         }
835
836         var elapsed2 = sw2.Elapsed;
837
838         Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
839         ↪ {elapsed2}");
840
841         Assert.True(elapsed1 > elapsed2);
842
843         // Checks
844         for (int i = START; i < END; i++)
845         {
846             var sequence1 = compressed1[i];
847             var sequence2 = compressed2[i];
848
849             if (sequence1 != _constants.Null && sequence2 != _constants.Null)
850             {
851                 var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
852                 ↪ scope1.Links);

```

```

850         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
851             ↳ scope2.Links);
852
853         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
854     }
855 }
856
857 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
858 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
859
860 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
861     ↳ totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
862     ↳ totalCharacters}");
863
864 // Can be worse than balanced variant
865 //Assert.True(scope1.Links.Count() <= scope2.Links.Count());
866 //compressor1.ValidateFrequencies();
867 }
868 }
869
870 [Fact]
871 public static void AllTreeBreakDownAtSequencesCreationBugTest()
872 {
873     // Made out of AllPossibleConnectionsTest test.
874
875     //const long sequenceLength = 5; //100% bug
876     const long sequenceLength = 4; //100% bug
877     //const long sequenceLength = 3; //100% _no_bug_ (ok)
878
879     using (var scope = new TempLinksTestScope(useSequences: true))
880     {
881         var links = scope.Links;
882         var sequences = scope.Sequences;
883
884         var sequence = new ulong[sequenceLength];
885         for (var i = 0; i < sequenceLength; i++)
886         {
887             sequence[i] = links.Create();
888         }
889
890         var createResults = sequences.CreateAllVariants2(sequence);
891
892         Global.Trash = createResults;
893
894         for (var i = 0; i < sequenceLength; i++)
895         {
896             links.Delete(sequence[i]);
897         }
898     }
899 }
900
901 [Fact]
902 public static void AllPossibleConnectionsTest()
903 {
904     const long sequenceLength = 5;
905
906     using (var scope = new TempLinksTestScope(useSequences: true))
907     {
908         var links = scope.Links;
909         var sequences = scope.Sequences;
910
911         var sequence = new ulong[sequenceLength];
912         for (var i = 0; i < sequenceLength; i++)
913         {
914             sequence[i] = links.Create();
915         }
916
917         var createResults = sequences.CreateAllVariants2(sequence);
918         var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());
919
920         for (var i = 0; i < 1; i++)
921         {
922             var sw1 = Stopwatch.StartNew();
923             var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();
924
925             var sw2 = Stopwatch.StartNew();
926             var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();

```

```

926     var sw3 = Stopwatch.StartNew();
927     var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();
928
929     var sw4 = Stopwatch.StartNew();
930     var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();
931
932     Global.Trash = searchResults3;
933     Global.Trash = searchResults4; //-V3008
934
935     var intersection1 = createResults.Intersect(searchResults1).ToList();
936     Assert.True(intersection1.Count == createResults.Length);
937
938     var intersection2 = reverseResults.Intersect(searchResults1).ToList();
939     Assert.True(intersection2.Count == reverseResults.Length);
940
941     var intersection0 = searchResults1.Intersect(searchResults2).ToList();
942     Assert.True(intersection0.Count == searchResults2.Count);
943
944     var intersection3 = searchResults2.Intersect(searchResults3).ToList();
945     Assert.True(intersection3.Count == searchResults3.Count);
946
947     var intersection4 = searchResults3.Intersect(searchResults4).ToList();
948     Assert.True(intersection4.Count == searchResults4.Count);
949 }
950
951 for (var i = 0; i < sequenceLength; i++)
952 {
953     links.Delete(sequence[i]);
954 }
955 }
956
957 [Fact(Skip = "Correct implementation is pending")]
958 public static void CalculateAllUsagesTest()
959 {
960     const long sequenceLength = 3;
961
962     using (var scope = new TempLinksTestScope(useSequences: true))
963     {
964         var links = scope.Links;
965         var sequences = scope.Sequences;
966
967         var sequence = new ulong[sequenceLength];
968         for (var i = 0; i < sequenceLength; i++)
969         {
970             sequence[i] = links.Create();
971         }
972
973         var createResults = sequences.CreateAllVariants2(sequence);
974
975         //var reverseResults =
976         ↪ sequences.CreateAllVariants2(sequence.Reverse().ToArray());
977
978         for (var i = 0; i < 1; i++)
979         {
980             var linksTotalUsages1 = new ulong[links.Count() + 1];
981
982             sequences.CalculateAllUsages(linksTotalUsages1);
983
984             var linksTotalUsages2 = new ulong[links.Count() + 1];
985
986             sequences.CalculateAllUsages2(linksTotalUsages2);
987
988             var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
989             Assert.True(intersection1.Count == linksTotalUsages2.Length);
990         }
991
992         for (var i = 0; i < sequenceLength; i++)
993         {
994             links.Delete(sequence[i]);
995         }
996     }
997 }
998 }
999 }

```

./Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```

1 using System.IO;
2 using Platform.Disposables;
3 using Platform.Data.Doublets.ResizableDirectMemory;

```

```

4 using Platform.Data.Doublets.Sequences;
5 using Platform.Data.Doublets.Decorators;
6
7 namespace Platform.Data.Doublets.Tests
8 {
9     public class TempLinksTestScope : DisposableBase
10    {
11        public readonly ILinks<ulong> MemoryAdapter;
12        public readonly SynchronizedLinks<ulong> Links;
13        public readonly Sequences.Sequences Sequences;
14        public readonly string TempFilename;
15        public readonly string TempTransactionLogFilename;
16        private readonly bool _deleteFiles;
17
18        public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
19    ↪ useLog = false)
20        : this(new SequencesOptions<ulong>(), deleteFiles, useSequences, useLog)
21        {
22        }
23
24        public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
25    ↪ true, bool useSequences = false, bool useLog = false)
26        {
27            _deleteFiles = deleteFiles;
28            TempFilename = Path.GetTempFileName();
29            TempTransactionLogFilename = Path.GetTempFileName();
30
31            var coreMemoryAdapter = new UInt64ResizableDirectMemoryLinks(TempFilename);
32
33            MemoryAdapter = useLog ? (ILinks<ulong>)new
34    ↪ UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
35    ↪ coreMemoryAdapter;
36
37            Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
38            if (useSequences)
39            {
40                Sequences = new Sequences.Sequences(Links, sequencesOptions);
41            }
42        }
43
44        protected override void Dispose(bool manual, bool wasDisposed)
45        {
46            if (!wasDisposed)
47            {
48                Links.Unsync.DisposeIfPossible();
49                if (_deleteFiles)
50                {
51                    DeleteFiles();
52                }
53            }
54        }
55
56        public void DeleteFiles()
57        {
58            File.Delete(TempFilename);
59            File.Delete(TempTransactionLogFilename);
60        }
61    }
62 }

```

./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```

1 using Xunit;
2 using Platform.Random;
3 using Platform.Data.Doublets.UnaryNumbers;
4
5 namespace Platform.Data.Doublets.Tests
6 {
7     public static class UnaryNumberConvertersTests
8     {
9         [Fact]
10        public static void ConvertersTest()
11        {
12            using (var scope = new TempLinksTestScope())
13            {
14                const int N = 10;
15                var links = scope.Links;
16                var meaningRoot = links.CreatePoint();
17                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                var powerOf2ToUnaryNumberConverter = new
19    ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);

```

```

19     var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
    ↪ powerOf2ToUnaryNumberConverter);
20     var random = new System.Random(0);
21     ulong[] numbers = new ulong[N];
22     ulong[] unaryNumbers = new ulong[N];
23     for (int i = 0; i < N; i++)
24     {
25         numbers[i] = random.NextUInt64();
26         unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
27     }
28     var fromUnaryNumberConverterUsingOrOperation = new
    ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
    ↪ powerOf2ToUnaryNumberConverter);
29     var fromUnaryNumberConverterUsingAddOperation = new
    ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
30     for (int i = 0; i < N; i++)
31     {
32         Assert.Equal(numbers[i],
    ↪ fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
33         Assert.Equal(numbers[i],
    ↪ fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
34     }
35 }
36 }
37 }
38 }

```

./Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs

```

1  using Platform.Data.Doublets.Incrementers;
2  using Platform.Data.Doublets.PropertyOperators;
3  using Platform.Data.Doublets.Sequences.Converters;
4  using Platform.Data.Doublets.Sequences.Indexes;
5  using Platform.Data.Doublets.Sequences.Walkers;
6  using Platform.Data.Doublets.UnaryNumbers;
7  using Platform.Data.Doublets.Unicode;
8  using Xunit;
9
10 namespace Platform.Data.Doublets.Tests
11 {
12     public static class UnicodeConvertersTests
13     {
14         [Fact]
15         public static void CharAndUnicodeSymbolConvertersTest()
16         {
17             using (var scope = new TempLinksTestScope())
18             {
19                 var links = scope.Links;
20
21                 var itself = links.Constants.Itself;
22
23                 var meaningRoot = links.CreatePoint();
24                 var one = links.CreateAndUpdate(meaningRoot, itself);
25                 var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
26
27                 var powerOf2ToUnaryNumberConverter = new
    ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
28                 var addressToUnaryNumberConverter = new
    ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
29                 var charToUnicodeSymbolConverter = new
    ↪ CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
    ↪ unicodeSymbolMarker);
30
31                 var originalCharacter = 'H';
32
33                 var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
34
35                 var unaryNumberToAddressConverter = new
    ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
    ↪ powerOf2ToUnaryNumberConverter);
36                 var unicodeSymbolCriterionMatcher = new
    ↪ UnicodeSymbolCriterionMatcher<ulong>(links, unicodeSymbolMarker);
37                 var unicodeSymbolToCharConverter = new
    ↪ UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
    ↪ unicodeSymbolCriterionMatcher);
38
39                 var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
40
41                 Assert.Equal(originalCharacter, resultingCharacter);
42             }

```

```

43     }
44
45     [Fact]
46     public static void StringAndUnicodeSequenceConvertersTest()
47     {
48         using (var scope = new TempLinksTestScope())
49         {
50             var links = scope.Links;
51
52             var itself = links.Constants.Itself;
53
54             var meaningRoot = links.CreatePoint();
55             var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
56             var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
57             var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
58             var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
59             var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
60
61             var powerOf2ToUnaryNumberConverter = new
62                 ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
63             var addressToUnaryNumberConverter = new
64                 ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
65             var charToUnicodeSymbolConverter = new
66                 ↪ CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
67                 ↪ unicodeSymbolMarker);
68
69             var unaryNumberToAddressConverter = new
70                 ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
71                 ↪ powerOf2ToUnaryNumberConverter);
72             var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
73             var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
74                 ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
75             var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
76                 ↪ frequencyPropertyMarker, frequencyMarker);
77             var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
78                 ↪ frequencyPropertyOperator, frequencyIncrementer);
79             var linkToItsFrequencyNumberConverter = new
80                 ↪ LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
81                 ↪ unaryNumberToAddressConverter);
82             var sequenceToItsLocalElementLevelsConverter = new
83                 ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
84                 ↪ linkToItsFrequencyNumberConverter);
85             var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
86                 ↪ sequenceToItsLocalElementLevelsConverter);
87
88             var stringToUnicodeSymbolConverter = new
89                 ↪ StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
90                 ↪ index, optimalVariantConverter, unicodeSequenceMarker);
91
92             var originalString = "Hello";
93
94             var unicodeSequenceLink = stringToUnicodeSymbolConverter.Convert(originalString);
95
96             var unicodeSymbolCriterionMatcher = new
97                 ↪ UnicodeSymbolCriterionMatcher<ulong>(links, unicodeSymbolMarker);
98             var unicodeSymbolToCharConverter = new
99                 ↪ UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
100                 ↪ unicodeSymbolCriterionMatcher);
101
102             var unicodeSequenceCriterionMatcher = new
103                 ↪ UnicodeSequenceCriterionMatcher<ulong>(links, unicodeSequenceMarker);
104
105             var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
106                 ↪ unicodeSymbolCriterionMatcher.IsMatched);
107
108             var unicodeSequenceToStringConverter = new
109                 ↪ UnicodeSequenceToStringConverter<ulong>(links,
110                 ↪ unicodeSequenceCriterionMatcher, sequenceWalker,
111                 ↪ unicodeSymbolToCharConverter);
112
113             var resultingString =
114                 ↪ unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);
115
116             Assert.Equal(originalString, resultingString);
117         }
118     }
119 }

```

## Index

- ./Platform.Data.Doublets.Tests/ComparisonTests.cs, 136
- ./Platform.Data.Doublets.Tests/DoubletLinksTests.cs, 137
- ./Platform.Data.Doublets.Tests/EqualityTests.cs, 139
- ./Platform.Data.Doublets.Tests/LinksTests.cs, 141
- ./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs, 154
- ./Platform.Data.Doublets.Tests/ReadSequenceTests.cs, 155
- ./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs, 156
- ./Platform.Data.Doublets.Tests/ScopeTests.cs, 157
- ./Platform.Data.Doublets.Tests/SequencesTests.cs, 158
- ./Platform.Data.Doublets.Tests/TempLinksTestScope.cs, 172
- ./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs, 173
- ./Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs, 174
- ./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs, 1
- ./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs, 1
- ./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs, 1
- ./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs, 1
- ./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs, 2
- ./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs, 2
- ./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs, 3
- ./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs, 3
- ./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs, 3
- ./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs, 4
- ./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs, 4
- ./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs, 4
- ./Platform.Data.Doublets/Decorators/UInt64Links.cs, 4
- ./Platform.Data.Doublets/Decorators/UniLinks.cs, 6
- ./Platform.Data.Doublets/Doublet.cs, 11
- ./Platform.Data.Doublets/DoubletComparer.cs, 10
- ./Platform.Data.Doublets/Hybrid.cs, 11
- ./Platform.Data.Doublets/ILinks.cs, 12
- ./Platform.Data.Doublets/ILinksExtensions.cs, 12
- ./Platform.Data.Doublets/ISynchronizedLinks.cs, 24
- ./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs, 23
- ./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs, 23
- ./Platform.Data.Doublets/Link.cs, 24
- ./Platform.Data.Doublets/LinkExtensions.cs, 26
- ./Platform.Data.Doublets/LinksOperatorBase.cs, 26
- ./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs, 26
- ./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs, 27
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs, 37
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs, 37
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs, 28
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs, 50
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs, 51
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs, 43
- ./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs, 57
- ./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs, 58
- ./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs, 61
- ./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs, 61
- ./Platform.Data.Doublets/Sequences/Converters/SequenceToltsLocalElementLevelsConverter.cs, 63
- ./Platform.Data.Doublets/Sequences/CriteriaMatchers/DefaultSequenceElementCriterionMatcher.cs, 63
- ./Platform.Data.Doublets/Sequences/CriteriaMatchers/MarkedSequenceCriterionMatcher.cs, 63
- ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs, 64
- ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs, 64
- ./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs, 64
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs, 67
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs, 68
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToltsFrequencyValueConverter.cs, 69
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs, 69
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs, 69
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs, 70
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter.cs, 70
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs, 71
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs, 71
- ./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs, 72
- ./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs, 72



./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs, 73  
./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs, 73  
./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs, 74  
./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs, 74  
./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs, 74  
./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs, 75  
./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs, 85  
./Platform.Data.Doublets/Sequences/Sequences.cs, 76  
./Platform.Data.Doublets/Sequences/SequencesExtensions.cs, 111  
./Platform.Data.Doublets/Sequences/SequencesOptions.cs, 112  
./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs, 113  
./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs, 113  
./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs, 114  
./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs, 115  
./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs, 116  
./Platform.Data.Doublets/Stacks/Stack.cs, 116  
./Platform.Data.Doublets/Stacks/StackExtensions.cs, 117  
./Platform.Data.Doublets/SynchronizedLinks.cs, 117  
./Platform.Data.Doublets/UInt64Link.cs, 118  
./Platform.Data.Doublets/UInt64LinkExtensions.cs, 120  
./Platform.Data.Doublets/UInt64LinksExtensions.cs, 120  
./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs, 122  
./Platform.Data.Doublets/UnaryNumbers/AddressToUnaryNumberConverter.cs, 128  
./Platform.Data.Doublets/UnaryNumbers/LinkToItsFrequencyNumberConveter.cs, 128  
./Platform.Data.Doublets/UnaryNumbers/PowerOf2ToUnaryNumberConverter.cs, 129  
./Platform.Data.Doublets/UnaryNumbers/UnaryNumberToAddressAddOperationConverter.cs, 129  
./Platform.Data.Doublets/UnaryNumbers/UnaryNumberToAddressOrOperationConverter.cs, 130  
./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs, 131  
./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs, 131  
./Platform.Data.Doublets/Unicode/UnicodeMap.cs, 132  
./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs, 134  
./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs, 134  
./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs, 135  
./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs, 135