

Feasibility Report Final Year Project

# Auto Generation of 3D model from room images

Tooba Naseer (2016-CE-72)

Rida Mahmood (2016-CE-54)

Ayesha Jabbar (2016-CS-159)

Rabeya Hamood (2016-CE-81)

Supervised by: Dr. Sheikh Faisal Rasheed
Department of Computer Science and Engineering
University of Engineering and Technology, Lahore

# Contents

1	ıntı	roduction	1
	1.1	Overview of Project	1
	1.2	Background	1
	1.3	Motivation	2
<b>2</b>	Obj	jectives of the project	2
	2.1	Industry Objectives	2
	2.2	Research Objectives	3
	2.3	Academic Objectives	3
3	Sco	pe of the project	3
4	Tar	get Audience	4
5	Pos	sible Applications of work	4
6	Exi	sting System	7
	6.1	Comparison of Existing Systems	7
	6.2	Drawbacks of Existing Systems	8
7	Pro	blem Statement	13
8	Pro	posed System	13
9	Fea	sibility Study	14
	9.1	Technical feasibility	14
	9.2	Operational feasibility	15

9.3	3 Economical feasibility	19
10 Sy	ystem Requirements	20
10	0.1 Hardware Requirements	20
10	0.2 Software Requirements	20
11 Li	imitations and challenges in implementation of project	21
12 R	eferences	23
Refe	rences	23

#### 1 Introduction

#### 1.1 Overview of Project

In the world full of wishes, everyone wants his house according to his own wish but he don't know how his house will look after proper adjustment of furniture and floor texture in the real environment inside the rooms. He cannot only rely on architects or house-map designers to make his house map or plan. Moreover, the ever growing world of 3D technologies fascinating the users and home planners to create and edit 3D models randomly using specified textures and furniture given in a certain application.

This project intent to the auto-generation of 3D models from 2D imported floor plans. It can be operated by importing a 2D floor plan in an image format. The techniques of image processing and model mapping used to generate the 3D computer graphics model according to the imported 2D floor plan. The 3D modification function provides ability to change the texture of floor and walls; moreover, it also enables users to add furniture in 3D constructed model. User can look at 3D model from different viewpoints i.e. top-view, walk-through, front-view and side-view.

#### 1.2 Background

There has been a great incentive in generating 3D models from images of 2D floor plans using image processing[2] and computer graphics techniques. Our research scope embeds to those areas of interests who generate 3D models by taking floor plan in different formats or use special tools to sketch 2D floor plan on a special editor. Some lead their research in the area of computer vision to generate models from images.

A scholar named Matthew Chandler research focuses on the automation of manual processes like wall extrusion, object mapping, floor and ceiling reconstruction[1]. In existing systems these processes are not automatic. So, in our our system we generate 3D model automatically i.e. on just button click. Exiting systems like SketchUp can generate 3D models but they require a lot of manual task to perform after importing floor plan. Moreover, SweetHome3D make 3D models by drawing 2D floor plan on the editor which is quite hard for a nonprofessional user. So, how to get rid of much effort in generating 3D models according to your own wish? Our project provides house planners, architects and common users to make 3D models automatically by just importing a 2D floor plan in an image format.

#### 1.3 Motivation

A common user who does not know how their home look after construction and proper adjustment of their accessories, it's a big platform for them to see their house in 3D more than their imagination. We move towards this project because many artists, civil constructors and common house owners which want houses according to their own designs, so to help them that their floor plan will look good or not after implementation, we are making this software. Already existing such systems can only used by technical users because a lot of manual work is required to construct 3D model from 2D file format. So, this motivates us to automatically generate 3D model from an imported 2D floor plan image by just clicking a button.[3]

# 2 Objectives of the project

#### 2.1 Industry Objectives

- Implement a system that takes into account the demands of industrial artists, home planners and architectural engineers when they designed 2D floor plans and want to see them in 3D before actual implementation.
- To promote prospective and rapid development of a project by generating 3D models from 2D floor plans in just some moments. This leads to industrial workers save their time and cost.
- To increase industry sales and profit by automatically generating 3D models which seeks customers attraction in less time. This system provides opportunity to estate builders and home-planners to grow market sales by investing less time and effort on their customers.
- To grow market shares time by time because every planner wants to increase his share in this era of marketing. When most of the industrial house-planners want to use this proposed system, then they provide a large amount of 3D models of their 2D floor plans to the market, they will get profit over their sales and invest this profit to another venture. This will lead to grow their market shares.
- To launch a new service which gives ability to view 3D models of 2D floor plans from different viewpoints. Planner can decide abruptly that which texture suits well to his house. It is also a way to increase customer attraction.

#### 2.2 Research Objectives

- To apply automation for construction of 3D model via the successive collection of multi-sensorial data and research papers.
- To analyze working different softwares which make 3D models via importing floor plans in different formats as input. So, we could research on existing softwares in market.
- To verify, whether we are moving towards right technology and software in order to implement a 3D project.
- To find out the planners/customers relationship on the behavior of house construction.
- To identify the problems faced by users and planners while constructing houses according to their own 2D floor plan.
- To provide the solution of the problems faced by planners and comon users while constructing houses.
- To predict the behavior of people who were already using these kinds of softwares by importing or drawing their own 2D floor plans.
- To develop a system which provides users to make decisions at right time before they start constructing their houses.
- To assess the traditions of people i.e. which type of texture and maps they mostly want.

#### 2.3 Academic Objectives

- To ensure, that we are implementing our project by using latest technologies which helps students and technical persons to enhance their technical skills via learning.
- Students will able to apply their knowledge and technical skills they have learned in these three years so far.

# 3 Scope of the project

In the autogeneration of 3D models, 3D tools and computer graphic techniques are used. The scope of this project spread towards house planners, architects and common users who want to make their houses according to their own wish. This project handles files of 2D floor plans in image format (.png and .jpeg), then apply image processing techniques on that floor plan to recognize objects and generate a 3D model accordingly. Our application can be used by a common house owner or even by an architect. [4]

## 4 Target Audience

#### • Common Users

People of this era are full of wishes, they want their own designs to construct and adjust their houses. Our software will enable common users to visualize 3D model according to their own choice of 2D floor plan. Avery easy to use GUI enables common users to do interior design of home.

#### • Interior Designers

Our software helps interior designers in quick editing of 3D model without even wasting essential resources i.e. time and money.

#### • Architects and Home planners

For architects or planners who are making floor plans for common people, this 3D software provides them ease and makes them to do less effort for customer satisfaction and increases the quality of their service delivery in time. So, our software can also be used by architects and home planners.

#### • Real estate sellers agents

For people who are running real estate businesses, 3D floor plans could bring new ideas for efficient sales promotions. It could help them engage customers with interactive and informative site details of adjustment. So, our software can also be used by real estate agents.

# 5 Possible Applications of work

The system is related to the generation and modification of 3D model from 2D floor plan. The possible applications of the system are:

• Importing of 2D floor plan in image format.




Figure 1: 2D floor plan

• Generate 3D model according to imported floor plan.



Figure 2: 3D generated model

• Platform for interior designing of 3D generated model i.e. Placement of furniture, changing of texture/paint color of walls and changing of floor designs.



Figure 3: 3D model interior designing

 $\bullet$  Platform for architects to generate 3D model efficiently with less time and effort.



Figure 4: Architects

• Platform for home planners, real estate selling agents to win customer satisfaction and for efficient sales promotions.



Figure 5: Interaction with customers

# 6 Existing System

# 6.1 Comparison of Existing Systems

Comparison of Existing Systems			
Software	Developed By	Key Features	
SketchUp	Brad Schell,Trimble Inc.	2D drawing, 3D Modeling, Panoramic 360 Views, Parametric Model, Textures	
SweetHome3D	eTeks	2D drawing, 3D Modelling, Panoramic 360 Views, Parametric Model	
Blender	Ton Roosendaal	Rendering, Game Creation, Animation Toolset, Visual Effects.	
Free CAD Software	Jürgen Riegel, Werner Mayer, Yorik van Havre	2D drawing, 3D Modeling, Panoramic 360 Views, Parametric Model	
SolidWorks	Autodesk	2D Drawing, 3D solid Modeling, 3D model editing	

# • Further Comparison

Comparison of Existing Systems					
Software	Type of Software	Platform Supported	Backend-Technology	Deployment	Difficulty Level
SketchUp	Freemium	Windows and Mac	Written in C++ and Objective-C. Open GL is used as a display layer.	Open API(For In-process apps)	Average
SweetHome3d	Free and open source	Linux, Mac OS X, Solaris and Windows	Written in Java. Java3D is used for graphics.	Open API	Easy
Blender	Free and open source	Windows, MacOS, Linux, Free BSD, OpenBSD	Written in C and there is tiny bit of Python for API and included scripts. It uses OpenGL, a graphics API.	Open API	Difficult
FreeCAD Software	Free and open source	MacOS, Unix, Windows	Written in C++, Python.  The interface is built with Qt.	Open API	Average
SolidWorks	Only Free trial version is available	Windows, MacOS	Written in C++	Open API	Difficult

# 6.2 Drawbacks of Existing Systems

## $\bullet$ SketchUp

SketchUp is commonly used by architects, civil engineers and mechanical engineers for the purpose of architectural design. This software mainly focuses on the design of architectural building ad less focus

on interior design. So this software is not suitable for interior design. This software cannot generate 3D model automatically. It required a lot of manual work in creating 3D model. For example before generating 3D model, users must trace the floor plan image and then extrude the walls by using SketchUp provided tools. So, it is not easy to use for non-technical users.[7]




Figure 6: SketchUp UI

#### • SweetHome3d

SweetHome3d mainly focuses on generating 3D model by drawing 2D floor plan in provided editor simultaneously. If user wants to generate 3D model by importing floor plan image then manual work of tracing and refining an image is required. So, a lot of time is required in doing so.




Figure 7: SweetHome3D UI

#### • Blender

Blender is a big platform for modeling, animation, simulation, and game creation. It is very difficult to use because of 100% customizable interface. It is suitable only for technical users. It requires a lot of effort and time to learn how to use Blender. It allows users to draw 2D floor plan and generate 3D model after a lot of manual work. So, it is not suitable for non-technical users.




Figure 8: Blender UI

## • FreeCAD Software

We can create best 3D models through FreeCAD but the problem is again less automation and more manual work is required. Time taking process is required to know how to run the software and also training of the staff is required which will work on it. So, this software is not suitable for normal user.




Figure 9: FreeCAD UI

#### • SolidWorks

SolidWorks mainly focuses on creating 3D models of all types. It does not specifically focus on 3D model of rooms. Although this software is relatively easy to use in comparison to other such softwares but main drawback is its pricing. Also, it is not suitable software for interior design of home.[9]




Figure 10: SolidWorks UI

#### 7 Problem Statement

When anyone plans to construct a new flat/house and can only see its floor plan. So it's hard for anyone to imagine the actual environment by just seeing 2-D floor plan. So, our system will enable the users to see this 2-D floor plan into 3-D and generate 3D model efficiently in less time and effort which existing systems unable to do. Sometimes users also get curious how to design the interior of house. So, this system will also enable users to modify or add furniture in 3-D generated model.

# 8 Proposed System

The application assists users to get their desired 3D model of 2D floor plan in minimum time and price. This also helps users to make decision before the construction of their own houses rather they follow a unrealistic house plan and lose their money, effort and time. This application can be undertaken by architects or common users and anyone who wants his house according to his own desire by having this app from the online stores.

Our project emphasizes on the generation of 3D models from images of 2D floor plans. The project is somehow unique because it focuses on the making of 3D models by importing images of 2D floor plans which is missing in other softwares. Other softwares main concern is to create 3D model by draw 2D plan in provided editor and it will be the innovation in our project. We are going to develop unity based desktop application. Here are functional requirements:

#### • Import of 2-D floor plan

User will able to import 2-D floor plan in image format. User can create this floor plan by using Microsoft Office Visio or any other such software.

#### • Generation of 3-D model

After clicking on Generate 3-D model button, corresponding 3-D model would be generated.

#### • Modifications in 3-D model

User will able to change the texture of walls, height of walls and also modify the walls color by changing the paint color of walls.

#### • Add furniture in 3-D model

User will able to choose any furniture from the list provided (i.e. table, chair and couch etc) and drag at any location in the room.

#### • Different viewpoints of 3-D model

User will be able to have different viewpoints of 3-D model i.e. top view, front view and side view. User will also have viewpoint of walk through the 3-D model.




Figure 11: Proposed system architecture

# 9 Feasibility Study

#### 9.1 Technical feasibility

For the development of proposed system, we will use latest technologies. We need any 3D graphics API for the purpose of rendering of 3D models. We can use OpenGL, Irrlicht3D or Direct3D but we choose unity3D. The reason is that OpenGL and Direct3D are low-level APIs which mean we need extremely tough

graphical programming for rendering 3D models. Another reason is there were lots of APIs that are built on the top of OpenGL or Direct3D which are relatively easy to use. We can use Irrlicht3D[10] but Irrlich3D is neither a latest technology nor it is easy to use. So, finally we choose unity3D graphical engine because it is a latest technology and technically feasible, also it has user-friendly environment for developing applications. Programming language will be C#. For image recognition and image processing techniques we will use Python 3.6. So, the project's development is practicable and technically feasible.[5]

#### 9.2 Operational feasibility

Operational feasibility means whether a proposed system is to be feasible at operational level. For this purpose, we conduct a market survey in which we ask many questions from common users, architects, home planners and interior designers. 69.7% people think that their home is not according to what they have imagined at the time of constructing house(see Figure 13). 87.9% people like to do interior designing of their home on our software to see how it looks before actually doing in real environment(see Figure 14). 51.5% people use already existing such systems but they don't like these systems because of hard to use and time taking steps required to generate 3D model(see Figure 15). The proposed system is generate efficiently 3D model on just a button click.

We also conduct survey for architects, home planners and real estate seller agents. 77.3% people think that they face difficulty in satisfying the customer with their floor plan designs (see Figure 16). 85.7% people think that the existing systems are not easy to use (see Figure 17). 71.4% people that existing systems are not cost effective because these softwares are not free (see Figure 18). 90.9% people are willing to use our proposed system because our proposed system automatically generate 3D model instead of make the 3D model after a lot of manual steps (see Figure 19). This study shows that our proposed system is highly operational feasible. There are a lot of drawbacks in existing systems. People want to generate 3D model in less time and with ease. Our proposed system will bring new ideas for efficient sales promotion. Architects and home planners use our proposed system in order to win customer satisfaction. Customer gets their desired dream home exactly according to their imagination. People want to see interior designing of their home according to their imagination without wasting extra money. So, our system is highly acceptable at operational level.




Figure 12: Survey reviews

# 3. Did you think that your home is not according to what you have imagined at the time of constructing house?

33 responses




Figure 13: Not desired house

# 4. Did you want to do interior designing of your home to see how it looks before actually doing in real environment?

33 responses




Figure 14: Interior designing of 3D model

# 5. Did you use Sketch Up, Sweet Home 3D, Blender, Auto cad or any other such software for generating virtual 3D model of home according to your floor plan?

33 responses




Figure 15: Use existing systems

# 8. Do you face any difficulty in satisfying the customer with your floor plan designs?

22 responses




Figure 16: For architects and home planners

# 12. Are the existing systems not easy to use?

21 responses




Figure 17: Not easy to use

# 11. Are the existing systems not cost effective?

21 responses




Figure 18: Not cost effective

Are you willing to use the software which automatically generate 3D model instead of make the 3d model after a lot of manual steps?

22 responses




Figure 19: Willing to use our proposed system

#### 9.3 Economical feasibility

Economical feasibility means whether a project is economically feasible by analyzing the cost required for developing and using this project. There are more than 1 billion PCs/Laptops in use in the world. The number of PC/Laptop users increases day by day. So, this unity based desktop application is feasible for all the users because only existing computer and internet is required for installing the application and if floor

plan is in hard form, so for the purpose of capturing the floor plan only camera is required which almost everyone already have. We built this application by using free and open-source softwares, so no cost is required for developing this application. Only cost involving factor is just having a computer which almost everyone already have. User must know the name of the application and have internet connectivity for the purpose of installing this application. So, this project is highly economical feasible.[6]

# 10 System Requirements

#### 10.1 Hardware Requirements

#### • Hardware requirements for Users

Users just need a laptop/PC in which our application is installed.

#### • Hardware requirements for Development

Sr. No	Component	Requirements
1.	RAM	Minimum 4GB
2.	Hard Disk Space	Minimum 250GB
3.	Processor	Minimum corei3@2.2GHz
4.	GPU	Intel(R) HD Graphics 4400
		OpenGL Version: 4.3.0
5.	Camera (optional)	16MP or above

Figure 20: Hardware Requirements

#### 10.2 Software Requirements

#### • Software Requirements for Users

Users just need a Laptop/PC with Windows Operating System installed.

#### • Software Requirements for Development

Sr. No	Component	Description
1.	Operating System	Windows 10 (64bit)
2.	IDE	Visual studio 2015 and above (with c#)
3.	3D graphics engine	Unity3D (2018.3.14f)
4.	Python for image processing	Python 3.6.0

Figure 21: Software Requirements

# 11 Limitations and challenges in implementation of project

#### • Selection of Software and 3D graphic tools

We faced a big challenge in selecting a right software and implementing language because simple Visual Studio does not allow to create 3D models, it combines with Unity or some other 3D graphic tool to generate models.

#### • Compatibility of other programming language with graphic tools

3D graphic tools i.e. OpenGL and Irrlicht are compatible with C++ but image processing is too much difficult in C++ because we have to generate algorithms at low level. Unity is compatible with C# and image processing and object detection can be done effectively in python. Because of limitations and incompatibility of programming language with graphic tools, we faced alot of challenges.

#### • Length of time

This proposed system is very complex and requires at least 18 months for completion. But we have to complete this in 7 months which is a big challenge for us.

#### Image Processing and recognition

There are no features in graphics recognition that we can set as reference and recognize a raw data i.e. image. So, for image processing we have to develop recognition algorithms separately for every object detection.

#### No background of computer graphics

We are facing a lot of challenges regarding 3D graphics. We never used 3D graphics tool or API in past. We searched a lot on latest 3D technologies, use multiple softwares which performs operations in computer graphics i.e. OpenGL, Irrlicht but after much research, we decided to work in Unity graphics scenes with

C# programming language.[8]

## • Placing furniture on 3D model according to position and size

This is quite difficult to place furniture on 3D model after its construction from 2D floor plan , because it requires co-ordinates adjustment, position and size of the accessories. A small divergences from a single point or co-ordinate axis results in a distorted 3D model.[12]

#### 12 References

# References

- [1] ResearchGate: 3D virtual building, https://www.researchgate.net/publication/221314258
- [2] Image processing: 2D image floor plan, https://stackoverflow.com/questions/29471866/creating-a-3d-map-with-2d-depth-images-in-processing
- [3] Research paper: 3D model from 2D floor plans, https://www.researchgate.net/publication/ 288038928\_Automatic\_reconstruction\_of\_3D\_building\_models\_from\_scanned\_2D\_floor\_plans
- [4] Project Scope: Evaluation of project scope, https://www.brighthubpm.com/project-planning/ 57950-example-and-evaluation-of-project-scope-statements/
- [5] Technical Feasibility, https://www.brighthubpm.com/project-planning/57950-example-and-evaluation-of-project-scope-statements/
- [6] Economic Feasibility, https://www.quora.com/What-does-economic-feasibility-mean
- [7] Existing System: SketchUp, https://www.sketchup.com/
- [8] 3D game engine: Unity3D, https://unity.com/
- [9] FreeCAD: Pros and Cons, http://d321.com/blog/pros-and-cons-of-free-cad-services/
- [10] 3D graphics engine: Irrlicht, http://irrlicht.sourceforge.net/
- [11] Limitation: 3D modelling limitations, https://search.yahoo.com/yhs/search?hspart=Lkry&hsimp=yhs-newtab&publisherid=55334&type=YHS\_VC\_55334&p=limitations+doing+3d+project&param1
- [12] Challenges: Challenges in project, https://www.nap.edu/read/22121/chapter/7#33