1. Obtain the system time, and check whether it is in the morning, afternoon, or evening.

```
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ chmod u+x test1.sh
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ ./test1.sh
Good morning !!
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$
```

2. Input two number, check which one is greater, and output the result.

```
blueberry@blueberry-VMware-Virtual-Platform:-/桌面$ chmod u+x test2.sh
blueberry@blueberry-VMware-Virtual-Platform:-/桌面$ ./test2.sh
Enter the first integer:
12
Enter the second integer:
23
12 is less than 23
blueberry@blueberry-VMware-Virtual-Platform:-/桌面$
```

3. Find the minimal value in a given list.

```
| blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ vim test3.sh | blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ chmod u+x test3.sh | blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ ./test3.sh | -3 | blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ | blueberry@blueberry-VMware-Virtual-Platform:~/桌面$
```

4. Calculate the number of executive file in the current directory.

```
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ vim test4.sh
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ chmod u+x test4.sh
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ ./test4.sh
Total of 7 files executable
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$
```

5. Check whether a given number is a prime, you have to write a function, and call the function.

```
blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ chmod u+x test5.sh blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ ./test5.sh 3 3 is a prime! blueberry@blueberry-VMware-Virtual-Platform:~/桌面$ ./test5.sh 6 6 is not a prime! blueberry@blueberry-VMware-Virtual-Platform:~/桌面$
```