## ENR3.2.3 G 系列航路 Air routes of Series G

Route des	重要点名称、。 ignator/Signific e,Type,Identifica	ant Point			要点坐标 Point Coordinates	
导航规范 Navigation specification	航迹(磁) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks	
G204						
▲黄山 Huan	gshan VOR/DM	IE(TXN)	N29°44′18″ H	E118°15′12″		
RNAV2	100 %280 ° 44	2 050		$\downarrow \uparrow$	Shanghai ACC(Above 6000m)	
▲IDBIN			N29°41′50″ H	E118°42′18″		
RNAV2	100 %280 ° 59	2 050		$\downarrow \uparrow$	Shanghai ACC(Above 6000m)	
▲ABVIL			N29°38′30″ H	E119°18′54″		
RNAV2	098 %278 ° 17	2 050		$\downarrow \uparrow$	Shanghai ACC(Above 6000m)	
▲ELNEX			N29°37′54″ H	E119°29′24″		
RNAV2	096 %276 ° 16	1 846		<b>↓</b> ↑	Shanghai ACC(Above 6000m)	
▲UGAGO			N29°37′39″ E119°39′02″			
RNAV2	096 %276 ° 58	1 846		↓↑	UGAGO: Shanghai ACC(Above 6000m) MULOV: Shanghai ACC	
▲MULOV			N29°36′51″ H	N29°36′51″ E120°14′52″		
RNAV2	096 %276 ° 55	1 846		<b>↓</b> ↑	Shanghai ACC	
▲嵊州 Sheng	gzhou VOR/DM	IE(SHZ)	N29°36′00″ H	E120°49′00″		
RNAV2	033 %213 ° 47	1 617		$\downarrow \uparrow$	Shanghai ACC	
▲VEXEX			N29°58′23″ H	E121°02′45″		
RNAV2	033 %213 ° 36	1 617		$\downarrow \uparrow$	Shanghai ACC	
▲庵东 Ando	ong VOR/DME(	AND)	N30°15′24″ F	E121°13′18″		
RNAV2	012 %192 ° 22	1 232		<b>↓</b> ↑	Shanghai ACC	
▲DADAT			N30°27′00″ F	E121°14′48″		
RNAV2	012 %192 ° 75	1 232		<b>↓</b> ↑	Shanghai ACC	
▲九亭 Jiutin	▲九亭 Jiuting VOR/DME(JTN)			N31°07′24″ E121°20′30″		
G212						

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification				要点坐标 Point Coordinates		
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks	
▲ARGUK	中俄国境点		N47°53′00″ H	E134°39′30″		
RNAV2	/042 ° 2	722	20	1	Harbin ACC(Below 9800m) Shenyang ACC(9800m or above)	
▲海青 Haiqi	ing NDB(IJ)		N47°52′06″ I	E134°38′42″		
RNAV2	/081 ° 335	1 223	20	<b>↑</b>	Shenyang ACC(9800m or above) Harbin ACC(Below 9800m)	
▲佳木斯 Jia	musi VOR/DMI	E(JMU)	N46°50′30″ I	E130°27′54″	, ,	
RNAV2	258 %078 ° 253	1 834	20	<b>↓</b> ↑	Shenyang ACC(9800m or above) Harbin ACC(Below 9800m)	
▲IGADO			N45°57′48″ I	<u>l</u> E127°24′44″	Time of the control o	
RNAV2	258 %078 ° 97	1 834	20	$\downarrow \uparrow$	Shenyang ACC(9800m or above)	
A 1 - 12 XX		(AMD D)	374502512611	710 (01 510 (11	Harbin ACC(Below 9800m)	
▲哈尔浜 Ha	rbin VOR/DME	(HKB)	N45°37′36″ I	E126°15′36″	C1 A CC(0000	
RNAV2	245 %065 ° 102	864	20	<b>↓</b> ↑	Shenyang ACC(9800m or above) Harbin ACC(Below 9800m)	
▲EKADO			N45°06′05″ E125°11′12″			
RNAV2	245 %065 ° 37	890	20	<b>↓</b> ↑	Shenyang ACC(9800m or above) Harbin ACC(Below 9800m)	
▲扶余 Fuvu	VOR/DME(FY	U)	N44°54'42" I	<u> </u> E124°48′12″	Transmittee(Below 7000m)	
RNAV2	243 %063 ° 67	918	20	<b>↓</b> ↑	Harbin ACC(Below 9800m) Shenyang ACC(9800m or above)	
▲RUSBO			N44°33′37″ I	E124°07′06″		
RNAV2	243 %063 ° 20	850	20	↓↑	Shenyang ACC(9800m or above)	
▲ OTABO			N44°27′15″ H	<u> </u> E123°54′54″	Harbin ACC(Below 9800m)	
RNAV2	243 %063 ° 97	850	20	↓↑	Shenyang ACC	
▲DULEX			N43°56′19″ I	E122°55′41″	<u>I</u>	
RNAV2	243 %063 ° 72	998	20	<b>↓</b> ↑	Shenyang ACC	
▲通辽 Tong	liao VOR/DME	(TGO)	N43°33′36″ I	E122°11′48″		

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification				要点坐标 Point Coordinates	
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
RNAV2	242 %062 ° 383	2 460		<b>↓</b> ↑	Tongliao VOR/DME: Shenyang ACC UKDUM: Beijing ACC
▲UKDUM			N41°29′51″ H	E118°26′40″	
RNAV2	246 %066 ° 98	2 460		<b>↓</b> ↑	Beijing ACC
▲MUDAM			N41°01′58″ H	E117°26′40″	
RNAV2	208 %028 ° 38	2 625		<b>↓</b> ↑	Beijing ACC
▲BUMDU			N40°42′50″ H	E117°16′55″	
RNAV2	207 %027 ° 108	2 625		<b>↓</b> ↑	Beijing ACC
▲SOTMU			N39°47′58″ E116°51′16″		
RNAV2	207 %027 ° 72	729		<b>↓</b> ↑	Beijing ACC
▲大王庄 Da VOR/DME(V	wangzhuang YK)		N39°11′42″ E116°34′18″		
RNAV2	246 %066 ° 105	636		$\downarrow \uparrow$	Beijing ACC
▲BELAX			N38°43′12″ H	E115°31′35″	
RNAV2	/071 ° 29	689		<b>↑</b>	Beijing ACC
▲TEKIL			N38°36′32″ I	E115°13′25″	
RNAV2	/071 ° 14	709		<b>↑</b>	Beijing ACC
▲POXUS			N38°33′16″ H	E115°04′32″	
RNAV2	/071 ° 32	1 027		1	Beijing ACC
▲PINAP			N38°25′56″ I	E114°44′53″	
RNAV2	/071 ° 2	1 027		1	Beijing ACC
▲AMVOG		N38°25′23″ H	E114°43′24″		
RNAV2	/070° 60	1 694		1	Beijing ACC
<b>▲</b> TONOV			N38°11′20″ H	E114°06′24″	

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification		ant Point			要点坐标 Point Coordinates
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
RNAV2	/070 ° 60	2 132		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲ISLEP			N37°57′07″ I	E113°29′29″	
RNAV2	/070 ° 58	2 315		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲PARTU			N37°43′13″ I	E112°54′13″	
RNAV2	/067 ° 24	2 200		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲EXORI			N37°37′24″ I	E112°39′40″	
RNAV2	/067 ° 16	2 200		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲ AVKES			N37°33′30″ I	E112°29′57″	
RNAV2	/067 ° 60	2 441		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲NITID			N37°18′51″ E111°53′51″		
RNAV2	/067 ° 133	2 652		1	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲TUTNA			N36°45′38″ E110°34′25″		
RNAV2	/067 ° 94	2 122		1	Xi'an ACC
▲VENBA			N36°21′30″ I	E109°38′41″	
RNAV2	/024 ° 69	2 122		1	Xi'an ACC
▲洛川 Luoc	huan VOR/DMI	E(WJC)	N35°46′42″ I	E109°22′36″	
RNAV2	202 %022 ° 112	2 248	8	<b>↓</b> ↑	Xi'an ACC
▲觅子 Mizi	VOR/DME(MIZ	Z)	N34°49′12″ I	E108°59′42″	
RNAV2	199 %019 ° 26	2 332	8	<b>↓</b> ↑	Xi'an ACC
▲三原 Sanyı	uan NDB(OD)		N34°35′54″ I	E108°54′54″	
RNAV2	191 %011 ° 42	2 200		<b>↓</b> ↑	Xi'an ACC
▲烟庄 Yanzhuang NDB(ZS)		N34°13′18″ I	E108°51′12″		
RNAV2	209 %029 ° 112	3 615	10	<b>↓</b> ↑	Xi'an ACC
▲宁陕 Nings	shan VOR/DME	E(NSH)	N33°19′06″ I	E108°18′42″	

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification				要点坐标 Point Coordinates		
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks	
RNAV2	236 %056 ° 95	3 300	20	<b>↓</b> ↑	Xi'an ACC	
<b>▲</b> ONEBA			N32°48′37″ H	E107°29′43″		
RNAV2	236 %056 ° 91	3 300	20	$\downarrow \uparrow$	Xi'an ACC	
▲SUBUL			N32°19′39″ H	E106°42′37″		
RNAV2	236 %056 ° 55	2 715	20	<b>↓</b> ↑	Chengdu ACC	
▲AGOBU			N32°01′59″ H	E106°14′17″		
RNAV2	236 %056 ° 75	1 909	20	$\downarrow \uparrow$	Chengdu ACC	
▲LUBDI			N31°37′56″ H	E105°35′51″		
RNAV2	236 %056 ° 101	2 689	20	<b>↓</b> ↑	Chengdu ACC	
▲PANKO			N31°05′50″ E104°44′53″			
RNAV2	236 %056 ° 42	1 646	20	<b>↓</b> ↑	Chengdu ACC	
▲金堂 Jintar	ng VOR/DME(J	TG)	N30°52′18″ E104°23′24″			
RNAV2	186 %006 ° 105	1 659	10	<b>↓</b> ↑	Chengdu ACC	
▲富家场 Fu	jiachang VOR/I	OME(FJC)	N29°55′42″ H	E104°18′12″		
RNAV2	182 %002 ° 138	2 499	20	$\downarrow \uparrow$	Chengdu ACC	
▲KAKMI			N28°41′04″ I	E104°17′39″		
RNAV2	182 %002 ° 108	3 289	20	$\downarrow \uparrow$	Chengdu ACC	
▲OMLIP			N27°42′38″ I	E104°17′11″		
RNAV2	182 %002 ° 94	3 455	20	$\downarrow \uparrow$	Kunming ACC	
▲威宁 Wein	ing NDB(HX)		N26°51′36″ I	E104°16′54″		
RNAV2	220 %040 ° 98	3 981	20	$\downarrow \uparrow$	Kunming ACC	
▲MEBNA		N26°10′49″ I	E103°38′59″			
RNAV2	220 %040 ° 112	3 981	20	$\downarrow \uparrow$	Kunming ACC	
▲盘龙 Panlo	ong VOR/DME(	XFA)	N25°24′06″ I	E102°56′00″		

航路代号、重要点名称、类型、识别		重要点坐标			
Route designator/Significant Point Name,Type,Identification				Point Coordinates	
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
G218					
<b>▲</b> POLHO	中蒙国境点		N44°47′00″ I	E113°15′00″	
RNAV2	187 %007 ° 197	2 378		<b>↓</b> ↑	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
△UKBAD			N43°00′45″ H	E113°11′26″	
RNAV2	187 %007 ° 130	2 378		<b>↓</b> ↑	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
▲土木尔台 '	Tumurtai VOR/l	DME(TMR)	N41°50′36″ H	E113°09′12″	
RNAV2	226 %046 ° 11	2 360		<b>↓</b> ↑	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
▲OSRUR			N41°46′15″ H	E113°04′06″	
RNAV2	226 %046 ° 45	2 556		<b>↓</b> ↑	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
▲IGPAS			N41°27′36″ E112°43′08″		
RNAV2	226 %046 ° 58	2 845		$\downarrow\uparrow$	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
▲SUROS			N41°03′49″ E112°15′49″		
RNAV2	226 %046 ° 48	2 806		<b>↓</b> ↑	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
▲呼和浩特	Hohhot VOR/D	ME(HET)	N40°43′30″ E111°54′00″		
G221					
▲BUNTA			N16°50′00″ H	E109°23′42″	
RNAV2	343 %163 ° 78	600		<b>↓</b> ↑	Sanya ACC
▲SAGSU			N17°30′06″ H	E109°09′48″	
RNAV2	002 %182 ° 19	600		<b>↓</b> ↑	Sanya ACC
▲KAGUK			N17°40′11″ H	E109°09′54″	
RNAV2	002 %182 ° 71	1 375		<b>↓</b> ↑	Sanya ACC(Above 7200m) Sanya APP(7200m or below)
▲三亚 Sanya	a VOR/DME(SY	YX)	N18°18′36″ H	E109°10′24″	
RNAV2	052 %232 ° 32	1 932		<b>↓</b> ↑	Sanya ACC(Above 7200m) Sanya APP(7200m or below)
▲抱龙 Baolo	ong NDB(WL)		N18°29′18″ F	E109°24′12″	
RNAV2	026 %206 ° 93	2 391		<b>↓</b> ↑	Sanya ACC(Above 7200m) Sanya APP(7200m or below)

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name, Type, Identification		重要点坐标 Significant Point Coordinates			
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
<b>▲</b> UPRIS			N19°15′00″ H	E109°46′09″	
RNAV2	026 %206 ° 93	1 957		$\downarrow \uparrow$	Sanya ACC(Above 7200m) Haikou APP(7200m or below)
▲南盈滨岛 VOR/DME(N	Nanyingbindao IYB)		N20°00′54″ I	E110°08′12″	
RNAV2	036 %216 ° 66	822		$\downarrow \uparrow$	Sanya ACC(Above 7200m) Haikou APP(7200m or below)
▲SAMAS			N20°30′18″ H	E110°29′42″	
RNAV2	051 %231 ° 77	1 469		$\downarrow \uparrow$	Sanya ACC(Above 7800m) Zhanjiang ACC(7800m or below)
▲GIVIV			N20°57′14″ H	E111°03′19″	
RNAV2	051 %231 ° 105	1 469		<b>↓</b> ↑	Sanya ACC(Above 7800m) Zhanjiang ACC(7800m or below)
▲BIGRO			N21°34′12″ H	E111°49′36″	
	器飞行高度 6 9 Ides for aircrafts			00m.	
G327					
▲九亭 Jiutir	ng VOR/DME(J	ΓN)	N31°07′24″ H	E121°20′30″	
RNAV2	104 %284 ° 88	1 232		$\downarrow \uparrow$	Shanghai ACC
▲NINAS			N31°00′00″ H	E122°15′00″	
RNAV2	095 %275 ° 17	600		$\downarrow \uparrow$	Shanghai ACC
▲LASAN	,		N31°00′00″ H	E122°25′28″	
RNAV2	095 %275 ° 21	600		$\downarrow \uparrow$	Shanghai ACC
▲BONGI			N31°00′00″ H	E122°38′53″	
RNAV2	095 %275 ° 34	600		$\downarrow \uparrow$	Shanghai ACC
▲BOLEX		N31°00′00″ H	E123°00′00″		
RNAV2	060 %240 ° 64	600		$\downarrow \uparrow$	Shanghai ACC
<b>▲</b> TONIX			N31°19′56″ I	E123°32′38″	
RNAV2	060 %240 ° 53	600		$\downarrow \uparrow$	Shanghai ACC

航路代号、重要点名称、类型、识别		重要点坐标				
Route des Name	signator/Signific e,Type,Identifica	ant Point ation		Significant Point Coordinates		
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks	
▲LAMEN			N31°36′36″ H	E124°00′00″		
G330						
▲南翔 Nanx	iang NDB(PK)		N31°17′00″ H	E121°19′48″	T	
RNAV2	317 %137 ° 27	1 232		$\downarrow \uparrow$	Shanghai ACC	
<b>▲</b> POMOK			N31°27′00″ I	E121°07′00″	<del>,</del>	
RNAV2	341 %161 ° 36	707		$\downarrow \uparrow$	Shanghai ACC	
▲XIREM			N31°44′42″ H	E120°57′31″		
RNAV2	341 %161 ° 51	707		<b>↓</b> ↑	Shanghai ACC	
▲PIKAS			N32°10′00″ H	E120°44′00″	,	
RNAV2	281 %101 ° 42	858		<b>↓</b> ↑	Shanghai ACC	
▲UNTAN			N32°12′14″ E120°17′04″			
RNAV2	281 %101 ° 49	858		<b>↓</b> ↑	Shanghai ACC	
▲PIMOL			N32°14′45″ E119°45′42″			
G332						
▲朝阳 Chao	yang VOR/DMI	E(CHG)	N41°32′12″ H	E120°26′00″		
RNAV2	266 %086° 157	2 338		<b>↓</b> ↑	Chaoyang VOR/DME: Shenyang ACC OPIMU: Beijing ACC	
<b>▲</b> OPIMU			N41°14′12″ F	E118°35′38″		
RNAV2	263 %083 ° 47	2 338		<b>↓</b> ↑	Beijing ACC	
▲承徳 Chen	gde VOR/DME	(DHC)	N41°07′42″ I	E118°02′48″	<u>'</u>	
RNAV2	266 %086 ° 52	2 084		↓↑	Beijing ACC	
▲MUDAM		N41°01′58″ I	E117°26′40″			
G338						
<b>▲</b> SARUL	中蒙国境点		N48°30′54″ I	E115°47′12″		
RNP4	072 %252 ° 111	1 587		$\downarrow \uparrow$	Hailar ACC	
▲IKARU			N48°57′19″ I	E117°08′59″		

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification				要点坐标 Point Coordinates	
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
RNP4	072 %252 ° 77	1 406		$\downarrow \uparrow$	Hailar ACC
▲KAGAK			N49°16′00″ H	E118°06′00″	
G341					
▲通辽 Tong	liao VOR/DME	(TGO)	N43°33′36″ H	E122°11′48″	
RNAV2	095 %275 ° 81	998		$\downarrow \uparrow$	Shenyang ACC
▲UGRUP			N43°36′52″ H	E123°11′54″	
RNAV2	095 %275 ° 89	842		$\downarrow \uparrow$	Shenyang ACC
▲BUTET			N43°40′52″ H	E124°17′49″	
RNAV2	095 %275 ° 125	1 150		$\downarrow \uparrow$	Shenyang ACC
▲万昌 Wand	hang VOR/DM	E(LJB)	N43°46′24″ E125°51′06″		
RNAV2	108 %288 ° 116	1 884		$\downarrow \uparrow$	Shenyang ACC
▲BUTID			N43°37′24″ E127°17′00″		
RNAV2	110 %290 ° 82	1 867		$\downarrow \uparrow$	Shenyang ACC
▲OMBAD			N43°29'42" E128°17'04"		
RNAV2	110 %290 ° 64	1 890		$\downarrow \uparrow$	Shenyang ACC
▲KANVU			N43°23′39″ H	E129°03′55″	
RNAV2	110 %290 ° 59	1 890		$\downarrow \uparrow$	Shenyang ACC
▲汪清 Wang	qing VOR/DMl	E(WQG)	N43°17′36″ F	E129°47′06″	
G343					
▲土木尔台 ′	Tumurtai VOR/l	DME(TMR)	N41°50′36″ F	E113°09′12″	
RNAV2	315 %135 ° 133	2 377		$\downarrow \uparrow$	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
△ ASURI		N42°36′09″ H	E111°54′0 <mark>2″</mark>		
RNAV2	315 %135 ° 107	2 377		$\downarrow \uparrow$	Beijing ACC(Above 7800m) Hohhot ACC(7800m or below)
<b>▲</b> NIXAL 👎	"蒙国境点		N43°12'42" E110°53'00"		
G345					
<b>▲</b> UNTAN			N32°12′14″ F	E120°17′04″	

航路代号、重要点名称、类型、识别 Route designator/Significant Point				要点坐标 Point Coordinates	
Name	e,Type,Identifica	ation		Significant i	Point Coordinates
导航规范 Navigation specification	航迹(磁) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
RNAV2	247 %067 ° 61	750		<b>↓</b> ↑	Shanghai ACC
▲奔牛 Benn	iu NDB(ZJ)		N31°56′30″ H	E119°42′36″	
RNAV2	248 %068 ° 34	1 058		$\downarrow \uparrow$	Shanghai ACC
ΔPIMUS			N31°48′18″ H	E119°23′30″	
RNAV2	248 %068 ° 30	1 058		$\downarrow \uparrow$	Shanghai ACC
▲OBLAP			N31°40′48″ I	E119°06′28″	
RNAV2	248 %068 ° 7	1 058		<b>↓</b> ↑	Shanghai ACC
▲OLRIS			N31°39′01″ H	E119°02′25″	
G455					
▲南翔 Nanx	iang NDB(PK)		N31°17′00″ E121°19′48″		
RNAV2	084 %264 ° 19	1 232		$\downarrow \uparrow$	Shanghai ACC
▲TOSAS			N31°19′00″ E121°31′30″		
RNAV2	084 %264 ° 31	1 232		$\downarrow \uparrow$	Shanghai ACC
▲横沙 Heng	sha VOR/DME	(HSH)	N31°22′06″ E121°50′48″		
RNAV2	066 %246 ° 57	1 232		$\downarrow \uparrow$	Shanghai ACC
▲ALDAP			N31°37′31″ H	E122°22′14″	
RNAV2	087 %267 ° 25	600		$\downarrow \uparrow$	Shanghai ACC
▲MATNU			N31°39′36″ I	E122°38′00″	
RNAV2	087 %267 ° 14	600		<b>↓</b> ↑	Shanghai ACC
▲EMSAN			N31°40′43″ I	E122°46′30″	
RNAV2	087 %267 ° 69	600		<b>↓</b> ↑	Shanghai ACC
▲SURAK		N31°46′24″ H	E123°29′30″		
RNAV2	116 %296 ° 51	600		<b>↓</b> ↑	Shanghai ACC
▲LAMEN			N31°36′36″ I	E124°00′00″	1
G470			•		

航路代号、重要点名称、类型、识别 Route designator/Significant Point		重要点坐标				
Name, Type, Identification			Significant Point Coordinates			
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks	
▲奇台 Qitai	VOR/DME(QT	V)	N43°59′18″ H	E089°36′42″		
RNAV2	130 %310 ° 101	4 248	20	$\downarrow \uparrow$	Urumqi ACC	
▲ESBID			N43°22′24″ I	E090°32′05″		
RNAV2	134 %314 ° 77	4 248	20	$\downarrow \uparrow$	Urumqi ACC	
△TAMOX			N42°52′55″ H	E091°12′27″		
RNAV2	134 %314 ° 57	4 248	20	$\downarrow \uparrow$	Urumqi ACC	
▲IPMUN			N42°31′06″ I	E091°41′39″		
RNAV2	134 %314 ° 252	4 248	20	<b>↓</b> ↑	Urumqi ACC	
▲BIKNO			N40°54′54″ E093°50′53″			
RNAV2	/308 ° 109	2 540		<b>↑</b>	Lanzhou ACC	
▲IBANO			N40°18′21″ H	E094°52′00″		
· ·	00 米至 12 500 ides 6 000m—1		ice versa.			
G471						
▲平洲 Pingz	thou VOR/DME	E(POU)	N23°01′18″ H	E113°11′24″		
RNAV2	085 % 70	1 200		<b>↓</b>	Guangzhou ACC	
▲石龙 Shilo	ng VOR/DME(S	SHL)	N23°05′30″ H	E113°51′00″		
RNAV2	041 % 79	1 826		<b>↓</b>	Guangzhou ACC	
▲龙门 Long	men VOR/DME	E(LMN)	N23°38′54″ I	E114°19′36″		
RNAV2	039 % 88	1 920		1	Guangzhou ACC	
▲XEBUL		N24°17′00″ I	E114°51′00″			
RNAV2	016 % 54	1 909		<b>↓</b>	Guangzhou ACC	
▲ VAVSO			N24°45′37″ I	E114°58′05″		
RNAV2	016 % 67	1 579		<b>↓</b>	Guangzhou ACC	
▲EGEDA			N25°20′54″ I	E115°06′42″		

航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹 ( 磁 ) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
RNAV2	338 % 56	1 785		1	EGEDA: Guangzhou ACC Panlong VOR/DME: Guangzhou ACC(Above 7800m) Nanchang ACC(7800m or below)
▲蟠龙 Panlo	ong VOR/DME(	PLT)	N25°48′30″ H	E114°52′30″	
G586					
▲英德 Yingo	de VOR/DME(Y	(IN)	N24°11′24″ F	E113°24′54″	
RNAV2	284 % 60	1 763		↓	Guangzhou ACC
<b>▲</b> VEROK			N24°17′54″ H	E112°50′07″	
RNAV2	284 % 159	2 395		<b>↓</b>	Guangzhou ACC
▲NODOG			N24°34′36″ E111°17′39″		
RNAV2	284 % 53	2 275		<u> </u>	Guangzhou ACC(Above 7800m) Guilin ACC(7800m or below)
▲二塘 Ertan	g NDB(QP)		N24°40′12″ E110°46′36″		
RNAV2	318 %138 ° 82	2 450		↓↑	Guangzhou ACC(Above 7800m) Guilin ACC(7800m or below)
▲MAMSI			N25°12′17″ H	E110°12′44″	
RNAV2	318 %138 ° 88	2 450		<b>↓</b> ↑	Guangzhou ACC(Above 7800m) Guilin ACC(7800m or below)
▲三江 Sanji	ang VOR/DME	(SJG)	N25°46′36″ H	E109°36′36″	
RNAV2	324 %144 ° 94	1 912		↓↑	Guangzhou ACC(Above 7800m)
▲LAGEX			N26°25′48″ I	E100°01′35″	Guilin ACC(7800m or below)
G588			114U 2J 40 I	2107 01 33	
	ng VOR/DME(I	FKG)	N44°10′24″ I	E087°59′00″	
RNAV2   020 %200 °   2 340		-	-	<b>↓</b> ↑	Urumqi ACC
△MULOR	<u> </u>		N44°33′19″ I	E088°12′16″	
RNAV2	020 %200 ° 23	1 300		<b>↓</b> ↑	Urumqi ACC

▲AGAVO			N37°10′00″ E124°00′00″		
RNAV2	134 %314 ° 74	600	20	<b>↓</b> ↑	Dalian ACC
△DONVO			N37°34′00″ E123°20′00″		
G597					
▲TEBUS 中蒙国境点			N47°25′06″ E090°27′42″		
RNAV2	042 %222 ° 98	4 395		$\downarrow \uparrow$	Urumqi ACC
▲富蕴 Fuyun VOR/DME(XFY)			N46°47′42″ E089°32′24″		
RNAV2	020 %200 ° 110	2 242		<b>↓</b> ↑	Urumqi ACC
△NIRAV			N45°52′40″ E088°59′04″		
RNAV2	020 %200 ° 136	1 590		$\downarrow \uparrow$	Urumqi ACC
△REDUB			N44°44′55″ E088°19′03″		
导航规范 Navigation specification	航迹(磁) 距离(千米) Track(MAG) DIST(km)	最低飞行 高度(米) MNM flight altitude(m)	航路宽度 (千米) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit Remarks
航路代号、重要点名称、类型、识别 Route designator/Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		