| | | | | | | | | Farnell / Element | t14 | Digi-Ke | у | Mouse | r |
|-----|-----|----------------|--------------------------|--|----------------|----------|---------|------------------------|----------------|----------------------|----------------|--------------------------|----------------|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price MOQ | Part Number | Unit price MOQ | Part Number | Unit price MOQ |
| 1 | 1 | 2x3-pin socket | THT; 2x3-pin socket | MCU-ICSP | Arduino Shield | 1 | 7991983 | M20-7830346 | 1,210 10 | M20-7830346 | 1,000 | M20-7830346 | 0,940 |
| 2 | | 100n 16V X7R | 0603 | C11, C26, C30, C37, C42, C54, C55, C56, C60, C61, C62, C65, C69, C70, C73, C75, C79, C82, C83, C159 | Power board | 40 | 1991900 | W20-7 0303-40 | 1,210 10 | WI20-7 0303+0 | 1,000 | W20-70303 4 0 | 0,940 |
| | | 100n 16V X7R | 0603 | C91 | AUX PS | 1 | | | | | | | |
| | 26 | 100n 16V X7R | 0603 | C113, C114, C115, C116, C117, C118, C121, C122, C123, C124, C126, C128, C129, C136, C137, C138, C139, C140, C141, C142, C143, C147, C149, C150, C151, C156 | Arduino Shield | 26 | | | | | | | |
| | | | | | | 67 | 2496832 | 0603B104K160CT | 0,012 10 | 0603YC104KAT2 A | 0,010 | 06033C104K4T4 A | 0,025 |
| 3 | 1 | 220u 16V | SMD ELCO; Ø6.3 x 7.7mm | C97 | AUX PS | 1 | 1870605 | MCESL16V227M6 3X7.7 | . 0,213 10 | 399-6679-1-ND | 0,410 1 | 80- EDK227M016A9 | 0,407 1 |
| 4 | 4 | 10n 50V X7R | 0805 | C133, C146, C154, C155 | Arduino Shield | 4 | | | | | | | |
| | 6 | 10n 50V X7R | 0805 | C34, C45, C53, C58, C80, C84 | Power board | 12 16 | 1759246 | MC0805B103K500 | 0.009 10 | CL21B103KBCN | 0,027 | GRM216R71H10 | 0,014 |
| | | | | | | 10 | 1733240 | CT | 0,009 10 | NNC | | 3KA01D | 0,014 |
| 5 | 2 | 10u 50V X7R | 1210 | C107, C125 | Arduino Shield | 2 | | | | | | | |
| | 3 | 10u 50V X7R | 1210 | C12, C20, C66 | Power board | 6 | | | | | | | |
| | | | | | | 8 | 2362133 | GRM32ER71H106 KA12L | 0,748 1 | CL32B106KBJN NWE | | GRM32ER71H10 6KA12L | 0,376 |
| 6 | 1 | 10u 35V | SMD ELCO; Ø5 x 5.8mm | C120 | Arduino Shield | 1 | 1850112 | EEEFK1V100R | 0,436 1 | EEEFK1V100R | 0,430 | EEEFK1V100R | 0,434 |
| 7 | 1 | 10u 10V | 1206, Tantalum | C144 | Arduino Shield | 1 | | | , | | , | | , |
| | 1 | 10u 10V | 1206, Tantalum | C67 | Power board | 2 | | | | | | | |
| | | | | | | 3 | 1457413 | T491A106K010AT | 0,260 5 | T491A106K010A T | 0,340 | T491A106K010A T | 0,344 |
| 8 | 2 | 120p 50V NP0 | 0805 / 0603 | C21, C50 | Power board | 4 | 1414667 | C0805C121J5GAC | 0,044 10 | CL21C121JBAN | 0,058 | C0805C121J5GA | 0,031 |
| | | · | | | | | | TU | • | NNC | | СТИ | · |
| 9 | 2 | 18p 50V NP0 | 0805 / 0603 | C131, C135 | Arduino Shield | 2 | 2320820 | MC0805N180J101 CT | 0,026 10 | CL21C180JBAN NNC | | C0805C180J5GA CTU | 0,100 |
| 10 | | 1n 50V NP0 | 0805 / 0603 | C41, C63, C64 | Power board | 6 | | | | | | | |
| | 1 | 1n 50V NP0 | 0805 / 0603 | C94 | AUX PS | 1 | 4750007 | 140000514004500 | 0.000 40 | 01 04 0 4 00 10 00 1 | 0.005 | 0000504004504 | 0.000 |
| | | | | | | 7 | 1759227 | MC0805N102J500 CT | 0,029 10 | CL21C102JBCN NNC | 0,065 | C0805C102J5GA CTU | 0,038 |
| 11 | 1 | 1u 100V X7R | 1206, 100V | C10, C28, C31, C44 | Power board | 8 | | | | | | | |
| | | 1u 100V X7R | 1206, 100V 1206, 100V | C104A, C109A | Arduino Shield | 2 | | | | | | | |
| | _ | | .200, 1001 | 0.00, 0.00 | 7.1.440 | | 2320876 | MC1206B105K101 CT | 0,200 5 | CL31B105KCHN NNE | 0,253 | GRM31CR72A10 5KA01L | 0,227 |
| 6 - | | | | | | | | | | | | | |
| 12 | 6 | 1u 50V X7R | 0805, 50V | C13, C57, C59, C68, C74, C76 | Power board | 12 | 2118131 | C0805C105K5RAC TU | 0,215 5 | CL21B105KBFN NNE | 0,129 | 08055C105K4T2 A | 0,135 |
| 13 | 1 | 22n 50V X7R | 0805 | C130 | Arduino Shield | 1 | | | | | | | |
| | | 22n 50V X7R | 0805 | C29 | Power board | 2 | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | RS Componer | nts | | TME | ource code at | | | | Pr | ice calcula | tion fo | r 1 set |
|----|-----|----------------|----------|-------------------------|--------------|------------|------------------------|---------------|------|------|-------|----------|-------------|---------|-------------|
| # | Qty | Part name | Code | Part Number | Unit price N | 100 | Code / Part Number | Unit price N | 400 | THT | SMD | Best | Best Line | | Line Cost € |
| # | Qty | r ait Haine | Code | Fait Number | € " | /IOQ | Code / Fait Number | € " | VIOQ | 1111 | SIVID | Supplier | Price € | Qty | Line Cost & |
| 1 | | 2x3-pin socket | 681-6832 | M20-7830346 | 0,899 | 5 | ZL262-6DG | 0,070 | 10 | 1 | | TME | 0,070 € | 1 | 0,070 |
| 2 | 20 | 100n 16V X7R | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | 100n 16V X7R | | | | | | | | | | | | | |
| | 26 | 100n 16V X7R | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | 391-246 | 0603YC104JAT2 | 0,004 | 50 | CL10B104KO8NNNC | 0,004 | 100 | | 67 | RS | 0,004 € | 100 | 0,400 |
| | | | | Α | | | | | | | | | | | |
| 3 | 1 | 220u 16V | 839-1770 | 865080345012 | 0,280 | 10 | SC1C227M6L07KVR | 0,061 | 10 | | 1 | TME | 0,061 € | 1 | 0,061 |
| | | | | | -, | | | -, | | | | | -, | | 3,557 |
| 4 | 4 | 10n 50V X7R | | | | | | | | | | | | | |
| | 6 | 10n 50V X7R | 461-4013 | CC0805KRX7R9 | 0.007 | 5 0 | CL21B103JBANNNC | 0,006 | 100 | | 16 | TME | 0,006 € | 20 | 0,120 |
| | | | 401-4013 | BB103 | 0,007 | 50 | CL2 IB 103JBAINING | 0,000 | 100 | | 10 | TIVIE | 0,000 € | 20 | 0,120 |
| | | | | | | | | | | | | | | | |
| 5 | | 10u 50V X7R | | | | | | | | | | | | | |
| | 3 | 10u 50V X7R | | | | | | | | | _ | | | | |
| | | | 766-1214 | CL32B106KBJN NNE | 0,601 | 10 | CL32B106KBJNNNE | 0,201 | 10 | | 8 | TME | 0,201 € | 10 | 2,010 |
| | | | | | | | | | | | | | | | |
| 6 | 1 | 10u 35V | 708-3443 | EEEFK1V100R | 0,274 | 25 | EEEFK1V100R | 0,200 | 5 | | 1 | TME | 0,200 € | 1 | 0,200 |
| 7 | 1 | 10u 10V | | | | | | | | | | | | | |
| | 1 | 10u 10V | 538-2278 | T491A106K010A | 0,196 | 10 | T491A106K010AT | 0,085 | 10 | | 3 | TME | 0,085 € | 2 | 0,254 |
| | | | 330-2270 | T | 0,130 | 10 | 14917100101071 | 0,000 | 10 | | 3 | I IVIL | 0,000 C | 3 | 0,254 |
| | | | | | | | | | | | | | | | |
| 8 | 2 | 120p 50V NP0 | 723-6209 | GRM2165C1H1 | 0,035 | 100 | CL21C121JBANNNP | 0,007 | 100 | | 4 | TME | 0,007 € | 10 | 0,069 |
| 9 | 2 | 18p 50V NP0 | 648-0935 | 21JA01D C0805C180J5G | 0,157 | 10 | CL21C180JBANNNC | 0,071 | 100 | | 2 | Farnell | 0,026 € | 2 | 0,053 |
| ŭ | | | 3.0 0000 | ACTU | 0,101 | | | 3,011 | .00 | | _ | | 0,020 C | _ | 0,000 |
| 10 | | 1n 50V NP0 | | | | | | | | | | | | | |
| | 1 | 1n 50V NP0 | 270 710 | 0805CG102J9B | 0,021 | 25 | CL 21C102 IDCNING | 0.010 | 100 | | 7 | TME | 0.010 € | 10 | 0.007 |
| | | | 378-710 | B | 0,0∠1 | 20 | CL21C102JBCNNNC | 0,010 | 100 | | 1 | IIVIE | 0,010 € | 10 | 0,097 |
| | | | | | | | | | | | | | | | |
| 11 | | 1u 100V X7R | | | | | | | | | | | | | |
| | 2 | 1u 100V X7R | 740 7500 | C2216V7D2A40 | 0.474 | 10 | CDM21CD70A40EKA0 | 0.400 | 10 | | 10 | TNAF | 0.100.0 | 10 | 1 270 |
| | | | 740-7590 | C3216X7R2A10 5K160AA | 0,174 | 10 | GRM31CR72A105KA0 1L | 0,128 | 10 | | 10 | TME | 0,128 € | 10 | 1,279 |
| | | | | | | | | | | | | | | | |
| 12 | 6 | 1u 50V X7R | 766-1062 | CL21B105KBFN | 0,041 | 100 | CL21B105KBFNNNG | 0,014 | 100 | | 12 | TME | 0,014 € | 15 | 0,214 |
| | | | | NNF | | | | | | | | | | | |
| 13 | 1 | 22n 50V X7R | | | | | | | | | | | | | |
| | | 22n 50V X7R | | | | | | | | | | | | | |
| | | | | | | | | | | | | • | | | |

| | | | | | | | | Farnell / Element | 14 | Digi-Ke | у | Mouse | r |
|----|-----|-------------------------|------------------------|-------------------------|----------------|--------|---------|--------------------------|---------------------|-------------------------|----------------|-------------------------|----------------|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price € MOQ | Part Number | Unit price MOQ | Part Number | Unit price MOQ |
| | 2 | 22n 50V X7R | 0805 | C87, C90 | AUX PS | 2 | | | | | | | |
| | | | | | | 5 | 1759252 | MC0805B223K500 CT | 0,016 10 | CL21B223KBAN NNC | | C0805C223K5R AC | 0,031 |
| 14 | 5 | 2n2 50V NP0 | 0805 / 0603 | C47, C48, C49, C51, C81 | Power board | 10 | 1759236 | MC0805N222J500 CT | , | CL21C222JBFN NNG | | GRM2165C1H22 2JA01D | 0,076 |
| 15 | | 2u2 25V X7R | 0805 | C24, C36, C38 | Power board | 6 | 2320829 | MC0805B225K250 CT | 0,106 10 | CL21B225KAFN NWE | 0,126 | GRM21BR71E22 5KA73L | 0,101 |
| 16 | | 330p 50V NP0 | 0805 / 0603 | C17, C33 | Power board | 4 | | | | | | | |
| | 1 : | 330p 50V NP0 | 0805 / 0603 | C89 | AUX PS | 1 | | | | | | | |
| | | | | | | 5 | 1759213 | MC0805N331J500 CT | 0,027 10 | CL21C331JBAN NNC | | C0805C331J5GA C | 0,029 |
| 17 | 5 | 3n3 50V X7R or NP0 | 0805 / 0603 | C40, C71, C72, C77, C78 | Power board | 10 | 1759291 | MC0805B332K101 CT | 0,015 10 | CL21B332KBAN NNC | | C0805C332K5R AC | 0,024 |
| 18 | 1 : | 3n9 50V X7R or NP0 | 0805 / 0603 | C95 | AUX PS | 1 | 1759240 | MC0805B392K500 CT | 0,022 10 | CL21B392KBAN NNC | 0,090 | C0805C392K5R ACTU | 0,091 |
| 19 | | 470n 50V X7R | 0805, 50V | C9, C25, C32 | Power board | 6 | | | | | | | |
| | 2 4 | 470n 50V X7R | 0805, 50V | C104, C109 | Arduino Shield | 2 | | | | | | | |
| | | | | | | 8 | 2470492 | GRM21BR71H474 KA88L | | CL21B474KBFN FNE | | C0805C474K5R ACTU | 0,103 |
| 20 | | 470p 50V NP0 | 0805 / 0603 | C23 | Power board | 2 | 1759217 | MC0805N471J500 CT | 0,023 10 | CL21C471JBAN NNC | 0,090 | 08055A471JAT2 A | 0,091 |
| 21 | | 47n 50V X7R | 0805 | C148, C152 | Arduino Shield | 2 | | | | | | | |
| | 1 - | 47n 50V X7R | 0805 | C98 | AUX PS | 1 3 | 2496983 | 0805B473K500CT | 0,023 10 | CL21B473KBCN | 0,090 | 08055C473KAT2 | 0,091 |
| | | | | | | | | | | NNC | | A | |
| 22 | 1 4 | 47n 400V Polyester Film | THT R=7,5mm | C86 | AUX PS | 1 | 2468839 | B32520E6473K000 | 0,358 1 | - | | - | |
| 23 | 2 4 | 47p 50V NP0 | 0805 / 0603 | C46, C52 | Power board | 4 | 1414692 | C0805C470J5GAC TU | 0,028 10 | CL21C470JBAN NNC | | C0805C470J5GA CTU | 0,029 |
| 24 | | 47u 35V | SMD ELCO, Ø6.3 x 5.8mm | C119 | Arduino Shield | 1 | | | | | | | |
| | 2 4 | 47u 35V | SMD ELCO, Ø6.3 x 5.8mm | C27, C35 | Power board | 4 | | | | | | | |
| | | | | | | 5 | 9695850 | EEEFK1V470P | 0,493 1 | EEEFK1V470P | 0,440 | EEEFK1V470P | 0,443 |
| 25 | 4 | 4n7 100V X7R | 0805 | C1, C2, C3, C22 | Power board | 8 | | | | | | | |
| | | 4n7 100V X7R | 0805 | C105, C108, C110, C112 | Arduino board | 4 | | | | | | | |
| | | | | | | 12 | 1759293 | MC0805B472K101 CT | 0,019 10 | CL21B472KCAN NNC | 0,065 | GRM21AR72D47 2KW01D | 0,050 |
| | | 4 7 40 4 | 1000 T 1 1 | 0.445 | | | | | | | | | |
| 26 | | 4u7 10V | 1206, Tantalum | C145 | Arduino Shield | | | | | | | | |
| | 1 4 | 4u7 10V | 1206, Tantalum | C43 | Power board | 3 | 1457428 | T491A475K016AT | 0,238 5 | T491A475K010A T | 0,310 | T491A475K010A T | 0,299 |
| | | | | | | | | | | | | | |
| 27 | 3 4 | 4u7 100V X7R | 1210, 100V, X7R | C6, C7, C8 | Power board | 6 | 2211140 | CGA6M3X7S2A47 5K200AB | | GRJ32DC72A47 5KE11L | | GRJ32DC72A47 5KE11L | 1,250 |
| 28 | 3 4 | 4u7 25V X7R | 1210, 25V | C88, C92, C93 | AUX PS | 3 | 1907365 | C3225X7R1E475K 200AA | | C3225X7R1E475 K200AA | 0,390 | C3225X7R1E475 K200AA | 0,389 |

| | | | | | | | | urce code at ntt | os.//gitriub.COM | | | | |
|----|-----|-------------------------|----------|--------------------------|-----------------|-----|--|------------------|------------------|------------------|----------------------|--------------|-------------|
| | | | | RS Componer | nts | | TME | | | | rice calcula | ation fo | r 1 set |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price MO | THT SMC | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| | 2 | 22n 50V X7R | | | | | | | | | | | |
| | | | 464-6701 | 08055C223KAT2 A | 0,015 | 50 | CL21B223KBANNNC | 0,008 100 | 5 | TME | 0,008 € | 10 | 0,084 |
| 14 | 5 | 2n2 50V NP0 | 802-9905 | C0805C222J5G | 0,043 | 100 | GRM2165C1H222JA0 | 0,015 100 | 10 | TME | 0,015€ | 10 | 0,145 |
| 15 | 3 | 2u2 25V X7R | 766-1031 | ACTU CL21B225KAFN | 0,057 | 100 | 1D CL21B225KAFNNNG | 0,027 50 | 6 | TME | 0,027 € | 10 | 0,274 |
| 16 | 2 | 330p 50V NP0 | | NNF | | | | | | | | | |
| | 1 | 330p 50V NP0 | 723-6271 | GRM2165C1H3 31JA01D | 0,042 | 100 | CL21C331JBANNNC | 0,014 100 | 5 | TME | 0,014 € | 10 | 0,138 |
| | | | | | | | | | | Farnell | | | |
| 17 | 5 | 3n3 50V X7R or NP0 | 237-7009 | GRM216R71H3 32KA01D | 0,038 | 50 | CL21B332KBANNNC | 0,007 100 | 10 | TME | 0,007 € | 10 | 0,069 |
| 18 | 1 | 3n9 50V X7R or NP0 | 766-1047 | CL21C392JBFN NNF | 0,074 | 50 | CL21B392KBANNNC | 0,009 100 | 1 | TME | 0,009€ | 1 | 0,009 |
| 19 | 3 | 470n 50V X7R | | | | | | | | | | | |
| | 2 | 470n 50V X7R | | | | | | | | | | | |
| | | | 766-1053 | CL21B474KBF4 PNG | 0,085 | 50 | CL21B474KBFNNNG | 0,015 100 | 8 | TME | 0,015€ | 10 | 0,153 |
| | | 470 FOLLNDO | 070 700 | 22250047440 | 0.004 | 0= | 01 04 0 4 7 4 10 4 1 10 10 10 10 10 10 10 10 10 10 10 10 1 | 0.000 404 | | Farnell | 0.000.0 | • | 0.040 |
| 20 | 1 | 470p 50V NP0 | 378-700 | 0805CG471J9B B | 0,021 | 25 | CL21C471JBANNNC | 0,009 100 | 2 | TME | 0,009€ | 2 | 0,018 |
| 21 | 2 | 47n 50V X7R | | | | | | | | | | | |
| | 1 | 47n 50V X7R | 391-303 | 08055C473KAT2 | 0,011 | 50 | CC0805KRX7R9473 | 0,008 100 | 3 | TME | 0,008€ | 3 | 0,025 |
| | | | | Α | | | | | | | | | |
| 22 | 1 | 47n 400V Polyester Film | 668-9993 | B32520C6473K1 89 | 0,241 | 10 | - | | 1 | RS | 0,241 € | 1 | 0,241 |
| 23 | 2 | 47p 50V NP0 | 264-4270 | C0805C470J5G ACTU | 0,014 | 25 | CC0805JRNPO9470 | 0,007 100 | 4 | TME | 0,007 € | 10 | 0,074 |
| 24 | 1 | 47u 35V | | | | | | | | | | | |
| | 2 | 47u 35V | | | | | | | | | | | |
| | | | 565-623 | EEEFK1V470AP | 0,165 | 5 | EEEFK1V470P | 0,157 5 | 5 | TME | 0,157 € | 5 | 0,786 |
| | | | | | | | | | | | | | |
| 25 | 4 | 4n7 100V X7R | | | | | | | | | | | |
| | 4 | 4n7 100V X7R | 698-3364 | 08051C472KAZ 2A | 0,036 | 25 | CL21B472KCANNNC | 0,006 100 | 12 | TME | 0,006 € | 20 | 0,126 |
| | | | | ZA | | | | | | | | | |
| 26 | 1 | 4u7 10V 4u7 10V | | | | | | | | | | | |
| | • | 447 100 | 538-2341 | T491A475K016A T | 0,179 | 10 | T491A475M010AT | 0,128 5 | 3 | TME | 0,128 € | 5 | 0,640 |
| | | | | | | | | | | | | | |
| 27 | 3 | 4u7 100V X7R | 915-5415 | CGA6M3X7S2A 475K200AB | 0,686 | 5 | - | | 6 | RS | 0,686 € | 6 | 4,116 |
| 28 | 3 | 4u7 25V X7R | 515-8508 | GRM32ER71H4 75KA88L | 0,608 | 10 | CL32A475KAULNNE | 0,119 10 | 3 | TME | 0,119€ | 3 | 0,358 |
| | | | | | | | • | | • | • | | | |

| | | | | | | | | Farnell / Element | 14 | | Digi-Ke | у | | Mouser | • | |
|----|-----|---|------------------------|---|----------------|-----|---------|----------------------|---------------|----|---------------------|-----------------|-----|------------------------|-----------------|-----|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price Mo | DQ | Part Number | Unit price € | MOQ | Part Number | Unit price € | MOQ |
| 29 | 2 | 6n8 50V X7R or NP0 | 0603 | C132, C134 | Arduino Shield | 2 | 1759100 | MC0603B682K500 CT | 0,007 1 | 0 | CL10B682KB8N NNC | 0,090 | | GRM188R71H68 2KA01J | 0,091 | |
| 30 | 1 | 6n8 (X1 / Y2) PP Film 300Vac 1000Vdc | THT R=10mm | C85 | AUX PS | 1 | 2478385 | R413F16804000M | 0,528 | 1 | R413F16804000 M | 0,520 | | R413F16804000 M | 0,525 | |
| 31 | 1 | 1F 5,5V Backup Cap | THT | C127 | Arduino Shield | 1 | 9697497 | EEC-S5R5H105 | 4,660 | 1 | EEC-S5R5H105 | 3,480 | | EEC-S5R5H105 | 3,510 | |
| 32 | 1 | 100u 63V | SMD ELCO; Ø10 x 10.2mm | C18 | Power board | 2 | 9696040 | EEEFK1J101P | 0,846 | 1 | EEE-FK1J101P | 0,930 | | EEE-FK1J101P | 0,932 | |
| 33 | | 47u 63V | SMD ELCO; Ø8x10.2mm | C16 | Power board | 2 | 9696032 | EEEFK1J470P | 1,040 | | EEE-FK1J470P | 0,880 | | EEE-FK1J470P | 0,887 | |
| 34 | 2 | 22u 50V | SMD ELCO; Ø6.3x5.8mm | C106, C111 | Arduino Shield | 2 | 9696016 | EEEFK1J220P | 0,537 | 1 | PCE3820CT-ND | 0,760 | | 667-EEE- FK1J220P | 0,760 | |
| 35 | | BAS316 | SOD-323 | D21 | AUX PS | 1 | | | | | | | | | | |
| | 6 | BAS316 | SOD-323 | D22, D23, D24, D25, D27, D33 | Arduino Shield | 6 | | | | | | | | | | |
| | 9 | BAS316 | SOD-323 | D6, D11, D12, D13, D14, D15, D16, D17, D18 | Power board | 18 | | | | | | | | | | |
| | | | | | | 25 | 8734275 | BAS316,115 | 0,192 | 5 | BAS316,115 | 0,175 | | BAS316,115 | 0,174 | |
| 36 | 1 | BAT54S | SOT-23 | D28 | Arduino Shield | 1 | 1621835 | BAT54S | 0,125 1 | 0 | BAT54SLT1G | 0,150 | | BAT54SLT1G | 0,145 | |
| 37 | 1 | DFLS1100-7 | PowerDi 123 | D19 | AUX PS | 1 | | | | | | | | | | |
| | 2 | DFLS1100-7 | PowerDi 123 | D7, D10 | Power board | 4 | | | | | | | | | | |
| | | | | | | 5 | 1713889 | DFLS1100-7 | 0,424 | 1 | DFLS1100-7 | 0,370 | | DFLS1100-7 | 0,476 | |
| | | | | | | | | | | | | | | | | |
| 38 | 1 | SKL16 | SOD-323 | D20 | AUX PS | 1 | | | | | | | | | | |
| | 1 | SKL16 | SOD-323 | D29 | Arduino Shield | 1 | | | | | | | | | | |
| | 2 | SKL16 | SOD-323 | D8, D9 | Power board | 4 | | | | | | | | | | |
| | | | | | | 6 | 8738025 | PMEG4005AEA | 0,104 | 5 | PMEG4005AEA | 0,325 | | PMEG4005AEA | 0,286 | |
| 39 | 1 | SMBJ5.0A-TR | DO-214AA | D26 | Arduino Shield | 1 | 9886311 | SMBJ5.0A-TR | 0,088 1 | Λ | SMBJ5.0A-TR | 0,380 | | SMBJ5.0A | 0,302 | |
| 40 | | STPS15H100 | TO-252 | D5 | Power board | | 2344052 | STPS15H100CB- | 1,070 | | STPS15H100CB | 0,900 | | STPS15H100CB | 0,896 | |
| 41 | | 50mA, polyfuse | 1210 | F1 | Arduino board | | 1861176 | TR MC36203 | 0,163 | | 507-1476-1-ND | 0,200 | 1 | 530- | 0,101 | 1 |
| | | | | | | | 1001170 | WC30203 | 0,103 | , | 307-1470-1-ND | 0,200 | | 0ZCJ0005FF2E | 0,101 | ' |
| 42 | | 60R@100MHz | 0603 Ferrite Bead | FB1, FB2, FB3 | Power board | 6 | | | | | | | | | | |
| | | 60R@100MHz | 0603 Ferrite Bead | FB4 | AUX PS | 1 | | | | | | | | | | |
| | 1 | 60R@100MHz | 0603 Ferrite Bead | FB7 | Arduino Shield | 1 | 1625704 | 740700600 | 0.210 | 1 | 740700600 | 0.210 | | 740700600 | 0.460 | |
| | | Würth 742792602 | 0603 Ferrite Bead | | | 8 | 1635704 | 742792602 | 0,210 | ı | 742792602 | 0,210 | | 742792602 | 0,160 | |
| 43 | 1 | LTC3864EMSE#PBF | MSOP-12 | IC1 | Power board | 2 | 2293128 | LTC3864EMSE#PB F | 4,520 | 1 | LTC3864EMSE# PBF | 3,960 | | - | | |
| 44 | 1 | REF5025AIDG4 | SOIC-8 | IC10 | Power board | 2 | 1439622 | REF5025AIDG4 | 3,720 | 1 | REF5025AIDR | 2,990 | | REF5025AIDR | 2,910 | |
| 45 | 1 | DAC8552IDGKTG4 | MSOP-8 (VSSOP-8) | IC11 | Power board | 2 | 1329584 | DAC8552IDGKTG4 | 6,420 | 1 | DAC8552IDGKT | 7,660 | | DAC8552IDGKR | 6,510 | |
| 46 | 1 | ADG465BRTZ | SOT-23 | IC12 | Power board | 2 | 2376952 | ADG465BRTZ- REEL7 | 1,690 | 1 | Discontinued | | | Discontinued | | |
| 47 | 1 | TS5A9411DCKT | SC-70 | IC13 | Power board | 2 | 1755582 | TS5A9411DCKT | 1,050 | 1 | TS5A9411DCKR | 0,560 | | TS5A9411DCKR | 0,534 | |
| 48 | 1 | ADS1120IPWR | TSSOP-16 | IC14 | Power board | 2 | 2402249 | ADS1120IPWR | 6,760 | 1 | ADS1120IPWR | 6,250 | | ADS1120IPWR | 6,100 | |
| 49 | 1 | LP339D | SOIC-14 | IC15 | Power board | 2 | 9589686 | LP339D | 0,573 | 1 | LP339DR | 0,520 | | LP339DR | 0,498 | |
| 50 | 1 | LM25575MH/NOPB | HTSSOP-16 | IC16 | AUX PS | 1 | 1564783 | LM25575MH/NOPB | 4,360 | 1 | LM25575MHX/N OPB | 3,540 | | LM25575MHX/N OPB | 3,450 | |
| 51 | 1 | MC79L05 | SOIC-8 | IC2 | Power board | 2 | 2323583 | MC79L05ACD | 0,428 | 1 | MC79L05ACD | 0,380 | | MC79L05ACD | 0,371 | |

| | | | | RS Componer | its | | TME | ource code at ni | .,. c, g.u. | | • | ice calcula | tion fo | r 1 set |
|----------|-----|---|----------------------|----------------------------|-----------------|--------|----------------------------|--------------------|-------------|-----|------------------|---|--------------|----------------|
| | | | | No componer | | | | | | | | | | 1 361 |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price € | DQ THT | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| 29 | 2 | 6n8 50V X7R or NP0 | 147-825 | C0603C682K5R ACTU | 0,007 | 50 | CL10B682JB8NNNC | 0,004 10 | 00 | 2 | TME | 0,004 € | 10 | 0,042 |
| 30 | 1 | 6n8 (X1 / Y2) PP Film 300Vac 1000Vdc | 871-2489 | 890334023003C S | 0,420 | 10 | MKP-Y2-6N8 | 0,158 5 | 5 1 | | TME | 0,158 € | 1 | 0,158 |
| 31 32 | 1 | 1F 5,5V Backup Cap 100u 63V | 339-6843 708-3623 | EECS5R5H105 EEEFK1J101P | 3,556 0,641 | 1 5 | EECS5R5H105 EEEFK1J101P | 2,190 1 0,380 5 | | 2 | TME TME | 2,190 € 0,380 € | 1 2 | 2,190 0,760 |
| 33 | 1 | 47u 63V | 708-3614 | EEEFK1J470P | 0,784 | 5 | EEEFK1J470P | 0,456 1 | 1 | 2 | TME | 0,456 € | 2 | 0,911 |
| 34 | 2 | 22u 50V | 708-3598 | EEEFK1J220P | 0,255 | 5 | EEEFK1J220P | 0,260 5 | 5 | 2 | RS | 0,255 € | 2 | 0,510 |
| 35 | 6 | BAS316 BAS316 | | | | | | | | | | | | |
| | 9 | BAS316 | | | | | | | | | | | | |
| | | | 397-2914 | BAS316,115 | 0,195 | 50 | BAS316,115 | 0,019 2 | 5 | 25 | TME | 0,019€ | 25 | 0,463 |
| 36 | 1 | BAT54S | 670-8797 | BAT54S | 0,202 | 10 | BAT54S.215 | 0,017 5 | 0 | 1 | TME | 0,017 € | 1 | 0,017 |
| 37 | 1 | DFLS1100-7 | | | | | | | | | | | | |
| | 2 | DFLS1100-7 | | | | | | | | | | | | |
| | | | 708-2292 | DFLS1100-7 | 0,392 | 25 | - | | | 5 | Digikey | 0,370 € | 5 | 1,850 |
| | | | | | ., | | | | | | 3 - 7 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | , |
| 38 | 1 | SKL16 | | | | | | | | | | | | |
| | 1 | SKL16 | | | | | | | | | | | | |
| | 2 | SKL16 | | | | | | | | | | | | |
| | | | 485-729 | PMEG4005AEA, 115 | 0,325 | 20 | SKL16 | 0,095 5 | 5 | 6 | TME | 0,095€ | 10 | 0,952 |
| 39 | 1 | SMBJ5.0A-TR | 714-7210 | SMBJ5.0A-TR | 0,245 | 25 | SMBJ5.0A-TR | 0,094 5 | 5 | 1 | Farnell | 0,088 € | 1 | 0,088 |
| 40 | 1 | STPS15H100 | 795-9075 | STPS15H100CB | 0,924 | | - | 0,004 | ' | 2 | Mouser | 0,896 € | | 1,792 |
| 41 | 1 | 50mA, polyfuse | - | -TR | 0,324 | 3 | SM005-60 | 0,092 1 | 0 | 1 | TME | 0,092 € | | 0,092 |
| 42 | · | 60R@100MHz | | | | | | 0,032 1 | | ' | TIVIL | 0,092 C | ' | 0,032 |
| 42 | 1 | 60R@100MHz | | | | | | | | | | | | |
| | - | 60R@100MHz | | | | | | | | | | | | |
| | | Würth 742792602 | 669-4049 | 742792602 | 0,172 | 10 | LCBA-600 | 0,027 2 | 5 | 8 | TME | 0,027 € | 10 | 0,269 |
| | | vvultii 142132002 | 003-4048 | 172132002 | 0,172 | 10 | LODA-000 | 0,021 2 | 5 | 0 | TIVIE | 0,0∠/ € | 10 | 0,209 |
| 43 | 1 | LTC3864EMSE#PBF | - | | | | - | | | 2 | Digikey | 3,960 € | 2 | 7,920 |
| 44 | 1 | REF5025AIDG4 | 404-304 | REF5025AID | 3,500 | 1 | - | | | 2 | Mouser | 2,910 € | 2 | 5,820 |
| 45 | 1 | DAC8552IDGKTG4 | 662-1498 | DAC8552IDGKT | 6,524 | 1 | - | | | 2 | Farnell | 6,420 € | 2 | 12,840 |
| 46 | | ADG465BRTZ | - | | | | - | | | 2 | Farnell | 1,690 € | | 3,380 |
| 47 | | TS5A9411DCKT | 459-459 | TS5A9411DCKT | 0,570 | 10 | - | | | 2 | Mouser | 0,534 € | | 1,068 |
| 48 | | ADS1120IPWR | - | | | | - | | | 2 | Mouser | 6,100 € | | 12,200 |
| 49 | 1 | LP339D | 661-2659 | LP339DR | 0,175 | 10 | LP339D | 0,244 | 3 | 2 | RS | 0,175 € | | 0,525 |
| 50 | 1 | LM25575MH/NOPB | 288-774 | LM25575MH/NO PB | 4,060 | | - | | | 1 | Mouser | 3,450 € | | 3,450 |
| 51 | 1 | MC79L05 | 661-6131 | MC79L05ACD | 0,308 | 10 | MC79L05ACD | 0,202 3 | 3 | 2 | TME | 0,202 € | 3 | 0,606 |

| | | | | | | | | Farnell / Element | 14 | Digi-Key | у | Mouse | r | |
|----------|-----|-----------------------------------|-----------------------------|----------------------|--------------------------|-----|--------------------|---------------------------------------|---------------------|--------------------------|---------------------------------------|---------------------------|-----------------|-----|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price € MOQ | Part Number | Unit price MOQ € | Part Number | Unit price € | MOQ |
| 52 | 1 | TLC5925IDBQR | SSOP-24 | IC20 | Arduino Shield | 1 | 1694438 | TLC5925IDBQR | 1,520 1 | TLC5925IDBQR | 1,370 | TLC5925IDBQR | 1,330 | |
| 53 | | Si8641EC-B-IS1 | SOIC-16 | IC21, IC25 | Arduino Shield | 2 | 2423294 | Si8641EC-B-IS1 | 3,210 1 | Si8641EC-B-IS1 | | Si8641EC-B-IS1 | 2,720 | |
| 54 | | SI8651EC-B-IS1 | SOIC-16 | IC22, IC23 | Arduino Shield | 2 | 2423323 | SI8651EC-B-IS1 | , | SI8651EC-B-IS1 | | SI8651EC-B-IS1 | 3,060 | |
| 55 | | LD1117ADT33TR | TO-252 | IC24 | Arduino Shield | 1 | 1087169 | LD1117DT33 | | LD1117ADT33TR | | LD1117ADT33TR | 0,570 | |
| 56 | | PCA21125T/Q900/1,1 | TSSOP-14 | IC26 | Arduino Shield | | 2400445 | PCA21125T/Q900/ 1,1 | | PCA21125T/Q90 0/1,1 | | PCA21125T/Q90 0/1,1 | 1,660 | |
| 57 | | AT25256B | SOIC-8 | IC27 | Arduino Shield | 1 | 1841577 | AT25256B-SSHL-B | | AT25256B- SSHL-B | | AT25256B- SSHL-B | 1,290 | |
| 58 | | W5500 | LQFP-48 | IC28 | Arduino Shield | 1 | - | 114701 054 ODD | 0.400 4 | W5500 | · · · · · · · · · · · · · · · · · · · | W5500 | 2,390 | |
| 59 | | MC78L05 | SOIC-8 | IC3 | Power board | | 9593845 | UA78L05ACDR | | MC78L05ACD | 0,360 | MC78L05ACD | 0,366 | |
| 60 | | BC857BS | SOT-363 | IC29 | Arduino Shield | 1 | 1653608 | BC857BDW1T1G | · | BC857BDW1T1G | 0,210 | BC857BDW1T1G | 0,199 | |
| 61 | | TLC555 | SOIC-8 | IC30 | Arduino Shield | | 9589880 | NE555DR | , | NE555D | 0,350 | NE555D | 0,353 | _ |
| 62 | | SN74LVC08APWR | SSOP-8 | IC31 | Arduino Shield | 1 | 1102978 | SN74LVC08APWR | · | 296-1221-1-ND | 0,350 1 | 595- SN74LVC08APW | 0,335 | 1 |
| 63 | | TPS3705-33D | SOIC-8 | IC32 | Arduino Shield | | 2296066 | TPS3705-33D | , | TPS3705-33DR | | TPS3705-33D | 1,840 | |
| 64 | | SN74LV1T34DBVR SN74LVC2G02DCTR | SOT-23 | IC33 | Arduino Shield | | 2499914 | SN74LV1T34DBVR | | SN74LV1T34DB VR | | SN74LV1T34DB VR | 0,398 | |
| 65 | | | SSOP-8 | IC34 | Arduino Shield | | 1236358 | SN74LVC2G02DC TR | · | SN74LVC2G02D CTR | | SN74LVC2G02D CTR | 0,570 | |
| 66 | | LM5574MTX/NOPB | TSSOP-16 | IC4 | Power board | | 2323534 | LM5574MTX/NOPB | 1,111 | LM5574MTX/NO PB | | LM5574MTX/NO PB | 3,340 | |
| 67 | | LP2951D | SOIC-8 | IC5 | Power board | | 1755066 | LP2951D | 0,573 1 | LP2951DR | 0,520 | LP2951DR | 0,498 | |
| 68 | | TL072CD | SOIC-8 | IC6, IC7 | Power board | 4 | 1467663 | TL072CDT | | TL072CDT | 0,430 | TL072CDT | 0,416 | |
| 69 70 | | OP27GSZ MCP23S08-E/SO | SOIC-8 SOIC-18 | IC8 IC9 | Power board Power board | 2 | 9426124 1332092 | OP27GSZ MCP23S08-E/SO | · | OP27GSZ MCP23S08-E/SO | 3,140 0,960 | OP27GSZ MCP23S08-E/SO | 3,080 1,030 | |
| | | 1-726388-2 | THT | J6 | | | 2308760 | 1-726388-2 | · | A121493-ND | | 571-1-726388-2 | 0,235 | 1 |
| 71 | | | | | Arduino board | | | | ., | RTE24005 | • | | | ' |
| 72 | | RT424005 G6K-2F-5DC | THT | K_PAR, K_SER | Arduino Shield | 2 | 9950168 | G2RL-2 5DC | , | G6K-2F DC5 | 2,920 | RTE24005 | 2,850 | |
| 73 74 | | SK 145/37,5 | SMD, relay THT Heatsink | K_S1, K_S2 KK1 | Arduino Shield AUX PS | | 4446185 4621414 | G6K-2F 5DC SK 145/37,5 STS- 220 | 3,530 1 | - - | 3,860 | G6K-2F-5DC - | 4,000 | |
| 75 | 1 | RN114-4/02 | THT, solder on bottom layer | ! L1 | Power board | 2 | 1191484 | RN114-4-02 | 3,720 1 | RN114-4/02 | 2,870 | RN114-4/02 | 2,600 | |
| 76 | 1 | 470uH | SMD; 7.3mm x 7.3mm | L10 | AUX PS | 1 | 2455059 | SRR0745A-471M | 0,918 1 | SRR0745A-471M | 0,770 | SRR0745A-471M | 0,814 | |
| 77 | 1 | 33uH - 7443551331 | SMD; 13.2mm x 12.8mm | L2 | Power board | 2 | 2211631 | Würth - 7443551331 | 3,070 1 | 7443551331 | 3,380 | 7443551331 | 2,970 | |
| 78 | 2 | IHLP2020CZER3R3M11 | SMD; 5.49mm x 5.18mm | L3, L4 | Power board | 4 | 1741325 | IHLP2020CZER3R 3M11 | | IHLP2020CZER3 R3M11 | 2,160 | IHLP2020CZER3 R3M11 | 1,030 | |
| 79 | 3 | 2u2 | 0805 | L5, L6, L7 | Power board | 6 | | | | | | | | |
| | 1 | 2u2 | 0805 | L8 | AUX PS | 1 | | | | | | | | |
| | | | | | | 7 | 2215643 | MLZ2012A2R2WT | 0,118 10 | 445-3168-1-ND | | 810- MLZ2012A2R2M T | 0,109 | 1 |
| 80 | 1 | 100uH | SMD, 12mm x 12mm | L9 | AUX PS | 1 | 2113014 | SRU1038-101Y | 1,010 1 | SRU1038-101Y | 0,720 | SRU1038-101Y | 0,758 | |
| 81 | | TFT_320QVT | THT; 2x20-pin socket | LCD1 | Arduino Shield | | 7992033 | M20-7832046 | , | M20-7832046 | | M20-7832046 | 2,530 | |
| 82 | | HSMG-C170 | 0805 Green | LED_O1, LED_O2 | Arduino Shield | | 5790852 | HSMG-C170 | · · | HSMG-C170 | | HSMG-C170 | 0,060 | |

| | | | | | | | | ource code a | ιπιρε | .//yiliiu | D.COIII/6 | | | | |
|----------|-----|--------------------|----------|------------------------|-----------------|-----|--------------------|-----------------|-------|-----------|-----------|------------------|----------------------|--------------|-------------|
| | | | | RS Componer | | | TME | | | | | Pı | rice calcula | tion fo | r 1 set |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price € | MOQ | тнт | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| 52 | 1 | TLC5925IDBQR | 812-3984 | TLC5925IDBQR | 1,109 | 10 | - | | | | 1 | RS | 1,109 € | 1 | 1,109 |
| 53 | 2 | Si8641EC-B-IS1 | 753-2438 | Out of stock | | | - | | | | 2 | Mouser | 2,720 € | 2 | 5,440 |
| 54 | 2 | SI8651EC-B-IS1 | 753-2497 | Si8651EC-B-IS1 | 3,038 | 1 | - | | | | 2 | RS | 3,038 € | 2 | 6,076 |
| 55 | 1 | LD1117ADT33TR | 686-9123 | LD1117ADT33T R | 0,294 | 10 | LD1117ADT33 | 0,315 | 3 | | 1 | RS | 0,294 € | 1 | 0,294 |
| 56 | 1 | PCA21125T/Q900/1,1 | - | | | | - | | | | 1 | Digikey | 1,610 € | 1 | 1,610 |
| 57 | 1 | AT25256B | 738-0079 | AT25256B- SSHL-B | 1,267 | 2 | 25AA256-I/SN | 1,290 | 1 | | 1 | Farnell | 1,190 € | 1 | 1,190 |
| 58 | 1 | W5500 | - | | | | W5500 | 2,190 | | | 1 | TME | 2,190 € | 1 | 2,190 |
| 59 | 1 | MC78L05 | 688-9269 | MC78L05ABDR 2G | 0,245 | 2 | MC78L05ABDG | , | | | 2 | TME | 0,165 € | 3 | 0,495 |
| 60 | 1 | BC857BS | 690-0101 | BC857BDW1T1 G | 0,022 | 25 | BC857BS | 0,027 | 25 | | 1 | RS | 0,022 € | 1 | 0,022 |
| 61 | 1 | TLC555 | 662-4006 | TLC555CDR | 0,218 | | TLC555CDR | 0,384 | 3 | | 1 | RS | 0,218 € | 1 | 0,218 |
| 62 | 1 | SN74LVC08APWR | 662-8588 | SN74LVC08AP WR | 0,240 | | - | | | | 1 | Farnell | 0,236 € | 1 | 0,236 |
| 63 | 1 | TPS3705-33D | 662-3331 | TPS3705-33D | 0,528 | 5 | - | | | | 1 | RS | 0,528 € | 1 | 0,528 |
| 64 | 1 | SN74LV1T34DBVR | - | | | | - | | | | 1 | Mouser | 0,398 € | 1 | 0,398 |
| 65 | 1 | SN74LVC2G02DCTR | - | | | | SN74LVC2G02DCTR | 0,252 | | | 1 | TME | 0,252 € | 1 | 0,252 |
| 66 | 1 | LM5574MTX/NOPB | 288-960 | LM5574MT/NOP B | 3,948 | 1 | LM5574MT | 4,150 | 1 | | 2 | Mouser | 3,340 € | 2 | 6,680 |
| 67 | 1 | LP2951D | 796-8095 | LP2951D | 0,613 | | LP2951CM/NOPB | 0,495 | 1 | | 2 | TME | 0,495 € | 2 | 0,990 |
| 68 | | TL072CD | 857-907P | TL072CD | 0,252 | | TL072CD | 0,164 | 3 | | 4 | TME | 0,164 € | 6 | 0,981 |
| 69 | 1 | OP27GSZ | 522-8304 | OP27GSZ | 3,024 | 1 | OP27GSZ | 1,550 | 1 | | 2 | TME | 1,550 € | 2 | 3,100 |
| 70 | 1 | MCP23S08-E/SO | 403-812 | MCP23S08- E/SO | 1,249 | 5 | MCP23S08-E/SO | 1,060 | 1 | | 2 | Digikey | 0,960 € | 2 | 1,920 |
| 71 | 1 | 1-726388-2 | 680-5772 | 1-726388-2 | 0,060 | | 1-726388-2 | 0,082 | 10 | 1 | | RS | 0,060 € | 2 | 0,120 |
| 72 | | RT424005 | 198-6898 | RTE24005 | 4,676 | | RT424005 | 1,260 | 1 | 2 | • | TME | 1,260 € | 2 | 2,520 |
| 73 | 2 | G6K-2F-5DC | 683-9633 | G6K2F5DC | 4,928 | 1 | G6K-2F-5DC | 2,490 | 1 | 4 | 2 | TME | 2,490 € | 2 | 4,980 |
| 74 | ' | SK 145/37,5 | - | | | | - | | | 1 | | Farnell | 3,530 € | 1 | 3,530 |
| 75 | 1 | RN114-4/02 | 525-3697 | RN114-4-02 | 2,912 | 1 | CAF-3.1-1.2 | 1,820 | 1 | 2 | | TME | 1,820 € | 2 | 3,640 |
| 76 | 1 | 470uH | 770-1182 | DR74-471-R | 0,977 | 5 | DE0704-470 | 0,254 | 5 | | 1 | TME | 0,254 € | 1 | 0,254 |
| 77 | 1 | 33uH - 7443551331 | - | | | | - | | | | 2 | Mouser | 2,970 € | 2 | 5,940 |
| 78 | 2 | IHLP2020CZER3R3M11 | 748-6912 | IHLP2020CZER 3R3M01 | 1,518 | 5 | - | | | | 4 | Mouser | 1,030 € | 4 | 4,120 |
| 79 | | 2u2 2u2 | | | | | | | | | | | | | |
| | , | | 604-1524 | MLZ2012A2R2M T | 0,083 | 10 | - | | | | 7 | RS | 0,083€ | 10 | 0,830 |
| | | 100.11 | 000 004: | 00114040 40434 | 0 ==== | | DE4005 400 | 2.222 | - | | | T | 0.000.5 | , | 2.000 |
| 80 | | 100uH | 692-0644 | SRU1048-101Y | 0,756 | | DE1205-100 | 0,299 | 5 | | 1 | TME | 0,299 € | | 0,299 |
| 81 02 | | TFT_320QVT | 681-6851 | M20-7832046 | 3,027 | | ZL262-40DG | 0,329 | 2 | 1 | 2 | TME | 0,329 € | | 0,658 |
| 82 | 2 | HSMG-C170 | 435-6767 | HSMG-C170 | 0,206 | 50 | HSMG-C170 | 0,095 | 5 | | 2 | Mouser | 0,060 € | 2 | 0,120 |

| | | | | | | | | Farnell / Element | 14 | | Digi-Key | • | Mouse | • |
|-----|-----|------------------------|------------------------------|--|----------------|---------|---------|----------------------|--------------|----|----------------------|----------------|----------------------|------------------|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price M | OQ | Part Number | Unit price MOQ | Part Number | Unit price MOQ € |
| 83 | 5 | HSMH-C170 | 0805 Red | LED_CC1, LED_CC2, LED_PROG1, LED_PROG2, LED_SP | Arduino Shield | 5 | 5790840 | HSMH-C170 | 0,488 | 5 | HSMH-C170 | 0,440 | HSMH-C170 | 0,060 |
| 84 | 1 | HSMD-C170 | 0805 Orange | LED_PWR | Arduino Shield | 1 | 5790864 | HSMD-C170 | 0,240 | 5 | HSMD-C170 | 0,440 | HSMD-C170 | 0,060 |
| 85 | 4 | HSMY-C170 | 0805 Yellow | LED_CV1, LED_CV2, LED_S1, LED_S2 | Arduino Shield | 4 | | | | | | | | |
| | 1 | HSMY-C170 | 0805 Yellow | LED1 | Power board | 2 | | | | | | | | |
| | | | | | | 6 | 5790876 | HSMY-C170 | 0,330 | 5 | HSMY-C170 | 0,440 | HSMY-C170 | 0,060 |
| | | | | | | | | | | | | | | |
| 86 | 1 | 10K/Beta:3570K | 0805 | NTC1 | Power board | 2 | 1612623 | NTCS0805E3103J MT | 0,413 | 1 | NTCS0805E3103 JMT | | NTCS0805E3103 JMT | 0,145 |
| 87 | 1 | MOC3052 | SMD; SDIP-6 | OK1 | AUX PS | 1 | 2453236 | MOC3052SM | 0,884 | 1 | MOC3052SM | 0,910 | MOC3052SM | 0,750 |
| 88 | 1 | MOC3062 | SMD; SDIP-6 | OK2 | AUX PS | 1 | 2322554 | MOC3062SR2VM | 0,977 | 1 | MOC3062SM | 1,110 | MOC3062SM | 0,924 |
| 89 | 2 | HCPL-181 | SOIC-4 | OK3, OK4 | Arduino Shield | 2 | 1244525 | HCPL-181-000E | 0,342 | 1 | HCPL-181-000E | 0,560 | HCPL-181-000E | 0,150 |
| 90 | 1 | IRFR5305 | TO-252 | Q1 | Power board | 2 | 8649820 | IRFR5305PBF | 0,994 | 1 | IRFR5305PBF- ND | 0,810 | 942- IRFR5305PBF | 0,805 |
| | | Option #1: SPD30P06P | TO-252 | Q1 | Power board | | 2480881 | SPD30P06P G | 0,980 | | SPD30P06P GCT-ND | , | 726- SPD30P06PG | 1,020 |
| | | Option #2: SUD19P06-60 | | Q1 | Power board | | 2101465 | SUD19P06-60-GE3 | , | | SUD19P06-60- GE3 | -, | SUD19P06-60- GE3 | 1,070 |
| 91 | | MMBT5551 | SOT-23 | Q12, Q13, Q16, Q18, Q19 | Power board | 10 | 1459109 | MMBT5551LT1G | 0,167 | | MMBT5551LT1G | | MMBT5551LT1G | 0,163 |
| 92 | 1 | BSS84P | SOT-23 | Q14 | Power board | 2 | 1056526 | BSS84P H6327 | 0,110 | 5 | BSS84PH6433X TMA1 | 0,180 | BSS84PH6433X TMA1 | 0,177 |
| 93 | 4 | MMBT5401 | SOT-23 | Q2, Q10, Q11, Q17 | Power board | 8 | 1459108 | MMBT5401LT1G | 0,167 | 10 | MMBT5401LT1G | 0,180 | MMBT5401LT1G | 0,163 |
| 94 | 2 | BTA26-600 | THT | Q20, Q21 | AUX PS | 2 | 1057286 | BTA26-600BRG | 2,840 | 1 | BTA26-600BRG | 2,930 | BTA26-600BRG | 3,110 |
| 95 | 1 | IRLL014N | SOT-223 | Q22 | AUX PS | 1 | 8651183 | IRLL014NPBF | 0,539 | 1 | IRLL014NTRPBF | 0,580 | IRLL014NTRPBF | 0,561 |
| 96 | 5 | IRLML2246TRPBF | SOT-23 | Q23, Q24, Q25, Q26, Q28 | Arduino Shield | 5 | 1888166 | IRLML2246TRPBF | 0,287 | 1 | IRLML2246TRPB F | 0,400 | IRLML2246TRPB F | 0,389 |
| 97 | | 2N7002 | SOT-23 | Q27, Q29, Q30 | Arduino Shield | 3 | | | | | | | | |
| | 2 | 2N7002 | SOT-23 | Q3, Q15 | Power board | 4 | | | | | | | | |
| | | | | | | 7 | 1713823 | 2N7002-7-F | 0,135 | 5 | 2N7002LT1G | 0,130 | 2N7002LT1G | 0,118 |
| 98 | 1 | IRFP250N | THT, solder on bottom layer! | Q4 | Power board | 2 | 8649260 | IRFP250NPBF | 2,080 | 1 | IRFP250NPBF | 1,870 | IRFP250NPBF | 1,870 |
| 99 | 1 | BC857C | SOT-23 | Q5 | Power board | 2 | 8734771 | BC857C,215 | 0,022 | 10 | BC857CLT1G | 0,120 | BC857CLT1G | 0,109 |
| 100 | 2 | BCP56-16.115 | SOT-223 | Q7, Q9 | Power board | 4 | 1081258 | BCP56-16,115 | 0,256 | 5 | BCP56-16T1G | 0,360 | BCP56-16,115 | 0,340 |
| 101 | 1 | IRFR5410 | TO-252 | Q8 | Power board | 2 | 2468040 | IRFR5410TRPBF | 1,050 | 1 | IRFR5410PBF | 0,850 | IRFR5410PBF | 0,842 |
| 102 | 3 | 0R | 0805 | R3, R21, R57 | Power board | 6 | | | | | | | | |
| | 4 | 0R | 0805 | JP1, JP2, JP9, R73 | Power board | 8 | | | | | | | | |
| | 1 | 0R | 0805 | R173 | AUX PS | 1 | | | | | | | | |
| | 5 | 0R | 0805 | JP4, JP5, JP6, JP7, JP8 | Arduino Shield | 5 | | | | | | | | |
| | | | | | | 20 | 9233750 | RC0805JR-070RL | 0,010 | 10 | RC2012J000CS | | RC0805JR- 070RL | 0,012 |
| 102 | 1 | 100K 10/ | 0805 | D11 D14 D77 D70 | Dower hoard | 0 | | | | | | | | |
| 103 | | 100K 1% | | R11, R14, R77, R79 | Power board | 8 | | | | | | | | |
| | 2 | 100K 1% | 0805 | R143, R154 | Arduino Shield | 2 10 | 2352619 | RCV0805100KFKE | 0,080 | | RC0805FR- 07100KL | | RC0805FR- | 0,015 |
| | | | | | | | | A | | | U/ TOURL | | 07100KL | |

| | | | | RS Componer | nts | | TME | urce code at | | J | | | rice calcula | ition fo | r 1 set |
|----------|-----|------------------------|----------|----------------------|-----------------|-----|--------------------|-----------------|-----|-----|-----|----------|--------------|----------|-------------|
| | | | | | Unit males | | | Unit price | | | | Best | Best Line | | |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price € | MOQ | THT | SMD | Supplier | Price € | Qty | Line Cost € |
| 83 | 5 | HSMH-C170 | 486-0468 | HSMH-C170 | 0,188 | 25 | HSMH-C170 | 0,057 | 10 | | 5 | TME | 0,057 € | 5 | 0,287 |
| 84 85 | 1 | HSMD-C170 HSMY-C170 | 486-0525 | HSMD-C170 | 0,231 | 25 | HSMD-C170 | 0,059 | 10 | | 1 | TME | 0,059€ | 1 | 0,059 |
| | 1 | HSMY-C170 | 486-0519 | HSMY-C170 | 0,248 | 25 | HSMY-C170 | 0,060 | 10 | | 6 | Mouser | 0,060 € | 6 | 0,360 |
| 86 | 1 | 10K/Beta:3570K | 697-4601 | NB12K00103JB B | 0,392 | 5 | NTCS0805E3103JMT | 0,190 | 5 | | 2 | Mouser | 0,145€ | 2 | 0,290 |
| 87 | 1 | MOC3052 | 761-3690 | MOC3052SM | 0,739 | 5 | MOC3052SR2VM | 0,380 | 2 | | 1 | TME | 0,380 € | 1 | 0,380 |
| 88 | 1 | MOC3062 | 806-6064 | MOC3062SM | 0,718 | 10 | MOC3062XSM | 0,410 | 1 | | 1 | TME | 0,410 € | 1 | 0,410 |
| 89 | 2 | HCPL-181 | 693-5277 | HCPL-181-000E | 0,343 | 10 | HCPL-181-000E | 0,250 | 2 | | 2 | Mouser | 0,150 € | 1 | 0,150 |
| 90 | 1 | IRFR5305 | 543-2496 | IRFR5305PBF | 0,994 | 1 | IRFR5305PBF | 0,540 | 1 | | 2 | TME | 0,540 € | 2 | 1,080 |
| | | Option #1: SPD30P06P | 898-6864 | SPD30P06P G | 0,861 | 1 | SPD30P06PGBTMA1 | 0,780 | 1 | | | | | | |
| | | Option #2: SUD19P06-60 | - | | | | - | | | | | | | | |
| 91 | 5 | MMBT5551 | 545-0400 | MMBT5551LT1G | 0,129 | 10 | MMBT5551 | 0,020 | 25 | | 10 | TME | 0,020 € | 25 | 0,510 |
| 92 | 1 | BSS84P | 653-2288 | BSS84P | 0,157 | 10 | BSS84P | 0,048 | 10 | | 2 | TME | 0,048 € | 2 | 0,096 |
| 93 | 4 | MMBT5401 | 545-0393 | MMBT5401LT1G | 0,151 | 10 | MMBT5401 | 0,021 | 25 | | 8 | TME | 0,021 € | 25 | 0,513 |
| 94 | 2 | BTA26-600 | 714-0515 | BTA26-600BRG | 3,038 | 1 | BTA26-600BRG | 2,540 | 1 | 2 | | TME | 2,540 € | 2 | 5,080 |
| 95 | 1 | IRLL014N | 302-000 | IRLL014NPBF | 0,552 | 5 | IRLL014NPBF | 0,214 | 3 | | 1 | TME | 0,214 € | 1 | 0,214 |
| 96 | 5 | IRLML2246TRPBF | 760-4432 | IRLML2246TRP BF | 0,322 | 5 | IRLML2246TRPBF | 0,100 | 5 | | 5 | TME | 0,100 € | 5 | 0,500 |
| 97 | 3 | 2N7002 | | | | | | | | | | | | | |
| | 2 | 2N7002 | | | | | | | | | | | | | |
| | | | 545-0012 | 2N7002LT1G | 0,108 | 50 | 2N7002LT1G | 0,019 | 25 | | 7 | TME | 0,019€ | 25 | 0,475 |
| 98 | 1 | IRFP250N | 541-0042 | IRFP250NPBF | 2,100 | 1 | IRFP250NPBF | 1,060 | 1 | 2 | | TME | 1,060 € | 2 | 2,120 |
| 99 | 1 | BC857C | 690-0105 | BC857CLT1G | 0,102 | | BC857C-DIO | 0,020 | 25 | | 2 | TME | 0,020 € | | 0,040 |
| 100 | | BCP56-16.115 | 773-7633 | BCP56-16T3G | 0,242 | | BCP56-16.115 | 0,106 | 5 | | 4 | TME | 0,106 € | | 0,424 |
| 101 | 1 | IRFR5410 | 784-0303 | IRFR5410PBF | 0,977 | 5 | IRFR5410PBF | 0,550 | 1 | | 2 | TME | 0,550 € | 2 | 1,100 |
| 102 | | 0R | | | | | | | | | | | | | |
| | 4 | 0R | | | | | | | | | | | | | |
| | 1 | 0R | | | | | | | | | | | | | |
| | 5 | 0R | | | | | | | | | | | | | |
| | | | 679-0800 | CRCW08050000 Z0EA | 0,020 | 50 | SMD0805-0R | 0,006 | 100 | | 20 | TME | 0,006 € | 15 | 0,090 |
| 103 | 4 | 100K 1% | | | | | | | | | | | | | |
| | | 100K 1% | | | | | | | | | | | | | |
| | _ | | 223-0691 | CRG0805F100K | 0,007 | 50 | SMD0805-100K-1% | 0,008 | 100 | | 10 | RS | 0,007 € | 10 | 0,070 |
| | | | | | | | | | | | | | | | |

| | | | | | | | | Farnell / Element | 14 | | Digi-Key | / | | Mouser | , | |
|-----|-----|-------------|---|--|------------------|----------|---------|--------------------|--------------|-----|-----------------------------|-----------------|-----|--------------------------------|---------------|---|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price N | 10Q | Part Number | Unit price € | MOQ | Part Number | Unit price MO | Q |
| 104 | 2 | 100K 0.1% | 0805 | R49, R59 | Power board | 4 | 1577686 | ERA6AEB104V | 0,205 | 5 | RT0805BRD0710 0KL | 0,350 | | CPF0805B100KE | 0,095 | |
| 104 | 1 | 100R 1% | 0805 | R127 | AUX PS | 1 | | | | | | | | | | |
| | | 100R 1% | 0805 | R164 | Arduino Shield | 1 | | | | | | | | | | |
| | 3 | 100R 1% | 0805 | R5, R6, R43 | Power board | 6 | | | | | | | | | | |
| | | | | | | 8 | 9332375 | MC01W08051100R | 0,002 | 10 | RC0805FR- 07100RL | 0,019 | | RC0805FR- 07100RL | 0,015 | |
| 106 | 2 | 10K 1% | 0805 | D405 D404 | AUX PS | • | | | | | | | | | | |
| 100 | | 10K 1% | 0805 | R125, R131 R147, R153, R157, R170, R172 | Arduino Shield | 2 5 | | | | | | | | | | |
| | 5 | TUK 170 | 0803 | R147, R155, R157, R170, R172 | Ardulilo Sillela | 3 | | | | | | | | | | |
| | 16 | 10K 1% | 0805 | R9, R10, R22, R23, R29, R45, R52, R54, R61, R75, R76, R78, R86, R98, R99, R106 | Power board | 32 | | | | | | | | | | |
| | | | | | | 39 | 9237755 | RC0805FR-0710KL | 0,011 | 10 | RC0805FR- 0710KL | 0,019 | | RC0805FR- 0710KL | 0,015 | |
| | | | | | | | | | | | | | | | | |
| 107 | | 10R 1% | 1206 | R120 | AUX PS | 1 | | | | | | | | | | |
| | | 10R 1% | 1206 | R151 | Arduino Shield | 1 | | | | | | | | | | 4 |
| | 4 | 10R 1% | 1206 | R8, R18, R85, R174 | Power board | 8 10 | 9236643 | RC1206FR-0710RL | . 0,017 | 10 | RC1206FR- 0710RL | 0,029 | | RC1206FR- 0710RL | 0,022 | |
| | | | | | | | | | | | | | | | | |
| 108 | 1 | 12K4 1% | 0805 | R152 | Arduino Shield | 1 | 2141850 | MC01W0805112K4 | 0,002 | 10 | RC0805FR- 0712K4L | 0,090 | | RC0805FR- 0712K4L | 0,091 | |
| 109 | 1 | 18-22R / 7W | THT, RM 5mm, radial, max. Height 40 mm | R107 | AUX PS | 1 | 1687978 | SQM7-22RJI | 0,474 | 1 | SQMW722RJ | 0,590 | | 280-PRM7-20- RC | 0,378 | |
| 110 | | 16K 1% | 0805 | R118, R123 | AUX PS | 2 | | | | | | | | | | |
| | 2 | 16K 1% | 0805 | R25, R36 | Power board | 4 | | | | | | | | | | |
| | | | | | | 6 | 9332677 | MC01W0805116K | 0,002 | 10 | RC0805FR- 0716KL | 0,019 | | RC0805FR- 0716KL | 0,015 | |
| 111 | 5 | 180R 1% | 0805 | R30, R142, R155, R156, R158 | Arduino Shield | 5 | 2447583 | MCWR08X1800FT L | 0,006 | 10 | RC0805FR- 07180RL | 0,019 | | RC0805FR- 07180RL | 0,015 | |
| 112 | 1 | 1K 1% | 0805 | R129 | AUX PS | 1 | | | | | | | | | | |
| | 2 | 1K 1% | 0805 | R167, R168 | Arduino Shield | 2 | | | | | | | | | | |
| | 5 | 1K 1% | 0805 | R4, R41, R74, R82, R95 | Power board | 10 13 | 1099800 | WCR0805-1K0FI | 0,018 | 10 | RC0805FR- 071KL | 0,019 | | RC0805FR- 071KL | 0,015 | |
| | | | | | | | | | | | OT TICE | | | OT TILL | | |
| 113 | 1 | 1K8 1% | 0805 | R126 | AUX PS | 1 | | | | | | | | | | |
| | | 1K8 1% | 0805 | R28, R56 | Power board | 4 | | | | | | | | | | |
| | | 1K8 1% | 0805 | R138, R159 | Arduino Shield | 2 | | | | | | | | | | |
| | | | | | | 7 | 2447595 | MCWR08X1801FT L | 0,006 | 10 | RC0805FR- 071K8L | 0,019 | | RC0805FR- 071K8L | 0,015 | |
| 114 | 4 | 1R 1% | 0805 | R136, R136A, R140, R140A | Arduino Shield | 4 | 2141629 | MC01W080511R0 | 0,002 | 10 | RC0805FR- | 0,090 | | RC0805FR- | 0,091 | |
| 115 | 2 | 22K 0.1% | 0805 | R50, R60 | Power board | 4 | 1653299 | RR1220P-223-B-T5 | 0,330 | 10 | 071RL RG20P22KBCT- ND | 0,360 | 1 | 071RL 279- CPF0805B22KE1 | 0,162 1 | |
| 116 | 10 | 220R 1% | 0805 | R38, R39, R42, R48, R58, R66, R80, R81, R83, R84 | Power board | 20 | | | | | | | | O. TOOOSDZZNET | | |

| | | | | RS Compone | nts | | TME | urce code at | | | | | rice calcula | ition fo | r 1 set |
|-----|-----|-------------|----------|-----------------------|-------|-----|------------------------|--------------|-----|-----|-----|------------------|--------------|----------|-------------|
| # | Qty | Part name | Code | Part Number | | MOQ | Code / Part Number | Unit price ∈ | MOQ | THT | SMD | Best Supplier | Best Line | | Line Cost € |
| 104 | 2 | 100K 0.1% | 666-2673 | CPF0805B100K E | 0,112 | 5 | RN73C2A100KBTDF | 0,513 | 2 | | 4 | Mouser | 0,095€ | 4 | 0,380 |
| 104 | 1 | 100R 1% | | | | | | | | | | | | | |
| | 1 | 100R 1% | | | | | | | | | | | | | |
| | 3 | 100R 1% | | | | | | | | | | | | | |
| | | | 679-0807 | CRCW0805100 RFKEA | 0,031 | 50 | RC0805FR-07100R | 0,008 | 100 | | 8 | Farnell | 0,002€ | 10 | 0,02 |
| 106 | 2 | 10K 1% | | | | | | | | | | | | | |
| | 5 | 10K 1% | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 16 | 10K 1% | | | | | | | | | | | | | |
| | | | 223-0562 | CRG0805F10K | 0,021 | 50 | RC0805FR-0710K | 0,008 | 100 | | 39 | TME | 0,008 € | 40 | 0,308 |
| | | | | | | | | | | | | | | | |
| 107 | 1 | 10R 1% | | | | | | | | | | | | | |
| .07 | | 10R 1% | | | | | | | | | | | | | |
| | | 10R 1% | | | | | | | | | | | | | |
| | | | 740-9085 | CR1206-FX- 10R0ELF | 0,028 | 50 | CRCW120610R0FKTA BC | 0,014 | 100 | | 10 | TME | 0,014 € | 10 | 0,137 |
| 108 | 1 | 12K4 1% | 679-0863 | CRCW080512K 4FKEA | 0,008 | 50 | - | | | | 1 | Farnell | 0,002€ | 10 | 0,023 |
| 109 | 1 | 18-22R / 7W | 199-8087 | SQMW722RJ | 0,725 | 5 | - | | | 1 | | Mouser | 0,378 € | 1 | 0,378 |
| 110 | 2 | 16K 1% | | | | | | | | | | | | | |
| | | 16K 1% | | | | | | | | | | | | | |
| | | | 679-0920 | CRCW080516K 0FKEA | 0,014 | 50 | SMD0805-16K-1% | 0,008 | 100 | | 6 | Farnell | 0,002€ | 10 | 0,020 |
| 111 | 5 | 180R 1% | 223-0326 | CRG0805F180R | 0,006 | 50 | SMD0805-180R-1% | 0,008 | 100 | | 5 | Farnell | 0,030€ | 10 | 0,300 |
| 112 | 1 | 1K 1% | | | | | | | | | | | | | |
| | 2 | 1K 1% | | | | | | | | | | | | | |
| | 5 | 1K 1% | 223-0427 | CRG0805F1K0 | 0,013 | 50 | RC0805FR-071K | 0,008 | 100 | | 13 | TME | 0,008 € | 15 | 0,116 |
| 113 | 1 | 1K8 1% | | | | | | | | | | | | | |
| | | 1K8 1% | | | | | | | | | | | | | |
| | | 1K8 1% | | | | | | | | | | | | | |
| | _ | | 679-1033 | CRCW08051K8 0FKEA | 0,011 | 50 | SMD0805-1K8-1% | 0,008 | 100 | | 7 | Farnell | 0,006 € | 10 | 0,063 |
| 114 | 4 | 1R 1% | 721-5631 | ERJ6BQF1R0V | 0,246 | 5 | RC0805FR-071R | 0,009 | 100 | | 4 | Farnell | 0,002 € | 10 | 0,022 |
| 115 | 2 | 22K 0.1% | 866-7349 | CPF-A- 0805B22KE1 | 0,196 | 10 | AR05BTCW2202 | 0,107 | 10 | | 4 | TME | 0,107 € | 4 | 0,429 |
| 116 | 10 | 220R 1% | | | | | | | | | | | | | |

| | | | | | | | | Farnell / Element | 14 | Digi-Ke | у | Mouse | r |
|-----|-----|--------------|---------|--|----------------|---------|---------|----------------------|----------------|-----------------------|----------------|-----------------------|------------------|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price MOQ | Part Number | Unit price MOQ | Part Number | Unit price MOQ € |
| | 2 | 220R 1% | 0805 | R114, R117 | AUX PS | 2 | | | | | | | |
| | | | | | | 22 | 1099795 | WCR0805-220RFI | 0,024 10 | RC0805FR- 07220RL | 0,019 | RC0805FR- 07220RL | 0,015 |
| 117 | _ | 2K2 1% | 0805 | D440 D444 D440 D422 D424 | AUX PS | _ | | | | | | | |
| 117 | | 2K2 1% | 0805 | R110, R111, R119, R122, R124 R17, R32, R34, R35, R37, R46, R62, R65, R68, R94, R96 | Power board | 5 22 | | | | | | | |
| | | | | | | 27 | 9237534 | RC0805FR-072K2L | 0,011 10 | RC0805FR- 072K2L | 0,019 | RC0805FR- 072K2L | 0,015 |
| 118 | 2 | 2K55 0.1% | 0805 | R64, R72 | Power board | 4 | 1575837 | MCTC0525B2551T 5E | 0,483 10 | P2.55KDACT-ND | 0,570 1 | 667-ERA- 6AEB2551V | 0,570 1 |
| 119 | 1 | 2R2 5% / 2W | 2512 | R31 | Power board | 2 | 1376975 | RC2512JK- 7W2R2L | 0,557 10 | CRM2512-JW- 2R2ELF | | CRM2512-JW- 2R2ELF | 0,341 |
| 120 | 1 | 330K 1% | 0805 | R12 | Power board | 2 | 9333070 | MC01W08051330K | 0,002 10 | RC0805FR- 07330KL | 0,090 | RC0805FR- 07330KL | 0,091 |
| 121 | 2 | 330R 1% | 0805 | R87, R105 | Power board | 4 | 9333037 | MC01W08051330R | 0,002 10 | RC0805FR- 07330RL | 0,090 | RC0805FR- 07330RL | 0,091 |
| 122 | 4 | 330R 5% / 2W | 2512 | R108, R109, R112, R115 | AUX PS | 4 | 1265196 | 3520330RJT | 0,122 10 | RHC2512FT330R | 0,760 | 3521330RFT | 0,580 |
| 123 | 3 | 470R 1% | 0805 | R20, R40, R53 | Power board | 6 | 1099798 | WCR0805-470RFI | 0,024 10 | RC0805FR- 07470RL | | RC0805FR- 07470RL | 0,015 |
| 124 | | 47K 1% | 0805 | R128 | AUX PS | 1 | | | | | | | |
| | | 47K 1% | 0805 | R162, R163 | Arduino Shield | 2 | | | | | | | |
| | 7 | 47K 1% | 0805 | R7, R16, R19, R89, R90, R91, R103 | Power board | 14 | | | | | | | |
| | | | | | | 17 | 2447664 | MCWR08X4702FT L | 0,006 10 | RC0805FR- 0747KL | 0,019 | RC0805FR- 0747KL | 0,015 |
| | | | | | | | | | | | | | |
| 125 | | 49R9 1% | 0805 | R146, R148, R149, R150 | Arduino Shield | 4 | | | | | | | |
| | 2 | 49R9 1% | 0805 | R113, R116 | AUX PS | 6 | 2141727 | MC01W0805149R9 | 0,002 10 | RC0805FR- 0749R9L | | RC0805FR- 0749R9L | 0,015 |
| 126 | 9 | 4K7 1% | 0805 | R134, R135, R137, R139, R141, R144, R145, R169, R171 | Arduino Shield | 9 | | | | | | | |
| | 2 | 4K7 1% | 0805 | R15, R102 | Power board | 4 | | | | | | | |
| | | | | | | 13 | 9333266 | MC01W080514K7 | 0,002 10 | RC0805FR- 074K7L | | RC0805FR- 074K7L | 0,015 |
| 127 | 2 | 51K 1% | 0805 | R24, R51 | Power board | 4 | 9334653 | MC01W0805551K | 0,015 10 | RC0805FR- 0751KL | | RC0805FR- 0751KL | 0,015 |
| 128 | 2 | 102R 0.1% | 0805 | R67, R71 | Power board | 4 | 1575575 | MCTC0525B1020T 5E | 0,447 10 | 985-1391-1-ND | 0,800 1 | 667-ERA- 6AEB1020V | 0,570 1 |
| 129 | 4 | 5K1 1% | 0805 | R27, R70, R88, R101 | Power board | 8 | | | | | | | |
| | | 5K1 1% | 0805 | R165, R166 | Arduino Shield | 2 | | | | | | | |
| | | | | | | 10 | 9333320 | MC01W080515K1 | | RC0805FR- 075K1L | | RC0805FR- 075K1L | 0,015 |
| 120 | 2 | 5K6 1% | 0805 | R121, R130 | AUX PS | • | | | | | | | |
| 130 | | 5K6 1% | 0805 | R121, R130 R26, R92, R97, R104 | Power board | 2 8 | | | | | | | |
| | 4 | UNU 1 /0 | 0000 | 1120, 1132, 1137, 11104 | i owei bodiu | | 2447693 | MCWR08X5601FT | | RC0805FR- 075K6L | | RC0805FR- 075K6L | 0,015 |
| | | | | | | | I | | | | | = | |

| | | | | | | | Project so | ource code at https | :://github.com/e | eez-open | | | |
|-----|-----|------------------|----------|-----------------------|-----------------|-----|--------------------|---------------------|------------------|------------------|----------------------|--------------|-------------|
| | | | | RS Componer | nts | | TME | | | P | rice calcula | tion fo | r 1 set |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price MOQ | THT SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| | 2 | 220R 1% | | | | | | | | | , | | |
| | | | 223-0332 | CRG0805F220R | 0,024 | 50 | RC0805FR-07220R | 0,007 100 | 22 | TME | 0,007€ | 20 | 0,143 |
| | _ | 01/0 40/ | | | | | | | | | | | |
| 117 | 5 | 2K2 1% 2K2 1% | | | | | | | | | | | |
| | 11 | ZNZ 170 | | | | | | | | | | | |
| | | | 679-1207 | CRCW08052K2 0FKEA | 0,027 | 50 | SMD0805-2K2-1% | 0,008 100 | 27 | TME | 0,008 € | 30 | 0,242 |
| 440 | | 01/55 0 40/ | 700 0040 | EDA CA EDOSE (V | 0.040 | _ | | | | 50 | 2 2 4 2 5 | _ | 0.000 |
| 118 | 2 | 2K55 0.1% | 708-6240 | ERA6AEB2551V | 0,040 | 5 | - | | 4 | RS | 0,040 € | 5 | 0,200 |
| 119 | 1 | 2R2 5% / 2W | 720-3231 | CRM2512-JW- 2R2ELF | 0,406 | 5 | WF25P-2R2-5% | 0,042 50 | 2 | TME | 0,042 € | 2 | 0,084 |
| 120 | 1 | 330K 1% | 679-1272 | CRCW0805330 KFKEA | 0,024 | 50 | RC0805FR-07330K | 0,007 100 | 2 | Farnell | 0,002 € | 10 | 0,020 |
| 121 | 2 | 330R 1% | 740-9022 | CR0805-FX- 3300GLF | 0,025 | 50 | RC0805FR-07330R | 0,007 100 | 4 | Farnell | 0,002€ | 10 | 0,020 |
| 122 | 4 | 330R 5% / 2W | 755-1224 | 3521330RFT | 0,182 | 10 | WF25P-330R-5% | 0,042 50 | 4 | TME | 0,042 € | 10 | 0,419 |
| 123 | 3 | 470R 1% | 223-0376 | CRG0805F470R | 0,024 | 50 | RC0805FR-07470R | 0,007 100 | 6 | TME | 0,007€ | 10 | 0,073 |
| 124 | 1 | 47K 1% | | | | | | | | | | | |
| | 2 | 47K 1% | | | | | | | | | | | |
| | 7 | 47K 1% | | | | | | | | | | | |
| | | | 679-1434 | CRCW080547K 0FKEA | 0,010 | 50 | RC0805FR-0747K | 0,007 100 | 17 | Farnell | 0,006€ | 20 | 0,126 |
| | | | | | | | | | | | | | |
| 125 | 4 | 49R9 1% | | | | | | | | | | | |
| | 2 | 49R9 1% | 679-1462 | CRCW080549R 9FKEA | 0,011 | 50 | RC0805FR-0749R9 | 0,007 100 | 6 | Farnell | 0,002€ | 10 | 0,020 |
| | | | | | | | | | | | | | |
| 126 | 9 | 4K7 1% | | | | | | | | | | | |
| | 2 | 4K7 1% | | | | | | | | | | | |
| | | | 223-0528 | CRG0805F4K7 | 0,011 | 50 | RC0805FR-074K7 | 0,008 100 | 13 | Farnell | 0,002€ | 20 | 0,040 |
| 127 | 2 | 51K 1% | 679-1525 | CRCW080551K 0FKEA | 0,020 | 50 | RC0805FR-0751K | 0,006 100 | 4 | TME | 0,006 € | 10 | 0,061 |
| 128 | 2 | 102R 0.1% | 708-9271 | | 0,210 | 5 | - | | 4 | RS | 0,210 € | 10 | 2,100 |
| 129 | 4 | 5K1 1% | | | | | | | | | | | |
| | 2 | 5K1 1% | | | | | | | | | | | |
| | | | 679-1569 | CRCW08055K1 0FKEA | 0,027 | 50 | RC0805FR-075K1 | 0,007 100 | 10 | Farnell | 0,002€ | 10 | 0,021 |
| 420 | 2 | 5K6 1% | | | | | | | | | | | |
| 130 | | 5K6 1% | | | | | | | | | | | |
| | 7 | 0100 170 | 679-1572 | CRCW08055K6 0FKEA | 0,021 | 50 | SMD0805-5K6-1% | 0,008 100 | 10 | Farnell | 0,006 € | 10 | 0,063 |
| | | | | - · · · · · · | | | | | | | | | |

| | | | | | | | | Farnell / Element | 14 | | Digi-Ke | у | Mouse | r |
|-----|-----|-----------------------|------------------------------|--|----------------------------|--------|---------|------------------------|--------------|-----|------------------------|------------------|------------------------|----------------|
| # | Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price N | 10Q | Part Number | Unit price MOQ € | Part Number | Unit price MOQ |
| 404 | 0 | 750D 40/ | 0005 | D47 D00 D400 | Danisahasad | • | | | | | | | | |
| 131 | | 750R 1% 750R 1% | 0805 0805 | R47, R93, R100 R160, R161 | Power board Arduino Shield | 6 2 | | | | | | | | |
| | 2 | 750R 176 | 0003 | K100, K101 | Arduino Sniela | 8 | 9333525 | MC01W08051750R | 0,002 | 10 | RC0805FR- 07750RL | | RC0805FR- 07750RL | 0,015 |
| 132 | 2 | 7K5 <mark>0.1%</mark> | 0805 | R44, R55 | Power board | 4 | 1670239 | ERA6AEB752V | 0,312 | 10 | RT0805BRD077 K5L | | RT0805BRD077 K5L | 0,357 |
| 133 | 1 | R010 1% / 2W | 2512, 2W | R2 | Power board | 2 | 1435947 | CRA2512-FZ- R010ELF | 0,484 | 10 | CRA2512-FZ- R010ELF | 0,540 | CRA2512-FZ- R010ELF | 0,568 |
| 134 | 1 | R020 1% / 2W | 2512, 2W | R69 | Power board | 2 | 2079436 | LRMAM2512- R02FT4 | 0,250 | 10 | CRA2512-FZ- R020ELF | 0,540 | CRA2512-FZ- R020ELF | 0,568 |
| 135 | 2 | 4x10K 5% | 1206; resistor array | RN1, RN2 | Arduino Shield | 2 | 1770137 | CAY16-103J4LF | 0,110 | 10 | CAY16-103J4LF | 0,090 | CAY16-103J4LF | 0,095 |
| 136 | | LD-BZEN-0903 | THT | SP1 Buzzer | Arduino Shield | 1 | - | | | | - | | TE092703-6 | 2,200 |
| 137 | | A101SYCQ04 | THT | SW1 | Arduino Shield | 1 | 2292959 | A101SYCQ04 | 2,760 | | A101SYCQ04 | 3,000 | A101SYCQ04 | 2,640 |
| 138 | | 1301.9316 | SMD; tactile switch | SW2 | Arduino Shield | 1 | 1217765 | 1301.9316 | 0,302 | | FSM6JSMA | 0,210 | 1301.9316 | 0,270 |
| 139 | | 820uH Dual Coil | SMD; 7.6mm x 7.6mm | TR1 | Power board | 2 | 1852832 | SRF0703-821M | 0,893 | | SRF0703-821M | 0,720 | SRF0703-821M | 0,758 |
| 140 | 1 | VTX-214-005-112 | THT | TR2 | AUX PS | 1 | 2401044 | VTX-214-005-112 | 8,120 | 1 | - | | - | |
| 141 | | 39-30-3035 | THT 4,2mm 3pin | X1 | Power board | 2 | 9963545 | 39303035 | 0,914 | | 39-30-3035 | 0,800 | 39-30-3035 | 0,603 |
| 142 | | 2411-01 | THT, solder on bottom layer! | | AUX PS | 1 | 1177884 | 2411-01 | , | | 952-1767-ND | | 710- 61400413321 | 1,200 |
| 143 | 2 | MC000006 | THT, solder on bottom layer! | X12, X14 Front Treminal | Arduino Shield | 2 | 2007972 | MC000006 | 1,900 | 1 | - | | - | |
| 144 | 2 | TSW-113-07-F-D | THT; 2x13-pin header | X13, X15 | Arduino Shield | 2 | 2025182 | TSW-113-07-F-D | 2,240 | 5 | TSW-113-07-L-D | | 710- 61302621121 | 1,410 |
| 145 | | 22-23-2021 | ТНТ | X17 Optional TEMP | Arduino Shield | 1 | 1462926 | 22-23-2021 | 0,100 | | 22-23-2021 | , | 22-23-2021 | 0,141 |
| 146 | 1 | MC34753 | ТНТ | X18 | Arduino Shield | 1 | 1593431 | MC34753 | 0,422 | 10 | M20-9750846 | | 710- 61300811021 | 0,670 |
| 147 | 1 | 22-23-2041 | ТНТ | X19 Optional Encoder | Arduino Shield | 1 | 1462920 | 22-23-2041 | 0,165 | 10 | 22-23-2041 | 0,240 | 22-23-2041 | 0,217 |
| 148 | 1 | SSW-113-02-T-D-RA | THT; 2x13-pin socket | X3 | Power board | 2 | 1805583 | SSW-113-02-G-D- RA | 5,700 | 2 | SSW-113-02-G- D-RA | 5,340 | - | |
| 149 | 1 | 39-30-3055 | THT 4,2mm 5pin | X4 AC In | AUX PS | 1 | 9963561 | 39303055 | 0,530 | 1 | 39-30-3055 | 1,180 | 39-30-3055 | 0,923 |
| | 1 | 09185107324 | THT; 2x5-pin header | X5 | AUX PS | 1 | | | | | | | | |
| | 1 | 09185107324 | THT; 2x5-pin header | X16 | Arduino Shield | 1 | | | | | | | | |
| | | | | | | 2 | 1096985 | 09 18 510 7324 | 1,220 | 1 | 09185107324 | 1,460 | 09185107324 | 1,460 |
| 450 | | 00.00.0004 | T. I.T. | VO. FAN O | ALIV DC | | 4400050 | 00.00.0004 | 0.004 | | 00 00 0001 | 0.040 | 00 00 0001 | 0.460 |
| 150 | | 22-23-2031 | THT | X6 FAN Connector | AUX PS | 1 | 1462950 | 22-23-2031 | 0,081 | 1 | 22-23-2031 | 0,210 | 22-23-2031 | 0,198 |
| 151 | | LMJ2138814S0L1T1C | THT, solder on bottom layer! | | AUX PS | 1 | - | | | | - | | - | |
| 152 | | 826629-8 | THT 8-Pin Header | X8 | AUX PS | 1 | | | | | | | | |
| | 6 | 826629-8 | THT 8-Pin Header | MCU-ADCL, MCU-ADCH, MCU-COMM, MCU-PWML, MCU-PWMH | Arduino Shield | 6 | | | | | | | | |
| | | | | | | 7 | 1022256 | M20-9990845 | 0,117 | 10 | M20-9990845 | 0,240 | M20-9990845 | 0,317 |
| 153 | 1 | 826629-5 | THT 5-Pin Header | X9 | AUX PS | 1 | 2452473 | 826629-5 | 0,631 | 50 | 826629-5 | 0,660 | M20-9990545 | 0,217 |
| 154 | 1 | 32,768kHz | ТНТ | Y1 | Arduino Shield | 1 | 1611828 | AB38T-32.768KHZ | 0,185 | 1 | AB38T- 32.768KHZ | 0,150 | AB38T- 32.768KHZ | 0,155 |

| | | | | RS Componer | nte | | TME | urce code a | | gru | | | rice calcula | tion fo | r 1 sot |
|------------|-----|-----------------------|----------|------------------------|-----------------|-----|-------------------------|-----------------|-----|-----|-----|------------------|----------------------|--------------|----------------|
| | | | | No Componer | | | 11111 | | | | | | | | 1 361 |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price € | MOQ | THT | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| 131 | 3 | 750R 1% | | | | | | | | | | | | | |
| | | 750R 1% | | | | | | | | | | | | | |
| | | | 679-1660 | CRCW0805750 RFKEA | 0,010 | 50 | CRCW0805750RFKTA BC | 0,012 | 100 | | 8 | Farnell | 0,002 € | 20 | 0,040 |
| 132 | 2 | 7K5 0.1% | 666-2588 | CPF0805B7K5E | 0,280 | 5 | RN73C2A7K5BTDF | 0,520 | 2 | | 4 | RS | 0,280 € | 5 | 1,400 |
| 133 | 1 | R010 1% / 2W | 693-4381 | CRA2512-FZ- R010ELF | 0,515 | 5 | WW25RR010FTL | 0,189 | 5 | | 2 | TME | 0,189€ | 5 | 0,945 |
| 134 | 1 | R020 1% / 2W | 693-4384 | CRA2512-FZ- R020ELF | 0,507 | 5 | WW25NR020FTL | 0,189 | 5 | | 2 | TME | 0,189 € | 5 | 0,945 |
| 135 | 2 | 4x10K 5% | 522-5585 | CAY16-103J4LF | 0,020 | 50 | DR1206-10K-4/8 | 0,007 | 100 | | 2 | TME | 0,007 € | 2 | 0,013 |
| 136 | 1 | LD-BZEN-0903 | - | | | | LD-BZEN-0903 | 0,504 | 3 | 1 | | TME | 0,504 € | 3 | 1,512 |
| 137 | 1 | A101SYCQ04 | 710-9788 | A101SYCQ04 | 2,576 | 1 | - | | | 1 | | RS | 2,576 € | 1 | 2,576 |
| 138 | 1 | 1301.9316 | 718-2443 | FSM6JSMATR | 0,818 | 5 | 1301.9316 | 0,220 | 5 | | 1 | Digikey | 0,210 € | 1 | 0,210 |
| 139 | 1 | 820uH Dual Coil | - | NA 47454 | 40.440 | 4 | - | | | 4 | 2 | Digikey | 0,720 € | 2 | 1,440 |
| 140 | 1 | VTX-214-005-112 | 792-4372 | Myrra 47154 | 10,140 | 1 | - MAY 5500 00 A 4 | 0.470 | _ | 1 | | Farnell | 8,120 € | 1 | 8,120 |
| 141 142 | 1 | 39-30-3035 2411-01 | 670-5849 | 39-30-3035 | 0,969 | 5 | MX-5569-03A4 2411-01 | 0,476 0,660 | 1 | 2 | | TME TME | 0,476 € 0,660 € | 2 | 0,952 0,660 |
| | | | | | | | 2411-01 | 0,000 | ' | | | | | | |
| 143 | | MC000006 | - | | | | - | | | 1 | | Farnell | 1,900 € | 1 | 1,900 |
| 144 | | TSW-113-07-F-D | - | | | | - | | | 2 | | Mouser | 1,410 € | 2 | 2,820 |
| 145 | 1 | 22-23-2021 | 679-5583 | 22-23-2021 | 0,087 | | MX-22-23-2021 | 0,070 | 10 | 1 | | TME | 0,070 € | | 0,070 |
| 146 | 1 | MC34753 | 828-1673 | 61300811021 | 0,759 | 5 | | | | 1 | | Digikey | 0,230 € | 1 | 0,230 |
| 147 | 1 | 22-23-2041 | 679-5596 | 22-23-2041 | 0,197 | 10 | MX-22-23-2041 | 0,106 | | 1 | | TME | 0,106 € | 1 | 0,106 |
| 148 | 1 | SSW-113-02-T-D-RA | - | | | | ZL263-26DG | 0,399 | 2 | 2 | | TME | 0,399 € | 2 | 0,798 |
| 149 | 1 | 39-30-3055 | 670-5861 | 39-30-3055 | 0,563 | 5 | - | | | 1 | | Farnell | 0,530 € | 1 | 0,530 |
| | 1 | 09185107324 | | | | | | | | | | | | | |
| | 1 | 09185107324 | 740-7108 | 09185107324 | 1,442 | 1 | T821-1-10-S1 | 0,290 | 2 | 2 | | TME | 0,290 € | 2 | 0,580 |
| 150 | 1 | 22-23-2031 | 679-5587 | 22-23-2031 | 0,083 | 10 | MX-22-23-2031 | 0,080 | 10 | 1 | | TME | 0,080 € | 1 | 0,080 |
| 151 | 1 | LMJ2138814S0L1T1C | - | 22 20 2001 | 0,000 | 10 | RJ45-TRAFO-LP | 2,820 | 1 | 1 | | TME | 2,820 € | 1 | 2,820 |
| 152 | 1 | 826629-8 | | | | | | | | | | | | | |
| | 6 | 826629-8 | | | | | | | | | | | | | |
| | | | 681-2997 | M20-9990845 | 0,125 | 10 | ZL201-08G | 0,065 | 10 | 7 | | TME | 0,065 € | 10 | 0,649 |
| 153 | 1 | 826629-5 | 681-2981 | M20-9990545 | 0,160 | 10 | ZL201-05G | 0,032 | 25 | 1 | | TME | 0,032 € | 1 | 0,032 |
| 154 | 1 | 32,768kHz | 226-1443 | LFXTAL002995 | 0,532 | 1 | 32.768K-TC38 | 0,144 | 5 | 1 | | TME | 0,144 € | 1 | 0,144 |
| | | | | | • | | | | | | | | | | |

| | | | | | O4 | | Farnell / Element | 114 | Digi-Ke | y | Mouse | r |
|-----|----------------------|-------------------------------------|-----------------------------|----------------|-----|---------|---------------------------|---------------------|-------------------------------|---------------------|---------------------|-----------------|
| Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price € MOC | Part Number | Unit price € MOQ | Part Number | Unit price € |
| 1 | 25MHz | SMD, 11.5mm x 4.7mm | Y2 | Arduino Shield | 1 | 2467741 | ABLS-25.000MHZ- B4-F-T | 0,393 1 | ABLS- 25.000MHZ-B4- F-T | 0,240 | ABLS-25.0M-F-T | 0,260 |
| 3 | SMAJ18A | DO-214AC | ZD4, ZD10, ZD11 | Arduino Shield | 3 | 1749305 | SMAJ18A-TR | 0,070 10 | SMA6J18A-TR | 0,340 | SMA6J18A-TR | 0,407 |
| 1 | BZX384-C4V3 | SOD-323 | ZD12 | Arduino Shield | 1 | 8735697 | BZX384-C4V3 | 0,182 5 | MM3Z4V3T1G | 0,130 | BZX384- C4V3,115 | 0,110 |
| 1 | BZX384-C15.115 | SOD-323 | ZD4 | Power board | 2 | 8735506 | BZX384-C15 | 0,182 5 | MM3Z15VT1G | 0,130 | MM3Z15VT1G | 0,118 |
| 1 | PDZ6.2B | SOD-323 | ZD5 | Power board | 2 | 1757863 | PDZ6.2B,115 | 0,266 5 | MM3Z6V2T1G | 0,130 | MM3Z6V2T1G | 0,118 |
| 2 | P4SMAJ48A | DO-214AC | ZD8, ZD9 | Arduino Shield | 2 | 1749310 | SMAJ48A-TR | 0,264 1 | SMAJ48A-TR | 0,340 | SMAJ48A-TR | 0,340 |
| | AUX PS 230 V protect | | 0.101 | ALIV DO | | 1010051 | 0007 47 DI 5 | 4.050 | 2007 47 84 5 | 4.070 | 2007 47 DI 5 | 4.040 |
| | CG2-470L | THT | SAR1 | AUX PS | | | 2027-47-BLF | | 2027-47-BLF | 1,270 | 2027-47-BLF | 1,340 |
| 2 | S20K250 | THT | VAR1, VAR2 | AUX PS | 2 | 1004357 | B72220S0251K101 | 0,650 1 | B72220S0251K1 01 | 0,850 | B72220S0251K1 01 | 0,936 |
| 2 | 1.5KE400CA | THT | ZD6, ZD7 | AUX PS | 2 | 2341650 | 1.5KE400CARL | 0,777 1 | 1.5KE400CA-TP | 0,560 | 1.5KE400CA-TP | 0,549 |
| | Not installed | | | | | | | | | | | |
| 1 | 1u | 1206 | C14 | Power board | 2 | - | | | | | | |
| 2 | 100n | 0805 | C15, C19 | Power board | 4 | - | | | | | | |
| 1 | n.c. | 0805 | C158 | Power board | 2 | - | | | | | | |
| 1 | n.c. | 0805 | C160 | Power board | 2 | - | | | | | | |
| 4 | 1n | 0805 | C200, C201, C202, C203 | Power board | 8 | - | | | | | | |
| 1 | n.c. | 0805 | C39 | Power board | 2 | - | | | | | | |
| 2 | 2m2 | THT, Ø18mm, solder on bottom layer! | C4, C5 | Power board | 4 | - | | | | | | |
| 1 | n.c. | 0805 | C96 | AUX PS | 1 | - | | | | | | |
| 5 | 100n | 0603 | C99, C100, C101, C102, C103 | AUX PS | 5 | - | | | | | | |
| 4 | STPS15H100 | TO-252 | D1, D2, D3, D4 | Power board | 8 | - | | | | | | |
| 2 | 60R@100MHz | 0603 | FB5, FB6 | AUX PS | 2 | - | | | | | | |
| 2 | S1751-46R | 0805 | GND, SW | Power board | 4 | - | | | | | | |
| 1 | TPD4E002DRLR | | IC17 | AUX PS | 1 | - | | | | | | |
| | TPD2E001DZDR | | IC18 | AUX PS | 1 | - | | | | | | |
| | ADUM3160BRWZ | | IC19 | AUX PS | 1 | - | | | | | | |
| | 901210762 | THT | JP3 | Arduino Shield | 1 | - | | | | | | |
| | 12K | 1208 | R1 | Power board | 2 | - | | | | | | |
| | n.c. | 0805 | R13, R175 | Power board | 4 | - | | | | | | |
| | n.c. | 0805 | R33 | Arduino board | 1 | - | | | | | | |
| | 22R | 0805 | R132, R133 | AUX PS | 2 | - | | | | | | |
| | n.c. | 1206 | R63 | Power board | 2 | - | | | | | | |
| | 826629-5 | THT | X10 | AUX PS | 1 | - | | | | | | |
| | 282836-2 | THT | X2 | Power board | 2 | - | | | | | | |
| | SSW-105-02-S-D | THT | X20 | Arduino Shield | 1 | - | | | | | | |
| | n.c. | | ZD1, ZD2 | Power board | 4 | - | | | | | | |
| 1 | See Note 3.2 | | ZD3 | Power board | 2 | - | | | | | | |
| | | | | | | | | | | | | |

| | | | | RS Componer | nts | | TME | | | | | Pi | rice calcula | tion fo | r 1 set |
|-----|-----|-------------------------------------|----------|---------------------------|-----------------|-----|--------------------------|----------------|----------------|---------|--------|------------------|----------------------|--------------|-----------------------|
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price N | ЛОQ | тнт | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| 155 | 1 | 25MHz | 814-9550 | QCS25.0000F18 B23R | 0,217 | 10 | 25.00M-SMDHC49S | 0,373 | 2 | | 1 | RS | 0,217 € | 1 | 0,217 |
| 56 | 3 | SMAJ18A | 795-9268 | SMA6J18A-TR | 0,112 | 25 | P4SMAJ18A-DIO | 0,105 | 5 | | 3 | Farnell | 0,070 € | 5 | 0,350 |
| 57 | 1 | BZX384-C4V3 | 508-696 | BZX384-C4V3 | 0,013 | 100 | BZT52C4V3-DIO | 0,019 | 25 | | 1 | RS | 0,013 € | | 0,013 |
| 58 | | BZX384-C15.115 | 802-4568 | MM3Z15VST1G | | | BZX384-C15.115 | 0,019 | | | 2 | RS | 0,013 € | | 0,02 |
| | | PDZ6.2B | | PDZ6.2B,115 | | | PDZ6.2B | 0,019 | | | 2 | RS | 0,014 € | | 0,02 |
| 60 | 2 | P4SMAJ48A | 687-3286 | SMAJ48A | 0,098 | 25 | P4SMAJ48A-DIO | 0,102 | 5 75 | | 2 | RS | 0,098 € | 2 | 0,19 181,20 |
| 61 | | AUX PS 230 V protection | | 000 470 | 2.070 | 40 | 000 470 | 4.450 | 4 | 4 | | Dieileer | 4.070.6 | 4 | 4.07 |
| 01 | | CG2-470L S20K250 | | CG2-470L B72220S0251K1 | 2,279 0,745 | | CG2-470L SIOV-S20K250 | 1,450 0,524 | | 1 | | Digikey TME | 1,270 € 0,524 € | | 1,27 |
| 62 | 2 | 320K230 | 209-7301 | 01 | 0,745 | 5 | 310V-320K230 | 0,324 | ' | 2 | | IIVIE | 0,524 € | 2 | 1,04 |
| 63 | 2 | 1.5KE400CA | 486-4381 | 1.5KE400CA | 0,781 | 5 | 1.5KE400CA | 0,256 | 3 3 | 2 49 | 695 | TME | 0,256 € | 3 | 0,76 3,09 |
| | | Not installed | | | | | | | | | | | | | |
| | 1 | 1u | | | | | - | | | | 2 | | | | |
| | 2 | 100n | | | | | - | | | | 4 | | | | |
| | 1 | n.c. | | | | | | | | | 2 | | | | |
| | | n.c. | | | | | | | | | | | | | |
| | | 1n | | | | | | | | | 8 | | | | |
| | | n.c. | | | | | - | | | | 2 | | | | |
| | 2 | 2m2 | | | | | - | | | 4 | | | | | |
| | 1 | n.c. | | | | | | | | | | | | | |
| | 5 | 100n | | | | | - | | | | 5 | | | | |
| | 4 | STPS15H100 | | | | | - | | | | 8 | | | | |
| | 2 | 60R@100MHz | | | | | - | | | | 2 | | | | |
| | 2 | S1751-46R | | | | | - | | | | 4 | | | | |
| | | TPD4E002DRLR TPD2E001DZDR | | | | | - | | | | 1 1 | | | | |
| | 1 | ADUM3160BRWZ | | | | | - | | | | 1 | | | | |
| | 1 | 901210762 | | | | | - | | | 1 | | | | | |
| | 1 | 12K | | | | | - | | | | 2 | | | | |
| | 2 | n.c. | | | | | - | | | | 4 | | | | |
| | | n.c. | | | | | | | | | 1 | | | | |
| | | 22R | | | | | - | | | | 2 | | | | |
| | | n.c. | | | | | - | | | | 2 | | | | |
| | | 826629-5 | | | | | - | | | 1 | | | | | |
| | | 282836-2 | | | | | - | | | 2 | | | | | |
| | | SSW-105-02-S-D n.c. | | | | | - | | | 1 | 1 | | | | |
| | | See Note 3.2 | | | | | - | | | | 4 2 | | | | |
| | | GGG NOIG J.Z | | | | | = | | | | | | | | |
| | 2 | Power module AC input 2200uF 63V | 862-3229 | UVR1H222MHD | 2,156 | 1 | UVR1H222MHD | 1,100 | 1 | | | | | | |

| | | | | oject source code a | тирс | 5.77 giti 100.0011 | Farnell / Element | ·4.4 | Digi-K | 01/ | Mouse | P | |
|-----|---|--|---|----------------------------------|--------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-----------------|---|
| | | | | | Qty | | ramen / Liemen | | _ | | Wiouse | | |
| Qty | Part name | Package | Reference designator | Board name | , | Code | Part Number | Unit price € MOQ | Part Number | Unit price € MOC | Part Number | Unit price € | N |
| | Option #1: UVZ1H222MHD | THT, solder on bottom layer! | C4, C5 | Power board | 0 | 1822570 | UVZ1H222MHD | 2,420 1 | UVZ1H222MHD | 1,500 | UVZ1H222MHD | 1,690 | |
| | Option #2: UVZ1J222MHD | THT, solder on bottom layer! | C4, C5 | Power board | 0 | 1822575 | UVZ1J222MHD | 2,420 1 | UVZ1J222MHD | 2,210 | UVZ1J222MHD | 2,780 | |
| 4 | STPS15H100 | TO-252 | D1, D2, D3, D4 | Power board | 8 | 2344052 | STPS15H100CB- TR | 1,070 1 | STPS15H100CB | 0,900 | STPS15H100CB | 0,896 | |
| 1 | 12K 1% | 1206 | R1 | Power board | 2 | 1100220 | WCR1206-12KFI | 0,026 10 | RC1206FR- 0712KL | 0,090 | RC1206FR- 0712KL | 0,091 | |
| 1 | 282836-2 | THT, Terminal Block | X2 | Power board | 2 | 3089034 | 282836-2 | 0,452 1 | 282836-2 | 0,830 | 282836-2 | 0,385 | |
| 1 | INDEL TST450/014 | - | Transformer: toroidal; 450VA; 230VAC; 2x40V; 2x5.62A; 4kg | Enclosure | 1 | - | | | VPT100-5000 | 81,040 | VPM100-5000 | 129,850 | |
| | Other | - | | | | Leavence | | | I | 0.000 | 1,,,,,,,, | | ļ |
| | BS-244DSM-R | Binding post 4mm, red | J1, J4 | Arduino Shield | | 1815818 | TP1 RED | 3,100 1 | CT2232-2 | 3,690 | 164-4205 | 2,220 | |
| | BS-244DSM-G | Binding post 4mm, green | J2 | Arduino Shield | 1 | 1815820 | TP1 GREEN | 3,190 1 | CT2232-5 | 3,690 | 164-4204 | 2,220 | |
| | BS-244DSM-B | Binding post 4mm, black | J3, J5 | Arduino Shield | 2 | 1815819 | TP1 BLACK | 3,330 1 | CT2232-0 | 3,690 | 164-4201 | 2,220 | |
| 1 | | Power module 48VDC; 3.3A | | Power board | 2 | - | | | - | | LRS-150-48 | 23,980 | |
| | LRS-150F-48 | Power module 48VDC; 3.3A (auto-range) | | Power board | 0 | - | | | - | | LRS-150F-48 | 28,190 | l |
| 1 | TFF-M3X40/DR124 | 40 mm metal spacer, M3 (a pair is required for dual channel) | | Power board | 2 | - | | | | | | | |
| | Heatsink 70 x 120 mm | (Heatsink included with Varisom enclosure) | | Power board | 0 | - | | | - | | - | | |
| 4 | Screwed spacer sleeve; M3; 6 mm | Dremec 213x6 | | Power board | 8 | - | | | | | | | |
| | 12V fan 60x60mm | | | Enclosure | 1 | - | | | - | | - | | L |
| | FSP-2 | Fastener for fan | | Enclosure | 4 | - | | | - | | - | | |
| | FG-06 | Finger guard, 60x60mm, metal | | Enclosure | 1 | 2292912 | MC32696 | 0,567 1 | - | | - | | |
| | Screwed spacer sleeve; hexagonal | 14 mm, M3 | | AUX PS | 5 | 1466812 | 05.03.143 | 0,397 4 | | | | | |
| | Schurter 4304.6090 | C14 IEC inlet, switch, 2 fuse drawer is included | | Enclosure | 1 | 2080294 | 4304.6090 | 9,960 1 | 4304.6090 | 12,230 | 4304.6090 | 9,630 | |
| | Arduino Due | | | Arduino Shield | 1 | 2250861 | A000062 | 40,660 1 | | | | | |
| | 3.2" TFT LCD Screwed spacer sleeve; | Extend binding post for PCB | | Arduino Shield Arduino Shield | 1 9 | - | | | | | | | |
| 4 | M5; 8mm; brass Spacer sleeve; 5mm; cylindrical; brass | mounting 5 mm between TFT display and front panel | | Arduino Shield | 4 | 1733405 | D01475 | 0,106 10 | | | | | |
| 4 | Screwed spacer sleeve; | 11 mm between TFT display and PCB | | Arduino Shield | 4 | 2494576 | 05.03.111 | 0,332 10 | | | | | |
| 4 | Plastic washer; round; M3 | | | Arduino Shield | 4 | - | | | | | | | |
| 12 | Light pipe for LED | Round; Ø3mm; Front: convex; straight | | Arduino Shield | 12 | 2293496 | PLP2-500 | 0,824 1 | PLP2-500 | 0,658 | PLP2-500 | 0,515 | |
| 1 | 0.4 mm thermal silicone pad | for Q4 | | Power board | 2 | | | 1 | | | | | |

| | | | | | | | | ource code at r | mps./ | //giti iu | D.COIII/6 | ez-open | | | |
|---|-----|---|----------|---------------------|-----------------|-----|----------------------------------|-----------------|-------|-----------|-----------|------------------|----------------------|--------------|-----------------------------------|
| | | | | RS Componer | nts | | TME | | | | | Pı | rice calcula | tion fo | r 1 set |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price M | 10Q | THT | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| | | Option #1: UVZ1H222MHD | 845-4755 | UVZ1H222MHD | 1,218 | 5 | UVZ1H222MHD | 0,973 | 1 | | | | · | | |
| | | Option #2: UVZ1J222MHD | 862-1759 | UVZ1J222MHD | 2,814 | 1 | UVZ1J222MHD | 1,593 | 1 | 4 | | TME | 1,593 € | 4 | 6,372 |
| | 4 | STPS15H100 | 795-9075 | STPS15H100CB -TR | 0,924 | 5 | - | | | | 8 | Mouser | 0,896 € | 8 | 7,168 |
| | 1 | 12K 1% | 223-2401 | CRG1206F12K | 0,008 | 50 | RC1206JR-0712K | 0,006 1 | | | 2 | TME | 0,006 € | | 0,013 |
| | 1 | 282836-2 INDEL TST450/014 | 361-7667 | 282836-2 | 0,414 | 5 | 282836-2 TST450/014 | , | 1 | 1 | | TME TME | 0,280 € 36,500 € | 1 | 0,560 36,500 50,61 € |
| | | Other | | | | | | | | | | | | | |
| | 2 | BS-244DSM-R | 738-351 | 930103101 | 3,136 | 1 | BS-244DSM-R | 1.160 | 1 | _ | | TME | 1,160 € | 2 | 2,320 |
| | 1 | BS-244DSM-G | 738-389 | 930103104 | 3,542 | 1 | BS-244DSM-G | , | 1 | - | | TME | 1,160 € | 1 | 1,160 |
| | 2 | BS-244DSM-B | 738-345 | 930103100 | 3,136 | 1 | BS-244DSM-B | , | 1 | - | | TME | 1,160 € | 2 | 2,320 |
| | 1 | MEAN WELL LRS-150-48 | - | | | | LRS-150-48 | 15,100 | 1 | - | | TME | 15,100 € | 2 | 30,200 |
| | | Option #1: MEAN WELL LRS-150F-48 | - | | | | LRS-150F-48 | 18,000 | 1 | - | | | | | |
| | 1 | TFF-M3X40/DR124 | - | | | | TFF-M3X40/DR124 | 0,156 | 10 | - | | TME | 0,156 € | 10 | 1,558 |
| | | Heatsink 70 x 120 mm | - | | | | RAD-A4463/120 | 1,370 | 1 | - | | | | | 0,000 |
| | 4 | Screwed spacer sleeve; M3; 6 mm | | | | | TFM-M3X6/DR213 | 0,089 | 10 | - | | TME | 0,089 € | 10 | 0,891 |
| | 1 | 12V fan 60x60mm | - | | | | MB60251V1-G99 | , | 1 | - | | TME | 2,590 € | 1 | 2,590 |
| | 4 | FSP-2 | - | | | | FSP-2 | | 5 | - | | TME | 0,140 € | 1 | 0,140 |
| | 1 | FG-06 | - | | | | FG-06 | -, | 1 | - | | TME | 0,513 € | 1 | 0,513 |
| | 5 | Screwed spacer sleeve; hexagonal | | | | | B3X14/BN3320 | ŕ | 10 | - | | TME | 0,309 € | 10 | 3,094 |
| | 1 | Schurter 4304.6090 | 867-7308 | 4304.6090 | 10,000 | 1 | 4304.6090 | 2,.22 | 1 | - | | TME | 5,190 € | 1 | 5,190 |
| | 1 | Arduino Due | 769-7412 | A000062 | 33,680 | 1 | Itead/Eckstein | 19,480 | | - | | TME | 19,480 € | 1 | 19,480 |
| | 9 | 3.2" TFT LCD Screwed spacer sleeve; M5; 8mm; brass | | | | | Itead/Eckstein TFM-M5X8/DR218 | 12,140 0,200 | 10 | - | | TME | 12,140 € 0,200 € | 1 10 | 12,140 1,998 |
| | 4 | Spacer sleeve; 5mm; cylindrical; brass | | | | | DR316/3.2X5 | 0,057 | 10 | - | | TME | 0,057 € | 10 | 0,570 |
| | 4 | Screwed spacer sleeve; hexagonal; polyamide; M3 | | | | | - | 0,128 | | - | | TME | 0,128 € | | 1,280 |
| | 4 | Plastic washer; round; M3 | | | | | B3/BN1074 | 0,008 1 | 100 | - | | TME | 0,008 € | 100 | 0,790 |
| | 12 | Light pipe for LED | 713-4728 | PLP2-500 | 0,809 | 5 | PLP2-625 | 0,490 | 5 | - | | TME | 0,490 € | 15 | 7,355 |
| | 1 | 0.4 mm thermal silicone pad | | | | | SMICA-SOT93 | • | 10 | - | | Farnell | 0,000 € | 20 | 0,000 |

| | | | | jeer source code d | 7 | | Farnell / Elemen | t14 | Digi-Ke | ey | Mouse | r |
|-----|--|--|-------------------------------|--------------------|-----|---------|------------------|----------------|-------------|----------------|-------------|----------------|
| # 0 | ty Part name | Dookogo | Reference designator | Poord name | Qty | Codo | Part Number | Unit price MOQ | Part Number | Unit price MOQ | Part Number | Unit price MOQ |
| # Q | ty Part name | Package | Reference designator | Board name | | Code | Part Number | Ė MOQ | Part Number | € MOQ | Part Number | Ė MOQ |
| | 1 5 mm thick thermal silicone pad (20 x 75 mm) | Mounted below power pre- regulator | Search AliExpress, eBay, etc. | Power board | 2 | | | | | | | |
| | 1 Custom enclosure | | | Enclosure | 1 | - | | | | | | |
| | 1 PCB+PCBA | | | Enclosure | 1 | - | | | | | | |
| | | | | | | | | | | | | |
| | Nuts & bolts | | | | | | | | | | | |
| _ 2 | BS-244DSM-R | Binding post 4mm, red | J1, J4 | Arduino Shield | 2 | 1815818 | 2,12 | 4,240 | | | | |
| | 1 BS-244DSM-G | Binding post 4mm, green | J2 | Arduino Shield | 1 | 1815820 | 2,17 | 2,170 | | | | |
| | 2 BS-244DSM-B | Binding post 4mm, black | J3, J5 | Arduino Shield | 2 | 1815819 | 2,11 | 4,220 | | | | |
| | 1 12V fan 60x60mm | _ , , , , | | Enclosure | 1 | - | | | | | | |
| | 1 FSP-2 | Fastener for fan | | Enclosure | 4 | - | 0.450 | 0.450 4 | | | | |
| | 1 FG-06 | Finger guard, 60x60mm, meta | | Enclosure | 1 | 2292912 | 0,453 | 0,453 1 | | | | |
| 2 | 2 M3x5 countersunk, black finish | Rear and front panel | | Enclosure | 2 | | | | | | | |
| 2 | 2 M3x5 countersunk, black finish | AC/DC mounting rail | | Enclosure | 2 | | | | | | | |
| | 2 M3x5 countersunk, black finish | | | Enclosure | 2 | | | | | | | |
| 8 | 3 M3x5 countersunk, black finish | Power board top and bottom plate mounting | | Power board | 16 | | | | | | | |
| | | | | | 22 | - | | | | | | |
| | 4 144.0 | Front and the aller | | English | | | | | | | | |
| | 4 M4x6 | Front panel handles | | Enclosure | 4 | - | | | | | | |
| | 1 Washer externally serrated M3, D=6mm | Earth connection | | Enclosure | 1 | | | | | | | |
| | 1 Washer externally serrated M3, D=6mm | Q4 mounting to heatsink | | Power board | 2 | | | | | | | |
| | ., | | | | 3 | 7096471 | 0,013 | 0,013 | | | | |
| | 1 M3x12, cheese head | Q4 mounting to heatsink | | Power board | 2 | _ | | | | | | |
| | Washer M3, 8mm | Enclosure feet | | Enclosure | 4 | _ | | | | | | |
| | 5 M3x8, black finish | AUX PS mounting, ext | | AUX PS | 5 | | | | | | | |
| | 3 M3x8, black finish | Top and bottom plates | | Enclosure | 8 | | | | | | | |
| | 1 M3x8, black finish | AC/DC mounting rail | | Power board | 2 | | | | | | | |
| 4 | M3x8, black finish | Power board heatsink | | Power board | 8 | | | | | | | |
| | | | | | 23 | - | | | | | | |
| | | | | | | | | | | | | |
| | 5 M3x5 | AUX PS mounting, int | | AUX PS | 5 | | | | | | | |
| - 2 | 2 M3x5 | AC/DC mounting rail | | Power board | 4 | | | | | | | |
| | | | | | 9 | - | | | | | | |
| | 1 TFF-M3X40/DR124 | 40 mm metal spacer, M3 (a pair is required for dual channel) | | Power board | 2 | - | | | | | | |
| 4 | Screwed spacer sleeve; hexagonal | 14 mm, M3 | | AUX PS | 4 | 1466812 | 0,326 | 1,304 | | | | |
| 9 | 9 Screwed spacer sleeve; M5; 8mm; brass | Extend binding post for PCB mounting | | Arduino Shield | 9 | - | | | | | | |
| | -, - , | | | | | | | | | | | |

| | | | | DS Company | nte | TME | urce code at mips | g.c.rus | | | rico colouda | tion fo | r 1 cot |
|---|-----|--|------|-------------|------------------|--------------------|-------------------|---------|-----|------------------|----------------------|--------------|-------------|
| | | | | RS Compone | | | | | | | rice calcula | | i Set |
| # | Qty | Part name | Code | Part Number | Unit price MOQ € | Code / Part Number | Unit price MOQ € | THT | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| | 1 | 5 mm thick thermal silicone pad (20 x 75 mm) | | | | | | - | | | | | |
| | 1 | Custom enclosure | | | | | | - | | | | | |
| | 1 | PCB+PCBA | | | | | | - | | | | | 02.50.6 |
| | | | | | | | | | | | | | 93,59 € |
| | | Nuts & bolts | | | | | | | | | | | |
| | 2 | BS-244DSM-R | | | | BS-244DSM-R | 1,120 | | | TME | 1,120 € | 2 | 2,240 |
| | 1 | BS-244DSM-G | | | | BS-244DSM-G | 1,120 | | | TME | 1,120 € | 1 | 1,120 |
| | | BS-244DSM-B | | | | BS-244DSM-B | 1,140 | | | TME | 1,140 € | 2 | 2,280 |
| | 1 | 12V fan 60x60mm | | | | MB60251V1-G99 | 4,110 | | | TME | 4,110 € | | 0,000 |
| | | FSP-2 | | | | FSP-2 | 0,140 | | | TME | 0,140 € | | 0,000 |
| | 1 | FG-06 | | | | FG-06 | 0,513 | | | Farnell | 0,453 € | 1 | 0,453 |
| | 2 | M3x5 countersunk, black finish | | | | | | | | | | | |
| | 2 | M3x5 countersunk, black finish | | | | | | | | | | | |
| | 2 | M3x5 countersunk, black finish | | | | | | | | | | | |
| | 8 | M3x5 countersunk, black finish | | | | | | | | | | | |
| | | | | | | M3X5/D965B | 0,013 | | | TME | 0,013 € | 22 | 0,291 |
| | 4 | M4x6 | | | | B4X6/BN3334 | 0,014 | | | TME | 0,014 € | | 0,000 |
| | 1 | Washer externally serrated M3, D=6mm | | | | | | | | | | | |
| | 1 | Washer externally serrated M3, D=6mm | | | | | | | | | | | |
| | | | | | | B3/BN789 | 0,008 | | | TME | 0,008 € | 3 | 0,025 |
| | 1 | M3x12, cheese head | | | | B3X12/BN272 | 0,026 | | | TME | 0,026 € | 2 | 0,051 |
| | 4 | Washer M3, 8mm | | | | B8X0.4/BN806 | 0,026 | | | TME | 0,026 € | | 0,103 |
| | 5 | M3x8, black finish | | | | 20.10. 1/2/1000 | 0,020 | | | | 0,020 C | r | 0,100 |
| | 8 | M3x8, black finish | | | | | | | | | | | |
| | 1 | M3x8, black finish | | | | | | | | | | | |
| | | M3x8, black finish | | | | | | | | | | | |
| | | , | | | | M3X8/D7985B | 0,019 | | | TME | 0,019€ | 23 | 0,426 |
| | 5 | M3x5 | | | | | | | | | | | |
| | | M3x5 | | | | | | | | | | | |
| | _ | oxe | | | | M3X5/D7985 | 0,013 | | | TME | 0,013 € | 9 | 0,114 |
| | 1 | TFF-M3X40/DR124 | | | | TFF-M3X40/DR124 | 0,156 | | | TME | 0,156 € | 2 | 0,312 |
| | 4 | Screwed spacer sleeve; | | | | B3X14/BN3320 | 0,309 | | | TME | 0,309 € | 4 | 1,238 |
| | 9 | hexagonal Screwed spacer sleeve; | | | | TFM-M5X8/DR218 | 0,187 | | | TME | 0,187 € | 9 | 1,681 |
| | | M5; 8mm; brass | | | | | | | | | | | |

| | | | | | | | Farnell / Elemen | it14 | Digi-K | ey | | Mouse | r | |
|-------|--|--|---|----------------|------|---------|------------------|----------------|-------------|-----------------|------|-----------------|-----------------|-----|
| # Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price MOQ | Part Number | Unit price € | OQ F | Part Number | Unit price € | MOQ |
| 4 | Spacer sleeve; 5mm; cylindrical; brass | 5 mm between PCB and heatsink | | Power board | 8 | 1733405 | 0,0652 | 0,522 | | | | | | |
| 4 | ??? | Speacer between display and Arduino shield | | Arduino Shield | 4 | | | 0,000 | | | | | | |
| 12 | Light pipe for LED | Round; Ø3mm; Front: convex; straight | | Arduino Shield | 12 | 2293496 | 0,636 | 7,632 | | | | | | |
| 1 | Schurter 4304.6090 | C14 IEC inlet, switch, 2 fuse drawer is included | | Enclosure | 1 | 2080294 | 8,65 | 8,650 | | | | | | |
| 2 | 4A Fuse | | | AUX PS | 2 | - | | | | | | | | |
| 0,06 | CB-HFT50.8/1M-BL | Heat shrink sleeve; 2:1, 50.8mm | | AUX PS | 0,06 | - | | | | | | | | |
| 0,09 | Thermal pad 5mm | | eBay, AliExpress | Power board | 0,17 | - | | | | | ļ | | | |
| | Wire harness | | | | | | | | | <u>.</u> | | | | |
| | 10K NTC | Main temperature sensor | | Arduino Shield | 1 | 1187031 | | 0,271 | | _ | | | | |
| | 39-01-4030 | Receptacle for X1 | DC power input | Power board | 2 | 9963480 | 39-01-4030 | | 39-01-4030 | 0,300 | | -01-4030 | 0,292 | |
| | 39-01-4050 | Receptacle for X4 | AC power input | AUX PS | 1 | 9963502 | 39-01-4050 | | 39-01-4050 | 0,360 | | -01-4050 | 0,358 | |
| | 22-01-2035 | Receptacle for X6 | Cooling fan | AUX PS | 1 | 143127 | 22-01-2035 | 0,192 10 | 22-01-2035 | 0,310 | 22- | -01-2035 | 0,290 | |
| 2 | NSR-08 | Receptacle for X8, X18 | Ethernet cable | AUX PS | 2 | | | | | | | | | |
| 3 | 39-00-0078 | Pins for X1 | DC power input | Power board | 6 | | | | | | | | | |
| 5 | 39-00-0078 | Pins for X4 | AC power input | AUX PS | 5 | | | | | | | | | |
| | | | | | 11 | 9732675 | 39-00-0078 100pc | 13,300 1 | 39-00-0078 | 0,144 | 39- | -00-0078 | 0,112 | |
| 3 | 08-50-0114 | Pins for X6 | Cooling fan | AUX PS | 3 | | | | | | | | | |
| 2 | 08-50-0114 | Pins for X17 | MAIN temperature sensor | Arduino board | 2 | | | | | | | | | |
| | | | ' | | | 2063734 | 08-50-0114 | 0,030 10 | 08-50-0114 | 0,170 | 08- | -50-0114 | 0,141 | |
| 21 | NDR-T | Contact; female; 28÷22AWG; NSR/NDR; tinned | X8, X18 | Arduino Shield | 21 | 1022219 | M20-1180042 | 0,064 100 | 952-2158-ND | 0,130 | | 5-M20- 80042 | 0,127 | 1 |
| 1 | | Ring terminal; M4; 1÷2.5mm2 | | Enclosure | 1 | - | | | | | | | | |
| 4 | ST-003/05-20T | Female quick disconnect | AC switch patch cables | Enclosure | 4 | | | | | | | | | |
| 1 | ST-003/05-20T | Female quick disconnect | AC inlet Earth (Side B) | Enclosure | 1 | | | | | | | | | |
| 2 | ST-003/05-20T | Female quick disconnect | Lower AC/DC module power input (Side B) | Enclosure | 2 | | | | | | | | | |
| 1 | ST-003/05-20T | Female quick disconnect | Cable set #1 | Arduino board | 1 | | | | | | | | | |
| | | | | | 8 | 2060332 | 5-160433-6 | 0,063 50 | | | | | | |
| 2 | H1.5/14D/BK | Bootlace ferrule; insulated, 1.5mm2 | Cable set #1 | Enclosure | 2 | | | | | | | | | |
| 4 | H1.5/14D/BK | Bootlace ferrule; insulated, 1.5mm2 | Cable set #2 | Enclosure | 4 | | | | | | | | | |
| | | | | | 6 | 9972307 | E1508-RED | 0,028 100 | | | | | | |
| 2 | H1.5/16D2/BK | Bootlace ferrule, twin entry; insulated, 1.5mm2 | Cable set #1 | Enclosure | 2 | | | | | | | | | |

| | | | | | | | ource code at nπps | .//gitriub.com | _ | | | |
|-------|--|----------|---------------------|-----------------|-----|--------------------|--------------------|----------------|------------------|----------------------|--------------|-------------|
| | | | RS Compone | nts | | TME | | | P | rice calcula | tion fo | r 1 set |
| # Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price MOQ | THT SME | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| 4 | Spacer sleeve; 5mm; cylindrical; brass | | | | | DR316/3.2X5 | 0,057 | | TME | 0,057 € | 8 | 0,456 |
| 4 | ??? | | | | | | | | Farnell | 0,000 € | 4 | 0,000 |
| 12 | Light pipe for LED | | | | | PLP2-625 | 0,764 | | TME | 0,764 € | 12 | 9,173 |
| 1 | Schurter 4304.6090 | | | | | 4304.6090 | 3,594 | | TME | 3,594 € | 1 | 3,594 |
| 2 | 4A Fuse | | | | | ZKT-4A | 0,095 10 | | TME | 0,095 € | 2 | 0,189 |
| | CB-HFT50.8/1M-BL | | | | | CB-HFT50.8/1M-BL | 1,241 | | TME | 1,241 € | 1 | 1,241 |
| 0.09 | Thermal pad 5mm | | | | | | | | | | | 0,000 |
| | · | | | | | ı | | ı | ı | | | 24,99 € |
| | Wire harness | | | | | 1 | | ı | _ | | | |
| 1 | 10K NTC | E40.000E | 00.04.4000 | 0.000 | _ | NTCLE100E3103JB0 | 0,269 | | TME | 0,269 € | 1 | 0,269 |
| 1 | 39-01-4030 | 510-9685 | 39-01-4030 | 0,232 | 5 | MX-5557-03R2 | 0,132 5 | - | TME | 0,132 € | 2 | 0,264 |
| 1 | 39-01-4050 | 510-9708 | 39-01-4050 | 0,188 | 5 | MX-5557-05R2 | 0,240 2 | - | RS | 0,188 € | 1 | 0,188 |
| 1 | 22-01-2035 | 296-4940 | 22-01-2035 | 0,204 | 5 | MX-6471-031 | 0,050 10 | - | TME | 0,050 € | 1 | 0,050 |
| | NSR-08 | | | | | NSR-08 | 0,087 10 | - | | | | |
| 3 | 39-00-0078 | | | | | | | | | | | |
| 5 | 39-00-0078 | | | | | | | | | | | |
| | | 215-5887 | 39-00-0078 100pc | 14,100 | 1 | MX-5556-T3L | 0,074 10 | - | TME | 0,074 € | 11 | 0,816 |
| 3 | 08-50-0114 | | | | | | | | | | | |
| | 08-50-0114 | | | | | | | | Farnell | 0,000 € | | |
| _ | 00 00 0114 | 172-9178 | 08-50-0114 | 0,085 | 100 | MX-0850-0114 | 0,047 10 | - | Farnell | 0,030 € | 5 | 0,150 |
| | | 172 3170 | 00 00 0114 | 0,000 | 100 | W/X 0000 0114 | 0,047 10 | | 1 diffeli | 0,000 C | J | 0,100 |
| 21 | NDR-T | 681-2887 | 122-4777 | 0,041 | 100 | NDR-T | 0,027 25 | | TME | 0,027 € | 21 | 0,566 |
| 1 | | | | | | 3804/M.05.00.9 | 0,025 20 | | TME | 0,025 € | | 0,000 |
| 4 | ST-003/05-20T | | | | | | | - | | | | 0,000 |
| 1 | ST-003/05-20T | | | | | | | - | | | | 0,000 |
| 2 | ST-003/05-20T | | | | | | | - | | | | 0,000 |
| 1 | ST-003/05-20T | | | | | | | | | | | |
| | | | | | | ST-003/05-20 | 0,051 | - | TME | 0,051 € | 8 | 0,406 |
| 2 | H1.5/14D/BK | | | | | | | | | | | |
| 4 | H1.5/14D/BK | | | | | | | | | | | |
| | | | | | | H1.5/14D/BK | 0,024 20 | - | TME | 0,024 € | 6 | 0,141 |
| | | | | | | | | | | | | |
| 2 | H1.5/16D2/BK | | | | | | | | | | | |

| | | | Farnell / Element14 | | nt14 | Digi-Key | | | | Mouser | | | | |
|------|----------------------------|--|-------------------------------------|------------|------|----------|-------------|----------------|-------------|-----------------|-----|-------------|-----------------|----|
| Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price MOQ | Part Number | Unit price € | MOQ | Part Number | Unit price € | OQ |
| 3 | H1.5/16D2/BK | Bootlace ferrule, twin entry; insulated, 1.5mm2 | Cable set #2 | Enclosure | 3 | | | | | | | | | |
| | | | | | 5 | 1121754 | 9037470000 | 0,112 100 | | | | | | |
| 1 | Cat5E cable, stranded wire | | Ethernet cable | Enclosure | 1 | 1734894 | PS11029 | 1,120 1 | | | | | | |
| 0,09 |) LGY1.5/10-BR | Insulated wire, stranded, brown, 1.5 mm2 | AC switch patch cables | Enclosure | 0,09 | | | | | | | | | |
| 0,2 | LGY1.5/10-BR | Insulated wire, stranded, brown , 1.5 mm2 | Lower AC/DC module power input | Enclosure | 0,2 | | | | | | | | | |
| 0,0 | ' LGY1.5/10-BR | Insulated wire, stranded, brown, 1.5 mm2 | Upper AC/DC module power input | Enclosure | 0,07 | | | | | | | | | |
| 0,1 | LGY1.5/10-BR | Insulated wire, stranded, brown, 1.5 mm2 | AUX PS module power input | Enclosure | 0,11 | | | | | | | | | |
| | | | | | 0,47 | 1764967 | 6716 BR005 | 0,757 31 | | | | | | |
| 0,09 |) LGY1.5/10-BL | Insulated wire, stranded, blue , 1.5 mm2 | AC switch patch cables | Enclosure | 0,09 | | | | | | | | | |
| 0,2 | LGY1.5/10-BL | | Lower AC/DC module power input | Enclosure | 0,2 | | | | | | | | | |
| 0,0 | ' LGY1.5/10-BL | | Upper AC/DC module power input | Enclosure | 0,07 | | | | | | | | | |
| 0,1 | LGY1.5/10-BL | Insulated wire, stranded, blue , 1.5 mm2 | AUX PS module power input | Enclosure | 0,11 | | | | | | | | | |
| | | | | | 0,47 | 1764966 | 6716 BL005 | 0,779 31 | | | | | | |
| 0,4 | LGY1.5/10-RD | Insulated wire, stranded, red , 1.5 mm2 | Cable set #1, Power board X1 cable | Enclosure | 0,4 | | | | | | | | | |
| 0,33 | 3 LGY1.5/10-RD | Insulated wire, stranded, red , 1.5 mm2 | Cable set #2, Power board X1 cable | Enclosure | 0,33 | | | | | | | | | |
| | | | | | 0,73 | 1764971 | 6716 RD005 | 0,740 31 | | | | | | |
| 0,4 | LGY1.5/10-BK | Insulated wire, stranded, black, 1.5 mm2 | Cable set #1, Power board X1 cable | Enclosure | 0,4 | | | | | | | | | |
| 0,33 | 3 LGY1.5/10-BK | Insulated wire, stranded, black, 1.5 mm2 | Cable set #2, Power board X1 cable | Enclosure | 0,33 | | | | | | | | | |
| | | | | | 0,73 | 1764965 | 6716 BK005 | 0,583 31 | | | | | | |
| 0,4 | GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Cable set #1, Power board X1 cable | Enclosure | 0,4 | | | | | | | | | |
| 0,0 | ' GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Cable set #1, AC/DC module Earth | Enclosure | 0,07 | | | | | | | | | |
| 0,17 | ' GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Chassis Earth | Enclosure | 0,17 | | | | | | | | | |
| 0,5 | GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Arduino Shield Earth | Enclosure | 0,5 | | | | | | | | | |
| 0,33 | 3 GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Cable set #2, Power board X1 cable | Enclosure | 0,33 | | | | | | | | | |
| 0,1 | 5 GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | Cable set #2, AC/DC module Earth | Enclosure | 0,15 | | | | | | | | | |
| 0,1 | 5 GY1.5/10-YL/GR | Insulated wire, stranded, green-yellow, 1.5 mm2 | AUX PS module Earth | Enclosure | 0,15 | | | | | | | | | |
| | | | | | 1,77 | 1764969 | 6716 GY005 | 0,818 31 | | | | | | |

| | | | Project source code at https://www.news.news.news.news.news.news.news.n | | | | | | | s.//gitriu | D.COM/6 | | | | | | |
|---|------|----------------------------|---|-------------|-----------------|-----|--------------------|-----------------|-----|------------|---------|-----------------------------|----------------------|--------------|-------------|--|--|
| | | | RS Components | | | | TME | | | | | Price calculation for 1 set | | | | | |
| # | Qty | Part name | Code | Part Number | Unit price € | MOQ | Code / Part Number | Unit price € | MOQ | THT | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € | | |
| | 3 | H1.5/16D2/BK | | | | | | | | | | | | | | | |
| | | | | | | | H1.5/16D2/BK | 0,047 | 10 | | | TME | 0,047 € | 5 | | | |
| | 1 | Cat5E cable, stranded wire | | | | | CA00600.00C01 | 6,800 | 1 | - | | Farnell | 1,120 € | 1 | 1,120 | | |
| | 0,09 | LGY1.5/10-BR | | | | | | | | | | | | | | | |
| | 0,2 | LGY1.5/10-BR | | | | | | | | | | | | | | | |
| | 0,07 | LGY1.5/10-BR | | | | | | | | | | | | | | | |
| | 0,11 | LGY1.5/10-BR | | | | | | | | | | | | | | | |
| | | | | | | | LGY1.5/10-BR | 0,620 | 10 | - | | TME | 0,620 € | 0 | 0,291 | | |
| | 0,09 | LGY1.5/10-BL | | | | | | | | | | | | | | | |
| | 0,2 | LGY1.5/10-BL | | | | | | | | | | | | | | | |
| | 0,07 | LGY1.5/10-BL | | | | | | | | | | | | | | | |
| | 0,11 | LGY1.5/10-BL | | | | | | | | | | | | | | | |
| | | | | | | | LGY1.5/10-BL | 0,620 | 10 | - | | TME | 0,620 € | 0 | 0,291 | | |
| | 0,4 | LGY1.5/10-RD | | | | | | | | | | | | | | | |
| | 0,33 | LGY1.5/10-RD | | | | | | | | | | | | | | | |
| | | | | | | | LGY1.5/10-RD | 0,620 | 10 | - | | TME | 0,620 € | 1 | 0,453 | | |
| | 0,4 | LGY1.5/10-BK | | | | | | | | | | | | | | | |
| | 0,33 | LGY1.5/10-BK | | | | | | | | | | | | | | | |
| | | | | | | | LGY1.5/10-BK | 0,620 | 10 | - | | Farnell | 0,583 € | 1 | 0,425 | | |
| | 0,4 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,07 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,17 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,5 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,33 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,15 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | 0,15 | GY1.5/10-YL/GR | | | | | | | | | | | | | | | |
| | | | | | | | GY1.5/10-YL/GR | 0,620 | 10 | - | | TME | 0,620 € | 2 | 1,097 | | |
| | | | | | | | | | | | | | | | | | |

| | | | | | | Farnell / Element14 | | | Digi-Ke | ey e | Mouser | |
|-------|-------------------|--|------------------------|----------------|-----|---------------------|-------------|---------------------|-------------|------------------|-------------|------------------|
| # Qty | Part name | Package | Reference designator | Board name | Qty | Code | Part Number | Unit price € MOQ | Part Number | Unit price MOQ € | Part Number | Unit price MOQ € |
| 1 | Arduino USB cable | USB micro to 5-pin receptacle cable, 30 or 50 cm | Search e.g. AliExpress | | 1 | - | | | | | | |
| 1 | FC10300-0 | Ribbon cable with IDC connectors, 30 cm | | Arduino Shield | 1 | - | | | | | | |

All prices are net prices (without VAT)

Please note that this BOM does *not* contain ordering number for parts on reels or that which include re-reeling fee.

| | | | | | | - | • | - | | • | | | |
|---|---------------|-------------------|------|-------------|----------------|--------------------|----------------|-----|-----------------------------|------------------|----------------------|--------------|-------------|
| | RS Components | | | | TME | | | | Price calculation for 1 set | | | | |
| # | Qty | Part name | Code | Part Number | Unit price MOQ | Code / Part Number | Unit price MOQ | тнт | SMD | Best Supplier | Best Line Price € | Order Qty | Line Cost € |
| | 1 | Arduino USB cable | | | | - | | - | | Farnell | 0,000 € | 1 | 0,000 |
| | | | | | | | | | | | | | |
| | 1 | FC10300-0 | | | | FC10300-0 | 1,040 1 | - | | TME | 1,040 € | 1 | 1,040 |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 7,57 € |

Total 361,04 €

PCBs 25,00 Enclosure 51,00 76,00

Estimated total: 437,04 €