

Final Exam

1. Let $U \sim \text{Unif}([0, 1])$. Find the p.d.f. of the following random variables:

(a) $X = U^2$

(b) $Y = e^U$

(c) $Z = \sqrt{U}$

(5 points for each problems)

2. Let $\{X_i\}_{i=1}^{\infty}$ be independent random variables having the exponential distribution with parameters λ .

(a) (5 points) Find the density function of $X_1 + X_2$.

(b) (10 points) Let $S_n = X_1 + \cdots + X_n$. Prove that the density of S_n is

$$f_{S_n}(s) = \frac{\lambda^n}{(n-1)!} s^{n-1} e^{-\lambda s}, \quad s > 0.$$

(c) (5 points) Consider the same S_n , and let $\bar{X}_n = S_n/n$. Calculate $E(\bar{X}_n)$ and $\text{Var}(\bar{X}_n)$.

(d) (5 points) Prove the weak law of large numbers for \bar{X}_n . That is, show that for any $\epsilon > 0$,

$$P(|\bar{X}_n - E(\bar{X}_n)| \geq \epsilon) \rightarrow 0 \text{ as } n \rightarrow \infty.$$

3. Let X, Y have the normal distribution with unit variance and zero mean, and their covariance $\rho \neq 0$.

(a) (5 points) Write down the joint density function of (X, Y) .

(b) (10 points) Let $U_\theta = X \cos \theta + Y \sin \theta$ and $V_\theta = -X \sin \theta + Y \cos \theta$, $\theta \in [0, \pi)$. Find all the possible θ such that U_θ and V_θ are independent.

4. Find the value C for the following probability density functions.

(a) (5 points) $f(x) = C(1 + x^2)^{-1}$, $x \in \mathbb{R}$.

(b) (5 points) $f(x) = C \exp(-x - e^{-x})$, $x \in \mathbb{R}$.

5. Let X and Y be independent random variables with the same c.d.f F and p.d.f. f .

(a) (5 points) What is the c.d.f. of $V = \max\{X, Y\}$?

(b) (5 points) Write down the p.d.f. of V .

(c) (10 points) Write down the p.d.f. of $Z = \min\{X, Y\}$.

6. Roll a die n times and let S_n be the number of times you roll 6 by time n . Assume

that each rolls are independent. Let $\bar{X}_n = S_n/n$.

(a) (5 points) Compute $E(S_n)$ and $\text{Var}(S_n)$.

(b) (10 points) Consider $\bar{X}_n = S_n/n$. We want to estimate $P(|\bar{X}_n - E(\bar{X}_n)| < \epsilon)$ for some small $\epsilon > 0$. Let $\Phi(x) = P(Z \leq x)$ be the c.d.f. of $Z \sim N(0, 1)$. Use central limit theorem to write down an approximation of $P(|\bar{X}_n - E(\bar{X}_n)| < \epsilon)$. (Use Φ and n to express your answer)

7. **(Bonus)** Let X be continuous with finite variance. Show that $g(a) = E(X - a)^2$ is a minimum when $a = E(X)$.

8. **(Bonus)** (Buffon's needle problem) Suppose the \mathbb{R}^2 plane was separated by infinitely many parallel lines $\{y = na\}_{n \in \mathbb{Z}}$ for some constant $a > 0$. You drop a needle of length $0 < r < a$ uniformly on the plane. We're going to estimate the probability that the needle crosses a line.

(a) Given that the needle's orientation has an angle θ to the x -axis, where $\theta \in [0, \pi)$. Then what is the probability of crossing a line?

(b) Using the result of (a), derive the probability of line crossing.