The desert pupfish (*Cyprinodon macularius*) is a species of fish found in shallow waters of desert pools and streams of northern Mexico. Desert pupfish can survive in environments of extreme salt, high temperature and low oxygen. Individual pupfish differ in the temperature extremes they can withstand.

- 4a) Before 1980, pupfish population sizes in the Sonoran Desert were stable. Between 1980 and 2010, the habitat of these pupfish was reduced by 25% because less water was available. The population size over the same time period dropped by 75%. The pupfish population and habitat area remained stable after 2010.
 - i) What happened to the <u>density</u> of the pupfish between 1980–2010? **Briefly** justify your answer. (2 marks)
 - ii) What happened to the <u>carrying capacity</u> of the pupfish's habitat between 1980–2010? **Briefly** justify your answer. (2 marks)

Many populations of desert pupfish live in permanent pools that are sometimes connected by streams. During years with average rainfall, the streams connecting the pools dry up, causing the pools to differ in salinity and temperature (Fig. 4a). During years of above average rainfall, about once every decade, pools are connected by streams and individuals migrate among pools (Fig. 4b).




Fig. 4a: Pools separated during average rainfall

Fig. 4b: Pools connected during above-average rainfall

The closest relative of desert pupfish is the Devils Hole pupfish (*Cyprinodon diabolis*), a species native to Devils Hole, an isolated cave pool in Nevada, U.S.A. Both species originated from a common ancestor species ("CAS") of pupfish which entered western North America at the end of the last ice age. Outline a hypothetical step-by-step scenario for how this common ancestor "CAS" evolved into the two different modern pupfish species. Be sure to include appropriate evolutionary mechanisms in your answer, and <u>be specific to this situation</u> as described in the introductory parts of the question. (**3 marks**)