The first ten rows and five columns of the fat data set

Obs	case	fat_b	fat_s	dens	age
1	1	12.6	12.3	1.0708	23
2	2	6.9	6.1	1.0853	22
3	3	24.6	25.3	1.0414	22
4	4	10.9	10.4	1.0751	26
5	5	27.8	28.7	1.0340	24
6	6	20.6	20.9	1.0502	24
7	7	19.0	19.2	1.0549	26
8	8	12.8	12.4	1.0704	25
9	9	5.1	4.1	1.0900	25
10	10	12.0	11.7	1.0722	23

Simple descriptive statistics for ht Notice the unusual minimum value

The MEANS Procedure

	Analysis Variable : ht Height (inches)									
N	Mean	Minimum	Maximum							
252	70.1488095	3.6628558	29.5000000	77.7500000						

Obs	case	fat_b	fat_s	dens	age	wt	ht	bmi	ffw	neck	chest	abdomen	hip	thigh
1	42	31.7	32.9	1.025	44	205	29.5	29.9	140.1	36.6	106	104.3	115.5	70.6

Obs	knee	ankle	biceps	forearm	wrist	
1	42.5	23.7	33.6	28.7	17.4	

Obs	case	fat_b	fat_s	dens	age	wt	ht	bmi	ffw	neck	chest	abdomen	hip	thigh
1	96	17.3	17.4	1.0991	53	224.5	77.75	26.1	185.7	41.1	113.2	99.2	107.5	61.7

Obs	knee	ankle	biceps	forearm	wrist	
1	42.3	23.2	32.9	30.8	20.4	

Obs	case	fat_b	fat_s	dens	age	wt	ht	bmi	ffw	neck	chest	abdomen	hip	thigh
252	42	31.7	32.9	1.025	44	205		29.9	140.1	36.6	106	104.3	115.5	70.6

Obs	knee	ankle	biceps	forearm	wrist
252	42.5	23.7	33.6	28.7	17.4

The MEANS Procedure

	Analysis Variable : ht Height (inches)										
N	N Miss	Mean	Std Dev	Minimum	Maximum						
251	1	70.3107570	2.6142960	64.0000000	77.7500000						







