| Obs | Name | PClass | Age | Sex | Survived |
|-----|---|--------|------|--------|----------|
| 1 | Allen, Miss Elisabeth Walton | 1st | 29 | female | 1 |
| 2 | Allison, Miss Helen Loraine | 1st | 2 | female | 0 |
| 3 | Allison, Mr Hudson Joshua Creighton | 1st | 30 | male | 0 |
| 4 | Allison, Mrs Hudson JC (Bessie Waldo Daniels) | 1st | 25 | female | 0 |
| 5 | Allison, Master Hudson Trevor | 1st | 0.92 | male | 1 |
| 6 | Anderson, Mr Harry | 1st | 47 | male | 1 |
| 7 | Andrews, Miss Kornelia Theodosia | 1st | 63 | female | 1 |
| 8 | Andrews, Mr Thomas, jr | 1st | 39 | male | 0 |
| 9 | Appleton, Mrs Edward Dale (Charlotte Lamson) | 1st | 58 | female | 1 |
| 10 | Artagaveytia, Mr Ramon | 1st | 71 | male | 0 |

Frequency counts for categorical variables

The FREQ Procedure

| PClass | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------|-----------|---------|-------------------------|-----------------------|
| 1st | 322 | 24.52 | 322 | 24.52 |
| 2nd | 280 | 21.33 | 602 | 45.85 |
| 3rd | 711 | 54.15 | 1313 | 100.00 |

| Sex | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------|-----------|---------|-------------------------|-----------------------|
| female | 462 | 35.19 | 462 | 35.19 |
| male | 851 | 64.81 | 1313 | 100.00 |

Frequency counts for categorical variables

The FREQ Procedure

| Survived | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-----------|---------|-------------------------|-----------------------|
| 0 | 863 | 65.73 | 863 | 65.73 |
| 1 | 450 | 34.27 | 1313 | 100.00 |

Descriptive statistics for age


The MEANS Procedure

| | Analysis Variable : age_c | | | | | |
|--------------------------|---------------------------|------------|------------|-----------|------------|--|
| N Miss Mean Std Dev Mini | | Minimum | Maximum | | | |
| 756 | 557 | 30.3979894 | 14.2590487 | 0.1700000 | 71.0000000 | |


Frequency counts for survived using labels

The FREQ Procedure

| Survived | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-----------|---------|-------------------------|-----------------------|
| No | 863 | 65.73 | 863 | 65.73 |
| Yes | 450 | 34.27 | 1313 | 100.00 |



| Obs | Survived | COUNT | PERCENT |
|-----|----------|-------|---------|
| 1 | 0 | 863 | 65.7273 |
| 2 | 1 | 450 | 34.2727 |



The MEANS Procedure

age_cat=adult

| Analysis Variable : age_c | |
|------------------------------|------------|
| Minimum | Maximum |
| 21.0000000 | 71.0000000 |

age_cat=missing

| Analysis Variable : age_c | |
|------------------------------|---------|
| Minimum | Maximum |
| | |

Quality check for conversion

The MEANS Procedure

age_cat=pre-teen

| Analysis Variable : age_c | |
|------------------------------|------------|
| Minimum | Maximum |
| 6.0000000 | 12.0000000 |

age_cat=teenager

| Analysis Variable : age_c | |
|------------------------------|--|
| Maximun | |
| 20.0000000 | |
| | |

Quality check for conversion

The MEANS Procedure

age_cat=toddler

| Analysis Variable : age_c | |
|------------------------------|-----------|
| Minimum | Maximum |
| 0.1700000 | 5.0000000 |

Quality check for conversion Revision to control ordering

The MEANS Procedure

age_cat=toddler

| Analysis Variable : age_c | | |
|------------------------------|-----------|--|
| Minimum | Maximum | |
| 0.1700000 | 5.0000000 | |

age_cat=pre-teen

| Analysis Variable : age_c Minimum Maximu | | |
|---|-----------|------------|
| | | Maximum |
| | 6.0000000 | 12.0000000 |

Quality check for conversion Revision to control ordering

The MEANS Procedure

age_cat=teenager

| Analysis Variable : age_c | |
|------------------------------|------------|
| Minimum | Maximum |
| 13.0000000 | 20.0000000 |

age_cat=adult

| Analysis Variable : age_c | | |
|------------------------------|------------|--|
| Minimum | Maximu | |
| 21.0000000 | 71.0000000 | |

Quality check for conversion Revision to control ordering

The MEANS Procedure

age_cat=unknown

| Analysis Variable : age_c | | |
|------------------------------|---------|--|
| Minimum | Maximum | |
| | | |

Quality check for conversion Revision to control ordering

The FREQ Procedure

Frequency

| Table of PClass by first_class | | | | |
|--------------------------------|-------------|-----|-------|--|
| | first_class | | | |
| PClass | No | Yes | Total | |
| 1st | 0 | 322 | 322 | |
| 2nd | 280 | 0 | 280 | |
| 3rd | 711 | 0 | 711 | |
| Total | 991 | 322 | 1313 | |
| | | | | |

Crosstabulation with all percentages

The FREQ Procedure

Frequency Percent Row Pct Col Pct

| Table of Sex by Survived | | | |
|--------------------------|--------------------------------|--------------------------------|----------------|
| | Survived | | |
| Sex | No | Yes | Total |
| female | 154 11.73 33.33 17.84 | 308 23.46 66.67 68.44 | 462 35.19 |
| male | 709 54.00 83.31 82.16 | 142 10.81 16.69 31.56 | 851 64.81 |
| Total | 863 65.73 | 450 34.27 | 1313 100.00 |

Crosstabulation with row percentages

The FREQ Procedure

Frequency Row Pct

| Table of Sex by Survived | | | |
|--------------------------|--------------|--------------|-------|
| | Survived | | |
| Sex | No | Yes | Total |
| female | 154 33.33 | 308 66.67 | 462 |
| male | 709 83.31 | 142 16.69 | 851 |
| Total | 863 | 450 | 1313 |

Crosstabulation with column percentages

The FREQ Procedure

Frequency Col Pct

| Table of Sex by Survived | | | | |
|--------------------------|--------------|--------------|-------|--|
| | Survived | | | |
| Sex | No | Yes | Total | |
| female | 154 17.84 | 308 68.44 | 462 | |
| male | 709 82.16 | 142 31.56 | 851 | |
| Total | 863 | 450 | 1313 | |

Crosstabulation with cell percentages

The FREQ Procedure

Frequency Percent

| Table of Sex by Survived | | | |
|--------------------------|----------|-------|--------|
| | Survived | | |
| Sex | No | Yes | Total |
| female | 154 | 308 | 462 |
| | 11.73 | 23.46 | 35.19 |
| male | 709 | 142 | 851 |
| | 54.00 | 10.81 | 64.81 |
| Total | 863 | 450 | 1313 |
| | 65.73 | 34.27 | 100.00 |