TCS-402

B. TECH. CSE (FOURTH SEMESTER) MID SEMESTER EXAMINATION, April, 2023

FINITE AUTOMATA & FORMAL LANGUAGES

Time: 1½ Hours
Maximum Marks: 50

- **Note:** (i) Answer all the questions by choosing any *one* of the sub-questions.
 - (ii) Each question carries 10 marks.
- 1. (a) Construct a minimal DFA over input alphabet $\Sigma = \{a, b\}$ such that accept all the string starting with 'ab' and $|w| \mod 4 = 3$.

 10 (CO1)


OR

(b) Design a NFA for L = {all the string in which third symbol from RHS is 'a' and convert that NFA to the corresponding DFA.

- 2. (a) Construct a minimal DFA that accept all the number of base 3, which when converted into decimal should be divided by 3. Given that $\Sigma = \{0, 1, 2\}$. 10 (CO1) OR
 - (b) Construct deterministic finite automata (DFAs) recognizing the following languages over the alphabet $\{a, b\}$: $L = a^n b^m \mid n >= 0, m >= 0 \text{ and } \hat{n} + m \text{ is an}$


 $L = a^n b^m \mid n > = 0, m > = 0 \text{ and } n + m \text{ is an}$ even number. 10 (CO1)

3. (a) Construct a minimum DFA equivalent to the DFA given in below figure: 10 (CO2)




OR


- (b) Construct a DFA with reduced states equivalent to the regular expression. 10 + (0 + 11) 0*1 10 (CO2)
- 4. (a) Find the regular expression from the given automata using Arden's theorem.10 (CO2)



(b) Convert the following ε -NFA to its equivalent NFA. 10 (CO2)



5. (a) Construct a DFA equivalent to the NDFA, whose state transition diagram is given below figure. 10 (CO2)



(b) Construct a Mealy machine which can output EVEN, ODD according as the total no of 1's encountered is even or odd. The input symbols are 0 and 1. Convert this mealy machine to an equivalent Moore machine.