

CO1 - Assessment Tool-2 - Experiments
[← Back](#)
QUESTIONS
Q1

 Decision Making
10 marks

Q2

 Decision Making
10 marks

Q3

 Looping
10 marks

Q4

 Looping
10 marks

Q5

 Looping
10 marks


5/5 answered

Q3 Looping

10 marks

Write a program to generate the fibonacci series upto N terms

Your Code

```

1 #include <stdio.h>
2
3 int main() {
4     int n, i;
5     int a = 0, b = 1, c;
6
7     scanf("%d", &n);
8
9     for (i = 1; i <= n; i++) {
10         printf("%d ", a);
11         c = a + b;
12         a = b;
13         b = c;
14     }
15
16     return 0;
17 }
```

Input

5

Output

0 1 1 2 3

Visible Test Cases

Test Case 1



Test Case 2



10.00 / 10 marks

Q1Decision Making
10 marks**Q2**Decision Making
10 marks**Q3**Looping
10 marks**Q4**Looping
10 marks**Q5**Looping
10 marks

5/5 answered

Write a program to check the given number is Armstrong number or not.

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, original, remainder;
5     int result = 0;
6
7     scanf("%d", &n);
8     original = n;
9
10    while (n != 0) {
11        remainder = n % 10;
12        result += remainder * remainder * remainder; // cube of digit
13        n /= 10;
14    }
15
16    if (result == original)
17        printf("Armstrong");
18    else
19        printf("Not Armstrong");
20
21    return 0;
22 }
```

Input

153

Output

Armstrong

Visible Test Cases

Test Case 1



Test Case 2



0.00 / 10 marks

QUESTIONS

Q1Decision Making
10 marks**Q2**Decision Making
10 marks**Q3**Looping
10 marks**Q4**

Looping

**Q5** Lopping

Write a program to print the reverse of the

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, reverse = 0, remainder;
5
6     scanf("%d", &n);
7
8     while (n != 0) {
```

QUESTIONS

Q1

Decision Making
10 marks

Q2

Decision Making
10 marks

Q3

Looping
10 marks

Q4

Looping
10 marks

Q5

Looping
10 marks

5/5 answered

Q5 Lopping

10 marks

Write a program to print the reverse of the number

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, reverse = 0, remainder;
5
6     scanf("%d", &n);
7
8     while (n != 0) {
9         remainder = n % 10;
10        reverse = reverse * 10 + remainder;
11        n = n / 10;
12    }
13
14    printf("%d", reverse);
15
16    return 0;
17 }
```

Input

1234

Output

4321

Visible Test Cases

Test Case 1



Test Case 2



10.00 / 10 marks

 Submitted