

# Midterm 2

Math 252

Spring 2021

You have 50 minutes to complete this exam and upload it to Canvas. **You may use a scientific calculator, but no other resources.** When you're finished, first check your work if there is time remaining, then scan the exam and upload it. If you have a question, don't hesitate to ask — I just may not be able to answer it.

1. (32 points) Multiple choice. You don't need to show any work.

a) (8 points) Suppose  $y = f(x)$ , and that the graph of  $f$  is rotated about the  $y$ -axis. Then

- A) the shell method integrates with respect to  $y$  and the disk method with respect to  $x$ .
- B) the shell method integrates with respect to  $x$  and the disk method also with respect to  $x$ .
- C) the shell method integrates with respect to  $x$  and the disk method with respect to  $y$ .
- D) the shell method integrates with respect to  $y$  and the disk method also with respect to  $y$ .

b) (8 points) The area between two functions can be negative...

- A) when one function goes below the  $x$ -axis.
- B) when both functions are to the left of the  $y$ -axis.
- C) when the functions cross over each other.
- D) never.

c) (8 points) If a lamina is given by  $f(x)$  on  $[a, b]$  with  $f(x) \geq 0$ , then it is always true that

- A)  $a \leq \bar{x} \leq b$ .
- B)  $\bar{y} \geq 0$ .
- C) both.
- D) neither.

d) (8 points) True or false: there is a number  $L$  such that every continuous function  $f$  on  $[0, 1]$  has arc length less than  $L$ .

e) (4 points extra credit) Justify your answer to part d): if you answered true, then find  $L$ . If you answered false, then given any number  $L$ , find a function on  $[0, 1]$  with arc length of at least  $L$ .

2. (32 points) Short answer.

a) (8 points) Let  $f$  and  $g$  be continuous functions on  $[1, 6]$  such that  $f(x) \leq g(x)$  on  $[1, 3]$  and  $g(x) \leq f(x)$  on  $[3, 6]$ . What is the area between  $f$  and  $g$  on  $[1, 6]$ ?


b) (8 points) Let  $f(x) = 2x^3$ . Set up the integrals to find the volume of the solid given by rotating the graph of  $f$  on  $[1, 3]$  about the  $x$ -axis, using **both** the disk and shell methods. Don't solve either of the integrals.

c) (8 points) Let  $L$  be a lamina bounded above by  $f(x)$  on  $[-1, 1]$ . Write the three integrals necessary to calculate  $\bar{x}$  and  $\bar{y}$ .

d) (8 points) Evaluate  $\int x \sin(2x) \, dx$ .

The rest of the problems require setting up and solving integrals. Half the credit is for the set-up and half for the solving.

3. (32 points) Consider the region given in the graph below, bounded by  $f(x) = 8 \sin\left(\frac{5\pi}{12}x\right)$  above and  $g(x) = 2x$  below. These functions intersect at  $(0,0)$  and  $(2,4)$ .



- a) (16 points) Find the volume of the solid of revolution given by rotating the region about the  $y$ -axis.

- b) (16 points) Suppose the region is a lamina with density  $\rho = 1$ . Find the center of mass.

4. (16 points) Evaluate  $\int_1^3 x^2 \ln(x) \, dx$ .