CME211 Lecture 0 - Git and GitHub

Git is a software tool for managing changes, primarily in software development projects. There are many other tools for version control. Git is powerful, fast, and widely-used.

GitHub is a web-based service that hosts Git repositories and facilitates collaboration of large teams. Bitbucket and GitLab provide similar services.

2016-09-19 Update: Farmshare user directory

These notes have been updated after recording of the lecture screencast to reflect issues between AFS and git. We were running into timeout issues when attempting to clone a repository from GitHub on to our AFS-based home directory on Farmshare. The solution is to use the farmshare user directory located at /farmshare/user_data/[sunet_id] instead of AFS. The notes have been updated to reflect this change. The screencasts will still refer to using AFS space.

See the sections on "GitHub Repo Cloning" and "Directory paths" on the Farmshare User Guide for some more information.

Watch

Please watch the 4 introductory videos on the official git website:

• https://git-scm.com/videos

They will take about 25 minutes total and provide a decent orientation for the motivation behind version control and git.

Reading

From https://git-scm.com/book/en/v2 read all of Chapter 1 and Chapter 2, sections 1 to 5.

Follow along for CME211

These instructions are focused on the use of git and GitHub for the purposes of CME211. Note that nwh is both my Stanford and GitHub username. Thus, nwh will be used in the demonstrations that follow. You must replace nwh with either your Stanford or GitHub username in the appropriate context.

Obtain a GitHub account

- 1. Visit https://github.com/ and sign up for a new account (if you don't already have one).
- Visit https://education.github.com/ to request an education discount which allows you to have unlimited private repositories while you are a student. Normal, free GitHub accounts grant users unlimited public repositories.

Create a test repository in personal account on GitHub

- Visit https://github.com/new when logged into GitHub.
- Create a new repository with the following settings:

- Repository Name: cme211-test-repo
- Description: "CME211 Test Repository"
- Select Public
- Select Initialize this repository with a README




Figure 1: fig:gh-new-repo

- After clicking "Create repository" you will be taken to the repository homepage:
- Click on the green "Clone or download" button to copy the repository link.




Figure 2: fig:gh-test-repo




Figure 3: fig:gh-clone

Log in to corn.stanford.edu via ssh and configure git

Note: see Farmshare two-factor authentication documentation to configure more convenient access to corn.stanford.edu via SSH.

```
# on host, log into corn
$ ssh nwh@corn.stanford.edu
# authenticate
# now on corn
[nwh@corn21 ~]
$ pwd
/afs/ir/users/n/w/nwh
```

We need to tell git who we are. This is achieved with the following commands:

```
# on corn
$ git config --global user.name "John Doe"
$ git config --global user.email johndoe@example.com
```

Replace the name and email with your information. It is also a good idea to tell git which editor you want to use for commit messages. For new users, I recommend using nano for this purpose:

```
$ git config --global core.editor nano
```

These commands store information in the user's git configuration file, located at ~/.gitconfig. You can inspect the contents of the file with cat. Here is mine:

```
$ cat ~/.gitconfig
[user]
   name = Nick Henderson
   email = nwh@stanford.edu
[core]
   editor = nano
```

See: https://git-scm.com/book/en/v2/Getting-Started-First-Time-Git-Setup

Clone the test repository

When logged into corn, first navigate to your Farmshare user directory located at <code>/farmshare/user_data/[sunet_id]</code> then **clone** the repository you just created. It is easiest to copy the HTTPS link from the repository homepage. Here is a log of the process:

```
# on corn.stanford.edu
$ pwd
/afs/ir/users/n/w/nwh
$ cd /farmshare/user_data/nwh
$ ls
# no output means the directory is empty (your directory may not be empty)
$ git clone https://github.com/nwh/cme211-test-repo.git
Cloning into 'cme211-test-repo'...
remote: Counting objects: 3, done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
Checking connectivity... done.
$ ls
cme211-test-repo
```

Note: if you just logged into corn.stanford.edu for the first time, your /farmshare/user_data/[sunet_id] directory may not exit. The online documentation says that you need to wait about 30 minutes for the directory to be created. Please alert the teaching staff if your directory does not show up after this amount of time.

Add a new text file

Go into the cme211-test-repo directory and use a text editor (e.g. nano) to create a file called favorite-things.txt:

```
$ pwd
/farmshare/user_data/nwh
$ cd cme211-test-repo/
$ 1s
README.md
$ nano favorite-things.txt
# add some favorite things to the text file
README.md favorite-things.txt
# we can use cat to print the text file to the terminal
$ cat favorite-things.txt
pac-man
swimming
naps
2048
cycling
pop corn
olive oil
coffee
```

Add file to repo, commit changes, push to GitHub

```
Check the status of the repository:

$ git status
On branch master
Your branch is up-to-date with 'origin/master'.

Untracked files:
    (use "git add <file>..." to include in what will be committed)
    favorite-things.txt

nothing added to commit but untracked files present (use "git add" to track)

Add the file to the repository:

$ git add favorite-things.txt
$ git status
On branch master
Your branch is up-to-date with 'origin/master'.

Changes to be committed:
    (use "git reset HEAD <file>..." to unstage)
```

```
new file:
                favorite-things.txt
Commit changes to repo with a commit message:
$ git commit -m "add list of favorite things"
[master 7bb5281] add list of favorite things
1 file changed, 9 insertions(+)
 create mode 100644 favorite-things.txt
Push the change up to GitHub (will need to authenticate):
$ git push origin master
Username for 'https://github.com': nwh
Password for 'https://nwh@github.com':
Counting objects: 4, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 357 bytes | 0 bytes/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/nwh/cme211-test-repo.git
   6d27749..7bb5281 master -> master
```

In the above command:

- origin is the name of the remote repository (https://github.com/nwh/cme211-test-repo.git in my case, see \$ git remote -v)
- master is the name of the remote branch you want to push to. For CME211 we will use the default name master for the local and remote branch we work in. (You can list all branches with \$ git branch -av.)

Modify file on GitHub, pull to corn

Now visit the webpage for your test repository. If everything went well, you will see favorite-things.txt in the list of files. My page looks like this:

Use the GitHub interface to edit favorite-things.txt and create a new file. I will call my new file least-favorite-things.txt.

Go back to your corn terminal (or log back in if needed). **Pull** the changes you made up on GitHub to your repository on corn:

```
$ pwd
/farmshare/user_data/nwh/cme211-test-repo
$ git pull
remote: Counting objects: 3, done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
From https://github.com/nwh/cme211-test-repo
   7bb5281..f091800 master
                                -> origin/master
Updating 7bb5281..f091800
Fast-forward
least-favorite-things.txt | 4 ++++
 1 file changed, 4 insertions(+)
 create mode 100644 least-favorite-things.txt
$ 1s
```




Figure 4: fig-post-push

```
README.md favorite-things.txt least-favorite-things.txt $ cat least-favorite-things.txt butter mayonnaise superlatives fettuccine alfredo
```

Type \$ git log to view the commit history.

Note on merging

Things can get complicated when changes are made to the same file in parallel at different locations (e.g. corn and GitHub). The result of this will be errors on a push or merge conflicts on a pull. We will discuss this issue in more detail in a future set of notes. For now, take care to not update your repository in more that one location with out syncing up.

Warning: Dropbox

Maintaining a Git repository inside of Dropbox (or any other file syncing service) often leads to a corrupt Git repository. It is best to maintain your local git repositories outside of any automatically synced folder.

Summary

This set of notes covered the main features of Git that are required for CME211. These are:

- Creating a new repository (not actually needed, because HW0 will automatically generate an empty repo for CME211 homeworks)
- Configuring with \$ git config
- Cloning (getting a fresh copy) a repo with \$ git clone
- Checking repository status with \$ git status
- Adding and committing a new file with \$ git add and \$ git commit
- Pushing to GitHub with \$ git push
- Pulling remote changes with \$ git pull

If you want to learn more, please visit the links provided below.

Resources

- https://git-scm.com/documentation
- https://try.github.io/
- http://gitref.org/
- http://software-carpentry.org/
- http://swcarpentry.github.io/git-novice
- https://www.youtube.com/watch?v=hKFNPxxkbO0