



COMPANY SLOGAN / TAGLINE HERE
COMPANY NAME

The Dangerous and Thrilling Documentation Chronicles

Kismet Chameleon, Lazarus het Draeke

Version 1.0
2014-01-01

Table of Contents

- 1. It's a City Under Siege 2
 - 1.1. Rendezvous Point 3
- 2. The Ravages of Writing 4
 - 2.1. A Recipe for Potion 4
 - 2.1.1. Searching for Burdockian 5
- 3. Dawn on the Plateau 7
- 4. Words Seasoned with Power 8
 - 4.1. Can I Get Some Code? 8
- 5. Keeping It Together 11
- 6. Credits 13

This story chronicles the inexplicable hazards and vicious beasts a team must surmount and vanquish on the journey to finding their open source project's true power.

Chapter 1. It's a City Under Siege

This journey begins one late Monday afternoon at [Devvxx](#). Our team needs coffee, *desperately*, but none of us dare open the theater doors.

To leave means **code dismemberment and certain death**.

During the first conference workshop, a script-addicted warlock released a plague of Wolpertingers.



Figure 1. Wolpertinger, stuffed

You may not be familiar with these [ravenous beasts](#), but, trust us, they'll eat your shorts and suck the loops from your code. Since then, we'd been searching for the security crew's defensive operations manual. But we couldn't find it, and those DefOps werewolves still hadn't returned from their trusted building retreat at Bier Central. They'd left last night. Either they'd eaten each other, or they'd fallen victim to the Wolpertingers roaming the city streets.

Weak light from the hallway trickled across the theater, chased by a distant scream.

WARNING

Working with werewolves leads to howling and trying to train aggressive regular expressions with Pavlovian reinforcement.

1.1. Rendezvous Point

Come on, Bier Central. Did you have to ask? If you get there first, I'll take a [St. Bernardus Abt 12](#).

Chapter 2. The Ravages of Writing

Crystalline XML tags relentlessly bombarded the theater.

Listing 1. XML tags

```
<author id="1">
  <personname>
    <firstname>Lazarus</firstname>
    <surname>het Draeke</surname>
  </personname>
</author>
```

Despite the assault we were still attempting to draft an example of a defensive operation.

Example 1. DefOps Plan

Here's a sample defensive operation.

OMG! Somebody please save us now! I want may mommy...and an extra-large double macchiato.

Unfortunately, Lazarus and I had both come to the conclusion that we weren't going to get out of this without corrupted harddrives if we didn't locate caffeine within the next few hours.

2.1. A Recipe for Potion

This potion for a sample document contains the following ingredients, which are listed in a very random, chaotically nested order.

- all the headings
 - syntax highlighted source code
 - non-syntax highlighted source code or just a listing block
- quote block
 - verse block
 - table with some cell formatting
 - sequential paragraphs
 - admonition (at least one)
 - bullet list with nesting
 - numbered list with nesting

- definition list
 - sidebar
- example block
 - block image (no inline images)
 - inline formatting in a paragraph
 - two fresh Burdockian leaves
 - They must be harvested by the light of the teal moons.

Got square?

- one
- two
- three

2.1.1. Searching for Burdockian

1. Locate dusty botany
 - a. Sneeze
 - i. Sneeze some more
2. Find section on Burdockian
 - a. Review its characteristics
 - i. Take a picture of the diagram of its leaves
 - A. Don't rip out the picture like a troglodyte
 - I. Don't do it, I'm watching you
3. Put on your hiking boots
4. Freeze your butt off on the side of a mountain at midnight
 - a. By the way, you can't see toes by the light of the teal moons.

Let's start counting from 10.

10. arabic (2)

- a. loweralpha (a)
 - i. lowerroman (i)
 - ii. lowerroman (ii)
 - iii. lowerroman (iii)

iv. lowerroman (iv)

A. upperalpha (A)

11. arabic (2)

Are You Still Here?

CAUTION

Move, move, move!

The Wolpertingers can smell your procrastination. It's not their fault you can't find your boots.

Sigh...

TIP

Your boots are in your closet.

Chapter 3. Dawn on the Plateau

Lazarus was hanging from the bottom limb of a Burdockian tree, licking the bark.

On pavements and the bark of trees I have found whole worlds.

— Mark Tobey

“If there are whole worlds on that bark, he just swallowed them.” Kizmet replied.

No bark was harmed in the making of this potion.

We’re not so sure about a couple ants though.

Nor those worlds...

Crap, I smell an injunction.

— The documentation attorneys

We’d retrieved the leaves, but we’d obviously lost our minds in the process.

Roses are red.

Violets are blue-ish.

Chapter 4. Words Seasoned with Power

To tame the wild wolpertingers we needed to build a **charm**. But **ultimate** victory could only be won if we divined the **true name** of the warlock.

“What kind of charm?” Lazarus asked. “An odoriferous one or a mineral one?” Kizmet shrugged. “The note from Olaf’s desk says ‘wormwood and licorice,’ but these could be normal groceries for werewolves.”

“Well the H₂O written on the security whiteboard could be part of a shopping list, but I don’t think the local bodega also sells $e = mc^2$.” Lazarus replied.

“Wait!” Indigo plucked a small vial from her desk’s top drawer and held it toward us. The vial’s label read ‘ $e = mc^2$ **the scent of science** smell like a genius’.

4.1. Can I Get Some Code?

Sure.

Have a listing block.

```
This is an example of a listing block.  
The content inside is rendered as <pre> text.
```

But I’m not giving you any highlighting shazam just yet.

What is a listing block?

Like literal blocks, the content in listing blocks is displayed exactly as you entered it. Listing block content is rendered as **<pre>** text.

The **listing** style is applied to an element, such as a paragraph, by setting the **listing** attribute on that element.

Let’s get our highlighting on!

Install Prawn:

```
$ gem install prawn
```

Then create your first PDF document in Ruby!

Listing 2. Generates a basic PDF document using Prawn

```
require 'prawn'

Prawn::Document.generate 'output.pdf' do
  text 'Hello, World!'
end
```

How about some source code that styles code? So meta!

```
code {
  padding: 2px 4px;
  font-size: 90%;
  color: #c7254e;
  white-space: nowrap !important;
  background-color: #f9f2f4;
  border-radius: 4px;
}
```

Where could we go without some Java?

```
package org.javaee7.cdi.events;

import javax.enterprise.context.SessionScoped;
import javax.enterprise.event.Observes;
import java.io.Serializable;

/**
 * @author The Duke
 */
@SessionScoped
public class GreetingReceiver implements EventReceiver, Serializable {
    private String greet = "Willkommen";

    void receive(@Observes String greet) {
        this.greet = greet;
    }

    @Override
    public String getGreet() {
        return greet;
    }
}
```

We already showed you an XML example in [The Ravages of Writing](#).

And I'll trade you a little table for some of that bark.

Name of Column 1	Name of Column 2	Name of Column 3
Prefix the <code>!</code> with <code>^</code> to center content horizontally	Prefix the <code>!</code> with a <code>.</code> and <code><</code> to align the content to the top of the cell	Prefix the <code>!</code> with <code>></code> to align the content to the right horizontally
<i>This content spans three columns (3+) and is centered horizontally (^) and vertically (.^) within the cell.</i>		

Wait. What? Where is this story going?

``

an html tag that makes me crazy

align

something I never get going in the right direction. Also has to do with my poor verbal communication skills

float

style

don't make me laugh

Does anyone have the time?

Chapter 5. Keeping It Together

On this page we have nested “keep together” logic. The combined block will be shifted to the next page if there isn’t room available on this one.

What happens if there is both a field and a method with the same name?

Back to the previous example, suppose that we have both a field and a method with the same name, as in:

Listing 3. Java class with a field and method that share the same name

```
public class Foo {  
    public String bar;  
  
    public String bar() {  
        return bar;  
    }  
}
```

NOTE

Golo resolves methods first, fields last. Hence, the following Golo code will resolve the `bar()` method, not the `bar` field:

Listing 4. Golo picks the method over the field with the same name

```
let foo = Foo()  
  
# Write the field  
foo: bar("baz")  
  
# Calls the bar() method  
println(foo: bar())
```

Here's a preview of how each heading level is rendered.

Heading 1 (Level 0)

filler content

Heading 2 (Level 1)

filler content

Heading 3 (Level 2)

filler content

Heading 4 (Level 3)

filler content

Heading 5 (Level 4)

filler content

Heading 6 (Level 5)

filler content

Here's some content inside an open block.

Chapter 6. Credits

Table 1. Brought to you by OpenDevise

Name	Title	Alias
Sarah White	President	@carbonfray
Dan Allen	Vice President	@mojavelinux
Powered by Open Source		