



Midterm 1- 2022 Solution w marking scheme

Mechanical Analysis (Concordia University)



Scan to open on Studocu


CONCORDIA UNIVERSITY GINA CODY SCHOOL OF ENGINEERING and COMPUTER
SCIENCE
ENGR 245 – T (MECHANICAL ANALYSIS)
MIDTERM # 1

Attempt all questions.

Only calculators permitted.

Time – 60 minutes

- 1) The ring weighs 5 lb and is in equilibrium. The force $F_1 = 4.5$ lb. Determine the force **F2** and the angle **α** .
MARKS 6



Solution: The free-body diagram is shown below the drawing. The equilibrium equations are

$$\sum F_x : F_1 \cos 30^\circ - F_2 \cos \alpha = 0 \quad \boxed{1}$$

$$\sum F_y : F_1 \sin 30^\circ + F_2 \sin \alpha - 5 \text{ lb} = 0 \quad \boxed{1}$$

We can write these equations as


$$\left. \begin{aligned} F_2 \sin \alpha &= 5 \text{ lb} - F_1 \sin 30^\circ \\ F_2 \cos \alpha &= F_1 \cos 30^\circ \end{aligned} \right\} \quad \boxed{1}$$

Dividing these equations and using the known value for F_1 we have.

$$\tan \alpha = \frac{5 \text{ lb} - (4.5 \text{ lb}) \sin 30^\circ}{(4.5 \text{ lb}) \cos 30^\circ} = 0.706 \Rightarrow \alpha = 35.2^\circ$$


$$F_2 = \frac{(4.5 \text{ lb}) \cos 30^\circ}{\cos \alpha} = 4.77 \text{ lb}$$

$$\boxed{F_2 = 4.77 \text{ lb}, \alpha = 35.2^\circ} \quad \begin{array}{l} \leftarrow 1 \text{ for answer} \\ \leftarrow 1 \text{ for correct answer} \end{array}$$



2) Three forces act on the plate. Determine the sum of the moments of the three forces about point P.

MARKS 7



Problem 4.53 Three forces act on the plate. Use Eq. (4.2) to determine the sum of the moments of the three forces about point P.

Solution:

$$1.5 \quad \mathbf{r}_1 = (-0.12\mathbf{i} + 0.08\mathbf{j}) \text{ m}, \quad \mathbf{F}_1 = (4 \cos 45^\circ \mathbf{i} + 4 \sin 45^\circ \mathbf{j}) \text{ kN}$$

$$1.5 \quad \mathbf{r}_2 = (0.16\mathbf{i}) \text{ m}, \quad \mathbf{F}_2 = (3 \cos 30^\circ \mathbf{i} + 3 \sin 30^\circ \mathbf{j}) \text{ kN}$$


$$1.5 \quad \mathbf{r}_3 = (0.16\mathbf{i} - 0.1\mathbf{j}) \text{ m}, \quad \mathbf{F}_3 = (12 \cos 20^\circ \mathbf{i} - 12 \sin 20^\circ \mathbf{j}) \text{ kN}$$

$$1.5 \quad \mathbf{M}_P = \mathbf{r}_1 \times \mathbf{F}_1 + \mathbf{r}_2 \times \mathbf{F}_2 + \mathbf{r}_3 \times \mathbf{F}_3$$

$$\mathbf{M}_P = (0.145 \text{ kN}\cdot\text{m})\mathbf{k} = (145 \text{ N}\cdot\text{m})\mathbf{k}$$

0.5 for the answer

1 for correct answer



- 3) (a) Draw the free-body diagram of the beam. (b) Determine the reactions at the pin support A and at the roller B.

MARKS 7

Problem 5.12 (a) Draw the free-body diagram of the beam.

(b) Determine the reactions at the pin support A.

Solution:

(a) The FBD

(b) The equilibrium equations

$$\sum M_A : - (8 \text{ kN})(0.6 \text{ m}) + (8 \text{ kN})(1.1 \text{ m}) - 2 \text{ kNm} - B \cos 30^\circ (2.3 \text{ m}) = 0$$

$$\sum F_x : A_x - B \sin 30^\circ = 0$$

$$\sum F_y : A_y - 8 \text{ kN} + 8 \text{ kN} - B \cos 30^\circ = 0$$

Solving

$$A_x = 0.502 \text{ kN}, A_y = 0.870 \text{ kN}, B = 1.004 \text{ kN}$$

0.5 for the answer

1 for correct answer

