

Paper Title

Firstname Lastname and Firstname Lastname

Institute

Abstract. Abstract goes here

Keywords: keyword1, keyword2

1 Introduction

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special content, but the length of words should match the language. $a \sqrt[n]{b} = \sqrt[n]{a^n b}$. Winery [1] is graphical modeling tool.

Simple Figure

Fig. 1. Simple Figure

Table 1. Simple Table

Simple Table

```
public class Hello {
    public static void main (String[] args) {
        System.out.println("Hello World!");
    }
}
```

List. 1. Example Listing

Package minted was not loaded, so there is no XML code shown.
In case you load minted, please be sure to

- a) Have python and pygments installed
- b) Execute pdflatex using `-shell-escape`

```
xml <demo> <node> <!-- comment --> || </node> </demo>
```

Fig. 2. XML-Dokument rendered using minted

Listing 1 shows a listing typeset using the `lstlisting` environment.

minted as an alternative package, which enables syntax highlighting using pygments. This, in turn, requires Pyhton, so it is disabled by default. In case you load it above, be sure to run pdflatex with `-shell-escape` option. Figure 2 shows an XML-Listing. You can point to a single line: line 2. If you do not want to use minted, just delete the example listing and this paragraph.

cref Demonstration: Cref at beginning of sentence, cref in all other cases.

Figure 1 shows a simple fact, although Fig. 1 could also show something else.

Table 1 shows a simple fact, although Table 1 could also show something else.

Section 1 shows a simple fact, although Sect. 1 could also show something else.

Brackets work as designed: `<test>`

The symbol for powerset is now correct: \wp and not a Weierstrass p (\wp).

1. All these items... 2. ...appear in one line 3. This is enabled by the paralist package.

“something in quotes” using plain tex or use “the enquote command”.

You can now write words containing hyphens which are hyphenated (application-specific) at other places. This is enabled by an additional configuration of the babel package. In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write application-specific, but this is much more effort.

2 Conclusion and Outlook

Acknowledgments ...

In the bibliography, use `\textsuperscript` for “st”, “nd”, ...: E.g., “The 2nd conference on examples”. When you use JabRef, you can use the clean up command to achieve that. See <https://help.jabref.org/en/CleanupEntries> for an overview of the cleanup functionality.

References

1. Kopp, O., et al.: Winery – a modeling tool for TOSCA-based cloud applications. In: Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC’13). LNCS, vol. 8274, pp. 700–704. Springer Berlin Heidelberg (2013)

All links were last followed on October 5, 2017.