



Helvetica N...



Step 5 of 5



Skills
Network

Hands-on Lab: Getting Started with Shell Scripting

Estimated time needed: **30** minutes

Objectives

After completing this lab you will be able to:

- Create and execute a simple bash shell script.
- Implement the 'shabang' directive in a bash shell script.

About Skills Network Cloud IDE

Skills Network Cloud IDE (based on Theia and Docker) provides an environment for hands on labs for course and project related labs. Theia is an open source IDE (Integrated Development Environment), that can be run on desktop or on the cloud. to complete this lab, we will be using the Cloud IDE based on Theia running in a Docker container.

Important Notice about this lab environment

Please be aware that sessions for this lab environment are not persisted. Every time you connect to this lab, a new environment is created for you. Any data you may have saved in the earlier session would get lost. Plan to complete these labs in a single session, to avoid losing your data.

Exercise 1 - Create and execute a basic Shell Script


In this exercise, we will create a simple script which will do the following.

- Accept a user name
- Print a welcome message to the user


We will also add comments to the script. All the lines starting with # are comments. They are not executed by the shell. Comments make a shell script more readable, and help in debugging the script.

1.1 Create a new script file

Step 1: On the menu on the lab screen, use **File->New File** to create a new file.



Step 2: Give the name as 'greet.sh' and click 'OK'



Step 3: Copy and paste the following lines into the newly created file.

```
# This script accepts the user's name and prints
# a message greeting the user

# Print the prompt message on screen
echo -n "Enter your name : "

# Wait for user to enter a name, and save the entered name into the variable 'name'
read name


# Print the welcome message followed by the name
echo "Welcome $name"

# The following message should print on a single line. Hence the usage of '-n'
echo -n "Congratulations! You just created and ran your first shell script "
echo "using Bash on IBM Skills Network"
```


Step 4: Save the file using the **File->Save** menu option

1.2 Execute the script

Open a new terminal, by clicking on the menu bar and selecting **Terminal->New Terminal**, as in the image below.



This will open a new terminal at the bottom of the screen as in the image below.



Run the commands below on the newly opened terminal.

Let us check the permissions for this new file:

```
ls -l greet.sh
```

If the file exists and has read permission, run the following command to execute it.

```
bash greet.sh
```

The message 'Enter your name : ' appears on screen.

Type your name and press Enter.

You should now see the message displayed on screen.

```
theia@theia-rsannareddy:/home/project$ bash greet.sh
Enter your name :Ramesh
Welcome Ramesh
Congratulations! You just created and ran your first shell script using Bash on IBM Skills Network
theia@theia-rsannareddy:/home/project$
```

You have successfully executed your first bash shell script.

Exercise 2 - Using 'Shabang' line

In this exercise, we will edit the script 'greet.sh' created in the previous exercise and make it an executable file.

This is done to ensure that the name of the script can be used like a command.

Adding this special line lets us specify the path to the interpreter of the script, which is 'bash' in this case.

Let us follow the below steps.

2.1 : Find the path to the interpreter.

The **which** command helps you find out the path of the command 'bash'.

```
which bash
```

In this case it returns the path '/bin/bash'.

2.2 : Edit the script 'greet.sh' and add the *shabang* line to the script.

Open the file and add the following line at the beginning of the script:

```
#!/bin/bash
```

The script should now look like the following:

```
greet.sh ●
1  #!/bin/bash
2  # This script accepts the user's name and prints
3  # a message greeting the user
4
5  # Print the prompt message on screen
6  echo -n "Enter your name : "
7
8  # Wait for user to enter a name, and save the entered name into the variable 'name'
9  read name
10
11 # Print the welcome message followed by the name
12 echo "Welcome $name"
```

2.3 Check the permissions of the script.

One more step needs to be completed to make 'greet.sh' completely executable by name.

Let us add the execute permission for the user on greet.sh.

```
chmod +x greet.sh
```

Verify if the execute permission is granted.

Generally, it is not a good idea to grant permissions to a script for all user, groups and others alike. It is more appropriate to limit the execute permission to only the owner.

To change permissions for `greet.sh`, run the command below:

```
chmod u+x greet.sh
```

Verify the permissions using the command below.

```
ls -l greet.sh
```

If you wish to grant execute permission to everyone you need to run the command `chmod +x greet.sh`

2.4 Execute the script.

Run the command given below to execute the shell script.

```
./greet.sh
```

The '.' here refers to the current directory. We are telling linux to execute the script `greet.sh` that is in the current directory.

Practice exercises

1. Problem:

Create a script named 'greetnew.sh' that reads the firstname and lastname of the user, and prints a welcome message like Hello firstname lastname.

▼ Click here for Hint

Use the read command and echo commands. Write comments. Make sure to add the shabang line.

▼ Click here for Solution

Step 1: Create a new file named 'greetnew.sh'.

Step 2: Add the following lines to the file:

```
#!/bin/bash

# This script accepts the user's name and prints
# a message greeting the user

# Print the prompt message on screen
echo -n "Enter your firstname : "

# Wait for user to enter a name, and save the entered name into the variable 'name'
read firstname

# Print the prompt message on screen
echo -n "Enter your lastname : "

# Wait for user to enter a name, and save the entered name into the variable 'name'
read lastname

# Print the welcome message followed by the name
echo "Hello $firstname $lastname."
```

Step 3: Save the file.

Step 4: Add the 'execute' permission to 'greetnew.sh' for the owner.

```
chmod u+x greetnew.sh
```

Step 5: Execute the file from the command prompt using the command below.

```
./greetnew.sh
```

Authors

Ramesh Sannareddy

Other Contributors

Rav Ahuja

Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2021-05-30	0.1	Ramesh Sannareddy	Created initial version of the lab
2022-09-12	0.2	Lavanya Rajalingam	Updated Image

Copyright (c) 2021 IBM Corporation. All rights reserved.

[Previous](#)