

The University Interscholastic League

Number Sense Test • HS SAC • 2011

Contestant's Number _____

Read directions carefully
before beginning test

**DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN**

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|---|--|
| <p>(1) $857 - 758 =$ _____</p> <p>(2) $64 \times 25 =$ _____</p> <p>(3) $323 \div 9 =$ _____ (mixed number)</p> <p>(4) $964 + 469 =$ _____</p> <p>(5) $11 \times 412 =$ _____</p> <p>(6) Which is larger $\frac{5}{8}$ or .624? _____</p> <p>(7) $16^2 =$ _____</p> <p>(8) $35 \times 66 - 24 \times 66 =$ _____</p> <p>(9) $24 \times 6 \div 8 + 10 =$ _____</p> <p>*(10) $24242 + 2424 + 242 + 24 + 2 =$ _____</p> <p>(11) $12 \div 1.5 =$ _____</p> <p>(12) $\frac{1}{4} - \frac{3}{8} - \frac{5}{24} =$ _____</p> <p>(13) $321 \times 8 - 1 =$ _____</p> <p>(14) $14 \times \frac{14}{17} =$ _____ (mixed number)</p> <p>(15) $\frac{1}{16} =$ _____ % (decimal)</p> <p>(16) 15% of \$24.00 is \$ _____</p> <p>(17) $13 \times 221 =$ _____</p> | <p>(18) $1 + 2 + 3 + 4 + \dots + 15 =$ _____</p> <p>(19) The mean of 20, 34, 22, and 36 is _____</p> <p>*(20) $78563 \div 492 =$ _____</p> <p>(21) $3\frac{1}{3} \times 6\frac{1}{3} =$ _____ (mixed number)</p> <p>(22) If 4 pens cost \$1.20 then 6 pens cost \$ _____</p> <p>(23) $1 + 9 + 17 + 25 + 33 + 41 =$ _____</p> <p>(24) $34 \times 46 =$ _____</p> <p>(25) $(32 \times 4 - 9) \div 6$ has a remainder of _____</p> <p>(26) If $k > 0$ and $k^2 = 49$, then $k^3 =$ _____</p> <p>(27) .252525... = _____ (proper fraction)</p> <p>(28) $5\frac{3}{4} - 4\frac{2}{3} =$ _____ (mixed number)</p> <p>(29) $123_4 =$ _____ ₁₀</p> <p>*(30) $2\frac{9}{10} \times 1511.5 \div 11 =$ _____</p> <p>(31) 3 quarts = _____ pints</p> <p>(32) 2.2 is what % of 20 ? _____</p> <p>(33) $16 \div 0.0625 =$ _____</p> <p>(34) Round $2\sqrt{2}$ to the tenths place. _____</p> |
|---|--|

- (35) If x is to 6 as 8 is to 12 then $x =$ _____
- (36) $4^2 + 3^3 - 2^4 =$ _____
- (37) If $x = 9$ and $y = 11$ then $x^2 + 2xy + y^2 =$ _____
- (38) Let set $A = \{m, e, n, t, a, l\}$ and set $B = \{m, a, t, h\}$. How many unique elements are in $A \cup B$? _____
- (39) If the perimeter of a square is 24 cm then the area of the square is _____ sq. cm.
- *(40) $\sqrt{75863} =$ _____
- (41) If $48^2 - 42^2 = 12k$, then $k =$ _____
- (42) Which of the following is a triangular number, 18, 21, or 24? _____
- (43) $214 \times 421 =$ _____
- (44) The slope of the line $kx + 4y = 3$ is 2. Find k . _____
- (45) $15 \times 4! + 60 \times 3! =$ _____
- (46) $\sqrt{32 \times 38 + 9} =$ _____
- (47) The sum of the roots of $2x^2 - 5x - 3 = 0$ is _____
- (48) If $A > 1$ and $A^2 \div A^3 \times A^4 = A^k$ then $k =$ _____
- (49) $246_8 + 135_8 =$ _____ $_8$
- *(50) $(10\pi)^3 =$ _____
- (51) If $(3 + 4i)(3 + 4i) = a + bi$, then $a =$ _____
- (52) $1 + 3 + 6 + 10 + 15 + \dots + 28 =$ _____
- (53) $54^2 + 35^2 =$ _____
- (54) ${}_5P_2 =$ _____
- (55) $\log_8(x) = 2$ then $\sqrt{x} =$ _____
- (56) A triangle has sides of 3, 5, and k . How many integral values of k will form a triangle? _____
- (57) $6^7 \div 8$ has a remainder of _____
- (58) $\frac{1}{3} + \frac{1}{6} + \frac{1}{10} + \frac{1}{15} + \dots + \frac{1}{28} =$ _____
- (59) How many ways can the letters in the word 'white' be arranged in a row? _____
- *(60) $4^3 \times 8^2 \div 2^2 =$ _____
- (61) If $f(x) = x^2 + x - 2$ then $f(f(-2)) =$ _____
- (62) $(135_7 + 246_7) \div 6$ has a remainder of _____
- (63) The harmonic mean of 1, 2, and 4 is _____
- (64) $A = \begin{bmatrix} 1 & 2 \\ 3 & 5 \end{bmatrix}$ and $B = \begin{bmatrix} 5 & 2 \\ 3 & 1 \end{bmatrix}$. Find $|A + B|$. _____
- (65) A bag contains golf balls, 5 white, 3 yellow, and 2 pink. The probability of reaching in the bag and randomly selecting a pink golf ball is _____%
- (66) $104 \times 108 =$ _____
- (67) $(\sin \frac{\pi}{3})(\cos \frac{\pi}{6})(\tan \frac{\pi}{4}) =$ _____
- (68) 77° Fahrenheit = _____ $^\circ$ Celsius
- (69) The Greatest Integer Function is written as $f(x) = [x]$. Find $\left[\sqrt{2} + \sqrt{3}\right]$. _____
- *(70) 55 miles per hour = _____ feet per second
- (71) The function $\frac{x+3}{x^2+9}$ has _____ asymptotes
- (72) $F(x) = x^3 + 3x^2 - 6x - 10$. Find $f'(1) =$ _____
- (73) The slope of the line tangent to $f(x) = x^3 + 2x$ at the origin is _____
- (74) The polar coordinates of the rectangular coordinates $(2, -2)$ are $(r, k\pi)$. If $r, k > 0$, then the least value of k is _____
- (75) $\sin(\arccos(\frac{\sqrt{3}}{2})) =$ _____
- (76) Find k , $0 \leq k \leq 7$, if $3k + 2 \cong 1 \pmod{8}$. _____
- (77) $\int_0^1 (3 - 2x) dx =$ _____
- (78) Change $\frac{7}{16}$ to a base 4 decimal. _____
- (79) The 8th term of the arithmetic sequence $-9, -3, 3, 9, \dots$ is _____
- *(80) $(1 + 2 + 3 + 4 + 5 + \dots + 10)^2 =$ _____

The University Interscholastic League

Number Sense Test • HS Invitational A • 2012

Contestant's Number _____

Read directions carefully
before beginning test

**DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN**

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|--|--|
| <p>(1) $2012 - 2102 =$ _____</p> <p>(2) $3.1 \times 3.9 =$ _____ (decimal)</p> <p>(3) $\frac{4}{5} + \frac{5}{12} =$ _____ (mixed number)</p> <p>(4) $538 \div 9$ has a remainder of _____</p> <p>(5) $22^2 =$ _____</p> <p>(6) $11 \times 246 =$ _____</p> <p>(7) $1648 \div 8 =$ _____</p> <p>(8) XCIX = _____ (Arabic Numeral)</p> <p>(9) $\frac{5}{6} - \frac{5}{12} - \frac{5}{18} =$ _____</p> <p>*(10) $32 + 322 + 3222 + 32222 =$ _____</p> <p>(11) $753 + 357 =$ _____</p> <p>(12) $12.5 \times 15 =$ _____</p> <p>(13) 35% of 210 = k% of 420. Find k. _____ (decimal)</p> <p>(14) $14 \times \frac{14}{17} =$ _____ (mixed number)</p> <p>(15) $\frac{1}{12} =$ _____ % (mixed number)</p> <p>(16) $1 + 35 \div 7 \times 9 - 11 =$ _____</p> <p>(17) $13 \times 313 =$ _____</p> | <p>(18) $37 \times 36 + 38 \times 36 =$ _____</p> <p>(19) If 12 pencils cost \$1.11 then 8 pencils cost \$ _____</p> <p>*(20) $594 \times 248 =$ _____</p> <p>(21) $(45 \times 30 + 15) \div 7$ has a remainder of _____</p> <p>(22) 36 base 9 = _____ base 10</p> <p>(23) $\frac{1}{3}$ of a gallon = _____ cubic inches</p> <p>(24) $19^2 - 21^2 =$ _____</p> <p>(25) The largest prime number less than 37 is _____</p> <p>(26) If $k^3 = 729$, then $k^2 =$ _____</p> <p>(27) 4 cups = _____ fluid ounces</p> <p>(28) $2\frac{3}{5} + 6\frac{1}{4} =$ _____ (mixed number)</p> <p>(29) The sum of three consecutive even integers is 132.
The largest integer is _____</p> <p>*(30) $\sqrt{167} + \sqrt{2345} =$ _____</p> <p>(31) .242424... = _____ (proper fraction)</p> <p>(32) If $3x - 6 = 9$ then $2x + 4 =$ _____</p> <p>(33) Let set D = {d,e,c,i,m,a,l} and set P = {p,o,i,n,t}.
How many unique elements are in $D \cap P$? _____</p> |
|--|--|

- (34) $4^{-2} + 3^0 + 2^2 =$ _____
- (35) A bowler won 37.5% of the 40 games he bowled.
How many games did he lose? _____
- (36) $12 \div 0.08333\dots =$ _____
- (37) If $x = 13$ and $y = 19$ then $x^2 + 2xy + y^2 =$ _____
- (38) Round $10\sqrt{5}$ to the tenths place. _____
- (39) The simple interest on \$400 at 6% for 8 months is
\$ _____
- *(40) $\frac{1}{6} \times 35.79 \times 216 =$ _____
- (41) $24_6 + 15_6 + 33_6 =$ _____ ₆
- (42) If $A > 1$ and $A^k \div A^2 \times A = A^4$ then $k =$ _____
- (43) $(20 \times 5!) \div (80 \times 3!) =$ _____
- (44) Find k , so that 917 k is the largest 4-digit number
divisible by 6. _____
- (45) If $31^2 - 37^2 = 34k$, then $k =$ _____
- (46) $\sqrt{44 \times 56 + 36} =$ _____
- (47) If $3^{(x)} = 6561$ then $3^{(x-2)} =$ _____
- (48) The slope of the line $6x - ky = 9$ is 12. Find k . _____
- (49) Which of the following is a triangular number,
66, 76, or 86? _____
- *(50) $(10 \times \pi \times e)^2 =$ _____
- (51) The sum of the first 10 triangular numbers is _____
- (52) A triangle has sides of 7, 11, and k . How many
integral values of k will form a triangle? _____
- (53) $\frac{1}{3} + \frac{1}{6} + \frac{1}{10} + \frac{1}{15} + \dots + \frac{1}{55} =$ _____
- (54) Let $(3 - 6i)(6 - 3i) = a + bi$. Find $a + b$. _____
- (55) $54^2 + 35^2 =$ _____
- (56) If $\log_x 32 + \log_x 2 = 3$ then $x =$ _____
- (57) How many different groups of 5 songs can be
made from 7 different songs? _____
- (58) $7^9 \div 11$ has a remainder of _____
- (59) $235 \times 112 =$ _____
- *(60) $18^4 =$ _____
- (61) The harmonic mean of 2, 3, and 5 is _____
- (62) 95° Fahrenheit = _____ $^\circ$ Celsius
- (63) $(\sin \frac{4\pi}{3})(\cos \frac{5\pi}{6}) - (\tan \frac{\pi}{4}) =$ _____
- (64) The $\det\left(\begin{bmatrix} 2 & -2 \\ 3 & -5 \end{bmatrix} \times \begin{bmatrix} 2 & 3 \\ -2 & -5 \end{bmatrix}\right)$ is = _____
- (65) A single die is rolled. The odds that the top face is a
composite number is _____
- (66) If $f(x) = x^3 + 3x^2 + 3x + 1$, then $f(8) =$ _____
- (67) $103 \times 98 =$ _____
- (68) $(112_9 + 358_9) \div 8$ has a remainder of _____
- (69) If $\log 4 = .8$ and $\log x = .4$ then $x =$ _____
- *(70) 70 miles per hour = _____ feet per minute
- (71) The radius of the base of a right cylinder is 5 cm
and its height is 4 cm. If the volume of the
cylinder is $k\pi$ cm^3 then k is _____
- (72) The function $\frac{x^3 + 3x + 9}{-20x^2 - 8x}$ has _____ asymptotes
- (73) $111 \times 505 =$ _____
- (74) The polar coordinates of the rectangular
coordinates $(1, \sqrt{3})$ are $(r, k\pi)$. The smallest
positive value of k is _____
- (75) Find k , $0 \leq k \leq 6$, if $5k - 3 \cong 2 \pmod{7}$. _____
- (76) The y -intercept of the line tangent to $f(x) = x^3 + 2x$
 $(1, 3)$ is $(0, y)$. $y =$ _____
- (77) $\int_{-1}^1 (4x + 1) dx =$ _____
- (78) Given the sequence 5,6,7,9,12,17, k ,38, $k =$ _____
- (79) The first 4 digits of the decimal of $\frac{23}{99}$ is 0. _____
- *(80) $(1 + 2 + 3 + 4 + 5 + \dots + 15)^2 =$ _____

The University Interscholastic League

Number Sense Test • HS Invitational B • 2012

Contestant's Number _____

Read directions carefully
before beginning test

DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|---|---|
| <p>(1) $2.34 + 15.46 =$ _____ (decimal)</p> <p>(2) $\frac{5}{9} - \frac{9}{14} =$ _____</p> <p>(3) $32 \times 125 =$ _____</p> <p>(4) $345 \div 9 =$ _____ (Mixed Number)</p> <p>(5) $42 \div 3 + 15 \times 6 =$ _____</p> <p>(6) $3015 \div 6 =$ _____ (decimal)</p> <p>(7) $31^2 =$ _____</p> <p>(8) Which is smaller, $\frac{7}{9}$ or $\frac{3}{4}$? _____</p> <p>(9) $11 \times 303 =$ _____</p> <p>*(10) $49 + 498 + 4997 + 49996 =$ _____</p> <p>(11) $3 + 7 + 11 + 15 + \dots + 43 =$ _____</p> <p>(12) The mean of 43, 32, 21 and 10 is _____</p> <p>(13) $\frac{6}{7} - \frac{3}{14} - \frac{1}{28} =$ _____</p> <p>(14) $5\frac{5}{6}\% =$ _____ (proper fraction)</p> <p>(15) If 1 gram = .04 oz., then 1.68 oz. = _____ grams</p> <p>(16) $5.333\dots \times 24 =$ _____</p> <p>(17) 4.25 feet = _____ inches</p> <p>(18) Find the cost of 66 pens at \$.74 each. \$_____</p> | <p>(19) $3\frac{3}{4} \div 2\frac{1}{2} =$ _____ (decimal)</p> <p>*(20) $\frac{1}{4} \times 8.16 \times 32 \times 64 =$ _____</p> <p>(21) The LCM of 24 and 32 is _____</p> <p>(22) $6\frac{7}{8} - 9 =$ _____ (mixed number)</p> <p>(23) How much does it cost to drive a car 90 miles at \$.25 per mile? \$ _____</p> <p>(24) $16^2 + 48^2 =$ _____</p> <p>(25) The area of a right triangle is 24 in² and its base is 4 in. What is the height? _____ in</p> <p>(26) 48% of 90 is 16% of _____</p> <p>(27) 44 base 10 = _____ base 5</p> <p>(28) $(213 \times 4 + 7) \div 11$ has a remainder of _____</p> <p>(29) The first 4 digits of the decimal of $\frac{47}{99}$ is 0. _____</p> <p>*(30) $30989 \div 5\frac{1}{6} \times 11 =$ _____</p> <p>(31) $48 \div 0.1875 =$ _____</p> <p>(32) The simple interest on \$120 at 6% for 3 months is \$ _____</p> <p>(33) Let $B = \{b,o,y,s\}$, $G = \{g,i,r,l,s\}$ and $K = \{k,i,d,s\}$.
($G \cap K$) \cup B contains _____ unique elements</p> |
|---|---|

- (34) $5^2 + 4^3 + 3^4 =$ _____
- (35) $4\frac{1}{4} \times 4\frac{3}{4} =$ _____ (mixed number)
- (36) If $x = 16$ and $y = 9$ then $4x^2 + 4xy + y^2 =$ _____
- (37) Truncate $4\sqrt{8}$ to a whole number. _____
- (38) 1 bushel = _____ pecks
- (39) $11312 \div 101 =$ _____
- *(40) $\sqrt{21347} + \sqrt{11235} =$ _____
- (41) The 21st triangular number is _____
- (42) $60 \times 5! - 60 \times 6! =$ _____
- (43) If $7x - 21 > 14x$ then $x <$ _____
- (44) Find the slope of a line perpendicular to the line containing the points $(-2, 3)$ and $(-5, 7)$. _____
- (45) If $A > 1$ and $A^k \div A^{-1} \div A^2 = A^3$ then $k =$ _____
- (46) $134_5 \div 4_5 =$ _____ $_5$
- (47) If P, Q, and R are the real roots of $4x^3 + 4x^2 - 29x = 12$ then $PQ + QR + PR =$ _____
- (48) $74^2 - 70^2 = 144k$. $k =$ _____
- (49) Evaluate x when $3^{(x-1)} = 9^{(x+1)}$. _____
- *(50) $\left(\frac{\sqrt{5}+1}{2} + \pi\right)^3 =$ _____
- (51) $115 \times 252 =$ _____
- (52) $9^{10} \div 11$ has a remainder of _____
- (53) $({}_5C_3)({}_5P_2) =$ _____
- (54) The simplified coefficient of the x^3y^3 term in the expansion of $(x - y)^6$ is _____
- (55) The reciprocal of $3 + i$ is $a + bi$. Find a. _____
- (56) If $\log_4(8x) = 2.5$ then $x =$ _____
- (57) $1^3 + 2^3 + 3^3 + 4^3 + 5^3 + 6^3 =$ _____
- (58) How many distinct 8 letter words, real or imaginary, can be made using the letters from the word "distinct" ? _____
- (59) $\frac{1 + 8 + 27 + 64 + 125}{15^2} =$ _____
- *(60) $6^5 \div 3^4 \times 9^2 =$ _____
- (61) $111 \times 603 =$ _____
- (62) If $g(x) = 2x^2 + x - 3$, then $g(g(-\frac{1}{2})) =$ _____
- (63) A box contains 10 blue pens and k red pens. Find k if the probability of randomly drawing a red pen is 37.5%. _____
- (64) $\sin(135^\circ) \times \cos(315^\circ) - \tan(225^\circ) =$ _____
- (65) $A = \begin{bmatrix} 1 & 1 \\ 2 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & 2 \\ 1 & 1 \end{bmatrix}$. Find $|AB|$. _____
- (66) $112 \times 88 =$ _____
- (67) $(532_8 + 641_8) \div 7$ has a remainder of _____
- (68) 60° Celsius = _____ $^\circ$ Fahrenheit
- (69) If $\log 3 = .5$ and $\log x = 1.5$ then $x =$ _____
- *(70) 875 feet per second = _____ miles per hour
- (71) Find k, $0 \leq k \leq 10$, if $4! - 2 \cong k \pmod{11}$. _____
- (72) $\sqrt{169744} =$ _____
- (73) $6! \div 4! + 5! \div 3! + 2! \div 0! + 1! =$ _____
- (74) The surface area of a cube with a base area of 36cm^2 is _____ cm^2
- (75) Given the sequence 2,3,6,12,22,37,k,86,... . $k =$ _____
- (76) The function $\frac{x^3}{x^2-1}$ has _____ asymptotes
- (77) $\int_1^5 x^{-2} dx =$ _____
- (78) $\frac{1}{8} + \frac{1}{24} + \frac{1}{48} + \frac{1}{80} =$ _____
- (79) The 8th term of the geometric sequence $-27, 9, -3, 1, \dots$ is _____
- *(80) $416.678 \times 119 =$ _____

The University Interscholastic League

Number Sense Test • HS District 1 • 2012

Contestant's Number _____

Read directions carefully
before beginning test

DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|---|---|
| <p>(1) $2012 + 2102 =$ _____</p> <p>(2) $\frac{5}{8} - \frac{4}{7} =$ _____</p> <p>(3) $17 \times 17 =$ _____</p> <p>(4) $631.2 \div 6 =$ _____ (decimal)</p> <p>(5) $136 \times 11 =$ _____</p> <p>(6) $23 \times 17 + 17 \times 17 =$ _____</p> <p>(7) CDLXIV = _____ (Arabic Numeral)</p> <p>(8) Which is smaller, $\frac{8}{11}$ or $\frac{10}{13}$? _____</p> <p>(9) $18 + 9 \div 6 \times 3 =$ _____</p> <p>*(10) $34543 + 3454 + 345 + 34 + 3 =$ _____</p> <p>(11) If 4 books cost \$12.75 then 12 books cost \$ _____</p> <p>(12) 4.666... feet = _____ inches</p> <p>(13) $\frac{1}{5} + \frac{4}{15} - \frac{7}{30} =$ _____</p> <p>(14) $16 \times 235 =$ _____</p> <p>(15) $1 + 2 + 3 + 4 + \dots + 25 =$ _____</p> <p>(16) 15% of \$17.00 is \$ _____</p> <p>(17) $4.125 \times 16 =$ _____</p> <p>(18) 24% of 48 = k% of 144. Find k. _____</p> | <p>(19) $15^3 =$ _____</p> <p>*(20) $\frac{1}{3} \times 9.18 \times 36 \times 72 =$ _____</p> <p>(21) $\frac{8}{15} - \frac{15}{31} =$ _____</p> <p>(22) The simple interest on \$480.00 at 12% for 9 months is \$ _____</p> <p>(23) The LCM of 42 and 48 is _____</p> <p>(24) $5^3 - 4^2 + 2^0 =$ _____</p> <p>(25) Evaluate f(3) if $f(x) = 16x^2 - 24x + 9$. _____</p> <p>(26) $(42 + 26 \times 18) \div 8$ has a remainder of _____</p> <p>(27) $135 \times 321 =$ _____</p> <p>(28) $9\frac{7}{8} - 6\frac{4}{5} =$ _____ (mixed number)</p> <p>(29) $17 + 5 - 27 + 15 - 37 + 25 =$ _____</p> <p>*(30) $\sqrt{1155} \times \sqrt{678} =$ _____</p> <p>(31) 0.2777... = _____ (proper fraction)</p> <p>(32) The first 4 digits of the decimal of $\frac{29}{90}$ is 0. _____</p> <p>(33) $144 \div 0.08333... =$ _____</p> <p>(34) Truncate $\sqrt{3} + \sqrt{7}$ to the tenths place. _____</p> |
|---|---|

- (35) If $6x + 5 = 4$ then $3x - 2 =$ _____
- (36) $23^2 - 25^2 =$ _____
- (37) If $x = 5$ and $y = 4$ then $3x^2 + 2xy + y^2 =$ _____
- (38) Let set $A = \{m, a, y\}$, set $M = \{j, u, n, e\}$ and set $J = \{j, u, l, y\}$. How many unique elements are in $(A \cup J) \cap M$? _____
- (39) $235_6 =$ _____ 10
- *(40) $123 \times \frac{1}{11} \times 0.0625 \times 1757 =$ _____
- (41) If $68^2 - 62^2 = 12k$, then $k =$ _____
- (42) Which of the following is NOT a triangular number, 105, 114, or 120? _____
- (43) The sum of the roots of $4x^2 + 4x = 15$ is _____
- (44) If $8^{-2} \times 8^k \div 8^{-4} = 8$, then $k =$ _____
- (45) $16 \times 5! + 20 \times 4! =$ _____
- (46) The slope of the line $4x - 5y = 6$ is _____
- (47) A, B, & C are the roots of $x^3 + 2x^2 - 23x - 60 = 0$. Find $A + B + C - A \times B \times C$. _____
- (48) $1204_6 \div 4_6 =$ _____ 6
- (49) If a triangle has side lengths of 6, 6, and x then the largest integral value of x is _____
- *(50) $(5\pi)^3 =$ _____
- (51) $7^9 \div 11$ has a remainder of _____
- (52) The geometric series $3\frac{1}{3} + 2 + 1\frac{1}{5} + \frac{18}{25} + \dots$ has a sum of _____
- (53) $77^2 + 63^2 =$ _____
- (54) If A is 40% more than B and C is 60% less than B, then C is what fraction part of A? _____
- (55) $\log_2(4x) = 8$ then $\sqrt{x} =$ _____
- (56) $1 + 4 + 7 + 10 + 13 + \dots + 28 =$ _____
- (57) If $(3 - 4i)(5 - 2i) = a + bi$, then $a + b =$ _____
- (58) $\frac{1+4+9+16+\dots+49+64}{1+3+6+10+\dots+28+36} =$ _____
- (59) $({}_6C_4)({}_5P_3) =$ _____
- *(60) 200 miles per hour = _____ feet per second
- (61) A pair of standard dice are rolled. The probability that the sum of the dots on the top faces is a triangular number is _____
- (62) $\sin(30^\circ) - \cos(150^\circ) \times \tan(300^\circ) =$ _____
- (63) The Greatest Integer Function is written as $f(x) = [x]$. Find $[\sqrt{2} + \sqrt{3} + \sqrt{5}]$. _____
- (64) $A = \begin{bmatrix} 1 & 2 \\ 1 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 4 \\ 1 & 7 \end{bmatrix}$. Find $|A - B|$. _____
- (65) $89 \times 98 =$ _____
- (66) If $f(x) = x^4 + 4x^3 + 6x^2 + 4x + 1$, then $f(4) =$ _____
- (67) Given the sequence 0, 2, 6, 12, 20, ..., 72, k , 110, ... find k . _____
- (68) 104° Fahrenheit = _____ $^\circ$ Celsius
- (69) If $\log_b 5 = 2$ and $\log_b x = 4$ then $x =$ _____
- *(70) The radius of the base of a cylinder is 8". Find the volume if its height is 9.5". _____ cu. inches
- (71) The function $\frac{2x^4}{3x^2+1}$ has _____ asymptotes
- (72) $\frac{1}{15} + \frac{1}{35} + \frac{1}{63} + \frac{1}{99} =$ _____
- (73) $F(x) = x^3 - 3x^2 + x - 2$. Find $f''(-\frac{1}{3}) =$ _____
- (74) $\lim_{x \rightarrow 0} \left(\frac{\sin(5x)}{3x} \right) =$ _____
- (75) A line tangent to $f(x) = x^2 - 9x + 7$ with a slope of -3 has a y-intercept of $(0, y)$. $y =$ _____
- (76) Find k , $0 \leq k \leq 8$, if $4k - 3 \cong 5(\text{mod } 9)$. _____
- (77) $\int_{-1}^1 (3x^2 + 2x + 1) dx =$ _____
- (78) $\sqrt{499849} =$ _____
- (79) The 10th term of the arithmetic sequence $-7, -1, 5, 11, \dots$ is _____
- *(80) $583.385 \times 239 =$ _____

The University Interscholastic League

Number Sense Test • HS District 2 • 2012

Contestant's Number _____

Read directions carefully
before beginning test

**DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN**

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|---|---|
| <p>(1) $123.4 + 234.1 =$ _____ (decimal)</p> <p>(2) $2012 - 2102 =$ _____</p> <p>(3) $\frac{5}{8} \times \frac{6}{7} =$ _____</p> <p>(4) $136 \div 9 =$ _____ (mixed number)</p> <p>(5) $4 - 8 \times 12 \div 16 + 20 =$ _____</p> <p>(6) $19 \times 34 - 15 \times 19 =$ _____</p> <p>(7) $12^3 =$ _____</p> <p>(8) Which is larger $\frac{3}{16}$ or 0.185? _____</p> <p>(9) $3\frac{2}{5} + \frac{7}{10} =$ _____ (mixed number)</p> <p>*(10) $11235 - 5321 + 532 - 53 + 5 =$ _____</p> <p>(11) 16% of 189 = 48% of k. Find k. _____</p> <p>(12) $17 \times \frac{17}{21} =$ _____ (mixed number)</p> <p>(13) $4 + 8 + 12 + 16 + \dots + 44 =$ _____</p> <p>(14) The mean of 86, 64, 42 and 20 is _____</p> <p>(15) $13 \times 245 =$ _____</p> <p>(16) $2\frac{3}{4}$ yards = _____ inches</p> <p>(17) 25% of \$16.96 is \$ _____</p> | <p>(18) $\frac{11}{16} =$ _____ % (decimal)</p> <p>(19) The largest prime factor of 273 is _____</p> <p>*(20) $235711 \div 642 =$ _____</p> <p>(21) $12\frac{1}{4} \times 8\frac{1}{4} =$ _____ (mixed number)</p> <p>(22) 75% of 85 is 15% of _____</p> <p>(23) How many even integers are between 16 & 61? _____</p> <p>(24) $3282416 \div 8 =$ _____</p> <p>(25) If 8 cards cost \$14.50 then 12 cards cost \$ _____</p> <p>(26) Let set S = {s,l,i,d,e} and set R = {r,u,l,e}. How many unique elements are in $R \cap S$? _____</p> <p>(27) How many positive integers divide 84? _____</p> <p>(28) Round $3\sqrt{5}$ to the tenths place. _____</p> <p>(29) $\frac{3}{7}$ of a gallon = _____ cubic inches</p> <p>*(30) $\sqrt{10601} + \sqrt{908} =$ _____</p> <p>(31) If $5 - 3x = -13$ then $7 - 2x =$ _____</p> <p>(32) A bull rider rode 18.75% of the 128 bulls he got on. How many bulls did he not ride? _____</p> <p>(33) $0.875 \div 14 =$ _____</p> |
|---|---|

- (34) $7\frac{3}{5} - 5\frac{2}{3} =$ _____ (mixed number)
- (35) 2.5 bushels = _____ pecks
- (36) $3^4 + 6^3 - 9^2 =$ _____
- (37) If $x = 3$ and $y = 5$ then $x^3 + 3x^2y + 3xy^2 + y^3 =$ _____
- (38) If $k < 0$ and $k^2 = 169$, then $k^3 =$ _____
- (39) The first 4 digits of the decimal of $\frac{131}{990}$ is 0. _____
- *(40) $100 \div \frac{3}{7} \times 89 \div 0.37589 =$ _____
- (41) If $64^2 - 68^2 = 66k$, then $k =$ _____
- (42) The sum of the first 4 triangular numbers is _____
- (43) $321 \times 235 =$ _____
- (44) The sum of the product of the roots taken two at a time of $3x^3 + 4x^2 - 17x - 6 = 0$ is _____
- (45) $12 \times 7! - 14 \times 6! =$ _____
- (46) $9^8 \div 7$ has a remainder of _____
- (47) If $\frac{8x+5}{3} > 2$ then $x >$ _____
- (48) If $A > 1$ and $A^{-2} \div A^k \times A^{-4} = A^6$ then $k =$ _____
- (49) $358_9 + 235_9 =$ _____ $_9$
- *(50) $(5e)^3 =$ _____
- (51) How many ways can the letters in the word 'round' be arranged in a circle? _____
- (52) $1 + 3 + 6 + 10 + 15 + \dots + 66 + 78 =$ _____
- (53) If $7\log_x 2 - 3\log_x 2 = 2$ then $x =$ _____
- (54) The simplified coefficient of the x^3y term in the expansion of $(3x + 2y)^4$ is _____
- (55) If $(2 + 5i)^2$ is $a + bi$, then $a + b =$ _____
- (56) The measure of a central angle of a regular octagon is $k\pi$ radians. Find k . _____
- (57) $\sqrt{1^3 + 2^3 + 3^3 + 4^3 + \dots + 7^3 + 8^3} =$ _____
- (58) $\frac{1}{3} + \frac{1}{6} + \frac{1}{10} + \frac{1}{15} + \dots + \frac{1}{55} + \frac{1}{66} =$ _____
- (59) ${}_5P_3 - {}_5C_3 =$ _____
- *(60) $12 \times 34 \times 56 \times 78 =$ _____
- (61) $A = \begin{bmatrix} 2 & -1 \\ -4 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & 2 \\ 3 & -4 \end{bmatrix}$. $|A + B| =$ _____
- (62) $(1367) + (2357) \div 6$ has a remainder of _____
- (63) If $g(x) = 3x^2 + 2x - 1$, then $g(g(-1)) =$ _____
- (64) The harmonic mean of 1, 3, and 9 is _____
- (65) There are 8 pens with black ink, 7 with blue, and 3 with red in a package. The odds of randomly selecting a red ink pen is _____
- (66) $113 \times 107 =$ _____
- (67) 120 miles per hour = _____ feet per second
- (68) -10° Celsius = _____ $^\circ$ Fahrenheit
- (69) An equilateral based prism has a height of $2\sqrt{3}$ " and a base side length of 2". The volume of the prism is _____ cubic inches
- *(70) $(1 + 5 + 9 + 13 + 17 + \dots + 37 + 41)^2 =$ _____
- (71) $\left(\cos\left(\arcsin\left(-\frac{\sqrt{2}}{2}\right)\right)\right)^2 =$ _____
- (72) If $f(x) = x^3 + 5x^2 + 12x + 22$ then $f'(-2) =$ _____
- (73) The function $\frac{x^2 + 2x + 3}{x^3}$ has _____ asymptotes
- (74) Change $\frac{15}{32}$ to a base 8 decimal. _____ $_8$
- (75) The polar coordinates of the rectangular coordinates $(\frac{1}{2}, \frac{\sqrt{3}}{2})$ are $(r, k\pi)$. Find k where $0 < k < 2$. _____
- (76) $\int_{-1}^1 (3x^2 - 2) dx =$ _____
- (77) Find k , $1 < k < 7$, if $5k \equiv 2 \pmod{3}$. _____
- (78) $4! \div 5! + 3! \div 4! + 1! \div 2! =$ _____
- (79) Given the sequence 1,2,6,12,25,48,k,168,... $k =$ _____
- *(80) 3025 yards = _____ rods

The University Interscholastic League

Number Sense Test • Regional • 2012

Contestant's Number _____

Read directions carefully
before beginning test

**DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN**

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|---|---|
| <p>(1) $42112 + 21124 =$ _____</p> <p>(2) $25 \times 214 =$ _____</p> <p>(3) $421 \div 12 =$ _____ (mixed number)</p> <p>(4) $2012 - 421 =$ _____</p> <p>(5) $5 - 10 \times 15 \div 20 + 25 =$ _____</p> <p>(6) $20\frac{1}{2}\% =$ _____ (proper fraction)</p> <p>(7) $26^2 =$ _____</p> <p>(8) $1\frac{2}{3} + 4\frac{5}{6} =$ _____ (mixed number)</p> <p>(9) $421 \times 11 =$ _____</p> <p>*(10) $421 + 2012 - 2102 + 241 =$ _____</p> <p>(11) $77^2 =$ _____</p> <p>(12) The arithmetic mean of 4, 21, 20, and 12 is _____</p> <p>(13) $21 \times \frac{21}{25} =$ _____ (mixed number)</p> <p>(14) $3 + 6 + 9 + 12 + \dots + 36 =$ _____</p> <p>(15) \$9.00 is 15% of \$ _____</p> <p>(16) $144 \div 0.08333\dots =$ _____</p> <p>(17) 4 yards 2 feet 1 inch = _____ inches</p> <p>(18) The largest prime factor of 124 is _____</p> | <p>(19) If 3 rings cost \$40.20 then 7 rings cost \$ _____</p> <p>*(20) $25 \times 20 \times 10.15 \div \frac{1}{5} =$ _____</p> <p>(21) $12\frac{1}{6} \times 6\frac{5}{6} =$ _____ (mixed number)</p> <p>(22) Which is larger $1\frac{7}{12}$ or 1.712? _____</p> <p>(23) $(34^2 - 26^2) \div 30 =$ _____</p> <p>(24) 51% of 85 is 17% of _____</p> <p>(25) $(9 + 18 \times 27) \div 5$ has a remainder of _____</p> <p>(26) 104 is divisible by how many positive integers? _____</p> <p>(27) $1214412 \div 12 =$ _____</p> <p>(28) Let set $R = \{r,o,u,n,d\}$ and set $A = \{a,n,s,w,e,r\}$.
How many unique elements are in $R \cap A$? _____</p> <p>(29) The first 4 digits of the decimal of $\frac{23}{90}$ is 0. _____</p> <p>*(30) $\sqrt{456789} =$ _____</p> <p>(31) If $3x + 4 = -5$ then $6x - 7 =$ _____</p> <p>(32) 1,728 base ten = _____ base twelve</p> <p>(33) The simple interest on \$900 at 7% for 5 months is \$ _____</p> <p>(34) $6\frac{7}{8} - 8\frac{9}{10} =$ _____ (mixed number)</p> |
|---|---|

- (35) 7 pecks = _____ bushels
- (36) $3^4 - 4^3 - 5^2 =$ _____
- (37) Truncate $(\sqrt{2} + \sqrt{5})$ to the tenths place. _____
- (38) If $x = 8$ and $y = -3$ then $x^2 - 2xy + y^2 =$ _____
- (39) A quarterback completed $31\frac{1}{4}\%$ of the 48 passes he threw. How many passes did he not complete? _____
- *(40) $2134711 \div 1123 =$ _____
- (41) $225 \times 134 =$ _____
- (42) The 25th triangular number is _____
- (43) $234_7 - 156_7 =$ _____ ₇
- (44) If A, B, and C are the real roots of $4x^3 + 4x^2 - 29x - 12 = 0$, then $ABC - A - B - C =$ _____
- (45) $11 \times 4! + 44 \times 3! =$ _____
- (46) If $9^{(x)} = 3^{(x-1)}$, then $6^{(x+1)} =$ _____
- (47) $7^8 \div 9$ has a remainder of _____
- (48) If $A > 1$ and $A^{-2} \div A^3 \times A^k = A^4$ then $k =$ _____
- (49) 40° Celsius = _____ $^\circ$ Fahrenheit
- *(50) $\frac{\sqrt{5}+1}{2} \times 31.4 \times 27.18 =$ _____
- (51) How many ways can the letters in the word 'arrange' be arranged in a line? _____
- (52) $\frac{1}{3} + \frac{1}{6} + \frac{1}{10} + \frac{1}{15} + \dots + \frac{1}{36} =$ _____
- (53) If $(4 + 3i)(2 - i) = a + bi$, then $a + b =$ _____
- (54) The simplified coefficient of the x^3y^2 term in the expansion of $(2x + y)^5$ is _____
- (55) $({}_5P_3) + ({}_4C_2) + ({}_3P_1) =$ _____
- (56) $\sqrt{1 + 8 + 27 + 64 + \dots + 1331 + 1728} =$ _____
- (57) The measure of a central angle of a regular decagon is $k\pi$ radians. Find k . _____
- (58) $.25 + .45 + .65 + .85 + \dots + 1.45 =$ _____
- (59) $67^2 + 64^2 =$ _____
- *(60) $21 \times 43 \times 65 \times 87 =$ _____
- (61) $\sin(150^\circ) - \tan(225^\circ) - \cos(300^\circ) =$ _____
- (62) $(357_8)(246_8) \div 7$ has a remainder of _____
- (63) Let $h(x) = 4x^2 + 4x + 1$, then $h(h(-1)) =$ _____
- (64) $A = \begin{bmatrix} 1 & 1 \\ 2 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 1 \\ 3 & 4 \end{bmatrix}$. Find $|AB|$. _____
- (65) 154 feet per second = _____ miles per hour
- (66) $115 \times 118 =$ _____
- (67) The Greatest Integer Function is written as $f(x) = [x]$. Find $[\sqrt{6} + \sqrt{7} + \sqrt{8}]$. _____
- (68) A box contains 9 blue chips and k white chips. How many chips are in the box if the odds of randomly drawing a blue chip is $\frac{3}{4}$? _____
- (69) $\sqrt{9.8596} =$ _____ (decimal)
- *(70) $(8! \div 6!)(7! \div 5!)(6! \div 4!) =$ _____
- (71) The graph of $y = \pm 2\sqrt{\frac{x}{x-2}}$ has _____ asymptotes
- (72) Find k , $0 \leq k \leq 8$, if $3! + k \equiv 1 \pmod{9}$. _____
- (73) $\int_{-1}^1 (4x - 3) dx =$ _____
- (74) If $f(x) = x^3 - 6x^2 + 9x + 1$, then $f''(1) =$ _____
- (75) If $\arccos(\sin(\frac{\pi}{6})) = k\pi$, then $k =$ _____
- (76) $\frac{1}{18} + \frac{1}{54} + \frac{1}{108} + \frac{1}{180} =$ _____
- (77) $23 \times 1111 =$ _____
- (78) Change $\frac{11}{25}$ to a base 5 decimal. _____
- (79) Given the sequence 2,6,15,28,55,k,119,... . $k =$ _____
- *(80) 1 square mile = _____ square rods

The University Interscholastic League

Number Sense Test • HS State • 2012

Contestant's Number _____

Read directions carefully
before beginning test

**DO NOT UNFOLD THIS SHEET
UNTIL TOLD TO BEGIN**

Final _____

2nd _____

1st _____

Score _____ Initials _____

Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a starred problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.

The person conducting this contest should explain these directions to the contestants.

STOP -- WAIT FOR SIGNAL!

- | | |
|--|---|
| <p>(1) $52112 + 2012 - 521 =$ _____</p> <p>(2) $\frac{3}{4} \times \frac{8}{9} =$ _____</p> <p>(3) $52.1 \div 8 =$ _____ (decimal)</p> <p>(4) $32 \times 18 + 18 \times 18 =$ _____</p> <p>(5) $521 \times 11 =$ _____</p> <p>(6) Which is smaller $\frac{9}{13}$ or $\frac{13}{19}$? _____</p> <p>(7) DXXI = _____ (Arabic Numeral)</p> <p>(8) $(34)^2 =$ _____</p> <p>(9) $1 + 3 \times 6 - 10 \div 15 =$ _____</p> <p>*(10) $1123 + 5813 + 2134 + 5589 =$ _____</p> <p>(11) 45% of 540 = _____</p> <p>(12) $\frac{2}{5} - \frac{4}{25} - \frac{6}{75} =$ _____</p> <p>(13) 4.444... yards = _____ inches</p> <p>(14) $3 + 7 + 11 + 15 + \dots + 35 =$ _____</p> <p>(15) $\frac{11}{40} =$ _____ % (decimal)</p> <p>(16) $531 \times 8 - 6 =$ _____</p> <p>(17) $(\frac{7}{9})^3 =$ _____</p> | <p>(18) The largest prime factor of 741 is _____</p> <p>(19) $24 \times 0.96 =$ _____ (mixed number)</p> <p>*(20) $5212012 \div 136 =$ _____</p> <p>(21) $\frac{11}{21} - \frac{21}{43} =$ _____</p> <p>(22) If 15 links cost \$3.60 then 9 links cost \$ _____</p> <p>(23) $0.44777\dots =$ _____ (proper fraction)</p> <p>(24) $246_8 =$ _____ ₁₀</p> <p>(25) 2.375 gallons = _____ pints</p> <p>(26) $234 \times 532 =$ _____</p> <p>(27) Let set A = {a,c,u,t,e}, set T = {t,r,i,a,n,g,l,e}, and set S = {s,h,a,p,e}. How many unique elements are in $(A \cap S) \cup (T \cap S)$? _____</p> <p>(28) $3\frac{4}{5} - 6\frac{7}{8} =$ _____ (mixed number)</p> <p>(29) The sum of three consecutive odd integers is 369. The smallest integer is _____</p> <p>*(30) $1\frac{1}{2} \times 3581.3 \div 21 =$ _____</p> <p>(31) $\sqrt{27 \times 31 + 4} =$ _____</p> <p>(32) Truncate $\sqrt{2} \times \sqrt{3}$ to the tenths place. _____</p> <p>(33) $48 \div 0.1875 =$ _____</p> |
|--|---|

- (34) If x is to 8 as 12 is to 20 then $x =$ _____ (decimal)
- (35) If $2x - 3 = 5$ then $5x + 3 =$ _____
- (36) $(5)^2 - (3)^0 - (2)^{-1} =$ _____
- (37) If $x = 6$ and $y = 3$ then $9x^2 - 6xy + y^2 =$ _____
- (38) A pitcher lost $16\frac{2}{3}\%$ of the 30 games he pitched.
How many games did he win? _____
- (39) The first 4 digits of the decimal of $\frac{38}{45}$ is 0. _____
- *(40) $\sqrt{65748} =$ _____
- (41) The slope of the line $4x - ky = 8$ is $-\frac{1}{4}$. Find k . _____
- (42) If $A > 1$ and $(A^2 \times A^k)^{-1} = A^3$ then $k =$ _____
- (43) A, B, & C are the roots of $x^3 + 2x^2 - 9x - 18 = 0$.
Find $ABC - AB - BC - AC$. _____
- (44) If $33^2 - 39^2 = 3k$, then $k =$ _____
- (45) $12 \times 5! + 40 \times 4! =$ _____
- (46) $43_7 + 61_7 + 25_7 =$ _____ $_7$
- (47) If a triangle has side lengths of x , 12, and 5 then
the smallest integral value of x is _____
- (48) Which of the following is a triangular number,
136, 148, or 152? _____
- (49) $83^2 + 22^2 =$ _____
- *(50) $31.4 \times \pi + 27.1 \times e + 16.1 \times \Phi =$ _____
- (51) ${}_7C_4 + {}_6P_3 =$ _____
- (52) $1 + 3 + 6 + 10 + 15 + \dots + 78 =$ _____
- (53) The geometric series $5.333\dots + 4 + 3 + 2.25 + \dots$
has a sum of _____
- (54) How many ways can the letters in the word
'around' be arranged around a circle? _____
- (55) $(235_8 \times 136_8) \div 7$ has a remainder of _____
- (56) The harmonic mean of 1, 3, and 6 is _____
- (57) $8^{10} \div 12$ has a remainder of _____
- (58) $\frac{1}{3} + \frac{1}{6} + \frac{1}{10} + \frac{1}{15} + \dots + \frac{1}{78} =$ _____
- (59) If $(3 - 4i) \div (3 + 4i) = a + bi$, then $a + b =$ _____
- *(60) 321 miles per hour = _____ feet per second
- (61) $\sin(240^\circ) \times \cos(330^\circ) - \tan(135^\circ) =$ _____
- (62) $A = \begin{bmatrix} 2 & 4 \\ 1 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & 3 \\ 1 & 2 \end{bmatrix}$. Find $|A + B|$. _____
- (63) If $f(x) = x^4 + 4x^3 + 6x^2 + 4x + 1$, then $f(4) =$ _____
- (64) Given the sequence
0, 5, 8, 17, 24, 37, 48, ..., 145, k , 197, ..., find k . _____
- (65) $1003 \times 1007 =$ _____
- (66) A golfer has 8 brown tees, 5 red tees, 9 white tees,
and 2 pink tees. The probability that the golfer
randomly selects a red or pink tee is _____ %
- (67) If $f(x) = 5x - 2$, then $f^{-1}(8) =$ _____
- (68) If $\log_b(9) = 0.5$ and $\log_b(x) = 0.25$ then $x =$ _____
- (69) $(805)^2 =$ _____
- *(70) A pyramid has a 33 cm by 55 cm rectangular base
and a height of 22 cm. The volume of the pyramid
is _____ cm^3
- (71) $\frac{7}{8} + \frac{7}{24} + \frac{7}{48} + \frac{7}{80} + \frac{7}{120} =$ _____
- (72) Change $\frac{14}{25}$ to a base 5 decimal. _____
- (73) $F(x) = (x - 3)^{-2}$ has _____ horizontal asymptotes
- (74) The rectangular coordinates of the polar
coordinates $(-2, -\frac{\pi}{2})$ are (x, y) . $x + y =$ _____
- (75) $\int_{-2}^2 (x^3 + 1) dx =$ _____
- (76) Find k , $0 \leq k \leq 8$, if $3! + k \equiv 2 \pmod{9}$. _____
- (77) $F(x) = x^3 + 3x^2 + 3x + 1$. Find $f''(3) =$ _____
- (78) $\lim_{x \rightarrow 1} \left(\frac{x^3 - 1}{x - 1} \right) =$ _____
- (79) $1^2 - 2^2 + 3^2 - 4^2 + 5^2 - \dots + 15^2 =$ _____
- *(80) $714.285 \times 857.142 =$ _____

University Interscholastic League - Number Sense Answer Key HS • SAC • Fall 2011

*number) x — y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|-------------------------|----------------------|---------------------------------------|--|
| (1) 99 | (18) 120 | (35) 4 | *(60) 973 — 1,075 |
| (2) 1,600 | (19) 28 | (36) 27 | (61) — 2 |
| (3) $35\frac{8}{9}$ | *(20) 152 — 167 | (37) 400 | (62) 3 |
| (4) 1,433 | (21) $21\frac{1}{9}$ | (38) 7 | (63) $\frac{12}{7}, 1\frac{5}{7}$ |
| (5) 4,532 | (22) \$1.80 | (39) 36 | (64) 12 |
| (6) .625, $\frac{5}{8}$ | (23) 126 | *(40) 262 — 289 | (65) 20 |
| (7) 256 | (24) 1,564 | (41) 45 | (66) 11,232 |
| (8) 726 | (25) 5 | (42) 21 | (67) .75, $\frac{3}{4}$ |
| (9) 28 | (26) 343 | (43) 90,094 | (68) 25 |
| *(10) 25,588 — 28,280 | (27) $\frac{25}{99}$ | (44) — 8 | (69) 3 |
| (11) 8 | (28) $1\frac{1}{12}$ | (45) 720 | *(70) 77 — 84 |
| (12) — $\frac{1}{3}$ | (29) 27 | (46) 35 | (71) 1 |
| (13) 2,567 | *(30) 379 — 418 | (47) 2.5, $\frac{5}{2}, 2\frac{1}{2}$ | (72) 3 |
| (14) $11\frac{9}{17}$ | (31) 6 | (48) 3 | (73) 2 |
| (15) 6.25 | (32) 11 | (49) 403 | (74) 1.75, $\frac{7}{4}, 1\frac{3}{4}$ |
| (16) \$3.60 | (33) 256 | *(50) 29,456 — 32,556 | (75) .5, $\frac{1}{2}$ |
| (17) 2,873 | (34) 2.8 | (51) — 7 | (76) 5 |
| | | (52) 84 | (77) 2 |
| | | (53) 4,141 | (78) .13 |
| | | (54) 20 | (79) 33 |
| | | (55) 8 | *(80) 2,874 — 3,176 |
| | | (56) 5 | |
| | | (57) 0 | |
| | | (58) .75, $\frac{3}{4}$ | |
| | | (59) 120 | |

University Interscholastic League - Number Sense Answer Key HS • Invitation A • 2012

*number) x — y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|--|----------------------------|--|---|
| (1) — 90 | (18) 2,700 | (34) 5.0625, $\frac{81}{16}$, $5\frac{1}{16}$ | (58) 8 |
| (2) 12.09 | (19) \$.74 | (35) 25 | (59) 26,320 |
| (3) $1\frac{13}{60}$ | *(20) 139,947 —
154,677 | (36) 144 | *(60) 99,728 — 110,224 |
| (4) 7 | (21) 0 | (37) 1,024 | (61) $\frac{90}{31}$, $2\frac{28}{31}$ |
| (5) 484 | (22) 33 | (38) 22.4 | (62) 35 |
| (6) 2,706 | (23) 77 | (39) \$16.00 | (63) — .25, — $\frac{1}{4}$ |
| (7) 206 | (24) — 80 | *(40) 1,225 — 1,352 | (64) 16 |
| (8) 99 | (25) 31 | (41) 120 | (65) .5, $\frac{1}{2}$ |
| (9) $\frac{5}{36}$ | (26) 81 | (42) 5 | (66) 729 |
| *(10) 34,009 — 37,587 | (27) 32 | (43) 5 | (67) 10,094 |
| (11) 1,110 | (28) $8\frac{17}{20}$ | (44) 4 | (68) 4 |
| (12) 187.5, $\frac{375}{2}$, $187\frac{1}{2}$ | (29) 46 | (45) — 12 | (69) 2 |
| (13) 17.5 | *(30) 59 — 64 | (46) 50 | *(70) 5,852 — 6,468 |
| (14) $11\frac{9}{17}$ | (31) $\frac{8}{33}$ | (47) 729 | (71) 100 |
| (15) $8\frac{1}{3}$ | (32) 14 | (48) .5, $\frac{1}{2}$ | (72) 3 |
| (16) 35 | (33) 1 | (49) 66 | (73) 56,055 |
| (17) 4,069 | | *(50) 6,929 — 7,657 | (74) $\frac{1}{3}$ |
| | | (51) 220 | (75) 1 |
| | | (52) 13 | (76) — 2 |
| | | (53) $\frac{9}{11}$ | (77) 2 |
| | | (54) — 45 | (78) 25 |
| | | (55) 4,141 | (79) 2323 |
| | | (56) 4 | *(80) 13,680 — 15,120 |
| | | (57) 21 | |

University Interscholastic League - Number Sense Answer Key HS • Invitation B • 2012*number) $x - y$ means an integer between x and y inclusiveNOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|---|-----------------------|--|--------------------------|
| (1) 17.8 | (19) 1.5 | (34) 170 | (58) 10,080 |
| (2) $-\frac{11}{126}$ | *(20) 3,970 – 4,386 | (35) $20\frac{3}{16}$ | (59) 1 |
| (3) 4,000 | (21) 96 | (36) 1,681 | *(60) 7,388 – 8,164 |
| (4) $38\frac{1}{3}$ | (22) $-2\frac{1}{8}$ | (37) 11 | (61) 66,933 |
| (5) 104 | (23) \$22.50 | (38) 4 | (62) 12 |
| (6) 502.5 | (24) 2,560 | (39) 112 | (63) 6 |
| (7) 961 | (25) 12 | *(40) 240 – 264 | (64) $-.5, -\frac{1}{2}$ |
| (8) .75, $\frac{3}{4}$ | (26) 270 | (41) 231 | (65) 1 |
| (9) 3,333 | (27) 134 | (42) – 36,000 | (66) 9,856 |
| *(10) 52,763 – 58,317 | (28) 1 | (43) – 3 | (67) 0 |
| (11) 253 | (29) 4747 | (44) .75, $\frac{3}{4}$ | (68) 140 |
| (12) 26.5, $\frac{53}{2}$, $26\frac{1}{2}$ | *(30) 62,678 – 69,275 | (45) 4 | (69) 27 |
| (13) $\frac{17}{28}$ | (31) 256 | (46) 21 | *(70) 567 – 626 |
| (14) $\frac{7}{120}$ | (32) \$1.80 | (47) $-7.25, -\frac{29}{4}, -7\frac{1}{4}$ | (71) 0 |
| (15) 42 | (33) 5 | (48) 4 | (72) 412 |
| (16) 128 | | (49) – 3 | (73) 53 |
| (17) 51 | | *(50) 103 – 113 | (74) 216 |
| (18) \$48.84 | | (51) 28,980 | (75) 58 |
| | | (52) 1 | (76) 3 |
| | | (53) 200 | (77) .8, $\frac{4}{5}$ |
| | | (54) – 20 | (78) .2, $\frac{1}{5}$ |
| | | (55) .3, $\frac{3}{10}$ | (79) $\frac{1}{81}$ |
| | | (56) 4 | *(80) 47,106 – 52,063 |
| | | (57) 441 | |

University Interscholastic League - Number Sense Answer Key HS • District 1 • 2012

*number) $x - y$ means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|---|-----------------------|--|----------------------------------|
| (1) 4,114 | (19) 3,375 | (35) $-2.5, -\frac{5}{2}, -2\frac{1}{2}$ | (59) 900 |
| (2) $\frac{3}{56}$ | *(20) 7,535 — 8,328 | (36) — 96 | *(60) 279 — 308 |
| (3) 289 | (21) $\frac{23}{465}$ | (37) 131 | (61) $\frac{5}{18}$ |
| (4) 105.2 | (22) \$43.20 | (38) 2 | (62) — 1 |
| (5) 1,496 | (23) 336 | (39) 95 | (63) 5 |
| (6) 680 | (24) 110 | *(40) 1,167 — 1289 | (64) 4 |
| (7) 464 | (25) 81 | (41) 65 | (65) 8,722 |
| (8) $\frac{8}{11}$ | (26) 6 | (42) 114 | (66) 625 |
| (9) $22.5, \frac{45}{2}, 22\frac{1}{2}$ | (27) 43,335 | (43) — 1 | (67) 90 |
| *(10) 36,461 — 40,297 | (28) $3\frac{3}{40}$ | (44) — 1 | (68) 40 |
| (11) \$38.25 | (29) — 2 | (45) 2,400 | (69) 25 |
| (12) 56 | *(30) 841 — 929 | (46) $.8, \frac{4}{5}$ | *(70) 1,815 — 2,005 |
| (13) $\frac{7}{30}$ | (31) $\frac{5}{18}$ | (47) — 62 | (71) 0 |
| (14) 3,760 | (32) 3,222 | (48) 201 | (72) $\frac{4}{33}$ |
| (15) 325 | (33) 1,728 | (49) 11 | (73) — 8 |
| (16) \$2.55 | (34) 4.3 | *(50) 3,682 — 4,069 | (74) $\frac{5}{3}, 1\frac{2}{3}$ |
| (17) 66 | | (51) 8 | (75) — 2 |
| (18) 8 | | (52) $\frac{25}{3}, 8\frac{1}{3}$ | (76) 2 |
| | | (53) 9,898 | (77) 4 |
| | | (54) $\frac{2}{7}$ | (78) 707 |
| | | (55) 8 | (79) 47 |
| | | (56) 145 | *(80) 132,458 — 146,400 |
| | | (57) — 19 | |
| | | (58) $1.7, \frac{17}{10}, 1\frac{7}{10}$ | |

University Interscholastic League - Number Sense Answer Key HS • District 2 • 2012

*number) x — y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|------------------------|----------------------------|--------------------------------------|-------------------------------------|
| (1) 357.5 | (18) 68.75 | (34) $1\frac{14}{15}$ | (58) $\frac{5}{6}$ |
| (2) — 90 | (19) 13 | (35) 10 | (59) 50 |
| (3) $\frac{15}{28}$ | *(20) 349 — 385 | (36) 216 | *(60) 1,693,037 — 1,871,251 |
| (4) $15\frac{1}{9}$ | (21) $101\frac{1}{16}$ | (37) 512 | (61) 0 |
| (5) 18 | (22) 425 | (38) — 2,197 | (62) 2 |
| (6) 361 | (23) 22 | (39) 1,323 | (63) — 1 |
| (7) 1,728 | (24) 410,302 | *(40) 52,485 — 58,008 | (64) $\frac{27}{13}, 2\frac{1}{13}$ |
| (8) $\frac{3}{16}$ | (25) \$21.75 | (41) — 8 | (65) .2, $\frac{1}{5}$ |
| (9) $4\frac{1}{10}$ | (26) 2 | (42) 20 | (66) 12,091 |
| *(10) 6,079 — 6,717 | (27) 12 | (43) 75,435 | (67) 176 |
| (11) 63 | (28) 6.7 | (44) — $\frac{17}{3}, -5\frac{2}{3}$ | (68) 14 |
| (12) $13\frac{16}{21}$ | (29) 99 | (45) 50,400 | (69) 6 |
| (13) 264 | *(30) 127 — 139 | (46) 4 | *(70) 50,693 — 56,029 |
| (14) 53 | (31) — 5 | (47) .125, $\frac{1}{8}$ | (71) .5, $\frac{1}{2}$ |
| (15) 3,185 | (32) 104 | (48) — 12 | (72) — 4 |
| (16) 99 | (33) .0625, $\frac{1}{16}$ | (49) 604 | (73) 2 |
| (17) \$4.24 | | *(50) 2,386 — 2,636 | (74) .36 |
| | | (51) 24 | (75) $\frac{1}{3}$ |
| | | (52) 364 | (76) — 2 |
| | | (53) 4 | (77) 4 |
| | | (54) 216 | (78) .95, $\frac{19}{20}$ |
| | | (55) — 1 | (79) 91 |
| | | (56) .25, $\frac{1}{4}$ | *(80) 523 — 577 |
| | | (57) 36 | |

University Interscholastic League - Number Sense Answer Key HS • Regional • 2012

*number) x — y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|---|--|--|---|
| (1) 63,236 | (19) \$93.80 | (35) $1.75, \frac{7}{4}, 1\frac{3}{4}$ | (58) $5.95, \frac{119}{20}, 5\frac{19}{20}$ |
| (2) 5,350 | *(20) 24,107 — 26,643 | (36) — 8 | (59) 8,585 |
| (3) $35\frac{1}{12}$ | (21) $83\frac{5}{36}$ | (37) $3.6, \frac{18}{5}, 3\frac{3}{5}$ | *(60) 4,851,142 — 5,361,788 |
| (4) 1,591 | (22) $1.712, \frac{214}{125}, 1\frac{89}{125}$ | (38) 121 | (61) — 1 |
| (5) $22.5, \frac{45}{2}, 22\frac{1}{2}$ | (23) 16 | (39) 33 | (62) 5 |
| (6) $\frac{41}{200}$ | (24) 255 | *(40) 1,806 — 1,995 | (63) 9 |
| (7) 676 | (25) 0 | (41) 30,150 | (64) 5 |
| (8) $6\frac{1}{2}$ | (26) 8 | (42) 325 | (65) 105 |
| (9) 4,631 | (27) 101,201 | (43) 45 | (66) 13,570 |
| *(10) 544 — 600 | (28) 2 | (44) 4 | (67) 7 |
| (11) 5,929 | (29) 2555 | (45) 528 | (68) 21 |
| (12) $14.25, \frac{57}{4}, 14\frac{1}{4}$ | *(30) 643 — 709 | (46) 1 | (69) 3.14 |
| (13) $17\frac{16}{25}$ | (31) — 25 | (47) 4 | *(70) 67,032 — 74,088 |
| (14) 234 | (32) 1000 | (48) 9 | (71) 3 |
| (15) \$ 60.00 | (33) \$26.25 | (49) 104 | (72) 4 |
| (16) 1,728 | (34) $-2\frac{1}{40}$ | *(50) 1,312 — 1,449 | (73) — 6 |
| (17) 169 | | (51) 1,260 | (74) — 6 |
| (18) 31 | | (52) $\frac{7}{9}$ | (75) $\frac{1}{3}$ |
| | | (53) 13 | (76) $\frac{4}{45}$ |
| | | (54) 80 | (77) 25,553 |
| | | (55) 69 | (78) .21 |
| | | (56) 78 | (79) 78 |
| | | (57) $.2, \frac{1}{5}$ | *(80) 97,280 — 107,520 |

University Interscholastic League - Number Sense Answer Key HS • State • 2012

*number) x — y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

- | | | | |
|-----------------------------------|------------------------|--|---|
| (1) 53,603 | (18) 19 | (34) 4.8 | (58) $\frac{11}{13}$ |
| (2) $\frac{2}{3}$ | (19) $23\frac{1}{25}$ | (35) 23 | (59) $-1.24, -\frac{31}{25},$
$-1\frac{6}{25}$ |
| (3) 6.5125 | *(20) 36,408 — 40,239 | (36) 23.5, $\frac{47}{2}, 23\frac{1}{2}$ | *(60) 448 — 494 |
| (4) 900 | (21) $\frac{32}{903}$ | (37) 225 | (61) .25, $\frac{1}{4}$ |
| (5) 5,731 | (22) \$2.16 | (38) 25 | (62) 1 |
| (6) $\frac{13}{19}$ | (23) $\frac{403}{900}$ | (39) 8444 | (63) 625 |
| (7) 521 | (24) 166 | *(40) 244 — 269 | (64) 168 |
| (8) 1,156 | (25) 19 | (41) — 16 | (65) 1,010,021 |
| (9) $\frac{55}{3}, 18\frac{1}{3}$ | (26) 124,488 | (42) — 5 | (66) $\frac{175}{6}, 29\frac{1}{6}$ |
| *(10) 13,927 — 15,391 | (27) 2 | (43) 27 | (67) 2 |
| (11) 243 | (28) $-3\frac{3}{40}$ | (44) — 144 | (68) 3 |
| (12) .16, $\frac{4}{25}$ | (29) 121 | (45) 2,400 | (69) 648,025 |
| (13) 160 | *(30) 244 — 268 | (46) 162 | *(70) 12,645 — 13,975 |
| (14) 171 | (31) 29 | (47) 8 | (71) $\frac{35}{24}, 1\frac{11}{24}$ |
| (15) 27.5 | (32) 2.4 | (48) 136 | (72) .24 |
| (16) 4,242 | (33) 256 | (49) 7,373 | (73) 1 |
| (17) $\frac{343}{729}$ | | *(50) 189 — 208 | (74) 2 |
| | | (51) 155 | (75) 4 |
| | | (52) 364 | (76) 5 |
| | | (53) $\frac{64}{3}, 21\frac{1}{3}$ | (77) 24 |
| | | (54) 120 | (78) 3 |
| | | (55) 2 | (79) 120 |
| | | (56) 2 | *(80) 581,632 —
642,855 |
| | | (57) 4 | |