

```
<html>
<head>
<style>
body {
  background-color: lightblue;
}
h1 {
  color: white;
  text-align: center;
}
</style>
</head>
<body>
<h1>My First CSS Example</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

My First CSS Example

This is a paragraph.

CSS Border Style

The `border-style` property specifies what kind of border to display.

The following values are allowed:

- `dotted` - Defines a dotted border
- `dashed` - Defines a dashed border
- `solid` - Defines a solid border
- `double` - Defines a double border
- `groove` - Defines a 3D grooved border. The effect depends on the border-color value
- `ridge` - Defines a 3D ridged border. The effect depends on the border-color value
- `inset` - Defines a 3D inset border. The effect depends on the border-color value
- `outset` - Defines a 3D outset border. The effect depends on the border-color value
- `none` - Defines no border
- `hidden` - Defines a hidden border

The `border-style` property can have from one to four values (for the top border, right border, bottom border, and the left border).

```
<!DOCTYPE html>
<html>
<head>
<style>
h1 {
  border: 5px solid red;
}

h2 {
  border: 4px dotted blue;
}

div {
  border: double;
}
</style>
</head>
<body>

<h1>A heading with a solid
red border</h1>

<h2>A heading with a dotted
blue border</h2>

<div>A div element with a
double border.</div>

</body>
</html>
```

**A heading with
a solid red
border**

**A heading with a
dotted blue border**

A div element with a double
border.