			Туре	Description	Mandatory
_		format	string	"ES-HDF"	yes
_		version creator	int[3]	major,minor,patch	yes
		supercell			yes
	-	_ I primitive_vectors _ I boundary_conditions	double[3][3] int[3]	primitive lattice vectors 1 for periodic, 0 for open	yes
		atoms	IIIC[J]	Tior periodic, o for open	yes
	\vdash	_	int	number of atoms in primitive cell	yes
		_	int double[N][3]	number of atomic species absolute positions in bohr	yes yes
		reduced_positions	double[N][3]	position in units of primitive vectors	no
		_ species_ids _ <mark> </mark>	int[N]	Indices of species listed below	yes
		atomic_number	int	atomic number of the species	yes
			double int	atomic mass name of atomic species (e.g. C)	yes yes
		pseudopotential	int	pseudopotential file name	no
		└─ ∭ valence_charge _	int	charge of pseudo-ion	yes
	<u> </u>	: species_1			
L		electrons _ IIII number of electrons	int	number of electrons in the primitive of	yes
		_ III number_or_elections _ III number of kpoints	int	number of k-points	cell yes yes
	-	number_of_spins	int	number of spins (1 or 2)	yes
		_ III functional _ III total energy	string int	exchange-correlation functional total energy in Hartrees	no yes
		psi_r_is_complex	int	1 if real-space orbitals are complex	yes
	-	_	int[3] int	number of points in real-space mesh number of atomic orbitals (may be 0)	yes yes
		_ IIII have_dpsi	int	1 if derivatives of orbitals are present	_
	\vdash	_ <mark>□ kpoint_0</mark>	int	number of reciprocal lattice vectors	yes yes
		gvectors	int[N][3]	g-vectors in units of primitive reciproc	
			double[3]	k-point in units of primitive reciprocla	
			double	weight for this k-point	yes
		number_of_states	int	number of orbitals for this k-point and	d spin yes yes
			double[N] double[N]	occupation for each state eigenvalues in Hartrees	yes
		state 0		_	yes
		<u></u>	double[][2]	complex coefficients corresponding to	
		∭ psi_r ∭ radial spline 0	double[N_x][N_y][N_z][1 or 2] double[N_x][($l_{max}+1$) ²][2]	real or complex coefficients on psi_r_ radial functions for atomic orbital rep	-
		III radial_spline_1	double[N_{sp}][$(I_{max} + 1)^2$][2] double[N_{sp}][$(I_{max} + 1)^2$][2]	radial functions for atomic orbital rep	
		: 	double[N][(+1)^2][2]	polynomial coefficients for atomic ork	oital rep. no
		poly_coefs_1	$\begin{array}{l} \text{double}[N_{sp}][(I_{max}+1)^2][2] \\ \text{double}[N_{sp}][(I_{max}+1)^2][2] \end{array}$	polynomial coefficients for atomic ork	
		: state 1			
		spin 1			
		_ kpoint_1 :			
	-	atomic_orbital_0			no
		■ lmax ■ cutoff_radius	int double	maximum I channel for Y ^I _m expansion radius of muffin tin for atomic orbital	yes yes
		m polynomial_order	int	order for polynomial expansion near	origin yes
			double double	radius below which to use polynomia maximum radius for spline data	l expansion yes yes
		spline_points	int	number of spline data points	yes
	-	atomic_orbital_1			
		: _ <mark>density</mark>			no
		number_of_gvectors	int	number of gvectors for the density	yes
		gvectors mesh	<pre>int[N][3] int[3]</pre>	g-vectors in units of primitive recipror number of points in real-space mesh	cal lattice yes yes
					yes
		density_r	double $[N_x][N_y][N_z]$ double $[][2]$	real coefficients on mesh complex coefficients corresponding to	yes
		L density_g L i spin_1	uoubie[][2]	complex coefficients corresponding to	g-vectors yes
		<u> </u>			