

Causal Inference

Fill In Your Name

17 February 2021

Counterfactual Approach to Causal Inference

Potential Outcomes

Randomization of treatment assignment

Randomized vs. observational studies

Why should social scientists and policymakers care about causality?

- ▶ [Discussion with your own examples.]

Counterfactual Approach to Causal Inference

Recent changes in social science research

- ▶ Historically, reverse causality and omitted variable bias have been problematic for a lot of social science research aimed at making causal claims.
- ▶ Recently, the counterfactual approach has been embraced in the social sciences as a framework for causal inference.
- ▶ This represents a big shift in research:
 - ▶ Being more precise about what we mean by causal effects.
 - ▶ Using randomization or designs with as-if randomization.
 - ▶ More partnerships between researchers and practitioners.

“X causes Y” is a claim about what didn't happen

- ▶ In the counterfactual approach: “If X had not occurred, then Y would not have occurred.”
- ▶ Experiments help us learn about counterfactual and manipulation-based claims about causation.
- ▶ It's not wrong to *conceptualize* “cause” in another way. But it has been productive to work in this counterfactual framework (Brady 2008).

How to interpret “X causes Y” in this approach

1. “X causes Y” need not imply that W and V do not cause Y: X is a part of the story, not the whole story. (The whole story is not necessary in order to learn about whether X causes Y).
2. “X causes Y” requires a **context**: matches cause flame but require oxygen; small classrooms improve test scores but require experienced teachers and funding (Cartwright and Hardie 2012).
3. “X causes Y” can mean “With X, the probability of Y is higher than would be without X.” or “Without X there is no Y.” Either is compatible with the counterfactual idea.

How to interpret “X causes Y” in this approach

4. It is not necessary to know the mechanism to establish that X causes Y. The mechanism can be complex, and it can involve probability: X causes Y sometimes because of A and sometimes because of B.
5. Counterfactual causation does not require “a spatiotemporally continuous sequence of causal intermediates”
 - ▶ Ex: Person A plans event Y. Person B's action would stop Y (say, a random bump from a stranger). Person C doesn't know about Person A or action Y but stops B (maybe thinks B is going to trip). So, Person A does action Y. And Person C causes action Y (without Person C's action, Y would not have occurred) (Holland 1986).
6. Correlation is not causation.

Exercise: Echinacea

- ▶ Your friend says taking echinacea (a traditional remedy) reduces the duration of colds.
- ▶ If we take a counterfactual approach, what does this statement implicitly claim about the counterfactual? What other counterfactuals might be possible and why?

Potential Outcomes

Potential Outcomes

- ▶ For each unit we assume that there are two **post-treatment** outcomes: $Y_i(1)$ and $Y_i(0)$.
 - ▶ $Y_i(1)$ is the outcome that **would** obtain *if* the unit received the treatment ($T_i = 1$).
 - ▶ $Y_i(0)$ is the outcome that **would** obtain *if* the unit received the treatment ($T_i = 0$).
- ▶ The **causal effect** of treatment (relative to control) is:
$$\tau_i = Y_i(1) - Y_i(0)$$
- ▶ Note that we've moved to using T to indicate our treatment (what we want to learn the effect of). X will be used for background variables.

Key features of this definition of causal effect,

$$\tau_i = Y_i(1) - Y_i(0)$$

1. You have to define the control condition to define a causal effect.
 - ▶ Say $T = 1$ means a community meeting to discuss public health. Is $T = 0$ no meeting at all? Is $T = 0$ a community meeting on a different subject? Is $T = 0$ a flyer on public health?
 - ▶ The phrase “causal effect of T on Y ” doesn’t make sense without knowing what it means to not have T .
2. Each individual unit i has its own causal effect τ_i .
3. But we can’t measure the individual-level causal effect, because we can’t observe both $Y_i(1)$ and $Y_i(0)$ at the same time. This is known as the **fundamental problem of causal inference**. What we observe is Y_i :

$$Y_i = T_i Y_i(1) + (1 - T_i) Y_i(0)$$

Imagine we know both $Y_i(1)$ and $Y_i(0)$ (this is never true!)

i	$Y_i(1)$	$Y_i(0)$	τ_i
Andrei	1	1	0
Bamidele	1	0	1
Claire	0	0	0
Deepal	0	1	-1

- ▶ We have the treatment effect for each individual.
- ▶ Note the heterogeneity in the individual-level treatment effects.
- ▶ But we only have at most one potential outcome for each individual, which means we don't know these treatment effects.

Potential Outcomes

- ▶ While we can't measure the individual causal effect, $\tau_i = Y_i(1) - Y_i(0)$, we can measure the **average causal effect**, $\bar{\tau}_i$:

$$\bar{\tau}_i = \frac{1}{N} \sum_{i=1}^N (Y_i(1) - Y_i(0)) = \overline{Y_i(1) - Y_i(0)}$$

- ▶ We can make use of the fact that

$$\overline{Y_i(1) - Y_i(0)} = \overline{Y_i(1)} - \overline{Y_i(0)}$$

- ▶ In other words, the average of differences is equal to the difference of averages.
- ▶ Here, the average treatment effect is equal to the difference in average outcomes in treatment and control units.

Average causal effect

- ▶ To estimate $\overline{Y_i(1)}$ and $\overline{Y_i(0)}$ we can use $Y_i|T_i = 1$ (observed outcomes when randomly assigned to treatment) and $Y_i|T_i = 0$ (observed outcomes when randomly assigned to control).
- ▶ Then we can write down an estimator for the ATE:
$$\hat{\tau}_i = (\overline{Y_i(1)}|T_i = 1) - (\overline{Y_i(0)}|T_i = 0)$$
- ▶ In expectation, or on average across repeated experiments (written $E_R[\cdot]$), $\hat{\tau}_i$ equals the ATE:
$$E_R[Y_i|T_i = 1] - E_R[Y_i|T_i = 0] = \overline{Y_i(1)} - \overline{Y_i(0)}.$$
- ▶ We do this by randomly assigning our subjects to treatment and control conditions.

Estimands and causal questions

- ▶ Before we discuss randomization, note that the average causal effect (or average treatment effect, ATE) is a type of estimand.
- ▶ An estimand is a quantity you want to learn about (from your data). It's the target of your research that *you* set.
- ▶ Being precise about your research question means being precise about your estimand. For causal questions, this means specifying:
 - ▶ The outcome
 - ▶ The treatment and control conditions
 - ▶ The study population

Other types of estimands you may be interested in

- ▶ The ATE for a particular subgroup, aka conditional average treatment effect (CATE)
- ▶ Differences in CATEs: differences in the average treatment effect for one group as compared with another group.
- ▶ The ATE for just the treated units, aka ATT (average treatment effect on the treated)
- ▶ The local ATE (LATE). “Local” = those whose treatment status would be changed by an encouragement in an encouragement design (aka CACE, complier average causal effect) or those in the neighborhood of a discontinuity for a regression discontinuity design.
- ▶ Estimands are discussed in detail in [Estimands and Estimators Module](#).

Randomization of treatment assignment

Randomization of treatment assignment

- ▶ Randomization means that every observation has a known probability of assignment to experimental conditions *between* 0 and 1.
 - ▶ No unit in the experimental sample is assigned to treatment with certainty (probability = 1) or to control with certainty (probability = 0).
- ▶ Units can vary in their probability of treatment assignment.
 - ▶ For example, the probability might vary by group: women might have a 25% probability of being assigned to treatment while men have a different probability.
 - ▶ It can even vary across individuals, though that would complicate your analysis.

Random assignment vs. random sampling

Note that in general usage:

- ▶ Randomization (of treatment): assigning subjects with known probability to experimental conditions.
 - ▶ This random assignment of treatment can be combined with any kind of sample (random sample, convenience sample, etc.).
 - ▶ But the size and other characteristics of your sample will affect your power and your ability to extrapolate from your finding to other populations.
- ▶ Random sampling (from population): selecting subjects into your sample from a population with known probability.

Randomization is powerful (1)

- ▶ Let's *randomly assign* some of our units to the treatment condition. For these treated units, we measure the outcome $Y_i | T_i = 1$, which is the same as $Y_i(1)$ for these units.
- ▶ Because these units were randomly assigned to treatment, these $Y_i = Y_i(1)$ for the treated units represent the $Y_i(1)$ for all our units.
- ▶ The mean of the $Y_i | T_i = 1$ is an unbiased estimator of the population mean of potential outcomes to treatment, such that $E_R[\overline{Y_i} | T_i = 1] = \overline{Y_i(1)}$.

Randomization is powerful (2)

- ▶ When we measure Y_i for the control units ($Y_i | T_i = 0$), we also represent the $Y_i(0)$ for our study population. So, $\overline{Y_i} | T_i = 0$, which we can calculate, gives us an unbiased estimate of $\overline{Y_i(0)}$.
- ▶ Then we can just take the difference of these unbiased estimators of $\overline{Y_i(1)}$ and $\overline{Y_i(0)}$ to get an unbiased estimate of the ATE, $\overline{Y_i(1)} - \overline{Y_i(0)}$.

Random sampling



Figure 1: Random sample of households

Potential outcomes

Each household i has $Y_i(1)$ and $Y_i(0)$.



Random assignment to red (1) or blue (0) condition




Figure 2: Random assignment of this random sample of households

Three key assumptions

To make causal claims with an experiment (or to judge whether we believe a study's claims), we need three core assumptions:

- ▶ Random assignment of subjects to treatment, which implies that receiving the treatment is statistically independent of subjects' potential outcomes.
- ▶ Stable unit treatment value assumption (SUTVA).
- ▶ Excludability, which means that a subject's potential outcomes respond only to the defined treatment, not other extraneous factors that may be correlated with treatment.

Key assumption: SUTVA, part 1

1. No interference – A subject's potential outcome reflects only whether that subject receives the treatment himself/herself. It is not affected by how treatments happen to be allocated to other subjects.
 - ▶ A classic violation is the case of vaccines and their spillover effects.
 - ▶ Say I am in the control condition (no vaccine). If whether I get sick ($Y_i(0)$) depends on other people's treatment status (whether they take the vaccine), it's like I have two different $Y_i(0)$!
 - ▶ SUTVA (= stable unit treatment value assumption)

Key assumption: SUTVA, part 2

2. No hidden variations of the treatment

- ▶ Say treatment is taking a vaccine, but there are two kinds of vaccines and they have different ingredients.
- ▶ An example of a violation is when whether I get sick when I take the vaccine ($Y_i(1)$) depends on which vaccine I got. We would have two different $Y_i(1)$!

Key assumption: Excludability

- ▶ Treatment assignment has no effect on outcomes except through its effect on whether treatment was received.
 - ▶ Important to define the treatment precisely.
 - ▶ Important to also maintain symmetry between treatment and control groups (e.g., through blinding, having the same data collection procedures for all study subjects, etc.), so that treatment assignment only affects the treatment received, not other things like interactions with researchers that you don't want to define as part of the treatment.

Randomization is powerful (3)

- ▶ If the intervention is randomized, then who receives or doesn't receive the intervention is not related to the characteristics of the potential recipients.
- ▶ Randomization makes those who were randomly selected to not receive the intervention to be good stand-ins for the counterfactuals for those who were randomly selected to receive the treatment, and vice versa.
- ▶ We have to worry about this if the intervention were not randomized (= an observational study).
- ▶ The increased focus on randomization represents a big shift in research, especially in economics and political science.

Randomized vs. observational studies

Different types of studies

- ▶ Randomized studies
 - ▶ Randomize treatment, then go measure outcomes
- ▶ Observational studies
 - ▶ Treatment is not randomly assigned. It is observed, but not manipulated.

Exercise: Learning about your prior knowledge

Discuss in small groups: Help me design the next project to answer one of these questions (or one of your own causal questions). Just sketch the key features of two designs — one observational and the other randomized.

Example research questions:

- ▶ Do Community-Driven Reconstruction projects increase trust and cooperation in Liberia? [see EGAP Policy Brief 40](#)
- ▶ Can community monitoring increase clinic utilization and decrease child mortality in Uganda? [see EGAP Policy Brief 58](#)

Exercise: Observational studies vs. Randomized studies

Tasks:

1. Sketch an ideal observational study design (no randomization, no researcher control but infinite resources for data collection). What questions would critical readers ask when you claim that your results reflect a causal relationship?
2. Sketch an ideal experimental study design (including randomization). What questions would critical readers ask when you claim that your results reflect a causal relationship?

Report and Discuss the Results of the Exercise

- ▶ What were key components and strengths and weaknesses of the randomized studies?
- ▶ What were key components and strengths and weaknesses of the observational studies?

Generalizability and External Validity

- ▶ Randomization brings high internal validity to a study – confidence that we have learned the causal effect of a treatment on an outcome.
- ▶ But the finding from a particular study in one particular place and at one particular time may not hold in other settings (i.e., external validity).
- ▶ This is a general concern, not just a concern for randomized studies.
- ▶ EGAP's [Metaketa Initiative](#) works to accumulate knowledge by pre-planning a meta-analysis of multiple studies that have high internal validity due to randomization.

References

Brief 40: Development Assistance and Collective Action Capacity

Brief 58: Does Bottom-Up Accountability Work?

Brady, Henry E. 2008. "Causation and Explanation in Social Science." In *The Oxford Handbook of Political Science*.

<https://www.oxfordhandbooks.com/view/10.1093/oxfordhb/9780199286546.001.0001/oxfordhb-9780199286546-e-10>.

Cartwright, Nancy, and Jeremy Hardie. 2012. *Evidence-based policy: a practical guide to doing it better*. Oxford University Press.

Holland, Paul W. 1986. "Statistics and Causal Inference." *Journal of the American Statistical Association* 81 (396): 945–60.