## What is data structure?

- Data structures are used to store a collection of related data.
- · We have four built-in data structures in python- list, tuple, dictionary and set.

#### List

- · It is a collection of different data types.
- It is mutable(changeable).
- · Allow duplicate members.
- · In pyton lists are written with square brackets.

```
In [18]:
 1 lst = ['spmvv',12,23,30.8, 'apssdc',20]
 2 print(lst)
['spmvv', 12, 23, 30.8, 'apssdc', 20]
In [19]:
 1 # indexing|slicing
 2 lst[0]
Out[19]:
'spmvv'
In [20]:
   print(len(lst))
6
In [21]:
 1 print(lst[0:6:1]) # 0 to 5
['spmvv', 12, 23, 30.8, 'apssdc', 20]
In [5]:
 1 print(lst[0:6:2])
['spmvv', 23, 'apssdc']
In [6]:
 1 print(lst[1:3]) # 1 to 2
[12, 23]
```

```
In [7]:
 1 # [12, 30.8, 20]
 2 lst[1:6:2]
Out[7]:
[12, 30.8, 20]
In [8]:
 1 | lst2 = ['cse',5.8,14,18,[13,15.3,'ece'],'mech',9.0]
 2 print(lst2)
['cse', 5.8, 14, 18, [13, 15.3, 'ece'], 'mech', 9.0]
In [9]:
 1 print(len(lst2))
7
In [10]:
 1 lst2[4]
Out[10]:
[13, 15.3, 'ece']
In [11]:
 1 lst2[4][1]
Out[11]:
15.3
In [12]:
 1 | lst = [1,2,[3,4,5,[6,7,8,9],10,'cse'],9.8,13]
 2 print(len(lst))
5
In [13]:
 1 lst[2:5]
Out[13]:
```

[[3, 4, 5, [6, 7, 8, 9], 10, 'cse'], 9.8, 13]

```
In [14]:
 1 | 1st[2]
Out[14]:
[3, 4, 5, [6, 7, 8, 9], 10, 'cse']
In [15]:
 1 lst[2][3]
Out[15]:
[6, 7, 8, 9]
In [16]:
 1 | lst[2][3][3]
Out[16]:
9
In [31]:
 1 lst = ['spmvv',12,23,30.8,'apssdc',20]
 2 lst[-1::-1]
Out[31]:
[20, 'apssdc', 30.8, 23, 12, 'spmvv']
In [32]:
 1 lst[-1:-7:-1]
Out[32]:
[20, 'apssdc', 30.8, 23, 12, 'spmvv']
In [33]:
 1 lst[-3:-6:-1]
Out[33]:
[30.8, 23, 12]
In [34]:
 1 | lst2 = ['cse',5.8,14,18,[13,15.3,'ece'],'mech',9.0]
    1st2
Out[34]:
['cse', 5.8, 14, 18, [13, 15.3, 'ece'], 'mech', 9.0]
```

```
In [35]:
  1 print(lst2[-1:-8:-1])
[9.0, 'mech', [13, 15.3, 'ece'], 18, 14, 5.8, 'cse']
In [38]:
  1 # ['ece',15.3,13]
  2 print(lst2[-3][-1::-1])
['ece', 15.3, 13]
In [22]:
  1 print(dir(list))
['__add__', '__class__', '__contains__', '__delattr__', '__delitem__', '__dir__', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__ge
r_', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__ge titem__', '__gt__', '__hash__', '__iadd__', '__imul__', '__init__', '__init__ subclass__', '__iter__', '__len__', '__lt__', '__mul__', '__ne__', '__new__', '__reduce_ex__', '__repr__', '__reversed__', '__rmu l__', '__setattr__', '__setitem__', '__sizeof__', '__str__', '__subclasshook __', 'append', 'clear', 'copy', 'count', 'extend', 'index', 'insert', 'pop',
'remove', 'reverse', 'sort']
In [39]:
  1 # List is mutable
  2 | lst = [2,7,'cse',9.0,'civil',8.5,13,17]
  3 | 1st[4] = 'mech'
In [40]:
  1 print(lst)
[2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17]
In [41]:
  1 # append()
  2 lst.append('civil')
  3 print(lst)
[2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil']
In [42]:
  1 # copy()
  2 | 1st2 = 1st.copy()
  3 print("List2 = ",lst2)
  4 print("List1 =",lst)
List2 = [2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil']
```

List1 = [2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil']

```
In [43]:

1    lst.append('cse')
2    print(lst)

[2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil', 'cse']
```

```
In [44]:

1  #count()
2  lst.count("cse")

Out[44]:
```

ouc[++].

2

```
In [45]:
```

```
1 lst.count(7)
```

# Out[45]:

1

## In [46]:

```
1 lst.count('apssdc')
```

#### Out[46]:

0

## In [47]:

```
1 # extend()
2 lst.extend(['a','b'])
3 print(lst)
```

```
[2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil', 'cse', 'a', 'b']
```

### In [48]:

```
1 lst.append([1,2,3])
2 print(lst)
```

```
[2, 7, 'cse', 9.0, 'mech', 8.5, 13, 17, 'civil', 'cse', 'a', 'b', [1, 2, 3]]
```

## In [49]:

```
1 # index()
2 lst.index('civil')
```

#### Out[49]:

8

```
In [50]:
 1 lst.index('cse')
Out[50]:
2
In [54]:
 1 for i in range(len(lst)):
        print(i,"=",lst[i])
 2
0 = 2
1 = 7
2 = cse
3 = 9.0
4 = mech
5 = 8.5
6 = 13
7 = 17
8 = civil
9 = cse
10 = a
11 = b
12 = [1, 2, 3]
In [57]:
 1
    for i in range(len(lst)): \#i=0, i=1, i=2
 2
        if(lst[i] == 'cse'): # 2 == 'cse', 7 == 'cse', 'cse' == 'cse'
 3
            print(i)
2
9
In [ ]:
```

1