

# Survey on Computational Frontiers

## Introduction

Advancements in computational technology have historically driven significant scientific progress and improved quality of life. Key milestones include the transistor, personal computers, mobile phones, and visual displays (XR). Brain-computer interfaces (BCIs) are emerging as a new frontier, particularly in medicine, and are poised to become integral to consumer products. Another frontier involves executing discrete programs within the body. This could allow for systematic programming of biological systems, enabling interconnected networks and new communication methods. This paper focuses on computational technologies with significant medical and biological implications, excluding new hardware or programming paradigms.

## Writing Memories and Thoughts with BCIs

Given that BCIs have demonstrated the ability to decode brain activity and reconstruct visual input [2-4], then perhaps visualizations without visual stimuli can also be decoded. Current capabilities include speech reconstruction [1] and basic cursor control [5-7]. Reading abstract thoughts and visualizations could introduce new input/output modalities for BCIs. To surpass natural abilities, BCIs must develop effective write operations to the brain. Beyond sending signals or audio, a passive memory writing system could enhance mental faculties, enabling the writing of new reasoning abilities and abstract thoughts directly to the brain.

## Programming Within Multicellular Organisms

Programming within organisms represents a significant computational frontier, but there are regulatory and safety concerns. A programmable interface for cellular programming could enable scientific advancements, such as in vivo programming of tissues, organs, and other biological structures.

## References

1. Card NS et al.. An Accurate and Rapidly Calibrating Speech Neuroprosthesis. *N Engl J Med*. 2024 Aug 15;391(7):609-618. doi: 10.1056/NEJMoa2314132. PMID: 39141853.
2. Du B, Cheng X, Duan Y, Ning H. fMRI Brain Decoding and Its Applications in Brain-Computer Interface: A Survey. *Brain Sci*. 2022 Feb 7;12(2):228. doi: 10.3390/brainsci12020228. PMID: 35203991; PMCID: PMC8869956.
3. Takagi, Y., & Nishimoto, S. (2023). High-resolution image reconstruction with latent diffusion models from human brain activity. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition* (pp. 14453-14463).

4. Yizhuo Lu, Changde Du, Qiongyi Zhou, Dianpeng Wang, and Huiguang He. 2023. MindDiffuser: Controlled Image Reconstruction from Human Brain Activity with Semantic and Structural Diffusion. In Proceedings of the 31st ACM International Conference on Multimedia (MM '23). Association for Computing Machinery, New York, NY, USA, 5899–5908. <https://doi.org/10.1145/3581783.3613832>
5. Zhang J, Zhang Y, Zhang X, et al. A high-performance general computer cursor control scheme based on a hybrid BCI combining motor imagery and eye-tracking. *iScience*. 2024;27(6):110164. Published 2024 May 31. doi:10.1016/j.isci.2024.110164
6. Willsey, M.S., Shah, N.P., Avansino, D.T. et al. A high-performance brain–computer interface for finger decoding and quadcopter game control in an individual with paralysis. *Nat Med* 31, 96–104 (2025). <https://doi.org/10.1038/s41591-024-03341-8>
7. Singer-Clark T, Hou X, Card NS, et al. Speech motor cortex enables BCI cursor control and click. Preprint. *bioRxiv*. 2024;2024.11.12.623096. Published 2024 Nov 22. doi:10.1101/2024.11.12.623096