

## **DSA BOOTCAMP ASSIGNMENT**

Submitted by- ANJUM SIDDIQUI

Email- anjumkhan18feb@gmail.com

Q1. Write a program to Swap two numbers.

Ans-

```
#include<iostream>
using namespace std;
int main()
{
int a=10,b=20,temp;
cout<<"value before swapping are"<<"a="<<a<<"b="<<b;
temp=a;
a=b;
b=temp;
cout<<"value after swapping"<<"a="<<a<<"b"<<b;
return 0;
}
```

Q2. Write a program to find the largest number among three numbers entered by the user.

Ans-

```
#include <iostream>
using namespace std;

int main() {
    float n1, n2, n3;

    cout<< "Enter three numbers:";
    cin>>n1>>n2>>n3;

    if(n1>= n2 && n1>= n3)
        cout<< "Largest number:"<<n1;

    if(n2 >= n1 && n2 >= n3)
        cout<< "Largest number:"<<n2;
```

```

    if(n3 >= n1 && n3 >= n2)
        cout << "Largest number:"<<n3;

    return 0;
}

```

Q3. Write a program to check whether a year entered by a user is Leap year or not.

Ans-

```

#include <iostream>
using namespace std;

int main()
{
    int year;
    cout<<"Enter the year in yyyy";
    cin >> year;
    if (year % 4 == 0)
        cout << year << " is a leap year";
    else
        cout << year << " is not a leap year";
    return 0;
}

```

Q4. Write a program to display Fibonacci Series upto nth term. (Using loops)

Ans-

```

#include <iostream>
using namespace std;

int main() {
    int n, t1 = 0, t2 = 1, nextTerm = 0;

    cout<< "Enter the number of terms: ";
    cin >>n;

    cout <<"Fibonacci Series:";
}

```

```

for (int i = 1; i <= n; ++i) {
    if(i == 1) {
        cout<< t1 << ", ";
        continue;
    }
    if(i == 2) {
        cout<< t2 << ", ";
        continue;
    }
    nextTerm = t1 + t2;
    t1 = t2;
    t2 = nextTerm;

    cout<< nextTerm << ", ";
}
return 0;
}

```

Q5. Write a program to check whether a number is Prime or Not.

Ans-

```

#include <iostream>
using namespace std;

```

```

int main() {
    int i, n;
    bool isPrime = true;

    cout<< "Enter a positive integer: ";
    cin >> n;

    // 0 and 1 are not prime numbers
    if (n == 0 || n == 1) {
        isPrime = false;
    }
    else {
        for (i = 2; i <= n / 2; ++i) {
            if (n % i == 0) {

```

```

        isPrime = false;
        break;
    }
}
}
if (isPrime)
    cout << n << " is a prime number";
else
    cout << n << " is not a prime number";

return 0;
}

```

Q6. Print this pattern using loops

For n=5

```

    *
  * *
 * * *
* * * *
* * * * *

```

Ans-

```

#include<iostream>
using namespace std;
int main()
{
    int n=5, s, i, j;
    for(i = 1; i <= n; i++)
    {
        for(s = i; s < n; s++)
        {
            cout << " ";
        }

        for(j = 1; j <= (2 * i - 1); j++)
        {
            cout << "*";
        }
    }
}

```

```

}
cout << "\n";
}
}

```

Q7. Write a program that takes n elements from the user and displays the second largest element of an array.

Ans-

```

#include <iostream>
using namespace std;
int main(){
    int n, num[50], largest, second;
    cout<<"Enter number of elements: ";
    cin>>n;
    for(int i=0; i<n; i++){
        cout<<"Enter Array Element"<<(i+1)<<": ";
        cin>>num[i];
    }
    if(num[0]<num[1]){
        largest = num[1];
        second = num[0];
    }
    else{
        largest = num[0];
        second = num[1];
    }
    for (int i = 2; i < n ; i ++ ) {
        if (num[i] > largest) {
            second = largest;
            largest = num[i];
        }

        else if (num[i] > second && num[i] != largest) {
            second = num[i];
        }
    }
    cout<<"Second Largest Element in array is: "<<second;
}

```

```
    return 0;
}
```

Q8. <https://www.hackerrank.com/challenges/array-left-rotation/problem>

Ans-

```
int rotateLeft() {
    int N, d, i;
    cin >> N >> d;
    int start = N - d;
    int *arr = new int[N];
    for (i=0; i<N; ++i) {
        if (start == N) start = 0;
        cin >> arr[start++];
    }
    for (i=0; i<N; ++i) cout << arr[i] << " ";
    return 0;
}
```

Q9. <https://www.hackerrank.com/challenges/grading/problem>

Ans-

```
int gradingStudents() {
    int n, x;
    cin>>n;
    for(int i=0; i<n; i++){
        cin>>x;
        if(x>=38 and x%5>=3){
            while(x%5!=0){
                x++;
            }
        }
        cout<<x<<endl;
    }
}
```

Q10. <https://www.hackerrank.com/challenges/camelcase/problem>

Ans-

```
int camelcase(){
```

```
string s;  
cin >> s;  
int t=1;  
for (int i=0;i<s.length();i++)  
    if (isupper(s[i]))  
        t++;  
    cout<<t<<endl;  
return 0;  
}
```