# **Experiment 5.1**

Student Name: Ravi Kant UID: 22BCS14557

Branch: CSE Section: 22BCS\_IOT-642-A

Semester: 6<sup>th</sup> DOP:25/02/25

Subject: PBLJ Subject Code:22CSH-359

**Aim:** Write a Java program to calculate the sum of a list of integers using autoboxing and unboxing. Include methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).

**Objective:** The goal of this Java program is to demonstrate autoboxing and unboxing while calculating the sum of a list of integers.

#### Code:

```
import java.util.*;
public class autoboxing {
  public static List<Integer> parseStringToIntegers(List<String> strNumbers) {
    List<Integer> intNumbers = new ArrayList<>();
     for (String num: strNumbers) {
       intNumbers.add(Integer.parseInt(num));
     }
    return intNumbers;
  public static int calculateSum(List<Integer> numbers) {
    int sum = 0;
    for (Integer num: numbers) {
       sum = num + sum;
     }
    return sum;
  }
  public static void main(String[] args) {
     Scanner scanner = new Scanner(System.in);
     System.out.println("Enter the number of elements:");
     int n = scanner.nextInt();
     scanner.nextLine();
    List<String> strNumbers = new ArrayList<>();
     System.out.println("Enter " + n + " numbers:");
     for (int i = 0; i < n; i++) {
       strNumbers.add(scanner.nextLine());
     }
    List<Integer> numbers = parseStringToIntegers(strNumbers);
    int sum = calculateSum(numbers);
```

```
System.out.println("The sum of the numbers is: " + sum);
scanner.close();
}
```

# **Output**:

```
Enter the number of elements:

5
Enter 5 numbers:

2
3
4
5
6
The sum of the numbers is: 20
```

# **Learning Outcomes:**

- Understand the concept of autoboxing and unboxing in Java and how primitive types are automatically converted to their wrapper classes and vice versa.
- Learn how to convert string values into Integer objects using Integer.parseInt() and store them in a list.
- Gain experience in working with ArrayLists to store and manipulate a collection of numbers dynamically.
- Develop proficiency in iterating through collections and performing arithmetic operations like summation.

## **Experiment 5.2**

- 1. **Aim:** Create a Java program to serialize and deserialize a Student object. The program should: Serialize a Student object (containing id, name, and GPA) and save it to a file. Deserialize the object from the file and display the student details. Handle FileNotFoundException, IOException, and ClassNotFoundException using exception handling.
  - **2. Objective:** The objective is to serialize and deserialize a Student object, store and retrieve its id, name, and GPA from a file, and handle exceptions like FileNotFoundException, IOException, and ClassNotFoundException.

#### 3. Implementation Code:

```
import java.io.*;
import java.util.Scanner;
class Student implements Serializable {
  static final long serialVersionUID = 1L;
  int id;
  String name;
  double gpa;
  public Student(int id, String name, double gpa) {
     this.id = id:
     this.name = name;
     this.gpa = gpa;
  }
  public void display() {
     System.out.println("Student ID: " + id);
    System.out.println("Name: " + name);
     System.out.println("GPA: " + gpa);
  }
}
public class StudentSerialization {
  public static void serializeStudent(Student student, String filename) {
     try (ObjectOutputStream oos = new ObjectOutputStream(new FileOutputStream(filename))) {
       oos.writeObject(student);
       System.out.println("Student object serialized successfully.");
     } catch (IOException e) {
       System.err.println("Error during serialization: " + e.getMessage());
     }
  }
  public static Student deserializeStudent(String filename) {
     try (ObjectInputStream ois = new ObjectInputStream(new FileInputStream(filename))) {
       return (Student) ois.readObject();
     } catch (FileNotFoundException e) {
       System.err.println("File not found: " + e.getMessage());
```

# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
           } catch (IOException e) {
             System.err.println("Error during deserialization: " + e.getMessage());
           } catch (ClassNotFoundException e) {
             System.err.println("Class not found: " + e.getMessage());
          return null;
        }
        public static void main(String[] args) {
          Scanner scanner = new Scanner(System.in);
          System.out.println("Enter Student ID:");
          int id = scanner.nextInt();
          scanner.nextLine();
           System.out.println("Enter Student Name:");
          String name = scanner.nextLine();
          System.out.println("Enter Student GPA:");
          double gpa = scanner.nextDouble();
          Student student = new Student(id, name, gpa);
          String filename = "student.ser";
          serializeStudent(student, filename);
          Student deserializedStudent = deserializeStudent(filename);
          if (deserializedStudent != null) {
             System.out.println("Deserialized Student:");
             deserializedStudent.display();
          scanner.close();
        }
```

#### 4. Output

```
Enter Student ID:
14557
Enter Student Name:
Ravi
Enter Student GPA:
7.11
Student object serialized successfully.
Deserialized Student:
Student ID: 14557
Name: Ravi
GPA: 7.11
```



#### 5. Learning Outcomes:

- Understand object serialization and deserialization in Java.
- Learn how to use ObjectOutputStream and ObjectInputStream for file operations.
- Implement exception handling for FileNotFoundException, IOException, and ClassNotFoundException.
- Gain hands-on experience in storing and retrieving objects from a file.
- Develop skills in data persistence and file management using Java.

## **Experiment 5.3**

- 1. **Aim:** Create a menu-based Java application with the following options. 1.Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather details of the employee like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.
- 2. Objective: The objective of this Java application is to create a **simple** menu-driven employee management **system** using file handling for data persistence.

#### 3. Implementation Code:

```
import java.io.*;
import java.util.*;
class Employee {
  int id;
  String name;
  String designation;
  double salary;
  public Employee(int id, String name, String designation, double salary) {
     this.id = id;
     this.name = name;
     this.designation = designation;
     this.salary = salary;
  @Override
  public String toString() {
     return id + "," + name + "," + designation + "," + salary;
  public static Employee fromString(String line) {
     String[] parts = line.split(",");
     return new Employee(Integer.parseInt(parts[0]), parts[1], parts[2],
Double.parseDouble(parts[3]));
}
public class EmployeeManagement {
  static final String FILE_NAME = "employees.txt";
  public static void addEmployee() {
     Scanner scanner = new Scanner(System.in);
     System.out.print("Enter Employee ID: ");
     int id = scanner.nextInt();
     scanner.nextLine();
```

# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

#### Discover. Learn. Empower.

```
System.out.print("Enter Employee Name: ");
     String name = scanner.nextLine();
     System.out.print("Enter Designation: ");
     String designation = scanner.nextLine():
     System.out.print("Enter Salary: ");
     double salary = scanner.nextDouble();
    Employee employee = new Employee(id, name, designation, salary);
     try (FileWriter fw = new FileWriter(FILE NAME, true);
       BufferedWriter bw = new BufferedWriter(fw);
       PrintWriter pw = new PrintWriter(bw)) {
       pw.println(employee);
     } catch (IOException e) {
       System.err.println("Error saving employee data: " + e.getMessage());
    System.out.println("Employee added successfully!");
  public static void displayAllEmployees() {
    File file = new File(FILE_NAME);
    if (!file.exists()) {
       System.out.println("No employee records found.");
       return;
     try (BufferedReader br = new BufferedReader(new FileReader(FILE NAME))) {
       String line:
       while ((line = br.readLine()) != null) {
         Employee emp = Employee.fromString(line);
         System.out.println("ID: " + emp.id + ", Name: " + emp.name + ", Designation: " +
emp.designation + ", Salary: " + emp.salary);
     } catch (IOException e) {
       System.err.println("Error reading employee data: " + e.getMessage());
     }
  }
  public static void main(String[] args) {
     Scanner scanner = new Scanner(System.in);
     while (true) {
       System.out.println("\n1. Add Employee");
       System.out.println("2. Display All Employees");
       System.out.println("3. Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
       switch (choice) {
         case 1:
            addEmployee();
            break:
         case 2:
            displayAllEmployees();
            break;
         case 3:
```

```
Discover. Learn. Empower.

System.out.println("Exiting the application...");
scanner.close();
return;
default:
System.out.println("Invalid option, try again.");
}
}
}
```

#### 4. Output:

```
1. Add Employee
2. Display All Employees
3. Exit
Choose an option: 1
Enter Employee ID: 14557
Enter Employee Name: Ravi Kant
Enter Designation: Student
Enter Salary: 30000
Employee added successfully!

    Add Employee

2. Display All Employees
3. Exit
Choose an option: 2
ID: 10406, Name: Sumit, Designation: student, Salary: 20000.0
ID: 14557, Name: Ravi Kant, Designation: student, Salary: 30000.0
ID: 14557, Name: Ravi Kant, Designation: Student, Salary: 30000.0

    Add Employee

2. Display All Employees
3. Exit
Choose an option: 3
Exiting the application...
```

### 5. Learning Outcomes:

- Understand file handling and serialization in Java to store and retrieve objects persistently.
- Learn how to implement a menu-driven console application using loops and conditional statements.
- Gain experience in object-oriented programming (OOP) by defining and managing Employee objects.
- Practice exception handling to manage file-related errors like FileNotFoundException and IOException.
- Develop skills in list manipulation and user input handling using ArrayList and Scanner.