# Assignment-1: Array Data Structure

- Define a class Array to implement array data structure with member variables to store capacity of array, last index of the last filled block of the array and a pointer to hold the address of the first block of the dynamically created array.
- 2. In question 1, define a parameterised constructor to create an array of specified size.
- 3. In the question 1, add a method to check whether an array is empty or not by returning True or False.
- 4. In question 1, define a method to append a new element in the array
- 5. In question 1, define a method to insert a new element at specified index
- 6. In question 1, define a method to edit an element at specified index.
- 7. In question 1, define a method to delete an element at specified index.
- 8. In question 1, define a method to check if the array is full by returning true or false.
- 9. In question 1, define a method to get element at specified index.
- 10. In question 1, define a method to count number of elements present in the array.
- 11. In question 1, define a destructor to deallocate the memory of array.
- 12. In question 1, define a method to find an element in the array. Return index if the element found, otherwise return -1.

# Assignment-2: array

- 1. Define a copy constructor in Array class to perform deep copy.
- · 2. Define a copy assignment operator in Array class to perform deep copy.

## Assignment-3: Dynamic Arrays

- Define a class DynArray to implement dynamic array data structure with member variables to store capacity of array, last index of the last filled block of the array and a pointer to hold the address of the first block of the dynamically created array.
- 2. In question 1, define a parameterised constructor to create an array of specified size.
- 3. In question 1, define a method doubleArray() to increase the size of the array by double of its size.
- 4. In question 1, define a method halfArray() to decrease the size of the array by half of its size.
- 5. In question 1, define a method which returns the current capacity of the array.
- 6. In the question 1, add a method to check whether an array is empty or not by returning True or False.
- 7. In question 1, define a method to append a new element in the array
- 8. In question 1, define a method to insert a new element at specified index
- 9. In question 1, define a method to edit an element at specified index.
- 10. In question 1, define a method to delete an element at specified index.
- 11. In guestion 1, define a method to check if the array is full by returning true or false.
- 12. In question 1, define a method to get element at specified index.
- 13. In question 1, define a method to count number of elements present in the array.
- 14. In guestion 1, define a destructor to deallocate the memory of array.
- 15. In question 1, define a method to find an element in the array. Return index if the element found, otherwise return -1.

# Assignment-4: Singly Linked List

- 1. Define a class SLL to implement singly linked list data structure with member variable start pointer of type node.
- 2. In question 1, define a constructor to initialise start pointer with NULL.
- 3. In question 1, define a method to insert a data into the list at the beginning.
- 4. In question 1, define a method to insert a data into the list at the end
- 5. In question 1, define a method to search a node with the give item.
- 6. In question 1, define a method to insert a data into the list after the specified node of the list.
- 7. In question 1, define a method to delete first node from the list.
- 8. In question 1, define a method to delete last node of the list.
- 9. In question 1, define a method to delete a specific node.
- 10. In question 1, define a destructor to deallocates memory for all the nodes in the linked list.

## Assignment-5: Doubly Linked List

- Define a class DLL to implement singly linked list data structure with member variable start pointer of type node.
- 2. In question 1, define a constructor to initialise start pointer with NULL.
- 3. In question 1, define a method to insert a data into the list at the beginning.
- 4. In question 1, define a method to insert a data into the list at the end
- 5. In question 1, define a method to search a node with the give item.
- 6. In question 1, define a method to insert a data into the list after the specified node of the list.
- 7. In question 1, define a method to delete first node from the list.
- 8. In guestion 1, define a method to delete last node of the list.
- 9. In question 1, define a method to delete a specific node.
- 10. In question 1, define a destructor to deallocates memory for all the nodes in the linked list.

### Assignment-6: Circular Linked List

- Define a class CLL to implement Circular linked list data structure with member variable last pointer of type node.
- 2. In question 1, define a constructor to initialise last pointer with NULL.
- 3. In question 1, define a method to insert a data into the list at the beginning.
- 4. In question 1, define a method to insert a data into the list at the end
- 5. In question 1, define a method to search a node with the give item.
- In question 1, define a method to insert a data into the list after the specified node of the list.
- 7. In question 1, define a method to delete first node from the list.
- 8. In guestion 1, define a method to delete last node of the list.
- 9. In question 1, define a method to delete a specific node.
- 10. In question 1, define a destructor to deallocates memory for all the nodes in the linked list.

### Assignment-7: Circular Doubly Linked List

- Define a class CDLL to implement Circular Doubly linked list data structure with member variable start pointer of type node.
- 2. In question 1, define a constructor to initialise start pointer with NULL.
- 3. In question 1, define a method to insert a data into the list at the beginning.
- 4. In question 1, define a method to insert a data into the list at the end
- 5. In question 1, define a method to search a node with the give item.
- 6. In question 1, define a method to insert a data into the list after the specified node of the list.
- 7. In question 1, define a method to delete first node from the list.
- 8. In question 1, define a method to delete last node of the list.
- 9. In question 1, define a method to delete a specific node.
- In question 1, define a destructor to deallocates memory for all the nodes in the linked list.

## Assignment-8: Stack using arrays

- Define a class Stack with capacity, top and ptr pointer as member variables.
   Implement stack using array.
- 2. In question 1, define a parameterzied constructor to initialise member variables.
- 3. In guestion 1, define a method to push a new element on to the Stack.
- 4. In question 1, define a method to peek top element of the stack.
- 5. In question 1, define a method to pop the top element of the stack.
- 6. In question 1, define a destructor to deallocates the memory.
- 7. In question 1, define a method to check stack overflow
- 8. In question 1, define a method to check stack underflow.
- 9. Define a method to reverse a stack.
- 10. Define a solution to keep track of minimum value element in the stack.

## Assignment-9: Stack using linked list

- Define a class Stack with node type pointer top as member variable. Implement stack using linked list.
- 2. In question 1, define a constructor to initialise member variable.
- 3. In question 1, define a method to push a new element on to the Stack.
- 4. In question 1, define a method to peek top element of the stack.
- 5. In question 1, define a method to pop the top element of the stack.
- 6. In question 1, define a destructor to deallocates the memory.
- Define a method to reverse a stack.
- Define a method to check whether a given number is a palindrome or not using stack.
- Define a method to convert infix to postfix expression.
- 10. Define a method to evaluate postfix expression.

### Assignment-10: Queue using arrays

- Define a class Queue with capacity, front, rear and ptr pointer as member variables.
   Implement queue using array.
- 2. In question 1, define a parameterzied constructor to initialise member variables.
- 3. In question 1, define a method to insert a new element at the rear in the queue.
- 4. In question 1, define a method to view rear element of the queue.
- 5. In question 1, define a method to view front element of the queue.
- 6. In question 1, define a method to delete the front element of the queue.
- 7. In question 1, define a destructor to deallocates the memory.
- 8. In question 1, define a method to check queue overflow
- 9. In question 1, define a method to check queue underflow.
- 10. In question 1, Define a method to count number of elements present in the queue

## Assignment-11: Queue using linked list

- Define a class Queue with node type pointers front and rear as member variables.
   Implement queue using Singly linked list.
- 2. In question 1, define a constructor to initialise member variable.
- 3. In question 1, define a method to insert a new element at the rear in the queue.
- 4. In question 1, define a method to view rear element in the queue.
- 5. In question 1, define a method to view front element in the queue.
- 6. In question 1, define a method to delete the front element of the queue.
- 7. In question 1, define a destructor to deallocates the memory.
- 8. In question 1, define a method to count number of elements present in the queue.

### Assignment-12: Deque

- 1. Define a class Deque with node type pointers front and rear as member variables.

  Implement queue using doubly linked list.
- 2. In question 1, define a constructor to initialise member variables
- 3. In question 1, define a method to insert a new element at the front
- 4. In question 1, define a method to insert a new element at the rear.
- 5. In question 1, define a method to delete front element
- 6. In question 1, define a method to delete rear element
- 7. In question 1, define a method to get front element.
- 8. In question 1, define a method to get rear element
- 9. In question 1, define a destructor to deallocate the memory.
- 10. In question 1, define a method to check if deque is empty.

#### Assignment-13: Priority Queue

- Define a class PriorityQueue with node type pointer start as member variable.
   Implement PriorityQueue using singly linked list.
- 2. In question 1, define a constructor to initialise member variable.
- 3. In question 1, define a method to insert new item in the Priority Queue according to the priority number.
- 4. In question 1, define a method to delete highest priority element
- 5. In question 1, define a method to get highest priority element
- 6. In question 1, define a method to get highest priority number.
- 7. In question 1, define a destructor to deallocate the memory.
- 8. In question 1, define a method to check if Priority Queue is empty
- 9. Define a logic to implement priority queue using 2 dimensional arrays
- Define a logic to implement min priority queue and max priority queue in the same data structure.

#### Assignment-14: Tree

- Define a class BST (Binary Search Tree) with node type pointer root as member variable. Implement Binary Search Tree using linked representation.
- 2. In question 1, define a constructor to initialise root pointer with NULL.
- 3. In question 1, define a method to check if the tree is empty.
- 4. In question 1, define a method to insert a new element in the BST
- 5. In question 1, define a method for preorder traversing of BST
- 6. In question 1, define a method for inorder traversing of BST
- 7. In question 1, define a method for postorder traversing of BST
- 8. In question 1, define a method to delete an element from BST
- 9. In question 1, define a method to search an item in the BST
- 10. In question 1, define a destructor to release memory of all the nodes of BST.

#### Assignment-15: Recursion

- Write a recursive function to print first N natural numbers
- · 2. Write a recursive function to print first N natural numbers in reverse order
  - 3. Write a recursive function to print first N odd natural numbers
  - 4. Write a recursive function to print first N odd natural numbers in reverse order
  - 5. Write a recursive function to print first N even natural numbers
  - 6. Write a recursive function to print first N even natural numbers in reverse order.
  - 7. Write a recursive function to print squares of first N natural numbers
  - 8. Write a recursive function to print squares of first N natural numbers in reverse order.
  - 9. Write a recursive function to print cubes of first N natural numbers
  - 10. Write a recursive function to print cubes of first N natural numbers in reverse order

#### Assignment-16: More on Recursion

- 1. Write a recursive function to calculate sum of first N natural numbers
- 2. Write a recursive function to calculate sum of first N odd natural numbers
- 3. Write a recursive function to calculate sum of first N even natural numbers
- 4. Write a recursive function to calculate sum of squares of first N natural numbers
- 5. Write a recursive function to calculate factorial of a number
- 6. Write a recursive function to calculate sum of the digits of a given number
- 7. Write a recursive function to print binary of a given decimal number
- 8. Write a recursive function to find nth term of the Fibonacci series
- 9. Write a recursive function to calculate HCF of two numbers
- 10. Write a recursive function to calculate x power y.

## Assignment-17: Graph Matrix

- 1. Define a class Graph using matrix representation with v\_count, e\_count and adj pointer as instance members.
- 2. In Question 1, define a method createGraph() to create and store adjacent node information.
- 3. In question 1, define a method to print graph matrix.
- 4. In question 1, define a method to print all the adjacent nodes of a given node.
- 5. In question 1, define a method to check if a given node is isolated node.
- 6. In question 1, define a destructor to deallocates memory

## Assignment-18: Graph List Representation

- Define a class Graph to implement linked list representation of graph. Define needful structure for node and class for AdjList.
- 2. Define appropriate constructors in the classes AdjList and Graph
- 3. Define appropriate methods to manage linked list in AdjList
- Define createGraph() method in Graph class to allocate memory for array of AdjList Objects.
- 5. Define a method addEdge() in Graph class to add a new node in adjacency list.
- 6. Define destructors in the classes AdjList and Graph
- 7. Define a method to print graph (print values of adjacency list).

#### Assignment-19: Sorting

- 1. Define a function to implement bubble sort
- 2. Define a function to implement modified bubble sort to achieve O(n) time complexity in best case.
- 3. Define a function to implement insertion sort.
- 4. Define a function to implement selection sort.
- 5. Define a function to implement quick sort using recursion.
- 6. Define a function to implement quick sort using iteration.
- 7. Define a function to implement merge sort using recursion.
- 8. Define a function to implement merge sort using iteration.
- Define a class Employee with emp\_id, name, salary as instance variables. Provide setters and getters in the class to access instance variables. Also define a function to sort Employee Array data by salary. Use Merge Sort.
- In question-9, define a function to sort Employee Array data by name. Use Quick Sort.

### Assignment-20: Heap

- 1. Define a class Heap (implement same as dynamic array).
- 2. In question-1, define a constructor ti initialise member variables.
- 3. In question-1, define a method insert() to insert a new element in the heap.
- 4. In question-1, define a method is Empty() to check if the heap is empty.
- 5. In question-1, define a method max() to return greatest value in the heap.
- 6. In question-1, define a method del() to remove the top element of the heap.
- 7. In question-1, define a destructor to safely release the memory.
- In question-1, define a copy constructor to perform deep copy.
- 9. In question-1, define operator= to perform deep copy.
- 10. Define a method to sort elements of an array using heap sort.

2

# Assignment-21: Searching

- 1. Define a method implementing linear search.
- · 2. Define a method implementing binary search.

Do