



Exam :

Quiz 2

Subject :

AI

Total Marks :

25.00

QP :

2024 Mar24: IIT M AN EXAM QDB2

Exam Mode

Learning Mode

View Question Paper Summary

QUESTION MENU

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

TIMER

00:16



CONTROLS

SUBMIT EXAM

Your Score

0.00 / 25.00

(0%)

Question 1 : 640653766050

Total Mark : 0.00 | Type : MCQ

THIS IS QUESTION PAPER FOR THE SUBJECT "**DEGREE LEVEL : AI: SEARCH METHODS FOR PROBLEM SOLVING (COMPUTER BASED EXAM)**" ARE YOU SURE


YOU HAVE TO WRITE EXAM FOR THIS SUBJECT? CROSS CHECK YOUR HALL TICKET TO CONFIRM THE SUBJECTS TO BE WRITTEN. (IF IT IS NOT THE CORRECT SUBJECT, PLS CHECK THE SECTION AT THE TOP FOR THE SUBJECTS REGISTERED BY YOU)

OPTIONS :

☐ YES

☐ NO

Your score : 0

 Discussions (0)



Question 2 : 640653766051

Total Mark : 0.00 | Type : MCQ




OPTIONS :

☐ Printed graph sheets were provided to me.

☐ Printed graph sheets were not provided to me.

☐ I did not use graph sheets.

Your score : 0


 Discussions (0)



Question 3 : 640653766052

Total Mark : 0.00 | Type : COMPREHENSION

The figure shows a map with several locations on a grid where each tile is 1x1 in size. The locations are at grid points and are connected by two way edges (roads), where each edge has a cost that is the same in both directions. Observe that the edge costs are not necessarily proportional to the coordinate based distance estimates. The start node is S and the goal node is G, the MoveGen function returns neighbours in alphabetical order. Use Manhattan distance as the heuristic function. Tie-breaker: when several nodes have the same best cost, use alphabetical order to break ties. Emulate A*, WA* and Branch-and-Bound on the given map, then answer the given subquestions.



Your score : 0

Question 4 :

640653766053



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA


In the map, S is the first node to be refined, determine the next 3 nodes from the 2nd to 4th node refined by A*. Enter the nodes in the order they are refined. Enter a comma separated list of node labels. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: W,X,Y,Z

Answer (Alphanumeric):

Answer

Accepted Answer : A,B,D

Your score : 0

 Discussions (0)



Question 5 :

640653766054



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA


For the 3 nodes from the 2nd to 4th node refined by A^* , list the f-values of those nodes as a comma separated list. Enter a comma separated list of natural numbers. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 2,7,1,8

Answer (Alphanumeric):

Answer

Accepted Answer : 22,24,26

Your score : 0

 Discussions (0)



Question 6 :

640653766055



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

For the 3 nodes from the 2nd to 4th node refined by A^* , list the parent nodes assigned by A^* . Enter a comma separated list of parent node labels. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: W,X,Y,Z

Answer (Alphanumeric):

Answer

Accepted Answer : S,A,A

Your score : 0

[Discussions \(0\)](#)**Question 7 :****640653766056**[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : SA

What is the final path found by A*? Enter the path as a comma separated list. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: S,X,Y,G

Answer (Alphanumeric):

Accepted Answer : S,A,B,C,G

Your score : 0

[Discussions \(0\)](#)**Question 8 :****640653766057**[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : SA

For w=3, what is the final path found by WA* algorithm? Enter the path as a comma separated list. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: S,X,Y,Z,G

Answer (Alphanumeric):

Accepted Answer : S,D,E,G

Your score : 0

[Discussions \(0\)](#)

Question 9 :**640653766058**[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : SA

What is the cost of the path found by Branch-and-Bound algorithm? Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 17

Answer (Numeric):

Accepted Answer : 28

Your score : 0

[Discussions \(0\)](#)**Question 10 :****640653766059**[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : MCQ

Is the heuristic admissible in the given map?

OPTIONS :

☒ Yes☐ No☐ Cannot be determined

Your score : 0

[Discussions \(0\)](#)**Question 11 : 640653766060**

Total Mark : 0.00 | Type : COMPREHENSION

The distance matrix for 5 cities are provided below. Solve the sub-questions using the TSP Branch-and-Bound algorithm. Attention: Infer as much as possible (and as

early as possible) about the permanent segments in the partial solutions. A segment is a two-way edge between two cities.

	A	B	C	D	E
A	-	80	78	68	50
B	80	-	152	78	38
C	78	152	-	98	114
D	68	78	98	-	44
E	50	38	114	44	-

Your score : 0



Question 12 :
640653766061

View Parent QN

View Solutions (0)

Total Mark : 1.00 | Type : SA

What is the lower bound on the cost of the tours (SO) as per the TSP BnB algorithm discussed in class? Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 17

Answer (Numeric):

Answer

Accepted Answer : 302

Your score : 0

Handwritten notes: AIB, CE, DE, and PE circled.

Handwritten notes: (AEB)CD, (AEB)DC, BEAC, BEADC.

Discussions (0)



Question 13 :
640653766062

View Parent QN


View Solutions (0)

Total Mark : 1.00 | Type : SA

Infer all the permanently included segments in the node (S0,BE,~DE,AE) in the TSP BnB search tree. Enter the total number of permanently included segments in the text box. Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 17

Answer (Numeric):

Answer



Accepted Answer : 3

Your score : 0

Discussions (0)



Question 14 :

640653766063



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

Infer all the permanently excluded segments in the node (S0,BE,~DE,AE) in the TSP BnB search tree. Enter the total number of permanently excluded segments in the text box. Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 17

Answer (Numeric):

Answer

Accepted Answer : 3

Your score : 0

Discussions (0)



Question 15 :

640653766064



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

How many tours are represented by the node (S0,BE,~DE,AE) in the TSP BnB search tree? Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 17

Answer (Numeric):

Accepted Answer : 2

Your score : 0

[Discussions \(0\)](#)

Question 16 :

640653766065

[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : SA

What is the cost of the node (S0,BE,~DE,AE) in the TSP BnB search tree? Enter a natural number. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 173

Answer (Numeric):

Accepted Answer : 332


Your score : 0

[Discussions \(0\)](#)

Question 17 : 640653766066

Total Mark : 0.00 | Type : COMPREHENSION

The figure shows a game tree with evaluations W (win), L (loss) and D (draw) from Max's perspective. The nodes are labeled in a level-by-level (a,b,...,e) left-to-right (1,2,...) manner as indicated in the game tree. Based on the above data, answer the given subquestions.



Your score : 0



Question 18 :
640653766067



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

What is the outcome (W, D or L) of the game when both players play perfectly? NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: X

Answer (Alphanumeric):

Answer

Accepted Answer : W

Your score : 0



Discussions (0)



Question 19 :
640653766068



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

Change the value of only one leaf node such that the outcome of the game changes. Which leaf node will you change and what will be its new value? Enter the label of

the leaf node and the new value as a comma separated list. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: a1,X

Answer (Alphanumeric):

Answer

Accepted Answer : c6,D

Your score : 0


Discussions (0)



Question 20 : 640653766069

Total Mark : 0.00 | Type : COMPREHENSION

Based on the above data, answer the given subquestions.



A B EF IJ
Your score : 0 C



Question 21 : 640653766070

[View Parent QN](#)

[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : SA

List the horizon nodes in the best strategy. Enter the node labels as a comma separated list in ASCENDING order. NO SPACES, TABS, DOTS, BRACKETS OR

EXTRANEIOUS CHARACTERS. Answer format: X,Y,Z

Answer (Alphanumeric):

Answer

Accepted Answer : A,C


Your score : 0

 Discussions (0)



Question 22 :
640653766071

 View Parent QN

 View Solutions (0)

Total Mark : 1.00 | Type : SA


List the horizon nodes pruned by Alpha-Beta algorithm. Enter the node labels as a comma separated list in ASCENDING order. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: X,Y,Z

Answer (Alphanumeric):

Answer

Accepted Answer : D,G,H,K,L


Your score : 0

 Discussions (0)



Question 23 :
640653766072

 View Parent QN

 View Solutions (0)

Total Mark : 1.00 | Type : SA


List the horizon nodes in the initial cluster formed by SSS* algorithm. Enter the node labels as a comma separated list in ASCENDING order. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: X,Y,Z

Answer (Alphanumeric):

Answer

Accepted Answer : A,B,E,F,I,J

Your score : 0

 Discussions (0)**Question 24 :**
640653766073

View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

List the horizon nodes assigned SOLVED status by the SSS* algorithm. Enter the node labels as a comma separated list in ASCENDING order. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: X,Y,Z

Answer (Alphanumeric):

Accepted Answer : A,B,C,E,F,I,J

Your score : 0

 Discussions (0)**Question 25 : 640653766074**

Total Mark : 0.00 | Type : COMPREHENSION

The domain description of a blocks-world with a single one-armed robot is provided below. **Note:**

this is the same domain description used in the weekly assignments. Based on the above data, answer the given subquestions.



PREDICATES

armEmpty The arm is not holding any block, it is empty.
 holding(X) The arm is holding X.
 onTable(X) X is on the table.
 clear(X) X has nothing above it, it is clear.
 on(X,Y) X is directly on Y.

OPERATORS

Pickup(X): pick up X from the table.

Preconditions: { armEmpty, clear(X), onTable(X) }
 Add Effects : { holding(X) }
 Del Effects : { armEmpty, onTable(X) }

Putdown(X): place X on the table.

Preconditions: { holding(X) }
 Add Effects : { armEmpty, onTable(X) }
 Del Effects : { holding(X) }

Unstack(X,Y): pick up X that is directly sitting on Y.

Preconditions: { armEmpty, clear(X), on(X,Y) }
 Add Effects : { clear(Y), holding(X) }
 Del Effects : { armempty, on(X,Y) }


Stack(X,Y): place X directly on top of Y.

Preconditions: { holding(X), clear(Y) }
 Add Effects : { armEmpty, on(X,Y) }
 Del Effects : { holding(X), clear(Y) }

Tie-breaker: When actions are chosen non-deterministically, choose actions that lead to a plan. Throw away the actions that lead to deadends and cycles.

Tie-breaker: Treat the goal description, preconditions and effects as lists that are accessed from left to right. When the elements in a list are pushed one by one to a stack, the last element in the list will be at the top of the stack. It has the effect of reversing the list.

A planning problem is given below, find a plan using the operators and predicates defined in the blocks-world domain.



putdown(A),
 unstack(C,D),
 stack(C,A),
 pickup(B),
 stack(B,C)

π

\rightarrow finally $m^T(A)$

$$S_n = \gamma(S_1, \pi)$$

$$G \subseteq S_n$$

on(C,D) }

Your score : 0



Question 26 :
640653766075



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : SA

What is the length of the optimal plan? Enter the number of actions in the optimal plan. NO SPACES, TABS, DOTS, BRACKETS OR EXTRANEIOUS CHARACTERS. Answer format: 42

Answer (Numeric):

Answer

Accepted Answer : 5

Your score : 0



Discussions (0)



Question 27 :
640653766076



View Parent QN



View Solutions (0)

Total Mark : 1.00 | Type : MSQ

Which of the following are **applicable** actions in the start state for the given planning problem?

OPTIONS :

- ☐ Pickup(A)
- ☐ Putdown(A)
- ☐ Stack(A,B)
- ☐ Stack(A,C)
- ☐ Unstack(A,C)
- ☐ Unstack(A,B)

Your score : 0

[Discussions \(0\)](#)**Question 28 :**
640653766077[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : MSQ

Which of the following are **relevant** actions for the goal description in the given planning problem?

OPTIONS :

- ☐ Pickup(B)
- ☐ Pickup(C)
- ☐ Putdown(A)
- ☐ Stack(B,C)
- ☐ Stack(C,A)
- ☐ Unstack(C,D)

Your score : 0

[Discussions \(0\)](#)**Question 29 :**
640653766078[View Parent QN](#)[View Solutions \(0\)](#)

Total Mark : 1.00 | Type : MCQ

For the subgoal ordering given in the goal description (and using the given tie breaking rules) which of the following can be pushed as the first three elements onto the stack by the Goal Stack Planning algorithm? In the representation below, the bottom of the stack is on the right end, marked by BOTTOM.

OPTIONS :

- ☐ { on(C,A), on(B,C) }; on(C,A); on(B,C); BOTTOM
- ☐ { on(C,A), on(B,C) }; on(B,C); on(C,A); BOTTOM

☐ on(B,C); on(C,A); { on(C,A), on(B,C) }; BOTTOM

☐ on(C,A); on(B,C); { on(C,A), on(B,C) }; BOTTOM


Your score : 0

 Discussions (0)



Question 30 :
640653766079

 View Parent QN

 View Solutions (0)

Total Mark : 1.00 | Type : MCQ

For the subgoal ordering given in the goal description (and using the given tie breaking rules), which of the following is the first action popped out of the stack in Goal Stack Planning?

OPTIONS :

☐ Putdown(A)

☐ Pickup(B)

☐ Stack(B,C)

☐ Stack(A,B)

☐ Unstack(C,D)


Your score : 0

 Discussions (0)



Question 31 :
640653766080

 View Parent QN

 View Solutions (0)

Total Mark : 1.00 | Type : MCQ


For the subgoal ordering given in the goal description (and using the given tie breaking rules), does the Goal Stack Planning algorithm find an optimal plan?

OPTIONS :

☐ Yes

- ☐ No
- ☐ Cannot be determined

Your score : 0

 Discussions (0)



Question 32 :
640653766081



View Parent QN



View Solutions (0)


Total Mark : 1.00 | Type : MCQ

If the subgoals in the goal description are swapped places then does the Goal Stack Planning algorithm find an optimal plan?

OPTIONS :

- ☐ Yes
- ☐ No
- ☐ Cannot be determined

Your score : 0

 Discussions (0)



✓ SUBMIT EXAM