```
Question 1
Correct
Mark 10.00 out of 10.00
```

Playing with Numbers:

Ram and Sita are playing with numbers by giving puzzles to each other. Now it was Ram term, so he gave Sita a positive integer 'n' and two numbers 1 and 3. He asked her to find the possible ways by which the number n can be represented using 1 and 3. Write any efficient algorithm to find the possible ways.

Example 1:

Input: 6

Output:6

Explanation: There are 6 ways to 6 represent number with 1 and 3

```
1+1+1+1+1+1
3+3
1+1+1+3
1+1+3+1
1+3+1+1
3+1+1+1
```

Input Format

First Line contains the number n

Output Format

Print: The number of possible ways 'n' can be represented using 1 and 3

Sample Input

6

Sample Output

6

Answer: (penalty regime: 0 %)

```
#include <stdio.h>
 2
    long long find_ways(long long n)
 3 ▼
 4
        if (n < 0)
 5
        return 0;
 6
        long long dp[n + 1];
 7
        dp[0] = 1;
 8
        if (n >= 1) dp[1] = 1;
9
        if (n >= 2) dp[2] = 1;
10
        if (n >= 3) dp[3] = 2;
        for (long long i = 4; i \leftarrow n; i++)
11
12
             dp[i] = dp[i - 1] + dp[i - 3];
13
14
15
16
        return dp[n];
17
18
    int main() {
19
        long long n;
20
        scanf("%11d", &n);
        long long result = find_ways(n);
21
22
        printf("%lld\n", result);
23
        return 0;
24
    }
25
```

	Input	Expected	Got	
~	6	6	6	~
~	25	8641	8641	~
~	100	24382819596721629	24382819596721629	~

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

◄ 5-Implementation of Quick Sort

Jump to...

2-DP-Playing with chessboard ►

1