Ex. No.: 11a)
Date: 16/04/2025

FIFO PAGE REPLACEMENT

Aim:

To find out the number of page faults that occur using First-in First-out (FIFO) page replacement technique.

Algorithm:

1. Declare the size with respect to page length
2. Check the need of replacement from the page to memory
3. Check the need of replacement from old page to new page in memory 4.

Form a queue to hold all pages

5. Insert the page require memory into the queue
6. Check for bad replacement and page fault
7. Get the number of processes to be inserted
8. Display the values

Program Code:

```
#include <stdio.h>
int main(){
    int frames, pages, i, j, k, page_faults = 0;
    Printf ("Enter number of frames: ");
    scanf ("%d", &frames);
    Printf ("Enter number of pages: ");
    Scanf ("%d", & pages);
    int incoming [pages], temp[frames];
    Print ("Enter page reference string: ");
    for (i=0; i<pages; i++){
        scanf ("%d", &incoming[i]);
    }
    for (i=0; i< frames; i++){
        temp[i] = -1;
    }
    Printf ("\n Page \t Frame1 \t Frame2 \t Frame3 \t Page faults \n");
```

```
for (i=0; i < Pages; i++){
        int found=0;
        for (j=0; j<frames; j++) {
                if (temp[j] == incoming[i] ){
                        found=1;
                        break;
                }
        }
        if (!found){
           temp [page_faults % frames] = incoming [i];
           page_faults ++;
        }
        Printf ("%d\t", incoming[i]);
        for(k=0; k<frames; k++){
                if (temp[k] != -1)
                        printf ("%d \t", temp[k]);
                else
                        prinf (" -\t");
        }

        Printf ("%d \n", found ? 0:1);
}
Printf ("\n Total Page Faults : %d\n", page_faults);
return 0;
}
```

Sample Output:

```
[root@localhost student]# python fifo.py

Enter the size of reference string: 20
Enter [ 1] : 7
Enter [ 2] : 0
Enter [ 3] : 1
Enter [ 4] : 2
Enter [ 5] : 0
Enter [ 6] : 3
Enter [ 7] : 0
Enter [ 8] : 4
Enter [ 9] : 2
Enter [10] : 3
Enter [11] : 0
Enter [12] : 3
Enter [13] : 2
Enter [14] : 1
Enter [15] : 2
Enter [16] : 0
Enter [17] : 1
Enter [18] : 7
Enter [19] : 0
Enter [20] : 1

Enter page frame size : 3

7 -> 7 - -
0 -> 7 0 -
1 -> 7 0 1
2 -> 2 0 1
0 -> No Page Fault


3 -> 2 3 1
0 -> 2 3 0
4 -> 4 3 0
2 -> 4 2 0
3 -> 4 2 3
0 -> 0 2 3
3 -> No Page Fault
2 -> No Page Fault
1 -> 0 1 3
2 -> 0 1 2
0 -> No Page Fault
1 -> No Page Fault
7 -> 7 1 2
0 -> 7 0 2
```

1 -> 7 0 1
Total page faults: 15.
[root@localhost student]#

Output:

Enter the no. of frames: 3
Enter the no. of pages: 12
Enter page reference string: 1
2
3
4
1
2
5
1
2
3
4
5

Page	Frame1	Frame2	Frame3	Page Faults
1	1	-	-	1
2	1	2	-	1
3	1	2	3	1
4	4	2	3	1
1	4	1	3	1
2	4	1	2	1
5	5	1	2	1
1	5	1	2	0
2	5	1	2	0
3	5	3	2	1
4	5	3	4	1
5	5	3	4	0

Total Page faults : 9

Result :

Thus the program to find out the no. of page faults that occur using First in First out (FIFO) page replacement technique has been executed successfully.