04 - Iteration Control Structures

Input	Result			
20	1 2 4 5 10 20			

Ex. No. : 4.1 Date:

Register No.: 230701357 Name: SWETHA.J

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

```
s=int(input())
for i in range(1,s+1):
    if(s%i==0):
        print(i,end=' ')
```

Input	Result
292	1
1015	2
108	3
22	0

Ex. No. : 4.2 Date:

Register No.: 230701357 Name: SWETHA.J

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

```
a=int(input())
digit=[]
num=str(a)
for i in num:
    count=num.count(i)
    if count==1:
        digit.append(i)
c=len(digit)
print(c)
```

Example1: if the given number N is 7, the method must return 2 Example2: if the given number N is 10, the method must return 1

Input	Result
7	2
10	1

Ex. No. : 4.3 Date:

Register No.: 230701357 Name: SWETHA.J

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

```
a=int(input())
if a%2!=0:
    print("2")
elif a==2:
    print("2")
else:
    print("1")
```

Input Format:
Integer input from stdin.
Output Format:
Perfect square greater than N.
Example Input:
10
Output:

Ex. No. : 4.4 Date:

Register No.: 230701357 Name: SWETHA.J

Next Perfect Square

Given a number N, find the next perfect square greater than N.

Program:

a=int(input()) b=int(a**0.5) c=(b+1)**2 print(c) NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

For example:

Input:

7

Output

8

Ex. No. : 4.5 Date:

Register No.: 230701357 Name: SWETHA.J

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

```
n=int(input())
if n==1:
    print("0")
else:
    fib=[0,1]
    for i in range(2,n):
        fib.append(fib[-1]+fib[-2])
    print(fib[-1])
```

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

1^1 + 7^2 +5^3 = 175

Example Input:

123

Output:

No

For example:

InputResult

175 Yes

123 No

Ex. No. : 4.6 Date:

Register No.: 230701357 Name: SWETHA.J

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

```
a=input()
b=0
c=1
for i in a:
    b+=int(i)**c
    c+=1
if b==int(a):
    print("Yes")
else:
    print("No")
```

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

Input	Result
3	123

Ex. No. : 4.7 Date:

Register No.: 230701357 Name: SWETHA.J

Sum of Series

Write a program to find the sum of the series 1+11+111+1111+...+n terms (n will be given as input from the user and sum will be the output)

```
a=int(input())
b=c=1
for i in range(1,a):
    a=b
    b=(a*10)+1
    c+=b
print(c)
```

Input	Result
292	2
1015	3

Ex. No. : 4.8 Date:

Register No.: 230701357 Name: SWETHA.J

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

Program:

a=int(input())
b=set()
c=str(a)
for digit in c:
 b.add(digit)
print(len(b))

Input Format:
Single Integer input.
Output Format:
Output displays Yes if condition satisfies else prints No.
Example Input:
14
Output:
Yes
Example Input:
13
Output:
No

Ex. No. : 4.9 Date:

Register No.: 230701357 Name: SWETHA.J

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

```
r=int(input())
flag=0
for i in range(1,10):
    if r%i==0:
        if r//i<10:
        flag=1
if flag:
    print("Yes")
else:
    print("No")
```

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

Input	Result
24	Yes

Ex. No. : 4.10 Date:

Register No.: 230701357 Name: SWETHA.J

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

```
n=int(input())
n+=1
a=int(n**0.5)
if(a**2==n):
    print("Yes")
else:
    print("No")
```