# CS23336-Introduction to Python Programming

Started on	Monday, 2 September 2024, 9:46 PM
State	Finished
Completed on	Tuesday, 3 September 2024, 11:36 PM
Time taken	1 day 1 hour
Marks	10.00/10.00
Grade	100.00 out of 100.00

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Given an integer N, check whether N the given number can be made a perfect square after adding to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

For example:

Input	Result
24	Yes

Answer:(penalty regime: 0 %)

# Feedback

Input	Expected	Got	
24	Yes	Yes	
26	No	No	

Passed all tests!

Correct

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

## **Question text**

An automorphic number is a number whose square ends with the number itself.

For example, 5 is an automorphic number because 5\*5 = 25. The last digit is 5 which same as

the given number.

If it is an automorphic number display "Automorphic" else display "Not Automorphic".

Input Format:

Take a Integer from Keyboard

Output Format:

Print Automorphic if given number is Automorphic number, otherwise Not Automorphic

Example input:

5

Output:

Automorphic

Example input:

25

Output:

Automorphic

Example input:

7

Output:

Not Automorphic

## Answer: (penalty regime: 0 %)

```
1
2
3
4
5
6
7
8
9
10
11

num=int(input())
c=0
sq=num*num
a=num
while a!=0:
    a=a//10
    c+=1
if (sq%(10**c)==num):
    print("Automorphic")
el se:
    print('Not Automorphic')
```

# Feedback

	Input	Expected	Got			
	5	Automorphi c	Automorphi c			
	625	Automorphi c	Automorphic			
	7	Not Automorphic	Not Automorphic			

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct

Mark 1.00 out of 1.00

## Question text

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000.

Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

### For example:

Input	Result
292	1
1015	2
108	3
22	0

Answer: (penalty regime: 0 %)

```
8
                                                10
                                                11
                                                     12
                                                    13
                                                14
                                                     15
                                                     16
a=i nt(i nput())
c=a
b=[]
while c>0:
    b. append (c%10)
    C = C / / 10
count=0
for i in range(<mark>0</mark>,len(b)):
    rep=Fal se
    for j in range(0, len(b)):
         if(b[i] = b[j]) and i! = j:
              rep=True
              break
     if not rep:
         count+=1
pri nt(count)
```

Input	Expected	Got	
292	1	1	
1015	2	2	
108	3	3	
22	0	0	

Passed all tests!

Correct

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

# **Question text**

Write python program to print the following pattern based on input size.

Input:

3


Output:

1 23 456

For example:

Input	Result		
4	1 23 456 78910		

Answer:(penalty regime: 0 %)



```
a=int(input())
num=0
for i in range(a):
    for j in range(a-i-1,0,-1):
        print(end="")
    for k in range(0,i+1,1):
        num=num+1
        print(num, end="")
    print(end="\n")
```

Input	Expected	Got	
3	1 2 3 4 5 6	1 2 3 4 5 6	
4	1 23 456 78910	1 23 456 78910	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

```
Question 5

Correct

Mark 1.00 out of 1.00

Flag question
```

## Question text

You are choreographing a circus show with various animals. For one act, you are given two kangaroos on a number line ready to jump in the positive direction.

- •The first kangaroo starts at position x1 and moves at a speed v1 meters per jump.
- •The second kangaroo starts at position x2 and moves at a speed of v2 meters per jump and x2 > x1

•You have to figure out to get both kangaroos at the same position at the same time as part of the show before k jumps. If it is possible, return YES, otherwise return NO.

## Input Format:

x1-position of kangaroo1

v1-Speed of kangaroo1

x2-position of kangaroo2

v2-Speed of kangaroo2

k-jumps

## Output Format:

Both kangaroos are at the same position within k jumps, YES, otherwise NO.

## For example:

Input	Result
0	YES
4	
2	
6	

Answer:(penalty regime: 0 %)

```
8
                                                                  9
                                                          10
                                                                 11
                                                                12
                                                                 13
                                                                 14
                                                                 16
                                                          17
                                                                 18
a1=i nt(i nput())
b1=i nt(i nput())
a2=i nt(i nput())
b2=i nt(i nput())
c=int(input())
f=0
while c>0:
      if(a1==a2):
           f+=1
      if(f):
           break
      a1=a1+b1
      a2=a2+b2
      c-=1
if(f):
      print("YES")
el se:
      pri nt("NO")
```

Input	Expected	Got	
0 3 4 2 6	YES	YES	
0 3 2	NO	NO	

Input	Expected	Got	
4			
8			

### Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

## **Question text**

Let's print a chessboard!

Write a program that takes input:

Integer N(represents the rows and columns of a chessboard) and also the starting character of the chessboard

**Output Format** 

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

W

Output:

WB

BW

Answer:(penalty regime: 0 %)

```
6
                                                10
                                                11
                                                     12
                                                13
                                                     14
a=i nt(i nput())
b=(i nput())
for i in range(0, a):
    for j in range(0, a):
         if b=='W':
              i f(i + j) \% 2 = = 0:
                  pri nt("W", end='')
              el se:
                   pri nt ("B", end='')
         el se:
              if (i+j)\%2==0:
                  print("B", end='')
              el se:
    print("W", end='')
print(end="\n")
```

Input	Expected	Got	
2 W	WB BW	WB BW	
3 B	BWB WBW BWB	BWB WBW BWB	

Passed all tests!

Correct

Question 7

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

## For example:

Input	Result
2 20	8
700 725	3

Answer: (penalty regime: 0 %)

```
10
                                                 11
                                                 12
                                                 13
                                                 14
                                                 15
def count_pri me(a, b):
    count=0
    for n in range(a, b+1):
             pri me=True
             for i in range(2, n):
                 if((n\%i)==0):
                     prime=False
                     break
             if prime:
                 count+=1
    return count
a=i nt(i nput())
b=int(input())
print(count_prime(a, b))
```

Input	Expected	Got	
2 20	8	8	
700 725	3	3	

Passed all tests!

Correct

## **Question text**

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example 2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

## For example:

Input	Result
2 20	8
700 725	3

Answer: (penalty regime: 0 %)

1 2 3 4 5

```
9
                                            10
                                                 11
                                                 12
                                                 13
                                                 14
                                                 15
def count_prime(a, b):
    count=0
    for n in range(a, b+1):
             pri me=True
             for i in range(2, n):
                 if((n\%i)==0):
                      prime=False
                      break
             if prime:
                      count+=1
    return count
a=i nt(i nput())
b=int(input())
print(count_prime(a, b))
```

Input	Expected	Got	
2 20	8	8	
700 725	3	3	

Passed all tests!

Correct

```
Question 9

Correct

Mark 1.00 out of 1.00
```

## Question text

An e-commerce company plans to give their customers a special discount for Christmas. They are planning to offer a flat discount. The discount value is calculated as the sum of all the prime digits in the total bill amount.

Write an algorithm to find the discount value for the given total bill amount.

Input

The input consists of an integer order value, representing the total bill amount.

Output

Print an integer representing the discount value for the given total bill amount.

**Example Input** 

578


Output

12

Explanation:

Since 5 and 7 are the prime digits, then sum of 5+7=12

Answer:(penalty regime: 0 %)



```
a=int(input())
b=a
c=0
while b>0:
    d=b%10
    if(d%2!=0 and d%3!=0 and d==5):
        c+=d
    if d==3 or d==2 or d==7:
        c+=d
    b//=10
print(c)
```

Input	Expected	Got	
578	12	12	
456	5	5	
7032	12	12	

#### Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

```
Question 10

Correct

Mark 1.00 out of 1.00

Flag question
```

## Question text

Write a program that given an integer 'n', prints the number of integers that are less than or equal to 'n' and co-prime to 'n'

Two integers a and b are said to be relatively prime or coprime if the only positive integer that evenly divides both of them is 1. That is, the only common positive factor of the Input Format: One line containing the value of 'n', where 1<=n<=10,000 **Output Format:** One line containing the number of integers that are coprime to n and less than or equal to 'n' Sample Test Cases Test Case 1 Input 10 Output 4 Test Case 2 Input 23 Output 22 Test Case 3 Input 11

two numbers is 1. This is equivalent to their greatest

common divisor being 1.

```
Output
10
Answer:(penalty regime: 0 %)
                                             8
                                                  11
                                                  12
def coprime(n):
     count=0
     for i in range(1, n+1):
         if gcd(i, n) == 1:
             count+=1
     return count
def gcd(a, b):
    while b:
         a, b=b, a%b
```

return a n=int(input()) print(coprime(n))

Input	Expected	Got	
10	4	4	
23	22	22	
11	10	10	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

# [Finish review]

Skip Quiz navigation

# Quiz navigation

	Question 1 This page
	Question 2 This page
	Question 3 This page
	Question 4 This page
	Question 5 This page
	Question 6 This page
	Question 7 This page
	Question 8 This page
	Ougstion 0 This page
	Question 9 This page
	Question 10 This page
Show one page at a time	

## [Finish review]