
DATE: 30.04.2025 NAME: KAVIYA V

ROLL NO: 231901020


AIM:

Learn cyber evasion techniques and put them to the test against two IDS




TASK 2: INTRUSION DETECTION BASICS

What IDS detection methodology relies on rule sets?



TASK 3: NETWORK-BASED IDS(NIDS)

What widely implemented protocol has an adverse effect on the reliability of NIDS?



TASK 4 RECONNAISSANCE AND EVASIOM BASICS

6,A,B


What scale is used to measure alert severity in Suricata? (*-*) ✓ Correct Answer 1-3 How many services is nmap able to fully recognise when the service scan (-sV) is performed? ✓ Correct Answer ♀ Hint 3 TASK 5: FURTHER RECONNAISSANCE EVASION Nikto, should find an interesting path when the first scan is performed, what is it called? /login ✓ Correct Answer What value is used to toggle denial of service vectors when using scan tuning (-T) in nikto? ♀ Hint ✓ Correct Answer 6 Which flags are used to modify the request spacing in nikto? Use commas to separate the flags in your answer.

✓ Correct Answer

♀ Hint

TASK 6: OPEN-SOURCE INTELLIGENCE

Suricata




✓ Correct Answer

♀ Hint

TASK 8: HOST BASED IDS (HIDS)

What category does Wazuh place HTTP 400 error codes in?



RESULT:

Cyber evasion techniques and put them to the test against two IDS is successfully learned