

CS5010 - Problem Set 02 - Test Results

pdp-wangzet

October 7, 2014

This test suite tests your implementation of Problem Set 02

1 File: two-bouncing-cats.rkt

Tests your implementation of Bouncing cats
Common Definitions

```
(define CANVAS-WIDTH 450)

(define CANVAS-HEIGHT 400)

(define CANVAS-HALF-WIDTH (/ CANVAS-WIDTH 2))

(define CANVAS-HALF-HEIGHT (/ CANVAS-HEIGHT 2))

(define CAT-IMAGE (bitmap "cat.png"))

(define HALF-CAT-WIDTH (/ (image-width CAT-IMAGE) 2))

(define HALF-CAT-HEIGHT (/ (image-height CAT-IMAGE) 2))

(define INITIAL-Y-POS 100)

(define CAT1-X-COORD (/ CANVAS-WIDTH 3))

(define CAT2-X-COORD (* 2 CAT1-X-COORD))

(define INITIAL_WORLD (initial-world INITIAL-Y-POS))
```

```

(define RBORDER (- CANVAS-WIDTH HALF-CAT-WIDTH))

(define LBORDER HALF-CAT-WIDTH)

(define BBORDER (- CANVAS-HEIGHT HALF-CAT-HEIGHT))

(define TBORDER HALF-CAT-HEIGHT)

(define cat-1 (lambda (world) (world-cat1 world)))

(define cat-2 (lambda (world) (world-cat2 world)))

(define cat1-posn
  (lambda (world)
    (list (cat-x-pos (cat-1 world)) (cat-y-pos (cat-1 world)))))

(define cat2-posn
  (lambda (world)
    (list (cat-x-pos (cat-2 world)) (cat-y-pos (cat-2 world)))))

(define get-cat-direction
  (lambda (cat)
    (cond
      ((cat-north? cat) "north")
      ((cat-south? cat) "south")
      ((cat-east? cat) "east")
      ((cat-west? cat) "west"))))

(define get-cats-direction
  (lambda (world)
    (list
      (get-cat-direction (cat-1 world))
      (get-cat-direction (cat-2 world)))))

(define get-cat
  (lambda (cat w)
    (list
      (cat-x-pos (cat w))
      (cat-y-pos (cat w))
      (cat-selected? (cat w))
      (get-cat-direction (cat w)))))

```

```

(define cat-speed
  (-
    (cat-y-pos (cat-1 (world-after-tick INITIAL_WORLD)))
    (cat-y-pos (cat-1 INITIAL_WORLD))))

(define get-cats
  (lambda (w) '(,(get-cat cat-1 w) ,(get-cat cat-2 w))))

(define simulate-until-at-wall
  (lambda (cat w)
    (let ((cat-towards-east? (cat-east? (cat w)))
          (cat-towards-west? (cat-west? (cat w)))
          (cat-towards-north? (cat-north? (cat w)))
          (cat-towards-south? (cat-south? (cat w)))
          (cat-curr-x (cat-x-pos (cat w)))
          (cat-curr-y (cat-y-pos (cat w))))
      (cond
        ((or (and cat-towards-east? (> cat-curr-x RBORDER))
              (and cat-towards-west? (< cat-curr-x LBORDER))
              (and cat-towards-south? (> cat-curr-y BBORDER))
              (and cat-towards-north? (< cat-curr-y TBORDER)))
         (error "Moved past the edge"))
        ((and cat-towards-west?
              (or (<= 0 (- RBORDER cat-curr-x) 2)
                  (= cat-curr-x RBORDER)
                  (= cat-curr-x (- RBORDER 1)))))
         w)
        ((and cat-towards-east?
              (or (<= 0 (- cat-curr-x LBORDER) 2)
                  (= cat-curr-x (+ LBORDER 1))
                  (= cat-curr-x LBORDER))))
         w)
        ((and cat-towards-north?
              (or (<= 0 (- BBORDER cat-curr-y) 2)
                  (= cat-curr-y BBORDER)
                  (= cat-curr-y (- BBORDER 1)))))
         w)
        ((and cat-towards-south?
              (or (<= 0 (- cat-curr-y TBORDER) 2)
                  (= cat-curr-y (+ TBORDER 1))
                  (= cat-curr-y TBORDER))))
         w)
        (else
         (begin
          (let* ((after-tick (world-after-tick w))

```

```

        (cat-next-x (cat-x-pos (cat after-tick)))
        (cat-next-y (cat-y-pos (cat after-tick))))
(if (or (and cat-towards-east? (> cat-next-x cat-curr-x))
        (and cat-towards-west? (< cat-next-x cat-curr-x))
        (and cat-towards-south? (> cat-next-y cat-curr-y))
        (and cat-towards-north?
            (< cat-next-y cat-curr-y)))
    (if (or (equal?
            (abs (- cat-next-x cat-curr-x))
            cat-speed)
        (equal?
            (abs (- cat-next-y cat-curr-y))
            cat-speed)
        (<= 0 (- RBORDER cat-next-x) 2)
        (<= 0 (- cat-next-x LBORDER) 2)
        (<= 0 (- BBORDER cat-next-y) 2)
        (<= 0 (- cat-next-y TBORDER) 2))
        (begin (simulate-until-at-wall cat after-tick))
        (error "Does not move at full speed when it should"))
(error "Does not move towards correct wall")))))))

(define world-after-kev
  (lambda (world kev) (world-after-key-event world kev)))

(define world-after-mev
  (lambda (world x y mev) (world-after-mouse-event world x y mev)))

(define CX (+ CANVAS-HALF-WIDTH 50))

(define CY (+ CANVAS-HALF-HEIGHT 50))

(define change-dir
  (lambda (world cat mx my key)
    (let* ((select-cat
            (world-after-mev
             world
             (+ (cat-x-pos (cat INITIAL_WORLD)) 10)
             (+ (cat-y-pos (cat INITIAL_WORLD)) 10)
             "button-down")))
      (drag-cat (world-after-mev select-cat mx my "drag"))
      (cat-after-key (world-after-kev drag-cat key))
      (release-cat
       (world-after-mev cat-after-key mx my "button-up"))))
    release-cat)))

```

1.1 Test-Group: Basic Cats behavior (2 Points)

Common Definitions

```
(define INITWORLD-AFTER-A-TICK (world-after-tick INITIAL_WORLD))
```

1.1.1 Test (equality, 1/2 partial points)

The cats should be created in given initial y position

Input:

```
(get-cats INITIAL_WORLD)
```

Expected Output:

```
('(,(' ,CAT1-X-COORD ,INITIAL-Y-POS ,false ,"south")
,(' ,CAT2-X-COORD ,INITIAL-Y-POS ,false ,"south"))
```

Expected Output Value:

```
((150 100 #f "south") (300 100 #f "south"))
```

Wrong Output:

```
((150 0 #f "south") (300 0 #f "south"))
```

1.1.2 Test (equality, 1/2 partial points)

The cats should fall at specified speed

Input:

```
(get-cats INITWORLD-AFTER-A-TICK)
```

Expected Output:

```
('(,(' ,CAT1-X-COORD ,( + INITIAL-Y-POS cat-speed) ,false ,"south")
,(' ,CAT2-X-COORD ,( + INITIAL-Y-POS cat-speed) ,false ,"south"))
```

Expected Output Value:

```
((150 159 #f "south") (300 159 #f "south"))
```

Wrong Output:

```
((150 59 #f "south") (300 59 #f "south"))
```

1.1.3 Test (or, 1 partial points)

The cat should bounce, once it reaches the bottom

Test (equality)

The cat should bounce once it reaches the bottom all threshold

Input:

```
(<=
0
(-
BBORDER
(second
(get-cat
cat-1
(simulate-until-at-wall cat-1 INITWORLD-AFTER-A-TICK))))
2)
```

Expected Output:

```
true
```

Expected Output Value:

```
#t
```

Wrong Output:

```
#f
```

Test (equality)

The cat should bounce, once it reaches the bottom no threshold

Input:

```
(get-cat cat-1 (simulate-until-at-wall cat-1 INITWORLD-AFTER-A-TICK))
```

Expected Output:

```
('(,CAT1-X-COORD ,BBORDER ,false ,"north")
```

Expected Output Value:

```
(150 683/2 #f "north")
```

Wrong Output:

```
(150 59 #f "south")
```

Test (equality)

The cat should bounce, once it reaches the bottom threshold 2

Input:

```
(get-cat cat-1 (simulate-until-at-wall cat-1 INITWORLD-AFTER-A-TICK))
```

Expected Output:

```
'(,CAT1-X-COORD ,(- BBORDER 2) ,false ,"north")
```

Expected Output Value:

```
(150 679/2 #f "north")
```

Wrong Output:

```
(150 59 #f "south")
```

Test (equality)

The cat should bounce, once it reaches the bottom threshold 1

Input:

```
(get-cat cat-1 (simulate-until-at-wall cat-1 INITWORLD-AFTER-A-TICK))
```

Expected Output:

```
'(,CAT1-X-COORD ,(- BBORDER 1) ,false ,"north")
```

Expected Output Value:

```
(150 681/2 #f "north")
```

Wrong Output:

```
(150 59 #f "south")
```

1.2 Test-Group: Dragging Cat(s) (5 Points)

These tests will check behavior of cats after mouse events

Common Definitions

```
(define WORLD-AFTER-MEV-BD-1  
(world-after-mev  
  INITIAL_WORLD  
  (/ CANVAS-WIDTH 2)  
  (/ CANVAS-HEIGHT 2)  
  "button-down"))
```

```

(define WORLD-AFTER-MEV-BD-2
  (world-after-mev
    INITIAL_WORLD
    (+ (cat-x-pos (cat-1 INITIAL_WORLD)) 15)
    (+ (cat-y-pos (cat-1 INITIAL_WORLD)) 15)
    "button-down"))

(define WORLD-AFTER-MEV-DRAG
  (world-after-mev WORLD-AFTER-MEV-BD-2 CX CY "drag"))

(define WORLD-AFTER-MEV-BU
  (world-after-mev WORLD-AFTER-MEV-DRAG CX CY "button-up"))

(define WORLD-AFTER-MEV-BD-3
  (world-after-mev
    WORLD-AFTER-MEV-BU
    (+ CAT2-X-COORD 15)
    (- (cat-y-pos (cat-2 WORLD-AFTER-MEV-BU)) 10)
    "button-down"))

(define WORLD-AFTER-MEV-DRAG-2
  (world-after-mev WORLD-AFTER-MEV-BD-3 CX CY "drag"))

(define WORLD-AFTER-MEV-DRAG-RBORDER
  (world-after-mev WORLD-AFTER-MEV-DRAG-2 RBORDER CY "drag"))

(define WORLD-AFTER-MEV-BU-RBORDER
  (world-after-mev
    WORLD-AFTER-MEV-DRAG-RBORDER
    RBORDER
    CY
    "button-up"))

(define WORLD-AFTER-SELECTING-BOTH-CATS
  (world-after-mev WORLD-AFTER-MEV-DRAG-2 CX CY "button-down"))

(define WORLD-AFTER-DRAGGING-BOTH-CATS
  (world-after-mev
    WORLD-AFTER-SELECTING-BOTH-CATS
    (+ CX 50)
    (+ CY 50)
    "drag"))

```



```

(define WORLD-AFTER-DROPPING-BOTH-CATS
  (world-after-mev
    WORLD-AFTER-DRAGGING-BOTH-CATS
    (+ CX 50)
    (+ CY 50)
    "button-up"))

(define WORLD-AFTER-MEV-DRAG-CAT2
  (world-after-mev WORLD-AFTER-SELECTING-BOTH-CATS CX CY "drag"))

```

1.2.1 Test (equality, 1/2 partial points)

The cats should not get selected if button down occurs outside them
Input:

```
(get-cats WORLD-AFTER-MEV-BD-1)
```

Expected Output:

```

'((, (, CAT1-X-COORD
, (cat-y-pos (cat-1 WORLD-AFTER-MEV-BD-1))
, false
, "south")
, (, CAT2-X-COORD
, (cat-y-pos (cat-2 WORLD-AFTER-MEV-BD-1))
, false
, "south"))

```

Expected Output Value:

```
((150 0 #f "south") (300 0 #f "south"))
```

Correct

1.2.2 Test (equality, 1/2 partial points)

The cat should be selected on button down, only if the mouse is inside it. It's position and direction should not change on button down. Other cat should not be affected
Input:

```
(get-cats WORLD-AFTER-MEV-BD-2)
```

Expected Output:

```

'((, (, CAT1-X-COORD
, (cat-y-pos (cat-1 WORLD-AFTER-MEV-BD-1))
, true
, "south")

```

```
, '(', CAT2-X-COORD
  , (cat-y-pos (cat-2 WORLD-AFTER-MEV-BD-1))
  , false
  , "south"))
```

Expected Output Value:

```
((150 0 #t "south") (300 0 #f "south"))
```

Correct

1.2.3 Test (equality, 1/2 partial points)

The cat's position should change when it is dragged but its direction shouldn't change
Other cat should not be affected

Input:

```
(get-cats WORLD-AFTER-MEV-DRAG)
```

Expected Output:

```
('(, (, CX ,CY ,true , "south")
, '(', CAT2-X-COORD
  , (cat-y-pos (cat-2 WORLD-AFTER-MEV-BD-1))
  , false
  , "south"))
```

Expected Output Value:

```
((275 250 #t "south") (300 0 #f "south"))
```

Correct

1.2.4 Test (equality, 1/2 partial points)

The selected cat should be unselected when the mouse button is released, the cat should
be placed in the new position

Input:

```
(get-cats WORLD-AFTER-MEV-BU)
```

Expected Output:

```
('(, (, CX ,CY ,false , "south")
, '(', CAT2-X-COORD
  , (cat-y-pos (cat-2 WORLD-AFTER-MEV-BD-1))
  , false
  , "south"))
```

Expected Output Value:

```
((275 250 #f "south") (300 0 #f "south"))
```

Correct

1.2.5 Test (equality, 1/2 partial points)

Dragging a cat over the other should not affect the underlying cat

Input:

```
(get-cats WORLD-AFTER-MEV-DRAG-2)
```

Expected Output:

```
('(,(CX ,CY ,false ,"south") ,(CX ,CY ,true ,"south"))
```

Expected Output Value:

```
((275 250 #f "south") (275 250 #t "south"))
```

Correct

1.2.6 Test (equality, 1/2 partial points)

Both the cats should be selected on button down, when one of them is overlapping the other

Input:

```
(get-cats WORLD-AFTER-SELECTING-BOTH-CATS)
```

Expected Output:

```
('(,(CX ,CY ,true ,"south") ,(CX ,CY ,true ,"south"))
```

Expected Output Value:

```
((275 250 #t "south") (275 250 #t "south"))
```

Correct

1.2.7 Test (equality, 1/2 partial points)

Both cats should be dragged together when both of them are selected

Input:

```
(get-cats WORLD-AFTER-DRAGGING-BOTH-CATS)
```

Expected Output:

```
('(,( (+ CX 50) , (+ CY 50) ,true ,"south")  
, '( (+ CX 50) , (+ CY 50) ,true ,"south"))
```

Expected Output Value:

```
((325 300 #t "south") (325 300 #t "south"))
```

Correct

1.2.8 Test (equality, 1/2 partial points)

Both cats should be unselected and their direction should not change

Input:

```
(get-cats WORLD-AFTER-DROPPING-BOTH-CATS)
```

Expected Output:

```
('(,(+ CX 50) ,(+ CY 50) ,false ,"south")
,(,(+ CX 50) ,(+ CY 50) ,false ,"south"))
```

Expected Output Value:

```
((325 300 #f "south") (325 300 #f "south"))
```

Correct

1.2.9 Test (equality, 1 partial points)

Placing the cat near the border should not affect its direction and its position

Input:

```
(get-cats WORLD-AFTER-MEV-BU-RBORDER)
```

Expected Output:

```
('(,(CX ,CY ,false ,"south") ,(,RBORDER ,CY ,false ,"south"))
```

Expected Output Value:

```
((275 250 #f "south") (825/2 250 #f "south"))
```

Correct

1.3 Test-Group: Ket events test (8 Points)

These tests will check behavior of world after key events

Common Definitions

```
(define CX CANVAS-HALF-WIDTH)
```

```
(define CY CANVAS-HALF-HEIGHT)
```

```
(define PAUSED-WORLD (world-after-key-event INITIAL_WORLD " "))
```

```
(define PAUSED-WORLD-after-tick (world-after-tick PAUSED-WORLD))
```

```

(define UNPAUSED-WORLD (world-after-kev PAUSED-WORLD-after-tick "
"))

(define UNPAUSED-WORLD-AFTER-TICK (world-after-tick UNPAUSED-WORLD))

(define WORLD-WITH-CAT1-DIR->RIGHT
(change-dir INITIAL_WORLD cat-1 CX CY "right"))

(define WORLD-WITH-CAT1-DIR->LEFT
(change-dir INITIAL_WORLD cat-1 CX CY "left"))

(define WORLD-WITH-CAT2-DIR->UP
(change-dir INITIAL_WORLD cat-2 CX CY "up"))

(define WORLD-WITH-CAT2-DIR->DOWN
(change-dir INITIAL_WORLD cat-2 CX CY "down"))

(define WORLD-WITH-CATS->BD
(world-after-mev
 WORLD-WITH-CAT2-DIR->UP
 CAT1-X-COORD
 INITIAL-Y-POS
 "button-down"))

(define WORLD-WITH-CAT1->LEFT
(world-after-kev WORLD-WITH-CATS->BD "left"))

(define WORLD-WITH-CATS-DIFF-DIR-DRAG
(world-after-mev WORLD-WITH-CAT1->LEFT CX CY "drag"))

(define WORLD-WITH-CATS-DIFF-DIR-RELEASE
(world-after-mev WORLD-WITH-CATS-DIFF-DIR-DRAG CX CY "button-up"))

(define WORLD-WITH-SELECTED-CATS
(world-after-mev
 WORLD-WITH-CATS-DIFF-DIR-RELEASE
 CX
 CY
 "button-down"))

```

```

(define WORLD-WITH-DRAGGED-CATS
  (world-after-mev
    WORLD-WITH-SELECTED-CATS
    (+ CX 50)
    (+ CY 50)
    "drag"))

(define WORLD-WITH-RELEASED-CATS
  (world-after-mev
    WORLD-WITH-DRAGGED-CATS
    (+ CX 50)
    (+ CY 50)
    "button-up"))

(define WORLD-WITH-CATS-IN-DIFF-DIR
  (change-dir WORLD-WITH-CAT2-DIR->UP cat-1 CX CY "right"))

(define WORLD-WITH-CATS-DIFF-DIR->BD
  (world-after-mev WORLD-WITH-CATS-IN-DIFF-DIR CX CY "button-down"))

(define WORLD-WITH-CATS->LEFT
  (world-after-kev WORLD-WITH-CATS-DIFF-DIR->BD "left"))

(define WORLD-WITH-CATS->BU
  (world-after-mev WORLD-WITH-CATS->LEFT CX CY "button-up"))

```

1.3.1 Test (equality, 1/2 partial points)

The cats should not move on tick, if the world is paused

Input:

```
(get-cats PAUSED-WORLD)
```

Expected Output:

```

'((,(',(CAT1-X-COORD ,(cat-y-pos (cat-1 INITIAL_WORLD)) ,false ,"south")
,(',(CAT2-X-COORD
,(cat-y-pos (cat-2 INITIAL_WORLD))
,false
,"south"))

```

Expected Output Value:

```
((150 0 #f "south") (300 0 #f "south"))
```

Correct

1.3.2 Test (equality, 1/2 partial points)

The cats should move after a tick if the world is unpaused

Input:

```
(get-cats UNPAUSED-WORLD-AFTER-TICK)
```

Expected Output:

```
('(' (CAT1-X-COORD
      (+ (cat-y-pos (cat-1 INITIAL_WORLD)) cat-speed)
      ,false
      , "south")
      (' (CAT2-X-COORD
          (+ (cat-y-pos (cat-2 INITIAL_WORLD)) cat-speed)
          ,false
          , "south")))
```

Expected Output Value:

```
((150 59 #f "south") (300 59 #f "south"))
```

Correct

1.3.3 Test (equality, 1/2 partial points)

The selected cat should change its direction as east, if it is selected, right key is pressed and unselected. The other cat should be unaffected by this behavior

Input:

```
(get-cats WORLD-WITH-CAT1-DIR->RIGHT)
```

Expected Output:

```
('(' (CX ,CY ,false , "east")
      (' (cat-x-pos (cat-2 INITIAL_WORLD))
          (cat-y-pos (cat-2 INITIAL_WORLD))
          ,false
          , "south")))
```

Expected Output Value:

```
((225 200 #f "east") (300 0 #f "south"))
```

Correct

1.3.4 Test (equality, 1/2 partial points)

Cat 1 should move towards east after a tick at specified speed, if it is selected, right key is pressed and unselected

Input:

```
(get-cats (world-after-tick WORLD-WITH-CAT1-DIR->RIGHT))
```

Expected Output:

```
('(' ( (+ CX cat-speed) ,CY ,false , "east")
  , (' (cat-x-pos (cat-2 INITIAL_WORLD))
    , (+ (cat-y-pos (cat-2 INITIAL_WORLD)) cat-speed)
    , false
    , "south"))
```

Expected Output Value:

```
((284 200 #f "east") (300 59 #f "south"))
```

Wrong Output:

```
((233 200 #f "east") (300 59 #f "south"))
```

1.3.5 Test (equality, 1/2 partial points)

The selected cat should change its direction as west, if it is selected, left key is pressed and unselected. The other cat should be unaffected by this behavior

Input:

```
(get-cats WORLD-WITH-CAT1-DIR->LEFT)
```

Expected Output:

```
('(' (CX ,CY ,false , "west")
  , (' (cat-x-pos (cat-2 INITIAL_WORLD))
    , (cat-y-pos (cat-2 INITIAL_WORLD))
    , false
    , "south"))
```

Expected Output Value:

```
((225 200 #f "west") (300 0 #f "south"))
```

Correct

1.3.6 Test (equality, 1/2 partial points)

Cat 1 should move towards west after a tick at specified speed, if it is selected, left key is pressed and unselected

Input:

```
(get-cats (world-after-tick WORLD-WITH-CAT1-DIR->LEFT))
```

Expected Output:

```
('(,('(- CX cat-speed) ,CY ,false ,"west")
,(',(cat-x-pos (cat-2 INITIAL_WORLD))
, (+ (cat-y-pos (cat-2 INITIAL_WORLD)) cat-speed)
,false
,"south"))
```

Expected Output Value:

```
((166 200 #f "west") (300 59 #f "south"))
```

Wrong Output:

```
((217 200 #f "west") (300 59 #f "south"))
```

1.3.7 Test (equality, 1/2 partial points)

Cat 2 should move towards north after a tick at specified speed, if it is selected, up key is pressed and unselected. Other cat should be unaffected

Input:

```
(get-cats (world-after-tick WORLD-WITH-CAT2-DIR->UP))
```

Expected Output:

```
('(,(',(cat-x-pos (cat-1 INITIAL_WORLD))
, (+ (cat-y-pos (cat-1 INITIAL_WORLD)) cat-speed)
,false
,"south")
,(',(CX ,(- CY cat-speed) ,false ,"north"))
```

Expected Output Value:

```
((150 59 #f "south") (225 141 #f "north"))
```

Wrong Output:

```
((150 59 #f "south") (225 192 #f "north"))
```

1.3.8 Test (equality, 1/2 partial points)

Cat 2 should move towards south after a tick at specified speed, if it is selected, down key is pressed and unselected. Other cat should be unaffected

Input:

```
(get-cats (world-after-tick WORLD-WITH-CAT2-DIR->DOWN))
```

Expected Output:

```
('(,(cat-x-pos (cat-1 INITIAL_WORLD))
,(+ (cat-y-pos (cat-1 INITIAL_WORLD)) cat-speed)
,false
,"south")
,'(,CX ,(+ CY cat-speed) ,false ,"south"))
```

Expected Output Value:

```
((150 59 #f "south") (225 259 #f "south"))
```

Wrong Output:

```
((150 59 #f "south") (225 208 #f "south"))
```

1.3.9 Test (equality, 1 partial points)

The cats directions are changed separately, then selected together, dragged and released. They should continue moving in their directions unchanged

Input:

```
(get-cats (world-after-tick WORLD-WITH-RELEASED-CATS))
```

Expected Output:

```
('(,(,(- (+ CX 50) cat-speed) ,(+ CY 50) ,false ,"west")
,'(,(+ CX 50) ,(- (+ CY 50) cat-speed) ,false ,"north"))
```

Expected Output Value:

```
((216 250 #f "west") (275 191 #f "north"))
```

Wrong Output:

```
((150 59 #f "south") (275 242 #f "north"))
```

1.3.10 Test (equality, 1/2 partial points)

The cats were selected together, then left key is pressed, and released. They both should be travelling together towards west

Input:

```
(get-cats (world-after-tick WORLD-WITH-CATS->BU))
```

Expected Output:

```
('(,('(- CX cat-speed) ,CY ,false ,"west")
,('(- CX cat-speed) ,CY ,false ,"west"))
```

Expected Output Value:

```
((166 200 #f "west") (166 200 #f "west"))
```

Wrong Output:

```
((217 200 #f "west") (217 200 #f "west"))
```

1.3.11 Test (or, 1/2 partial points)

The cat should hit the west wall, bounces back and start travelling towards east

Test (equality)

The cat should hit the east wall, bounces back and start travelling towards north with threshold

Input:

```
(<=
0
(-
(first
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->LEFT)))
LBORDER)
2)
```

Expected Output:

```
true
```

Expected Output Value:

```
#t
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the west wall, bounces back and start travelling towards east with no threshold

Input:

```
(get-cat  
cat-1  
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->LEFT))
```

Expected Output:

```
('(,LBORDER ,CY ,false ,"east")
```

Expected Output Value:

```
(75/2 200 #f "east")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the west wall, bounces back and start travelling towards east with threshold 1

Input:

```
(get-cat  
cat-1  
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->LEFT))
```

Expected Output:

```
('(, (+ LBORDER 1) ,CY ,false ,"east")
```

Expected Output Value:

```
(77/2 200 #f "east")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the west wall, bounces back and start travelling towards east with threshold 2

Input:

```
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->LEFT))
```

Expected Output:

```
'(, (+ LBORDER 2) ,CY ,false , "east")
```

Expected Output Value:

```
(79/2 200 #f "east")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

1.3.12 Test (or, 1/2 partial points)

The cat should hit the east wall, bounces back and start travelling towards west

Test (equality)

The cat should hit the east wall, bounces back and start travelling towards north with threshold

Input:

```
(<=
0
(-
RBORDER
(first
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->RIGHT))))
2)
```

Expected Output:

```
true
```

Expected Output Value:

```
#t
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the east wall, bounces back and start travelling towards west no threshold

Input:

```
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->RIGHT))
```

Expected Output:

```
('(,RBORDER ,CY ,false ,"west")
```

Expected Output Value:

```
(825/2 200 #f "west")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the east wall, bounces back and start travelling towards west with threshold 1

Input:

```
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->RIGHT))
```

Expected Output:

```
('(,(- RBORDER 1) ,CY ,false ,"west")
```

Expected Output Value:

```
(823/2 200 #f "west")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the east wall, bounces back and start travelling towards west with threshold 2

Input:

```
(get-cat
cat-1
(simulate-until-at-wall cat-1 WORLD-WITH-CAT1-DIR->RIGHT))
```

Expected Output:

```
('(,(- RBORDER 2) ,CY ,false ,"west")
```

Expected Output Value:

```
(821/2 200 #f "west")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

1.3.13 Test (or, 1/2 partial points)

The cat should hit the north wall, bounces back and start travelling towards south

Test (equality)

The cat should hit the north wall, bounces back and start travelling towards north with threshold

Input:

```
(<=
0
(-
(second
(get-cat
cat-2
(simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->UP)))
TBORDER)
2)
```

Expected Output:

```
true
```

Expected Output Value:

```
#t
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the north wall, bounces back and start travelling towards south no threshold

Input:

```
(get-cat cat-2 (simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->UP))
```

Expected Output:

```
('(,CX ,TBORDER ,false ,"south")
```

Expected Output Value:

```
(225 117/2 #f "south")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the north wall, bounces back and start travelling towards south with threshold 1

Input:

```
(get-cat cat-2 (simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->UP))
```

Expected Output:

```
('(,CX ,(+ TBORDER 1) ,false ,"south")
```

Expected Output Value:

```
(225 119/2 #f "south")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \"Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the north wall, bounces back and start travelling towards south with threshold 2

Input:

```
(get-cat cat-2 (simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->UP))
```

Expected Output:

```
('(,CX ,(+ TBORDER 2) ,false ,"south")
```

Expected Output Value:

```
(225 121/2 #f "south")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \"Does not move at full speed when it should\" #<continuation-mark-set>)"

1.3.14 Test (or, 1/2 partial points)

The cat should hit the south wall, bounces back and start travelling towards north no threshold

Test (equality)

The cat should hit the south wall, bounces back and start travelling towards north with threshold

Input:

```
(<=
0
(-
BBORDER
(second
(get-cat
cat-2
(simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->DOWN))))
2)
```


Expected Output:

```
true
```

Expected Output Value:

```
#t
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the south wall, bounces back and start travelling towards north
no threshold

Input:

```
(get-cat  
cat-2  
(simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->DOWN))
```

Expected Output:

```
('(,CX ,BBORDER ,false ,"north")
```

Expected Output Value:

```
(225 683/2 #f "north")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the south wall, bounces back and start travelling towards north
with threshold 1

Input:

```
(get-cat  
cat-2  
(simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->DOWN))
```

Expected Output:

```
('(,CX ,( - BBORDER 1) ,false ,"north")
```

Expected Output Value:

```
(225 681/2 #f "north")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

Test (equality)

The cat should hit the south wall, bounces back and start travelling towards north with threshold 2

Input:

```
(get-cat  
cat-2  
(simulate-until-at-wall cat-2 WORLD-WITH-CAT2-DIR->DOWN))
```

Expected Output:

```
('(,CX ,(- BBORDER 2) ,false , "north")
```

Expected Output Value:

```
(225 679/2 #f "north")
```

Error occurred when calculating result

"error: contract violation\n expected: (or/c string? symbol?)\n given: (exn:fail \ "Does not move at full speed when it should\" #<continuation-mark-set>)"

2 Results

Successes: 13

Wrong Outputs: 9

Errors: 4

Achieved Points: 7

Total Points (rounded): 7/15