COL202: Discrete Mathematical Structures

Spring 2023

Tutorial Sheet 11

Announced on: Apr 13 (Thurs)

1. [Submission Problem for Group 1] Based on Problem 15.5 in [LLM17].

A license plate consists of either:

- 3 letters followed by 3 digits (standard plate)
- 5 letters (vanity plate)
- 2 characters—letters or numbers (big shot plate)

Let L be the set of all possible license plates.

a) Express L in terms of

$$\mathcal{A} = \{A, B, C, \dots, Z\}$$

$$\mathcal{D} = \{0, 1, \dots, 9\}$$

using unions (\cup) and set products (\times) .

- b) Compute |L|, the number of different license plates, using the sum and product rules.
- 2. [Submission Problem for Group 2] Based on Problem 15.60 in [LLM17].

A derangement is a permutation $(x_1, x_2, ..., x_n)$ of the set $(\{1, 2, ..., n\})$ such that $x_i \neq i$ for all i. For example, (2, 3, 4, 5, 1) is a derangement, but (2, 1, 3, 5, 4) is not because 3 appears in the third position.

Using inclusion-exclusion rule, show that the total number of derangements is

$$n!\left(1-\frac{1}{1!}+\frac{1}{2!}-\frac{1}{3!}\cdots+(-1)^n\frac{1}{n!}\right).$$

3. [Submission Problem for Group 3] Based on Problem 15.34 in [LLM17].

In poker, a *flush* is a hand that contains five cards all of the same suit, e.g., $K \spadesuit$, $9 \spadesuit$, $5 \spadesuit$, $4 \spadesuit$, $2 \spadesuit$. What is the total number of flush hands?

A straight is a hand that contains five cards of sequential rank, not all of the same suit, e.g., $K \spadesuit, Q \heartsuit, J \spadesuit, 10 \spadesuit, 9 \clubsuit$. What is the total number of straight hands?

4. [Submission Problem for Group 4] Based on Problem 15.79 in [LLM17].

Give a combinatorial proof of

$$1 \cdot 2 + 2 \cdot 3 + 3 \cdot 4 + \dots + (n-1) \cdot n = 2 \cdot \binom{n+1}{3}$$
.

References

[LLM17] Eric Lehman, Tom Leighton, and Albert R Meyer. *Mathematics for Computer Science*. 2017. URL: https://courses.csail.mit.edu/6.042/spring18/mcs.pdf.