# AI ASSISTED CODING ASSIGNMENT-9.2

# 2403a51236-SIRI BATCH-11

Task Description #1 (Documentation - Google-Style Docstrings for

Python Functions)

- Task: Use AI to add Google-style docstrings to all functions in a given Python script.
- Instructions:
- o Prompt AI to generate docstrings without providing any input-output examples.
- o Ensure each docstring includes:
- Function description
- Parameters with type hints
- Return values with type hints
- Example usage
- o Review the generated docstrings for accuracy and formatting.
- Expected Output #1:
- o A Python script with all functions documented using correctly formatted Google-style docstrings.

#### PROMPT:

Task: Add Google-style docstrings to all functions in this file.

#### Requirements:

- Include function description
- Parameters with type hints
- Return values with type hints
- Example usage
- Do not include input/output examples other than Example section.

## **Code and Output:**

# Task Description #2 (Documentation – Inline Comments for Complex Logic)

- Task: Use AI to add meaningful inline comments to a Python program explaining only complex logic parts.
- Instructions:
- o Provide a Python script without comments to the Al.
- o Instruct AI to skip obvious syntax explanations and focus only on tricky or non-intuitive code sections.
- o Verify that comments improve code readability and maintainability.

• Expected Output #2:

o Python code with concise, context-aware inline comments for complex logic blocks.

#### Prompt:

Task: Add meaningful inline comments to this Python program.

Instructions for AI (Copilot):

- Focus on complex or non-intuitive logic blocks only.
- Skip obvious syntax explanations (like variable assignments or basic loops).
- Comments should improve readability and maintainability of the code.

### Code and Output:

#### Task Description #3 (Documentation – Module-Level Documentation)

- Task: Use AI to create a module-level docstring summarizing the purpose, dependencies, and main functions/classes of a Python file.
- Instructions:
- o Supply the entire Python file to AI.
- o Instruct AI to write a single multi-line docstring at the top of the file.
- o Ensure the docstring clearly describes functionality and usage without rewriting the entire code.
- Expected Output #3:
- o A complete, clear, and concise module-level docstring at the beginning of the file

# Prompt:

Task: Create a module-level docstring summarizing the purpose, dependencies, and main functions/classes of this Python file.

Instructions for AI (Copilot):

- Write a single multi-line docstring at the very top of the file.

- Clearly describe the module's functionality and usage.
- Include dependencies (imports), main functions, and classes.
- Do not rewrite or duplicate the entire code.

## Code and output:

#### Task Description #4 (Documentation - Convert Comments to

Structured Docstrings)

- Task: Use AI to transform existing inline comments into structured function docstrings following Google style.
- Instructions:
- o Provide AI with Python code containing inline comments.
- o Ask AI to move relevant details from comments into function docstrings.
- o Verify that the new docstrings keep the meaning intact while improving structure.
- Expected Output #4:
- o Python code with comments replaced by clear, standardized docstrings.

## Prompt:

Task: Transform existing inline comments into structured Google-style docstrings.

Instructions for AI (Copilot):

- For each function, move meaningful inline comments into a docstring directly under the function definition.
- Use Google-style docstring format.
- Include function description, parameters (with type hints), returns (with type hints), and an Example section.
- Remove or minimize redundant inline comments once docstring is added.
- Keep the function logic unchanged.

## Code and output:

#### Task Description #5 (Documentation - Review and Correct

Docstrings)

- Task: Use AI to identify and correct inaccuracies in existing docstrings.
- Instructions:
- o Provide Python code with outdated or incorrect docstrings.
- o Instruct AI to rewrite each docstring to match the current code behavior.
- o Ensure corrections follow Google-style formatting.
- Expected Output #5:
- o Python file with updated, accurate, and standardized docstrings.

# Prompt:

I have Python code with outdated or incorrect docstrings. Please review the code, correct the docstrings to accurately describe the functions/classes, and rewrite them in Google-style formatting.

## Code with outdated docstrings:

```
ts.py > ...

class Calculator:

def add(self, a, b):
    """Adds two numbers together and returns a string."""

return a + b

def subtract(self, a, b):
    """Multiply two numbers."""
    return a - b

def greet(name: str) -> str:
    """Greets the user by printing hello."""
    return f"Hello, {name}!"
```

## Updated code:

# Task Description #6 (Documentation – Prompt Comparison Experiment)

- Task: Compare documentation output from a vague prompt and a detailed prompt for the same Python function.
- Instructions:
- o Create two prompts: one simple ("Add comments to this function") and one detailed ("Add Google-style docstrings with parameters, return types, and examples").
- o Use Al to process the same Python function with both prompts.
- o Analyze and record differences in quality, accuracy, and completeness.
- Expected Output #6:
- o A comparison table showing the results from both prompts with observations.

## Vague Prompt:

Add comments to this function.

### Code for vague prompt:

**Detailed Prompt:** 

Add Google-style docstrings with parameters, return types, and examples.

# Code for detailed prompt:

```
def factorial(n: int) -> int:

| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
| def factorial(n: int) -> int:
```