AI ASSITED CODING

ASSIGNMENT 2.1

NAME: V.SRAVYA

ROLL NO:2403A52403

BATCH:14

Task Description #1

• Use Google Gemini in Colab to write a Python function that reads a list of numbers and calculates the mean, minimum, and maximum values

```
[1] def calculate_stats(numbers):
    """
    Calculates the mean, minimum, and maximum values of a list of numbers.

Args:
    numbers: A list of numbers.

Returns:
    A tuple containing the mean, minimum, and maximum values.
    Returns (None, None, None) if the input list is empty.
    """
    if not numbers:
        return None, None, None

mean = sum(numbers) / len(numbers)
    minimum = min(numbers)
    maximum = max(numbers)
    return mean, minimum, maximum
```

```
# Example usage:
    my_list = [10, 20, 30, 40, 50]
    mean_val, min_val, max_val = calculate_stats(my_list)

if mean_val is not None:
    print(f"List: {my_list}")
    print(f"Mean: {mean_val}")
    print(f"Maximum: {min_val}")
    else:
        print("The list is empty.")

empty_list = []
    mean_val, min_val, max_val = calculate_stats(empty_list)

if mean_val is not None:
    print(f"List: {empty_list}")
    print(f"Mean: {mean_val}")
    print(f"Maximum: {min_val}")
    print(f"Maximum: {min_val}")
    print(f"Maximum: {max_val}")

else:
    print(f"List: {empty_list}")
    print(f"List: {empty_list}")
    print(f"List: {empty_list}")
    print(f"List: {empty_list}")
    print("The list is empty.")
```

```
List: [10, 20, 30, 40, 50]

Mean: 30.0

Minimum: 10

Maximum: 50

List: []

The list is empty.
```

Task Description #2

• Compare Gemini and Copilot outputs for a Python function that checks whether a number is an Armstrong number. Document the steps, prompts, and outputs.

```
↑ ↓ ◆ ⊖ 目 ♡ Ы Ⅲ :
√ [30] def is_armstrong_number(number):
         Checks if a number is an Armstrong number.
          An Armstrong number (or narcissistic number) is a number that is the sum
         of its own digits each raised to the power of the number of digits.
            number: The number to check.
          True if the number is an Armstrong number, False otherwise.
          # Convert the number to a string to easily get the number of digits and individual digits
          num_str = str(number)
num_digits = len(num_str)
          sum_of_powers = 0
         for digit in num_str:
            sum_of_powers += int(digit) ** num_digits
         return sum_of_powers == number
        # Example usage:
       num_to_check = 153 # Example of an Armstrong number
if is_armstrong_number(num_to_check):
       print(f"{num_to_check} is an Armstrong number.")
else:
          print(f"{num_to_check} is not an Armstrong number.")
```

```
num_to_check_2 = 123 # Example of a non-Armstrong number
if is_armstrong_number(num_to_check_2):
    print(f"{num_to_check_2} is an Armstrong number.")
else:
    print(f"{num_to_check_2} is not an Armstrong number.")
153 is an Armstrong number.
123 is not an Armstrong number.
```

Task Description #3

- Ask Gemini to explain a Python function (e.g., is_prime(n) or is_palindrome(s)) line by line.
- Choose either a prime-checking or palindrome-checking function and document the explanation provided by Gemini

```
import math
  def is_prime(n):
    Checks if a number is a prime number.
    Args:
     n: An integer.
    Returns:
     True if the number is prime, False otherwise.
    if n < 2:
     return False
    for i in range(2, int(math.sqrt(n)) + 1):
     if n % i == 0:
       return False
    return True
  # Example usage
  print(f"Is 2 prime? {is_prime(2)}")
  print(f"Is 10 prime? {is_prime(10)}")
  print(f"Is 17 prime? {is_prime(17)}")
      print(f"Is 10 prime? {is_prime(10)}")
[10] print(f"Is 17 prime? {is_prime(17)}")
      print(f"Is 1 prime? {is_prime(1)}")
      print(f"Is 0 prime? {is_prime(0)}")
 → Is 2 prime? True
      Is 10 prime? False
      Is 17 prime? True
      Is 1 prime? False
      Is 0 prime? False
```

EXPLANATION:

Data Analysis Key Findings

- A Python function is_prime(n) was successfully created to check if a number is prime. The function correctly handles edge cases like numbers less than 2 and utilizes an optimized approach by checking for divisors only up to the square root of n.
- A prompt was constructed to request a line-by-line explanation of the is_prime function from Gemini.
- A simulated line-by-line explanation of the is_prime function, as if provided by Gemini, was documented.

Insights or Next Steps

 The documented explanation can be directly used as documentation for the is_prime function, improving code readability and understanding.

Task Description #4

• Install and configure Cursor AI. Use it to generate a Python function (e.g., sum of the first N natural numbers) and test its output.

```
def sum_of_natural_numbers(n):
    """
    Calculates the sum of the first N natural numbers.

Args:
    n: An integer representing the number of natural numbers.

Returns:
    The sum of the first N natural numbers. Returns 0 for n < 1.
    """

if n < 1:
    return 0
else:
    return n * (n + 1) // 2

# Test cases
print(f"Sum of first 5 natural numbers: {sum_of_natural_numbers(5)}")
print(f"Sum of first 0 natural numbers: {sum_of_natural_numbers(0)}")
print(f"Sum of first 1 natural numbers: {sum_of_natural_numbers(0)}")
print(f"Sum of first 1 natural number: {sum_of_natural_numbers(1)}")</pre>
```

```
Sum of first 5 natural numbers: 15
Sum of first 10 natural numbers: 55
Sum of first 0 natural numbers: 0
Sum of first 1 natural number: 1
```

Task Description #5

- Students need to write a Python program to calculate the sum of odd numbers and even numbers in a given tuple.
- Refactor the code to improve logic and readability

```
↑ ↓ ♦ © 🗏 🛊 🗓 🗓 :
class Student:
       Represents a student.
       def __init__(self, name):
         Initializes a new Student object.
         name: The name of the student.
         self.name = name
       def __str__(self):
         Returns a string representation of the Student object.
         return self.name
     def manage_students():
       A simple program to manage a list of students.
       students = []
       while True:
         print("\nStudent Management Menu:")
print("1. Add Student")
print("2. View Students")
print("3. Exit")
```

Student Management Menu:

- → 1. Add Student
 - 2. View Students
 - 3. Exit

Enter your choice: 2

Student List:

- nandini

Student Management Menu:

- 1. Add Student
- 2. View Students
- 3. Exit

Enter your choice: 3

Exiting Student Management.