Math 557 Sep 19

Henkin Theories

Key Concepts

• An \mathcal{L} -theory T is a **Henkin theory** if for every sentence of the form $\exists x \psi$ there exists a constant \mathcal{L} -term t such that

$$T \vdash_{\mathcal{L}} \exists x \psi \rightarrow \psi_{t/x}$$

- Questions:
 - What are Henkin theories needed for?
 - Do they exist?
 - Can we extend a given consistent theory to a Henkin theory that is still consistent?

Problems

Exercise 0.1.

As before, let A_T be the term model of T. Pinpoint exactly where we might run into difficulties when we are trying to prove

$$\mathcal{A}_T \models \exists x \psi \iff T \vdash_{\mathcal{L}} \exists x \psi$$

Exercise 0.2 (Interlude).

What if in $\exists x \psi$ the variable x is not free? Does that make a difference regarding being a Henkin theory?

Exercise 0.3.

Can you find a couple of examples of Henkin theories?

The basic construction step for extending an \mathcal{L} -theory T to a Henkin theory is for every sentence of the form

- add a new constant symbol c_{σ} to \mathcal{L}
- add the formula $\exists x\psi \rightarrow \psi_{c_{\pi}/x}$ to T.

Exercise 0.4.

Why could the addition of a constant theoretically lead to T being inconsistent, even though T itself remains unchanged?

And why does T actually remain consistent?

The Henkin extension T_H of T is obtained by an iterative process:

Single iteration step:

- $\mathcal{L}' = \mathcal{L} \cup \{c_{\sigma} \colon \sigma \mathcal{L}\text{-sentence of the form } \exists x \psi\}$
- $\Gamma = \{\exists x \psi(x) \to \psi_{c_{\sigma}/x} \colon \sigma \mathcal{L}\text{-sentence of the form } \exists x \psi\}$ $T' = T \cup \Gamma \text{ (an } \mathcal{L}'\text{-theory)}$

Exercise 0.5.

Why is T' above not necessarily a Henkin theory?

Iteration process:

•
$$\mathcal{L}_0 = \mathcal{L}, T_0 = T$$

$$\bullet \quad \mathcal{L}_{n+1} = \mathcal{L}'_n, \ T_{n+1} = T'_n$$

$$\begin{array}{ll} \bullet & \mathcal{L}_{n+1} = \mathcal{L}_n', \ T_{n+1} = T_n' \\ \bullet & \mathcal{L}_H = \bigcup_{n \in \mathbb{N}} \mathcal{L}_n, \ T_H = \bigcup_{n \in \mathbb{N}} T_n \end{array}$$

Exercise 0.6.

Why is T_H a Henkin theory?

 T_H is no longer a purely symbolic extension of T (in the sense that we simply extend the language), since we add new sentences to T (the sentences in Γ for each iteration step).

! Take-home Problem

Show that for every \mathcal{L} -formula φ ,

$$T_H \vdash_{\mathcal{L}_H} \varphi \iff T \vdash_{\mathcal{L}} \varphi$$

(You can find some hints in the video lecture.)