

CheatSheet: Leetcode Common Templates & Common Code Problems

LANGUAGES

- PDF Link: [cheatsheet-leetcode-A4.pdf](#), Category: languages
- Blog URL: <https://cheatsheet.dennyzhang.com/cheatsheet-leetcode-A4>
- Related posts: CheatSheet: System Design For Code Interview, [#denny-cheatsheets](#)

File me Issues or star this repo.

- CheatSheet: 30 Common Code Problems & Follow-ups

1.1 Top 25 Code Templates

Num	Category/Tag	Example
1	#bfs	Leetcode: Binary Tree Level Order Traversal
2	#dfs	Leetcode: Island Perimeter
3	#binarysearch	Leetcode: Search Insert Position
4	#interval, #mergetwolist	Leetcode: Interval List Intersections
5	#twopointer, #array	Leetcode: Reverse Words in a String II
6	#twopointer	Leetcode: Two Sum
7	#backtracking, #subset	Leetcode: Subsets II
8	#linkedlist, #presum	Leetcode: Remove Zero Sum Consecutive Nodes from Linked List
9	#unionfind	Leetcode: Accounts Merge
10	#trie	Leetcode: Longest Word in Dictionary
11	#stack	Leetcode: Valid Parentheses
12	#stack	Leetcode: Reverse Substrings Between Each Pair of Parentheses
13	#heap	Leetcode: Top K Frequent Elements
14	#baseconversion	Leetcode: Base 7
15	#interval	Leetcode: Meeting Rooms II, Leetcode: My Calendar I
16	#monotone	Leetcode: Daily Temperatures
17	#knapsack	Leetcode: Coin Change
18	#sortbyfunction	Leetcode: Relative Sort Array
19	#slidingwindow	Leetcode: Longest Substring Without Repeating Characters
20	#editdistance, #dynamicprogramming	Leetcode: Longest Common Subsequence
21	#twopointer, #mergetwolist	Leetcode: Merge Sorted Array
22	#divideconquer, #recursive	

1.2 Top 20 Graph Problems

Num	Problem	Category/Tag	Summary
1	Graph Connectivity: Count islands in a 2D matrix	#dfs, #unionfind	Leetcode: Number of Islands
2	Get the size of the largest island	#dfs	Leetcode: Max Area of Island
3	Cycle detection in an undirected graph		
4	Cycle detection in a directed graph		Leetcode: Redundant Connection
5	Whether a graph is a tree	#unionfind, #bfs	Leetcode: Graph Valid Tree
6	Kruskal's algorithm: Minimum spanning tree of a weighted graph	#unionfind	Leetcode: Connect Rods
7	Dijkstra's algorithm: shortest path for two nodes in a weighted graph		
8	Floyd-Warshall algorithm: find shortest paths in a weighted graph	#dfs, #dynamicprogramming	
9	Update a specific region	#dfs	Leetcode: Flood Fill
10	Update regions for a given rule		Leetcode: Surrounding Regions
11	Mark levels		Leetcode: 01 Matrix
12	Duplicate edges		Leetcode: Redundant Connection
13	Find a certain node in a graph	#unionfind	Leetcode: Find the Town Judge
14	Find a certain path from source to destination in a graph		Leetcode: Path With Minimum Edits
15	Find the minimum steps from point1 to point2		Leetcode: Word Ladder
16	Find all minimum paths from point1 to point2		Leetcode: Word Ladder II
17	All Paths from Source Lead to Destination		Leetcode: All Paths From Source to Target

<https://cdn.dennyzhang.com/images/brain/dennyleetcode.png>

1.3 Top 5 Binarysearch Problems

Num	Problem	Category/Tag	Summary
1	Search Insert Position		Leetcode: Search Insert Position, Leetcode: Time Based Key-Value Map
2	Find the first true		Leetcode: First Bad Version
3	Find the last true		
4	Binary search on monotonic function		

1.4 Top 10 Dynamic Programming Problems

Num	Problem	Category/Tag	Summary
1	LCS - Longest Common Subsequence	#editdistance, #lcs	Leetcode: Longest Common Subsequence
2	LIS - Longest increasing subsequence	#string, #lis	Leetcode: Longest Increasing Subsequence
3	Edit distance of two strings	#editdistance, #dynamicprogramming	Leetcode: Edit Distance
4	Maximum subarray problem	#maxsubarraysum	Leetcode: Maximum Subarray

1.5 Top 10 BinaryTree Problems

Num	Problem	Category/Tag	Summary
1	Binary Tree Level Order Traversal	#bfs	Leetcode: Binary Tree Right Side View
2	Height of binary tree	#dfs	Leetcode: Balanced Binary Tree
3	LCA - Lowest Common Ancestor of a binary Tree	#dfs	Leetcode: Lowest Common Ancestor of a Binary Tree
4	Check whether a binary tree is a full binary tree	#dfs, #bfs	
5	Construct binary tree		Leetcode: Construct Binary Tree from Preorder and Inorder Traversal
6	Right view of a tree		

1.6 Top 5 String Problems

Num	Problem	Category/Tag	Summary
1	Edit distance of two strings	#editdistance, #dynamicprogramming	Leetcode: Edit Distance
2	Remove duplicate letters	#greedy, #stack	Remove Duplicate Letters

1.7 Top 5 Math Problems

Num	Problem	Category/Tag	Summary
1	Check prime - Sieve of Eratosthenes	#prime	Leetcode: Count Primes
2	Check leap year	#leapyear	Leetcode: Day of the Week
3	Rectangle	#rectangle	
4	gcd	#gcd	

1.8 Top 45 General Problems

Num	Problem	Category/Tag	Example
1	Seperate a list into several groups	#groupelements, #twopointer	Leetcode: Summary Range
2	Split string	#string	Leetcode: License Key For
3	TopK problem	#heap, #topk	Leetcode: Top K Frequent
4	Sort one array based on another array	#sortbyfunction	Leetcode: Relative Sort A
5	Longest substring with at most K distinct characters	#slidingwindow, #atmostkdistinct	Leetcode: Longest Substri
6	Longest subarray with maximum K 0s	#slidingwindow	Leetcode: Max Consecuti
7	Next Permutation	#greedy, #nextpermutation	Leetcode: Next Permutati
8	Range update with lazy propagation	#combinedcaculation, #rangesum	Leetcode: Corporate Fligh
9	Monotone stack for consecutive subarrays	#montone	Leetcode: Online Stock Sp
10	Get all possibilities of subsets	#subset, #backtracking	Leetcode: Subsets II, Leet
11	Choose k numbers from a list	#combination, #backtracking	Leetcode: Combination Su
12	Combination from multiple segments	#combination, #backtracking	Leetcode: Letter Combina
13	Remove nodes from linked list	#linkedlist, #presum	Leetcode: Remove Zero Su
14	Check whether a linked list has a loop		
15	Two pointers	#twosum, #twopointer	Leetcode: Two Sum
16	Buy stock for maximum profit list	#array, #greedy, #buystock	Leetcode: Best Time to B
17	Prefix search from a list of strings	#trie	Leetcode: Longest Word in
18	Factor Combinations	#combination, #backtracking	Leetcode: Factor Combina
19	Permutation without duplicates	#permutation, #backtracking	Leetcode: Palindrome Per
20	Int to string or string to int	#bitmanipulation	
21	Convert a number into negative base representation	#bitmanipulation, #baseconversion	Leetcode: Convert to Base
22	Network connectivity	#unionfind	Leetcode: Friend Circles
23	Build relationship among different sets	#unionfind	Leetcode: Accounts Merge
24	Knapsack problem to maximize benefits	#knapsack	Leetcode: Coin Change
25	Find the next greater value	#monotone	Leetcode: Daily Temperat
26	Meeting conflict	#interval	Leetcode: Meeting Rooms
27	Minimum conference rooms	#interval, #overlappinginterval	Leetcode: Meeting Rooms
28	Quick slow pointers	#twopointer	LintCode: Middle of Link
29	Longest Repeating Character with at most K changes	#slidingwindow	Leetcode: Longest Repeat
30	Count out of boundary paths in a 2D matrix	#outofboundarypath, #bfs	Leetcode: Out of Boundar
31	Coloring graph	#bfs, #dfs	Leetcode: Minesweeper
32	Prefix and Suffix Search	#trie	Leetcode: Prefix and Suffi
33	Remove duplicate letters	#greedy, #string, #stack	Leetcode: Remove Duplica
34	Beautiful array	#divideconquer	Leetcode: Beautiful Array
35	Whether 132 pattern exists in array	#stack	Leetcode: 132 Pattern
36	Detect conflicts of intervals	#interval	Leetcode: Non-overlapping
37	Segment tree: solves range query problems quickly	#segmenttree	Leetcode: Range Sum Que
38	Find best meeting points for a list of nodes	#meetingpoint	Leetcode: Best Meeting P
39	Find the size of longest wiggle subsequence	#subsequence, #wiggle	Leetcode: Wiggle Subsequ
40			Travelling salesman proble
41			Leetcode: Remove Duplica
42			Leetcode: Min Stack
43		#minmax, #dynamicprogramming	Leetcode: Predict the Win
44	Topological Sort		

1.9 Common Tips For Clean Code

Num	Name	Summary
1	Calculate sum of a range quickly	#presum, Leetcode: Maximum Subarray
2	Move in four directions for a matrix	Leetcode: Sliding Puzzle
3	Split string by multiple separator	Leetcode: Brace Expansion
4	Add a dummy tailing element to simplify code	Leetcode: Brace Expansion
5	Fast slow pointers	LintCode: Middle of Linked List
6	Deep copy an array	Leetcode: Combination Sum
7	Use arrays instead of hashmaps, if possible	Leetcode: Number of Days in a Month
8	Control the order of dfs	Leetcode: Subsets II
9	Avoid inserting into the head of an array	Leetcode: Path In Zigzag Labelled Binary Tree
10	From right to left, instead of left to right	Leetcode: Merge Sorted Array
11	Think the other way around	Add Items vs Remove Items, Increase Counter vs Decrease Counter
12	Avoid unnecessary if...else...	res[i] = (diff/2 <= k), Leetcode: Can Make Palindrome
13	To get the case of K, solve: at most K - at most (K-1)	Leetcode: Subarrays with K Different Integers
14	Instead of deleting entry from hashmap, decrease counter	Leetcode: Longest Substring with At Most K Distinct Characters
15	Find the max/min; If not found, return 0	Leetcode: Minimum Area Rectangle
16	With helper function vs without helper function	Leetcode: Longest Repeating Character Replacement
17	Instead of adding a character, try to delete one	Leetcode: Longest String Chain
18	#roundtrip: from left to right, then right to left	Leetcode: Shortest Distance to a Character
19	Delayed calculation to simplify the code	Leetcode: Interval List Intersections
20	Instead of removing, add padding elements	Leetcode: Duplicate Zeros
21	Initialize array with n+1 length to simplify code	Leetcode: Range Addition
22	Look for off-by-one errors, sometimes use i+1<len(l) vs i<len(l)	Leetcode: Previous Permutation With One Swap
23	Hashmap can reduce calculation, but may complicate things too	Leetcode: Maximum Frequency Stack
24	Avoid unnecessary precheck	
25	One pass instead of two pass	
26	Swiping line algorithm	
27	Add a dummy head node for linked list	
28	Hide details which are irrelevant	
29	Avoid delete element from hashmaps	

1.10 Golang Tips

Name	Summary
Golang return a tuple	func dfs(root *TreeNode, max *float64) (sum int, cnt int), Leetcode: Binary Tree Maximum Path Sum
Use strings.Builder, instead of string	Leetcode: Unique Email Addresses
Variable Conversion	float64(x_int/y_int) != float64(x_int)/float64(y_int), Leetcode: Maximum Average Subarray II
For a list of objects, pass by value or reference	f(1 []*TreeNode) vs f(1 []*TreeNode), Leetcode: Lowest Common Ancestor of a Binary Tree

1.11 Whiteboard Tips

Name	Summary
Focus on your key motivations or thinkings	Pivot quickly from interviewers' feedback
Brute force algorithm add values	Intuitive algorithms are usually the starting points of optimal ones
Work through specific test case clearly	Reduce bugs, and help to obtain interviewers' feedback early
Naming variables could be tricky	Settle down a set of variables per your preference
You don't have to crack all problems/optimal algorithms	

1.12 More Data Structure

Name	Summary
Tree map	
Inverted Index	

1.13 Resource For Code Problems

Name	Summary
Leetcode summary	Link: Top Google Questions, Link: Top 100 Liked Questions, Link: Top Interview Questions
Leetcode summary	GitHub: kdn251/interviews
LeetCoder on YouTube	lee 215, Aoxiang Cui, happygirlzt
Online test websites	spoj.com, Google - codejam, hackerrank.com, hackerrank - hard, codeforces.com, poj.org
Online test websites	acm.hdu.edu.cn, acm.zju.edu.cn, acm.timus.ru, uva.onlinejudge.org
visualgo	visualising data structures and algorithms through animation
Reference	geeksforgeeks.org, Youtube: Abdul Bari - Algorithm

1.14 More Resources

License: Code is licensed under MIT License.

<https://www.cs.princeton.edu/~rs/AlgsDS07/>

<https://www.geeksforgeeks.org/top-10-algorithms-in-interview-questions/>