



GEFORCE NOW SDK 1.9.1

INTEGRATOR PRIMER | JULY 2022

INTRODUCING THE GEFORCE NOW SDK

THE PATH TO CLOUD GAMING

The GeForce NOW SDK is a set of **APIs, components, and samples** that enable developers to seamlessly add the power of **cloud gaming** to their ecosystem.

THE POWER OF GEFORCE NOW

APIS AND BENEFITS

APPLICATION

LAUNCHER / STORE

GAME

ANTI-CHEAT

SDK APIs

STREAM LAUNCH

ACCOUNT
LINKING & SINGLE
SIGN-ON

ENVIRONMENT
CHECK

DEEP LINKING

CLIENT & SESSION
INFO

GEFORCE NOW



Single
Sign-On



Play Without
Installing



Launch In
Seconds



Premium GFX
Anywhere



Always
Up-To-Date



Robust
Gaming

TOPICS COVERED

BY TARGET AUDIENCE

This document provides a high-level overview of user and developer **benefits** along with integration **flows**, **interfaces** and **processes** required to stream.

LAUNCHER INTEGRATION

This topic covers the details needed by User Experience Designers and Developers alike to integrate the GeForce NOW SDK into an existing launcher application, as well as obtain information about client systems and streaming settings while running inside GeForce NOW.

An example launcher application is shown along with source provided in the SDK.

GAME INTEGRATION

This topic covers the details on APIs available to games running in GeForce NOW to obtain various client system information and streaming session state.

This topic is for Game Developers and Product Managers that want their games to run seamlessly in GeForce NOW.

ACCOUNT LINKING

This topic covers linking third-party accounts with a user's GeForce NOW account to implement Single Sign-On to provide a seamless integration experience.

Understanding Identity Management is key for Developers.

GFN DEEP LINKING

This topic covers linking into the GeForce NOW web browser client via URL deep links.

This topic is for Game Publishers that wish to publish links to their games in GFN as well as Gaming Platforms that wish to link users to playing games in GFN.

Example URLs are shown along with documentation provided in the SDK.




LAUNCHER INTEGRATION


ADDING CLOUD GAMING

STREAM GAMES DIRECTLY FROM YOUR LAUNCHER


EXAMPLE EXPERIENCE



Single Sign-On
w/ Linked Accounts



Seamless
Integration




Launch
In Seconds



Premium Experience
Everywhere

ECOSYSTEM

COMPONENTS AND CONNECTIONS



EXAMPLE LAUNCHER


USER AUTHENTICATION

LOGIN DIALOG

Sign on to the system is handled by the launcher application itself which gives the gamer access to the ecosystem provided by the publisher.

Signing on to the system automatically restores connections to any third-party linked accounts, including the gamer's NVIDIA GeForce NOW account.

Gamers link third-party accounts by opening the Settings page.



EXAMPLE LAUNCHER


STREAMING WITH NVIDIA GEFORCE NOW

GAMES PAGE

Gamers are shown an element in the application which opens the streamer window for those games which are supported by NVIDIA GeForce NOW.

The application uses SDK API calls to verify the application is not running inside GFN and to verify a specific game is able to be streamed from GFN.

The application shows the **STREAM NOW** button, or doesn't, based on whether or not the specific game can be streamed.



REQUIRED INTEGRATION

ADDING A CLOUD STREAMING OPTION

LOGIC FLOWS

- Check with SDK to confirm not in GFN to know when to allow streaming
- Use SDK to start streaming when user activates UI trigger, which first installs the GeForce NOW client as needed
- Use SDK session callback to know the status of the stream

RELEVANT SDK METHODS

```
GfnRuntimeError gfnInitializeRuntimeSDK(GfnDisplayLanguage) ;  
bool gfnIsRunningInCloud(void) ;  
void gfnStartStreamAsync(StartStreamInput * input, StartStreamCallbackSig  
    cb, void * context, unsigned int timeoutMs) ;  
void gfnShutdownRuntimeSDK(void) ;
```

OPTIONAL INTEGRATION

USE OF API WRAPPER FUNCTIONS

Use the C-based API wrapper functions to avoid needing to managing the lifecycle of the SDK library as well as calling export functions.

Use the C-based `GfnSdk_SecureLoadLibrary` API included with the SDK to automatically validate the SDK libraries to avoid tampering and spoofing.

LOGIC FLOWS

- Load GFN SDK library and initialize the SDK
- Start streaming when user activates UI trigger
- Use SDK callbacks to know the status of the stream
- Release SDK and unload GFN SDK library

RELEVANT SDK METHODS

```
GfnRuntimeError GfnInitializeSDK(gfnDisplayLanguage);  
GfnRuntimeError GfnIsRunningInCloud(bool * isRunningInCloud);  
GfnRuntimeError GfnStartStreamAsync(StartStreamInput * input,  
StartStreamCallbackSig cb, void * context, unsigned int timeoutMs);  
void gfnShutdownRuntimeSDK();
```

SECURE CLOUD ENVIRONMENT DETECTION

USE OF SECURE CLOUD CHECK API

This API checks if running in GeForce NOW game seats in a highly secure fashion.

Useful to decide if high-value features can be enabled or disabled.

The sample Launcher source include with the SDK provides example code on calling this API.

Refer to the Cloud Check API document in the ./doc folder for more information on the requirements to use this API.

LOGIC FLOWS - Example 1

- Launch SDK-enabled process with elevated privileges
 - `GfnRuntimeError GfnInitializeSDK(gfnDisplayLanguage);`
 - `GfnRuntimeError GfnIsRunningInCloudSecure(GfnIsRunningInCloudAssurance*);`
 - `void gfnShutdownRuntimeSDK();`
- Check returned value for the level of assurance to be running in GFN environment

LOGIC FLOWS - Example 2

- Cloud secure checks can be done from SDK-enabled Windows service
- Send command from non-elevated process to the service to query for cloud check
- In the service, call
 - `GfnRuntimeError GfnInitializeSDK(gfnDisplayLanguage);`
 - `GfnRuntimeError GfnIsRunningInCloudSecure(GfnIsRunningInCloudAssurance*);`
 - `void gfnShutdownRuntimeSDK();`
- Send returned value for the level of assurance to be running in GFN environment via secure IPC to the non-elevated process

ASSURANCE VALUES

- `gfnNotCloud` = Not running in GFN cloud, running local client
- `gfnIsCloudLowAssurance` = Software heuristics used to determine GFN
- `gfnIsCloudMidAssurance` = Software and network heuristics to determine GFN
- `gfnIsCloudHighAssurance` = Hardware heuristics used to determine GFN



GAME INTEGRATION

APIS FOR SEAMLESS INTEGRATION

CLOUD APIS

OBTAINING INFORMATION ABOUT CLIENTS OR GFN SESSION STATE

LOGIC FLOWS

- Check with SDK to know when running in GeForce NOW environment
- Use SDK to obtain various information about the connected client, network performance and streaming session
- Use SDK callbacks to know when GeForce NOW session status or client system changes to update game behavior

RELEVANT SDK METHODS

```
GfnRuntimeError gfnInitializeRuntimeSDK(GfnDisplayLanguage);  
bool gfnIsRunningInCloud(void);  
GfnRuntimeError gfnGetClientInfo(GfnClientInfo* clientInfo);  
GfnRuntimeError gfnGetSessionInfo(GfnSessionInfo* sessionInfo);  
GfnRuntimeError gfnRegisterClientInfoCallback(ClientInfoCallback clientInfoCallback, void* pUserContext);  
GfnRuntimeError gfnRegisterPauseCallback(PauseCallbackSig pauseCallback, void* pUserContext);  
GfnRuntimeError gfnRegisterSaveCallback(SaveCallbackSig saveCallback, void* pUserContext);  
GfnRuntimeError gfnRegisterExitCallback(ExitCallbackSig exitCallback, void* pUserContext);  
void gfnShutdownRuntimeSDK(void);
```




ACCOUNT LINKING

FOR SINGLE SIGN-ON

LINKING ACCOUNTS TO SUPPORT SINGLE SIGN-ON

INTEGRATION NECESSARY

The best experience for gamers requires a one time operation to link their store account with an NVIDIA account. Once accomplished, the user enjoys a seamless experience of playing games in GFN without needing to enter their publisher credentials during the streaming session.

ACCOUNT LINKING

- User performs a one time account linking operation from the GFN client.
- Launcher IDM cooperates with NVIDIA Accounting Linking service through OpenID Connect protocols to exchange account information.
- Account information is used to create mapping between two accounts.

SINGLE SIGN-ON

- User links accounts to share account information.
- User streams a game that uses linked accounts.
- In-stream launcher or game authorizes streaming via account information provided by GFN SDK.


ACCOUNT LINKING

COMPONENTS AND CONNECTIONS

GEFORCE NOW ACCOUNT LINKING ARCHITECTURE

This overview illustrates where each component is installed or hosted, and shows important connections between various components involved in account linking and Single Sign-On.

For more detailed information, see the Account Linking and Single Sign-On guide in ./doc folder.



EXAMPLE LAUNCHER

THIRD-PARTY ACCOUNT LINKING

SETTINGS PAGE

Gamers who create and link an NVIDIA GeForce NOW account are able to stream games to their device without having to manually enter their publisher credentials.

Linking accounts is accomplished using the industry standard OpenID Connect (OIDC) workflow in a web browser window.

Authorization tokens and user account data are then cached by the backend services so login authorization data can be provided to the publisher application running in the GeForce NOW game seat.

CONNECTIONS

Manage your connected accounts.



Ubisoft

Your account is connected to automatically sign in to games owned on Ubisoft Connect.

DISCONNECT



Epic Games

Your account is connected to automatically sign in to Fortnite.

DISCONNECT



Steam

Connect your account to add supported games from your Steam library.

CONNECT



DEEP LINKING

GEFORCE NOW GAME ACCESS VIA URL

INTRODUCING GEFORCE NOW DEEP LINKS

THE PATH TO SHARING CLOUD GAMING

A GeForce NOW Deep Link is a specialized URL that directs a user's web browser to the Details page of a specific game in the GFN web browser client.

This can be used to invite users via social or web media to discover and play games in GeForce NOW.

The Deep Link requires obtaining the game ID, which can be obtained from the web client's URL in the browser's address bar and a source that is user defined. The source and campaign are user defined.

`https://play.geforcenow.com/games?game-id=<game-id>&utm_source=<utm_source>&utm_campaign=<utm_campaign>`

“GameWebStore”

“NewLaunch”

The screenshot shows the GeForce NOW web interface. The address bar contains the URL: `play.geforcenow.com/games?game-id=59013b48-11cb-4307-8ac1-a3480a89ecb7&lang=en_US&asset-id=01_e1657e36-8614-4f91-bd9c-ddbf1081b44a`. A green box highlights the game ID `59013b48-11cb-4307-8ac1-a3480a89ecb7`. The page title is "Games". Below the navigation bar, there is a search bar with the text "Find your games". The main content area is titled "My Library" and displays a grid of game thumbnails. The first thumbnail is for "APOLLO 11 LUNAR LANDING", which is highlighted with a green border. To the left of the thumbnails, there is a message: "1 of 3 accounts connected". Below the "APOLLO 11 LUNAR LANDING" thumbnail, there is a section titled "Apollo 11 Lunar Landing Demo" with a "PLAY" button, a "+ SHORTCUT" button, and a "- LIBRARY" button. Below this section, there is a rating box showing "3+" and the text "Ages 3+".



NEXT STEPS

INTEGRATING GEFORCE NOW SDK

TRY THE INCLUDED SAMPLES


EXAMPLE CODE FOR ESSENTIAL FLOWS

GEFORCE NOW SDK SAMPLE LAUNCHER APPLICATION

This sample application contains working code with just enough UI controls showing essential integration points and functionality provided by the GeForce NOW SDK.

SDK APIs IN THIS CODE SAMPLE

- Check if running in GeForce NOW cloud environment
- Obtain supported game list
- Start streaming of a game and get stream state status
- Get Client and Session info (when run in Geforce NOW cloud environment)



TRY THE INCLUDED SAMPLES

EXAMPLE CODE FOR ESSENTIAL FLOWS

GEFORCE NOW SDK GAME API SAMPLE

This sample application contains working code for calling game-related APIs available in the SDK when run inside the GFN environment.

SDK APIs IN THIS CODE SAMPLE

- Check if running in GeForce NOW cloud environment
- Registering for Session change callbacks and handling them
- Get Client and Session info

```
runtimeError = GfnGetSessionInfo(&sessionInfo);
if (runtimeError == gfnSuccess)
{
    printf("Initial GetSessionInfo returned: { session length: %d, session remaining: %d}\n",
        sessionInfo.sessionMaxDurationSec, sessionInfo.sessionTimeRemainingSec
    );
}
else
{
    printf("Failed to retrieve initial session info. GfnError: %d\n", (int)runtimeError);
}

// Try "setting up" a title!
runtimeError = GfnSetTitle(platformAppId);
if (runtimeError == gfnSuccess)
{
    printf("Setup GFN Title\n");
}
else
{
    printf("Failed to setup GFN Title: %d\n", (int)runtimeError);
}

runtimeError = GfnAppReady(false, "Abcd");
if (runtimeError == gfnSuccess)
{
    printf("Reported 'AppReady' with failure to the SDK\n");
}
else
{
    printf("Failed to report 'AppReady' to the SDK: %d\n", (int)runtimeError);
}

runtimeError = GfnAppReady(true, NULL);
if (runtimeError == gfnSuccess)
{
    printf("Reported 'AppReady' with success to the SDK\n");
}
else
{
    printf("Failed to report 'AppReady' to the SDK: %d\n", (int)runtimeError);
}
```



THANKS FOR USING
THE GEFORCE NOW SDK